Yahoo Group Archive: kenwoodradio

Yahoo Group summary: Kenwood Ham Radio hobby, electronics, mods and user support

These Yahoo Groups messages were archived in WARC format by ArchiveTeam in 2016. This PDF was generated by Digital Library of Amateur Radio & Communications from the WARC files in 2026.

Date span: 2000-06-07 through 2016-06-03

Source WARC: kenwoodradio.gUM4IIJ.warc.gz

Source item: https://archive.org/details/yahoo-groups-2016-09-08T10-54-53Z-00f0af

Messages included in this PDF: 1255

Message records with no body available in the source archive: 3

Messages omitted as spam from this PDF: 4

Yahoo replaced the domain portions of email addresses with @... in the archived messages. Characters lost in Yahoo's archived text appear as ?.

Messages are presented in ascending Yahoo message-ID order. Gaps indicate records absent from the source WARC or messages omitted from this PDF as spam.

1. New Member

Yahoo group: kenwoodradio
Date: 2000-06-08 21:33:33 UTC
From: Ken Wood
Topic: 1 Message: 1

I really like the "Free & Easy" format...

Do You Yahoo!?
Yahoo! Photos -- now, 100 FREE prints!
http://photos.yahoo.com

2. Already good members.

Yahoo group: kenwoodradio
Date: 2000-06-07 21:44:11 UTC
From: Fred Decker
Topic: 2 Message: 2

Well, we already have some people moving over here or joining here also. I'm looking forward to some good discussion and a peaceful list. :) Talk to you guys as soon as I have something to say and try to keep my mouth shut when I don't!

Fred
N4IXL

[Non-text portions of this message have been removed]

3. TS-570

Yahoo group: kenwoodradio
Date: 2000-06-08 22:46:05 UTC
From: Dave Pomeroy
Topic: 3 Message: 3

I am a CW operator and would like to know if this
radio has full breakin and if if uses a relay, does
the relay make a lot of noise.
Thanks in advance.

=====
Dave Pomeroy K8DNP Southwest Michigan

_____
Do You Yahoo!?
Yahoo! Photos -- now, 100 FREE prints!
http://photos.yahoo.com

4. Re: [kw-radio] TS-570

Yahoo group: kenwoodradio
Date: 2000-06-08 23:05:30 UTC
From: Fred Decker
Topic: 4 Message: 4

I've got the 570 (there is also a list for that "kenwood570" also at egroups). It has full break in, adjustable with whatever delay you want. My rig does not click at all. I go to CW mode, turn VOX on, and start keying. I haven't looked at the schematic, but perhaps this is solid state switching? Again, you might want to ask the 570 list.

Fred
N4IXL

>
> I am a CW operator and would like to know if this
> radio has full breakin and if if uses a relay, does
> the relay make a lot of noise.
> Thanks in advance.
>
>
> =====
> Dave Pomeroy K8DNP Southwest Michigan
>

5. info ts850 pse

Yahoo group: kenwoodradio
Date: 2000-06-08 23:40:01 UTC
From: STU
Topic: 5 Message: 5

Hi I would like to learn more about the digital modes and was wondering what the wiring is for the acc2 that can be used for psk31 etc on the TS850 any help on the correct wiring via the computer and sound card would be great
Thanks
Stu
MM0BSM

6. Re: [kw-radio] info ts850 pse

Yahoo group: kenwoodradio
Date: 2000-06-08 23:51:30 UTC
From: Fred Decker
Topic: 6 Message: 6

I'll see if anyone else has anything to say, but I get most of this info on the PSK31 mailing list. I have a 570 and for a while used just the mic next to the speaker trick. Worked fine. The interface to my rig goes into the mic jack and comes out the phones jack, you might want to use the ACC2 jack, but that is more complicated. There is a device called a "rigblaster" that works great and handles all the modes with some very neat features. If you want to build a cable and do it without buying electronics, go to the PSK31 list and/or the web page where a lot of that is being stored. I see the cable messages every few days.

Fred

>
> Hi I would like to learn more about the digital modes and was wondering what
> the wiring is for the acc2 that can be used for psk31 etc on the TS850 any
> help on the correct wiring via the computer and sound card would be great
> Thanks
> Stu

7. Re: [kw-radio] info ts850 pse

Yahoo group: kenwoodradio
Date: 2000-06-08 23:57:41 UTC
From: STU
Topic: 6 Message: 7

Thanks fred will try to find the reflector.
Stu MM0BSM

8. NEW TO LIST

Yahoo group: kenwoodradio
Date: 2000-06-09 11:47:15 UTC
From: Ironhawk Comm. (K5VY)
Topic: 8 Message: 8

Hello all.
I'm just new to this group too. I prefer this kind
of list. My bio is on QRZ.com if anyone is interested.
I own quite a few pieces of Kenwood gear. I'm one who
got confused about the Kenwood website. It's all OK
now. Thanks.
73
Garland, K5VY

9. ts570dg connectors

Yahoo group: kenwoodradio
Date: 2000-06-09 15:32:30 UTC
From: Cherry, Mark
Topic: 9 Message: 9

Hello all,

I am in need of the DIN type connectors on the back of the 570. I need all of them, control, accessory and remote. If anyone has a suggested source, please let me know.

Any response will be appreciated.

Thanks, 73
Mark WT6P

10. Re: TS-570

Yahoo group: kenwoodradio
Date: 2000-06-09 22:32:26 UTC
From: Fred Adsit
Topic: 3 Message: 10

Re the lack of clicking on QSK CW, the rig does not use a reed relay. It is diode-switched. The only sound you will hear other than the sidetone is whatever noise your paddle or key makes. The QSK is remarkable considering how it is done (VOX keying with "no" delay). IMO, the 570S/D(G) is the best rig for the money ever to hit the ham radio marketplace. The more I use it, the more I like it. It also is a great QRP rig. Crank it down to 5W output, turn off the dial backlighting, and run it off a car battery for a LONG time.
73,
Fred, NY2V

11. Kenwood on QST

Yahoo group: kenwoodradio
Date: 2000-06-09 22:56:12 UTC
From: marconi
Topic: 11 Message: 11

I have a list showing Kenwood rigs review / hints and kinks on QST . If anyone is interested please ask.

12. Directory File

Yahoo group: kenwoodradio
Date: 2000-06-11 20:00:47 UTC
From: marconi
Topic: 12 Message: 12

I have created a file, with a directory showing reference numbers to various Kenwood service info, and where to look in past QST for product reviews and notes
It is yours for the asking
Will send it as attachment, private mail
Paul
9h1fq
marconi@...

13. Re: [kw-radio] Directory File

Yahoo group: kenwoodradio
Date: 2000-06-11 21:46:07 UTC
From: Fred Decker
Topic: 13 Message: 13

Paul,

I would like to invite you to post this file to the files section of this list on egroups, the link is below. Anyone who has access to the WEB can also have it available that way 24/7.

Fred

14. subscribe

Yahoo group: kenwoodradio
Date: 2000-06-12 22:36:37 UTC
From: Barry Kirkwood
Topic: 14 Message: 14

end
Barry Kirkwood PhD ZL1DD
Signal Hill Homestay B&B
66 Cory Road
Palm Beach
Waiheke Island 1240
NEW ZEALAND
www.waiheke.co.nz/signal.htm

[Non-text portions of this message have been removed]

15. TS-820 Power Xformer wanted!

Yahoo group: kenwoodradio
Date: 2000-06-13 02:46:11 UTC
From: Mike Duke
Topic: 15 Message: 15

If you have one, or a basket case 820 from which one can be had, please contact me. A friend is restoring an 820 for a new ham, and needs this part.

Mike Duke, K5XU, President,
Mississippi Council of the Blind

16. TS940S Freq. Extension

Yahoo group: kenwoodradio
Date: 2000-06-14 17:06:47 UTC
From: Cherry, Mark
Topic: 16 Message: 16

Would appreciate any information regarding the mods for a TS940Sat, that would extend the range for MARS operation.

Any help would be great.

Thanks

Mark, WT6P
Sacramento, CA

17. Re: [kw-radio] TS940S Freq. Extension

Yahoo group: kenwoodradio
Date: 2000-06-14 18:18:21 UTC
From: Ironhawk Comm. (K5VY)
Topic: 17 Message: 17

Hi Mark:
Try www.mods.dk/index.htm

click on KENWOOD

go down the left hand co;umn to TS-940

the file you want is 19-07-1998

If you have any problems with the file let me know and I'll download it and
e-mail it to you.

Good luck
73
Garland, K5VY

"Cherry, Mark" wrote:

> Would appreciate any information regarding the mods for a TS940Sat, that
> would extend the range for MARS operation.
>
> Any help would be great.
>
> Thanks
>
> Mark, WT6P
> Sacramento, CA
>
> ---
> Looking for Airfare deals?
> Visit Expedia.com for limited time offers
> http://click.egroups.com/1/5205/1/_/_/_/961002241/
> ---
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio

18. WANTED KENWOOD RZ1 SCANNER

Yahoo group: kenwoodradio
Date: 2000-06-15 17:56:55 UTC
From: mattw3jqj@aol.com
Topic: 18 Message: 18

ANY ONE HAVE A RZ1 SCANNER THEY WANT TO PART WITH?
PLEASE LET ME KNOW. State price and condition.

thanks Matt / W3JQJ

19. Kenwood Service Manual

Yahoo group: kenwoodradio
Date: 2000-06-15 19:17:28 UTC
From: marconi
Topic: 19 Message: 19

> Some three years ago, I have downloaded a 99 page manual, from Kenwood-Italy, which is a general repair manual for all Kenwood rigs from ts440 up to ts950.
> The manual describes the various sections , psu, digital units, tx/rx/ sections, display etc more or less common to all rigs. It also describes testing and measurments set up procedures.
> Unfortunately I lost some of the pages.
> Anyone has this manual please ??
> It is not available any more for downloading
>
> Paul Debono
> 9H1FQ
>
> -
>

20. fix for MC-80 HOT mic?

Yahoo group: kenwoodradio
Date: 2000-06-20 03:05:06 UTC
From: Fred Decker
Topic: 20 Message: 20

Does anyone have a fix similar to the hot mic fix for the MC-43 hand mic? I use an MC-80 on my TM-V7 and it is just horrible. It pics up any sound in the room, the rig decodes it and it goes into visual scan, or wide open squelch or a few other things. I need a link from the mic element to the PTT so that no audio goes to the radio unless I push the ptt.

Will this affect anything if I use the mic for HF? Is there a reason they don't include a circuit like this for mics that would be used for sideband? Thanks

Fred
N4IXL
ICQ:10254840
http://members.aol.com/fdecker

21. Hooking up an autopatch to the 570

Yahoo group: kenwoodradio
Date: 2000-06-21 18:19:58 UTC
From: Fred Decker
Topic: 21 Message: 21

I have a Kenwood PC-1A autopatch. I want to use it for PSK as well as autopatch. In hooking up my laptop, I can take the audio out of the laptop and go into the "line" terminals and it thinks it is phone audio and works great. I can transmit audio from the laptop fine. But I can't get good audio off the patch. I looked to see if there was audio coming out of the RX in or SP out and for some reason there is a tiny bit of something coming off RX in, but not enough to drive either the mic or line in on my laptop. I was thinking maybe I am supposed to run some audio TO rcx in and pick it up to the laptop on the sp out jacks of the patch. I wanted to get the equivalent of "discriminator" audio out so that I could run right into the laptop and still use the rigs volume control without affecting things.

Also, the meter is good, I tested that, but I don't see any meter deflection. What is supposed to drive it, the phone line input or something else?

Fred
N4IXL

22. PC-1A manual help?

Yahoo group: kenwoodradio
Date: 2000-06-21 18:40:36 UTC
From: Fred Decker
Topic: 22 Message: 22

Does anyone have a copy of this manual they can scan and send or copy to me somehow? Thank you.

Fred
N4IXL
ICQ:10254840
http://members.aol.com/fdecker

23. serial number

Yahoo group: kenwoodradio
Date: 2000-06-22 20:10:32 UTC
From: on4cbj@village.uunet.be
Topic: 23 Message: 23

Hi gang!

Does anyone know how to track the age of a radio by it's serial number?

The radio in question is a 690, serial 309 00105.

Thanks,

Gert

24. new to kenwood group

Yahoo group: kenwoodradio
Date: 2000-07-03 13:02:48 UTC
From: john ledford
Topic: 24 Message: 24

```
have Kenwood 430-s;seems like good radio,good audio reports.just
recieved license last week KC2GQB Tech+.Does anyone know much about
this rig? just had liver transplant on 4-10-00,recovering great.
```

25. New to Group !

Yahoo group: kenwoodradio
Date: 2000-07-13 18:39:53 UTC
From: Craig Gagner
Topic: 25 Message: 25

Just subscribed to the Kenwood Group.

I have alot of experience with the Commercial side of the house, mainly installations and programming. Just got my Ham ticket and have a THG-71A and also a TMV-7A. Love both radios..

Craig
W1MED

26. New Qs re: 2 & 3 Bd and TH-G71A

Yahoo group: kenwoodradio
Date: 2000-07-28 11:51:58 UTC
From: John Newell
Topic: 26 Message: 26

I have poked around and didn't see answers to these two questions; I know some questions come up repeatedly and I hope neither of these is in that category.

1. What are the advantages of a tri-band HT vs a dual band? I'm interested in getting a license (more below) and using a HT, but I'd rather buy just once (if possible <g>). What does the 6m band get me, in real life, compared to a dual band radio?

2. I am having trouble figuring out whether a tech license allows me to transmit on any of the three bands? Or is it a case of not being able to use specific frequencies within given bands with a tech license, or a question of tx power?

3. As far as I've been able to discover, the Kenwood TH-G71A seems to be a superior choice as a small HT, compared to dual and tri-band Icoms and Yaesus. In fact, I haven't been able to find any complaints about it (there must be some?). Any opinions/feedback? I live in New
England and am thinking both in terms of urban/suburban use as well as
rural use, where I believe that low tx output would be a handicap. (As an additional question, does anyone have any comments about the number of repeaters in NH, VT and ME and/or the frequencies most of them are on?)

If I've missed something I should be asking/knowing, I'm grateful to hearabout that, as well.

Many thanks --
John Newell
jnewell@...

27. Re: [kw-radio] New Qs re: 2 & 3 Bd and TH-G71A

Yahoo group: kenwoodradio
Date: 2000-07-28 13:57:24 UTC
From: Fred Decker
Topic: 27 Message: 27

> 1. What are the advantages of a tri-band HT vs a dual band

This would be something open to individual opinion, but 2 meters is all a lot of people still have. You could do with just that and probably be happy. Geography has something to do with things, because some areas have a lot of UHF repeaters and some very limited. There are many factors to consider. The higher the frequency, the more like microwaves or the more "line of sight" the signal becomes. 2meters, with repeaters can have 20-75 mile ranges on repeaters depending on things like antennas, heights, etc. You can double that if you start on one side of a coverage circle and are driving through to the other side. UHF might have 2/3 that or less, and many times people don't get to put them as high as 2m repeaters.

UHF is affected by trees, rain, etc. Coverage is usually a little less, and you don't often get the ducting affects like on 2m where in the early morning or evening all of a sudded range extends hundreds of miles. UHF is more exclusive and you can have more private conversations. Usually, you can't find anyone to talk to on UHF, you agree to meet people over there unless there is a group that monitors regularly. Check in your town. UHF is my favorite place to get away and talk to my friends away from people that irritate me.

6 meters is more like HF. It has a lot of the featurs of something like 2m and many of HF, it is sort of a hybrid. It opens up more for long distance communication and people like to use it to talk into repeaters far away or work simplex, one on one. This also seems like a fringe thing. I like it, but most HAM radio activity is on 2m, 20m, 80m, and with good band conditions, 10m. The other bands are just places to have a little quiet, to experiment, and to have some room to get away. For some however, that is their one best place to go.

My personal opinion is that a dual band is a great way to get started. If I was going to use 6m, it wouldn't be with an HT, it would be with a bigger radio. You need more antenna, and maybe a lot more power. However, if you have a closeby 6m repeater with a lot of activity, then go for it. Find out where people hang out by you locally. In some areas, the secondary band people hang out in is 220, not 440, so that throws something else into the mix

> 2. I am having trouble figuring out whether a tech license
> allows me to transmit on any of the three bands

Technicians may use all of any band over 30mHz. All VHF, UHF and above are way beyond 30meg. 6m is in the 50's, 2m in the 140's, UHF in the 440's.

> 3. As far as I've been able to discover, the Kenwood TH-G71A seems to
> be a superior choice as a small HT

Typically, the more bands on a radio, the more compromised in the circuitry to get it to do all that it does. Because of the way synthesized radios work, you will get more birdies and are more open to pagers and other intermod sources. I have lots of radios, mostly Kenwood and have been very happy.

Fred
N4IXL

28. opinion

Yahoo group: kenwoodradio
Date: 2000-08-04 00:03:32 UTC
From: Prem & Urvashi Melwani
Topic: 28 Message: 28

Hi I am would like some info on the THG-71A or the THD-7A. I currently own a yaesu VX-5R for which I have a buyer. I want to buy a new HT but don't know if to buy another VX-5R or switch to Kenwood. Below is a list of functions I need in a unit.
1) Trasmit in at least vhf and uhf.
2) scan function across all the bands
3) fine enough step size to communicate with frs radios and gmrs.
4) the ability to monitor several selected channels in memory (memory group or banks)
Item no 4 is important because I monitor and communicate with 4 security companies around my block. They all use different frequencies.
Thank you
Regards
Prem.

29. Help with Qrn ID !

Yahoo group: kenwoodradio
Date: 2000-08-06 23:14:08 UTC
From: Robert (Bob) Mason
Topic: 29 Message: 29

Thanks for reading this !

I am recieving really bad qrn from 18 to 30 mhz, I have tried tracing it with a friends scanner with no joy.

If you go to this website http://www.qsl.net/mm0bqm/help.htm maybe you can help identify it, it makes the same noise 24hrs a day.

Many thanks ...

Bob, MM0BQM

30. Re: [kw-radio] Help with Qrn ID !

Yahoo group: kenwoodradio
Date: 2000-08-06 19:16:48 UTC
From: Daryl
Topic: 29 Message: 30

Bob. Stop eating beans and I'll bet the noise goes away. :-)

At 11:14 PM 8/6/00 +0000, Robert (Bob) Mason wrote:
>kenwoodradio@egroups.com

****
Daryl Cline WB4YEX jdc@...
Harrisonburg, Va.
http://www.cfw.com/~jdc Ham Radio, Backpacking, Caving
"No good deed goes unpunished"
****

31. Factory Option Second IF Filter for TS-180S - Instructions

Yahoo group: kenwoodradio
Date: 2000-08-11 22:37:58 UTC
From: DavidC
Topic: 31 Message: 31

~~~ Abandoning all caution he wrote ...

I have acquired a Kenwood TS-180S transceiver in a swap.

Kenwood offered a factory "mod" that added a second
IF filter stage.

Anyone have the instructions for that option? Mine doesn't have it
and I'd like to add it.

- Thanks! & 73, DavidC (Amateur Radio FCC Licensee K1YP, Hudson, FL)

****

_____NetZero Free Internet Access and Email_____
Download Now http://www.netzero.net/download/index.html
Request a CDROM 1-800-333-3633
_____
~~~

32. Re: [Kenwood] Factory Option Second IF Filter for TS-180S - Instructions

Yahoo group: kenwoodradio
Date: 2000-08-14 14:46:20 UTC
From: DavidC
Topic: 32 Message: 32

Thanks Cliff! Just opened the box and had a look.

The way it had been described to me it was not so simple!
I merely have to acquire a 8830 KHz filter similar to the
YK-88S? I do want to use a 1.8 filter for heavy QRM.

Questions:

1. Will this filter be in-line all the time?
2. If so, any reason I can't add a switch to take it out when tuning?
3. Is this filter in the TX line as well?
4. If so, how would a 1.8 impact TX, if at all?
5. Any specific filter number and source recommendations?

- Thanks! & 73, DavidC K1YP/4 in Hudson, FL)
****

> Try page 25-26 of the owners manual. It tells how to do it.
>
> Clif Holland, KA5IPF
> Owner, "AVVid", an Authorized Kenwood
> and Icom Service Center
> For more info go to:
> http://www.avvid.com
>
> > I have acquired a Kenwood TS-180S transceiver in a swap.
> >
> > Kenwood offered a factory "mod" that added a second
> > IF filter stage.
> >
> > Anyone have the instructions for that option? Mine doesn't have it
> > and I'd like to add it.
> >
> > - Thanks! & 73, DavidC (Amateur Radio FCC Licensee K1YP, Hudson, FL)

_____NetZero Free Internet Access and Email_____
Download Now http://www.netzero.net/download/index.html
Request a CDROM 1-800-333-3633
_____

33. Re: [Kenwood] Factory Option Second IF Filter for TS-180S - Instructions

Yahoo group: kenwoodradio
Date: 2000-08-14 15:50:12 UTC
From: DavidC
Topic: 32 Message: 33

I confess I did skim too quickly and missed the *partial*
information in the manual. Here are the questions that the
manual does not address:

1. How would a 1.8 (YK-88SN versus the 2.4 YK-88S)
filter in the TX line effect TX, if at all? The manual only
addresses the impact of a second YK-88S.

2. The MODE switch appears to select between the CW and
SSB filter(s) but does not appear to switch-out the first and/or
second IF filter(s). This would mean full-time 2.4 then 1.8
filtering ... not good for tuning or for comfortable listening
when QRM is low.

Notes: It would appear that the TS-180S is designed to accept
and work well with a second full-time YK-88S filter. It also appears
that the best way to implement a YK-88SN in the second filter is to
actually stack a YK-88S and a YK-88SN and to provide a switch
between the two. The question remains as to what impact leaving
the second-IF (YK-88SN) in-circuit on TX may have ... if negative
then I suppose I would need to add a relay to switch it out on TX?

- Thanks! & 73, DavidC K1YP/4 in Hudson, FL

> Read the book. It's all there.
>
> Clif Holland, KA5IPF
>
>> Thanks Clif! Just opened the box and had a look.
>>
>> The way it had been described to me it was not so simple!
>> I merely have to acquire a 8830 KHz filter similar to the
>> YK-88S? I do want to use a 1.8 filter for heavy QRM.
>>
>> Questions:
>>
>> 1. Will this filter be in-line all the time?
>> 2. If so, any reason I can't add a switch to take it out when tuning?
>> 3. Is this filter in the TX line as well?
>> 4. If so, how would a 1.8 impact TX, if at all?
>> 5. Any specific filter number and source recommendations?

_____NetZero Free Internet Access and Email_____
Download Now http://www.netzero.net/download/index.html
Request a CDROM 1-800-333-3633
_____

34. Which to Keep - TM-221a or TM-241a

Yahoo group: kenwoodradio
Date: 2000-08-15 01:51:17 UTC
From: DavidC
Topic: 34 Message: 34

I have to part with one of my Kenwood mobiles. Both are in excellent shape.

If you were to choose which would you keep TM-241a or TM-221a, and why, please?

- Thanks! & 73, DavidC K1YP/4 in Hudson, FL

****
Amateurs built the ark. Professionals built the Titanic.
****

_____NetZero Free Internet Access and Email_____
http://www.netzero.net/download/index.html

35. fs: Kenwood TM-211a 2m Mobile Rig

Yahoo group: kenwoodradio
Date: 2000-08-16 16:52:52 UTC
From: DavidC
Topic: 35 Message: 35

Must sell my Kenwood TM-211a to afford a second (used)
2/440 HT for emergency communications.

Rig is in excellent condition and includes MC-48 mic (with
tone pad, up-down switches), mic clip, mobile mounting
bracket, and two-section fused power cable assembly.

The 211a has an adjustable front section which allows
the angle of the face to be set for best view depending
on where you mount it.

The 211a features include 25 watts output, digital display,
scan, memories, etc.

There is an available mod to open the 211a up for 138.00
thru 154.000 Mhz TX RX and another for 138-174 MHz
receive-only. I have not tried them.

I can E-mail a real clear photo to interested buyers. It is a
nice looking and solidly built radio.

Asking $125. (incl. shipping conus) or best reasonable offer.
Need to sell this quickly.

- Thanks! & 73, DavidC K1YP/4 in Hudson, FL

****

_____NetZero Free Internet Access and Email_____
Download Now http://www.netzero.net/download/index.html
Request a CDROM 1-800-333-3633
_____

36. Re: Switching a Second IF Filter for TS-180S

Yahoo group: kenwoodradio
Date: 2000-08-17 02:45:53 UTC
From: DavidC
Topic: 36 Message: 36

Continuing my exploration of modifying the TS-180S for
dual second-IF filter selection (2.4 and 1.8) ...

Do I correctly observe that when the ATT/OFF switch is in
ATT position that it removes the second optional filter (or
bypasses the jumper if no optional filter is present), and that
in OFF position it allows the second optional filter to function?

Do I correctly observe that if I lift the ends of the three-
resistor attenuator pad and wire an additional second IF filter
(1.8) in its place that the ATT position would select that filter?

Do I also correctly observe that if this switch were replaced
with a three (rather than two) position switch it could select
between two filters and the attenuator?

I do not see how the TX circuit bypasses the ATT resistor
pad if it happens to be engaged when in TX mode. Would
not the ATT circuit have a negative impact on the TX signal?

Am I likely to notice the absence of the ATT if I bypass it
in favor of a second IF filter? (I will likely have a JPS NIR-10
on the audio output and can attenuate loud signals with it.)

I do not see any values for the signal at the input of the
filter/attenuator pad thus I do not know how to calculate
the biasing of diodes were I to wire-in a TX-triggered
diode switch to force the 2.4 rather than the 1.8 filter
into the circuit.

- Thanks! & 73, DavidC K1YP/4 in Hudson, FL

****

_____NetZero Free Internet Access and Email_____
Download Now http://www.netzero.net/download/index.html
Request a CDROM 1-800-333-3633
_____

37. TM-D700 Any commments on it?

Yahoo group: kenwoodradio
Date: 2000-08-22 17:25:26 UTC
From: Miles Treacher
Topic: 37 Message: 37

Hi there,
I am considering buying said rig, anyone have any comments on it,
good
or bad?

Many thanks
Miles, G0ODS@...

38. TH-D7A (APRS) -- Comments?

Yahoo group: kenwoodradio
Date: 2000-08-24 11:51:12 UTC
From: John Newell
Topic: 38 Message: 38

I'm looking into a TH-D7A as a companion for a TH-G71 -- any comments on this radio, especially durability and tx/rx compared to the G71?

73
John Newell

39. TM721A Fault?

Yahoo group: kenwoodradio
Date: 2000-07-30 12:12:40 UTC
From: Brian Purdie
Topic: 39 Message: 39

Hi
I have a TM721A which has started having "beeping fits" when first turned on. It appears that the ABC & Mute cycle on and off in a random manner for about 5 minutes and beeping as they do. The scan won't work during this period either. You can change freq. TX/RX appear OK. Is this by chance a recognised fault by anyone or a known problem with age? Has there been any bulletins about this kind of problem? Hope someone can cast some light on this? This occurred about a month ago and went away, now its back!!
Regards Brian ZL2TPS

40. MCP Software Not Working?

Yahoo group: kenwoodradio
Date: 2000-08-27 02:19:40 UTC
From: John Newell
Topic: 40 Message: 40

I don't know whether I've got a dud radio or whether I'm missing something with the software. I am trying to clone one TH-G71 into another, but the software reports a communication timeout error. I tried copying the file into a new file (same contents, different name), but no change. The contacts seem to be OK, because an external
mic/speaker works, although I suppose there could be something flakey in the HT.

Has anyone had any similar experience with this software? It's not the software setup or cable, since it still reads/writes on the first G71. I'm puzzled...

73,
John Newell

41. Re: [Kenwood] TS-830S WARC Band mod

Yahoo group: kenwoodradio
Date: 2000-08-28 00:40:17 UTC
From: DavidC
Topic: 41 Message: 41

There was a mod kit.

I thought I read somewhere that someone had identified the parts collection and installation process for a D.Y.I. mod but cannot locate it anywhere in the labyrinth of favorites, saved E-mails and other saved files on my laptop.

I have copied my reply to several relevant lists in the hope that someone somewhere will have a good answer for you.

- 73, DavidC

****
David M. Colburn -- K1YP/4
WCF Section Emergency Coordinator
ARRL West Central Florida Section
http://www.qsl.net/k1yp/
Grab a Piece of the ARES Excitement!
Amateur Radio Emergency (communications) System
****

----- Original Message -----
From: <Vhf53@...>
Sent: Sunday, August 27, 2000 8:15 PM
Subject: [Kenwood] TS-830S WARC Band mod

> Hi folks,
> Can anyone please tell me how to enable my 830S to transmit on the warc bands?
> I didn't get a manual with it.
>
> Thanks ,
> Bill Kuzio
> WA3EFJ

_____
Why pay for something you could get for free?
NetZero provides FREE Internet Access and Email
http://www.netzero.net/download/index.html

42. Re: [Kenwood] TS-830S WARC Band mod

Yahoo group: kenwoodradio
Date: 2000-08-28 01:31:55 UTC
From: DavidC
Topic: 41 Message: 42

I knew I needed that second cup of coffee today!

I *read* TS-830S and since I have been looking at TS-180S stuff and
just read another post looking for info about the 180S I *saw* 180S ...
never mind my irrelevant mutterings about a "factory" mod for the 830S!

- 73, DavidC

> Mod at the factory?? What mod?
> I never had to do it myself. All the 830's I've had were modified.
> 5 units two I still have.
> The language the seller used is a bit confusing. Post-design mod??
> The unit was built to receive and transmit on WARC bands but disabled
> until the FCC regs were changed. Many of the units of that era were
> identical ie. Drake 7 line.
> You might need to tweak the coils but the manual doesn't say that.
> I wonder if the seller knows something you don't?? Possibly a
> CB mod was in at one time?? I avoid any unit that was tinkered
> with on 11 meters.
> Mike

_____NetZero Free Internet Access and Email_____
Download Now http://www.netzero.net/download/index.html
Request a CDROM 1-800-333-3633
_____

43. New Kenwood Mobile Rig

Yahoo group: kenwoodradio
Date: 2000-08-28 18:47:21 UTC
From: ad6ez@aol.com
Topic: 43 Message: 43

Hello All -

I new to this group - Nmae is Denny; my call is AD6EZ and QTH is Goleta, CA.

I heard that Kenwood is bringing out a new mobil HF/VHF/UHF rig to compete with ICOM and Yaesu. Does anyone have any information about this radio? I also heard that it was seen at Dayton this year. Any information about this new rig will be much appreciated. Tnx ...

73 es God Bless de Denny AD6EZ <><
Goleta, CA

44. New Mobile Rig

Yahoo group: kenwoodradio
Date: 2000-08-28 20:09:25 UTC
From: ad6ez@aol.com
Topic: 44 Message: 44

Hi All -

I heard that Kenwood is bringing out a new mobil HF/VHF/UHF rig to compete with ICOM and Yaesu. Does anyone have any information about this radio? I also heard that it was seen at Dayton this year. Any information about this new rig will be much appreciated. Tnx ...

73 es God Bless de Denny AD6EZ <><
Goleta, CA

45. TS-50S Service Manual Book wanted

Yahoo group: kenwoodradio
Date: 2000-08-29 07:37:41 UTC
From: t_wibisono@omron.com.sg
Topic: 45 Message: 45

Dear friends,
I need a Service Manual Book for my TS-50S transceiver.
Please inform me, how to get this book.

Vy 73 de YD0PGQ
Indonesia

46. Re: IF-232C help please - Eliminating the Level Converter

Yahoo group: kenwoodradio
Date: 2000-09-03 01:32:15 UTC
From: DavidC
Topic: 46 Message: 46

Will this work with the 690S? How is it that this works without the active converter? Would it work with LOGic or is some of the functionality lost without the active device? It just seems to good to be true! ;-)

Thanks! & 73, DavidC K1YP/4

> http://www.geocities.com/CapeCanaveral/1138/850mod1.html
>
> Scroll down until you find:
>
> "Computer Interface for the TS-850, without using the IF-232 Level Converter."
< Takes a 5V zener and a 470 ohm resistor. works fine -lasts long time,and a
> whole lot simpler than building an IC based level converter.

> Dave
> NR1DX
>
> At 08:15 AM 9/2/00 -0500, Dave - N1PC wrote:
> >Does any body know where I can find details on building an IF232c interface,
> >or where I could purchase at a reasonable price???
> >
> >Thanks,
> >
> >Dave, N1PC

_____NetZero Free Internet Access and Email_____
http://www.netzero.net/download/index.html

47. TS-94O computer interface HELP PLEASE

Yahoo group: kenwoodradio
Date: 2000-09-09 01:25:04 UTC
From: Jose M. Valdes R. YV5LIX
Topic: 47 Message: 47

Hi list members, I'm new to this list and I have a question for you guys.

I have a Kenwood TS-940S and I recently bight a IF-232C to interface the transceiver to my computer, After several filed attempts to established a communication between the radio and the software I sent an email to Kenwood support asking for help and this is the answer I got from them:

> Dear Kenwood Customer: You need to items for computer interface
> IF-10B, and
> IF-232C. Look Below.....
>
> Thank you for your inquiry. The IF-10B computer interface for the TS-940S
> has been discontinued from Kenwood directly. As a courtesy to
> our customers
> and our ongoing effort to provide you with great customer service we are
> providing you with the following information.
>
> The following has been copied from one of the Amateur radio newsgroups:
>
> Hi Folks,
> I have completed production on our new combination IF-10B / IF-232C
> serial interface boards for the TS-940 transceiver. This board fits inside
> of the TS-940,in place of the original IF-10B board. Incorporated into the
> board is the RS-232 level converter as well so you won't need the
> external,
> IF-232C, box. The board is shipped with a 5' ribbon cable that connects to
> the new board, on one end, and has a female DB9 connector
> (computer) on the
> other end. Physical dimensions, connector location and mounting
> hole pattern
> is the same as the original IF-10B board, so installation is a snap. The
> price of the board is $89 + $6 shipping in the continental US. We
> are set up
> to accept Visa and MasterCard.
>

Now the problem is that I already bought and pay for the IF-232C (US$ 98.95), and to go ahead and buy the product suggested by Kenwood will increase my total cost to about US$ 216.00, that will be the cost of the IF232C +
the price of the board suggested by Kenwood + US$ 30.00 for shipping it to YV land and 15% import tax that must be paid locally; on top of that I will end with an useless IF-232C since the new board does the job without it, and in YV land there is not a big market for the interface.

I wonder if any one knows if there is a diagram to build a IF-10B so I can built my self, I built an interface to link my IC-765 to my computer using a MAX-23 IC and it work just fiend, but I can not fiend a schematic to build the IF-10B, any help with this problem will be appreciated, thanks.

Have a nice weekend.

Jose M. Valdes R.

yv5lix

48. TH 78-A WIRING DIAGRAM NEEDED

Yahoo group: kenwoodradio
Date: 2000-09-18 10:47:20 UTC
From: Brian, J, Oldham
Topic: 48 Message: 48

Greetings from the land of the long white cloud (New Zealand)
I Found your list whilst desparatly searching for information
regarding this (second hand) radio.
my problem is that the left encoder is none-functional.
Looking inside the set It's obvious that someone has been in here
before me, so I dont know whats been changed.
Prior to working on this radio I would like to see a wiring diagram
or
schematic drawing of the model, and also learn of any known problems.
Can anyone on the list E-mail such information to me.
I can't find anyone in the south island who can help..
how about it guys.
TIA BRIAN...

49. Fw: [kw-radio] TH 78-A WIRING DIAGRAM NEEDED

Yahoo group: kenwoodradio
Date: 2000-09-18 17:03:12 UTC
From: marconi
Topic: 49 Message: 49

----- Original Message -----
From: "marconi" <marconi@...>
To: <kenwoodradio@...>
Sent: Monday, September 18, 2000 6:57 PM
Subject: Fw: [kw-radio] TH 78-A WIRING DIAGRAM NEEDED

----- Original Message -----
From: "marconi" <marconi@...>
To: <kenwoodradio@egroups.com>; "Brian, J, Oldham" <styxmix@...>
Sent: Monday, September 18, 2000 6:35 PM
Subject: Re: [kw-radio] TH 78-A WIRING DIAGRAM NEEDED

try
http://www.mods.dk

for modification and other info about most kenwood rigs
marconi@...

----- Original Message -----
From: Brian, J, Oldham
To: kenwoodradio@egroups.com
Sent: Monday, September 18, 2000 12:47 PM
Subject: [kw-radio] TH 78-A WIRING DIAGRAM NEEDED

Greetings from the land of the long white cloud (New Zealand)
I Found your list whilst desparatly searching for information
regarding this (second hand) radio.
my problem is that the left encoder is none-functional.
Looking inside the set It's obvious that someone has been in here
before me, so I dont know whats been changed.
Prior to working on this radio I would like to see a wiring diagram
or
schematic drawing of the model, and also learn of any known problems.
Can anyone on the list E-mail such information to me.
I can't find anyone in the south island who can help..
how about it guys.
TIA BRIAN...

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

[Non-text portions of this message have been removed]

50. Fw: [kw-radio] TH 78-A WIRING DIAGRAM NEEDED

Yahoo group: kenwoodradio
Date: 2000-09-18 17:18:44 UTC
From: marconi
Topic: 49 Message: 50

----- Original Message -----
From: "marconi" <marconi@...>
To: "Brian, J, Oldham" <styxmix@...>
Sent: Monday, September 18, 2000 7:15 PM
Subject: Fw: [kw-radio] TH 78-A WIRING DIAGRAM NEEDED

----- Original Message -----
From: "marconi" <marconi@...>
To: "Brian, J, Oldham" <styxmix@...>
Sent: Monday, September 18, 2000 7:07 PM
Subject: Fw: [kw-radio] TH 78-A WIRING DIAGRAM NEEDED

----- Original Message -----
From: "marconi" <marconi@...>
To: <kenwoodradio@egroups.com>; "Brian, J, Oldham" <styxmix@...>
Sent: Monday, September 18, 2000 6:35 PM
Subject: Re: [kw-radio] TH 78-A WIRING DIAGRAM NEEDED

try
http://www.mods.dk

for modification and other info about most kenwood rigs
marconi@...

----- Original Message -----
From: Brian, J, Oldham
To: kenwoodradio@egroups.com
Sent: Monday, September 18, 2000 12:47 PM
Subject: [kw-radio] TH 78-A WIRING DIAGRAM NEEDED

Greetings from the land of the long white cloud (New Zealand)
I Found your list whilst desparatly searching for information
regarding this (second hand) radio.
my problem is that the left encoder is none-functional.
Looking inside the set It's obvious that someone has been in here
before me, so I dont know whats been changed.
Prior to working on this radio I would like to see a wiring diagram
or
schematic drawing of the model, and also learn of any known problems.
Can anyone on the list E-mail such information to me.
I can't find anyone in the south island who can help..
how about it guys.
TIA BRIAN...

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

[Non-text portions of this message have been removed]

51. Re: [kw-radio] TH 78-A WIRING DIAGRAM NEEDED

Yahoo group: kenwoodradio
Date: 2000-09-18 16:35:44 UTC
From: marconi
Topic: 51 Message: 51

try
http://www.mods.dk

for modification and other info about most kenwood rigs
marconi@...

----- Original Message -----
From: Brian, J, Oldham
To: kenwoodradio@egroups.com
Sent: Monday, September 18, 2000 12:47 PM
Subject: [kw-radio] TH 78-A WIRING DIAGRAM NEEDED

Greetings from the land of the long white cloud (New Zealand)
I Found your list whilst desparatly searching for information
regarding this (second hand) radio.
my problem is that the left encoder is none-functional.
Looking inside the set It's obvious that someone has been in here
before me, so I dont know whats been changed.
Prior to working on this radio I would like to see a wiring diagram
or
schematic drawing of the model, and also learn of any known problems.
Can anyone on the list E-mail such information to me.
I can't find anyone in the south island who can help..
how about it guys.
TIA BRIAN...

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

[Non-text portions of this message have been removed]

52. KW TH 78-A Thank's

Yahoo group: kenwoodradio
Date: 2000-09-21 07:25:19 UTC
From: Brian, J, Oldham
Topic: 52 Message: 52

A word of thank's to the members on the list who responded to my request for info for the Radio mentioned above.
I also found the recomended link to <www.mods.dk> most useful, this provided a mine of information pertinant to the rig in question,though
I still need a wiring diagram for the "TH 78-A" .(Can anyone help)
Kenwood USA seem reluctant to assist overseas owners but did provide addresses for their overseas network centres.
Many other links have been forwarded to me and I will search through them as time allows.
Once again thanks and 78's.
Brian... Christchurch New Zealand...

53. (no subject)

Yahoo group: kenwoodradio
Date: 2000-10-06 17:02:37 UTC
From: Arnaldo Bento
Topic: 53 Message: 53

=====
Arnaldo Bento

Email Address : aabento@...

WEB Page : http://www.terravista.pt/aguaalto/2013/

_____
Do You Yahoo!?
Yahoo! Photos - 35mm Quality Prints, Now Get 15 Free!
http://photos.yahoo.com/

54. Kenwood TM-D700

Yahoo group: kenwoodradio
Date: 2000-10-06 19:48:20 UTC
From: Arnaldo Bento
Topic: 54 Message: 54

Hi Guys

I have the following problem and I am to await the
answer of Kenwoon, however I would like to hear what
you have to say on the subject .

.....

.....
Kenwood TM-D700

.....
.....

After several days of experiences I found a problems

that I thought to be some knowledge lack to work
with the function KISS of TNC .

The Kiss mode the quality is very poor .
When I am doing downloads from my homebbs the TNC
rejects a lot of frames sent by bbs .

My BBS send to 3 or 4 frames and my TNC accept the
first one and reject all the others . This happen
only in Kiss mode .

This tests happend with or without traffic . I used
several programs always with the same results .

...
...

At begin was difficult to obtain answers but later
began to appear , and some that , pointed this TNC
as the cause for my problems in KISS.

.....

I would like to read what You have to say on this.

.....

73s

Arnaldo Bento
CT1DGC Portugal

=====
Arnaldo Bento

Email Address : aabento@...

WEB Page : http://www.terravista.pt/aguaalto/2013/

_____
Do You Yahoo!?
Yahoo! Photos - 35mm Quality Prints, Now Get 15 Free!
http://photos.yahoo.com/

55. TR7730

Yahoo group: kenwoodradio
Date: 2000-10-08 02:16:47 UTC
From: kevin thomas
Topic: 55 Message: 55

I have a TR7730 mobile that when I unplug it from the car to take it in the house it looses the memmory channels.It has a plug on the back labled backup. Can anybody tell me what this is? and/or how to use it.

KB5ZVK

56. (no subject)

Yahoo group: kenwoodradio
Date: 2000-10-15 20:02:12 UTC
From: jerryf
Topic: 56 Message: 56

[Non-text portions of this message have been removed]

57. Question about Kenwood microphones

Yahoo group: kenwoodradio
Date: 2000-10-18 07:58:55 UTC
From: Tim Grooms
Topic: 57 Message: 57

Hello all,

I am a newly licensed ham (about 3 months now) and have a question about microphones.
I purchased a used Kenwood TR-7800 2 meter radio that didn't have a mic with it. I have
been unsuccessful in trying to find one someone would sell. I have found pinouts for the mic
port on the TR-7800 I believe.

I went to RS and bought a Dynamic microphone to try to hook up to this Kenwood.

The pinouts for the Kenwood mic port are as follows:

Pin 1 Microphone
Pin 2 Push To Talk
Pin 3 Down
Pin 4 Up
Pin 5 8VDC (150 ma Max) or N.C.
Pin 6 Chassis Ground

and the pinout for the RS mic are as follows:

Button Out (Receive) Button In (transmit)
Pin 1 Shield/Ground Shield/Ground
Pin 2 Connected to pin 4 Floating Free
Pin 3 Floating Free Grounded to Pin 1
Pin 4 Connected to Pin 2 Audio "Hot"
Pin 5 Ground to Pin 1 Floating Free

I want to cut the end off of the RS mic and put on a 6 pin mic connector I found for
the radio. I am new to this hobby and wondered if #1 is this mic OK to use with this
radio or does the mic need to be amplified and #2 How do I wire this up to make it
work if it will?

Thx for any help anyone can give,
Tim K5TLG

58. 2m mobile

Yahoo group: kenwoodradio
Date: 2000-10-19 03:03:43 UTC
From: R. Moore
Topic: 58 Message: 58

Hi
I am new to the group and new to amateur radio.
I am looking for a good 2m mobile. Is the TM-241A a good choice?

Rick

[Non-text portions of this message have been removed]

59. ts 130

Yahoo group: kenwoodradio
Date: 2000-10-31 15:36:42 UTC
From: Ray Q.Dejesa
Topic: 59 Message: 59

any body know how to lock the frequecy read out of ts 130s?
where can I find a DFC 230.

ray

[Non-text portions of this message have been removed]

60. Need info about Kenwood TM-702

Yahoo group: kenwoodradio
Date: 2000-11-01 00:54:44 UTC
From: t_wibisono@omron.com.sg
Topic: 60 Message: 60

Hello dear friends,
I am considering of buying new 2 meter transceiver.
Do you have any opinion about Kenwood TM-261A and Kenwood TM-702?
This 702 is a dual band and has a same price with 261A.
I have looked for the specification of 702, but still not found yet.
Any one can help?
For 261A, I got from ARRL product review.

73

Budi
Bekasi-West Java
Indonesia

61. Re: [kw-radio] Need info about Kenwood TM-702

Yahoo group: kenwoodradio
Date: 2000-11-01 02:17:50 UTC
From: Charles Cabral
Topic: 61 Message: 61

Hello,
you may check the Kenwood Japan Website,
http://www.kenwoodcorp.com/jhome.html then click "amatuer radio", then
click on the 3rd "squiggly line" :-)), you will see a reference to
TM-V708/708S, one is a 20watt the other a 50w-2m and 35w-440mhz, no
reference to a TM-702 here in the US or anywhere else.
Hope this helps, 73,
Charlie N1FNR.....

t_wibisono@... wrote:
>
> Hello dear friends,
> I am considering of buying new 2 meter transceiver.
> Do you have any opinion about Kenwood TM-261A and Kenwood TM-702?
> This 702 is a dual band and has a same price with 261A.
> I have looked for the specification of 702, but still not found yet.
> Any one can help?
> For 261A, I got from ARRL product review.
>
> 73
>
> Budi
> Bekasi-West Java
> Indonesia
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio

62. RE: [kw-radio] Need info about Kenwood TM-702

Yahoo group: kenwoodradio
Date: 2000-11-01 02:40:29 UTC
From: Steve Brockway
Topic: 61 Message: 62

Could the radio you are looking at be the TM-G707 instead of the 702. I have not heard of the 702.

t_wibisono@... wrote:
>
> Hello dear friends,
> I am considering of buying new 2 meter transceiver.
> Do you have any opinion about Kenwood TM-261A and Kenwood TM-702?
> This 702 is a dual band and has a same price with 261A.
> I have looked for the specification of 702, but still not found yet.
> Any one can help?
> For 261A, I got from ARRL product review.
>
> 73
>
> Budi
> Bekasi-West Java
> Indonesia

63. Re: Need info about TM-702

Yahoo group: kenwoodradio
Date: 2000-11-02 01:47:52 UTC
From: t_wibisono@omron.com.sg
Topic: 63 Message: 63

Dear friends, many thanks for the information.
I have search through the internet using www.google.com.
The radio is sold in Japan and Europe, not in the USA.
No wonder, there is no information in ARRL Product review.
It is a dual band, 2M/440MHz FM Transceiver.
In Indonesia (Jakarta) there is still a store that sells this radio in
brand new.
They said they still have some stocks. Old stock I think.
Its price is around 225 USD, compare to TM-261A and IC-2100H, both 177 USD.

Best 73
Budi
Bekasi-West Java
Indonesia

64. [Fwd: Question about Kenwood microphones]

Yahoo group: kenwoodradio
Date: 2000-11-04 07:53:05 UTC
From: Tim Grooms
Topic: 64 Message: 64

[Non-text portions of this message have been removed]

65. Re: [kw-radio] Digest Number 35

Yahoo group: kenwoodradio
Date: 2000-11-05 03:44:16 UTC
From: Fred Adsit
Topic: 65 Message: 65

IMO, this is a useless reflector. Why not be merciful and kill it.
NY2V.

66. Kenwood TK810

Yahoo group: kenwoodradio
Date: 2000-11-14 21:43:48 UTC
From: DON HEJL
Topic: 66 Message: 66

Hello to the list, I aquirred a TK810 in a trade and would like to know about tuning to the 440mhz amateur band and who can program this radio?I live in San Angelo,Tx. and there are no dealers locally that I know of.
Thanks
Don / N5SVK

67. TS440

Yahoo group: kenwoodradio
Date: 2000-11-21 22:10:17 UTC
From: George Rowe (KC8OFG)
Topic: 67 Message: 67

Hello group, my first time here.
I was wondering about buying a TS440 KENWOOD, but dont know much about HF rigs. Just passed my code a few weeks ago and would like to buy a used rig first. mostly for cw and 10 meter phone for know till I upgrade to a general in a month or two.
Thanks for any help that can be givin.

George KC8OFG

68. Re: [kw-radio] TS440

Yahoo group: kenwoodradio
Date: 2000-11-22 00:17:59 UTC
From: Doc
Topic: 68 Message: 68

It's a good starter rig, though a 450s or 690s would be even
better and not much more money. Congrats on the upgrade!

Doc KD4E

Hello group, my first time here.
I was wondering about buying a TS440 KENWOOD, but dont know much
about HF rigs. Just passed my code a few weeks ago and would like to
buy a used rig first. mostly for cw and 10 meter phone for know till
I upgrade to a general in a month or two.
Thanks for any help that can be givin.

George KC8OFG

[Non-text portions of this message have been removed]

69. TS-450S/PK-232MBX interconnect?

Yahoo group: kenwoodradio
Date: 2000-11-22 20:13:21 UTC
From: Joseph Lutz
Topic: 69 Message: 69

Hi all,

Sitting here is COLD shack and think my mind has left for a warmer climate as I cannot figure out hookup of my recently obtained 450S to my 232MBX. I think I have to get/make another mike cord to interface with the 232, but am not sure. I have used the 232 with both my Yaesu's, and the MFJ TNC switch says that the 232BX will work with both the Yaesu & KNWDS. But where my Yaesu's have a AF out jack , the 450S does not. [I have checked the 450S manual and the wiring of the mike does not show audio out?]. Besides getting up this morning, what am I doing wrong?

73,

,
JOE W7LPF/3 - NNN?KUU
NEW FLORENCE, PA [WESTMORELAND CO]
QWCA - SWOP - NCVA - FISTS - NAVMARS - RCC

70. Re: [Kenwood] TS-450S/PK-232MBX interconnect?

Yahoo group: kenwoodradio
Date: 2000-11-23 03:18:07 UTC
From: Joseph Lutz
Topic: 70 Message: 70

To all that replied to Subj request - thanks so much. I found out that one of my problems [as a lot of times is] was that I was not really reading the manual - I did find procedures to connect the TNC in the 450 Manual, and for those that pointed me to what connector I needed - I will call and order the need one on Fri. I also would like to commend Joe/K0BX and his Website on the 850/etc. [Know of any that covers the 940 that well?]. I will also try and set up the dedicated PC for using winpsk and my sound card. Anyway, tks to all for reminding me it was right in front of my eyes. Everyone have a great Thanksgiving Day!

73,
JOE W7LPF/3 - NNN?KUU
NEW FLORENCE, PA [WESTMORELAND CO]
QWCA - SWOP - NCVA - FISTS - NAVMARS - RCC

71. (no subject)

Yahoo group: kenwoodradio
Date: 2000-12-07 21:02:42 UTC
From: Tomasz Brejnak
Topic: 71 Message: 71

tomazuka@...

72. TS-120s

Yahoo group: kenwoodradio
Date: 2000-12-15 08:30:01 UTC
From: kf7aj@arrl.net
Topic: 72 Message: 72

I am looking for a service manual for the ts-120s, any help?
Dave

73. ts520?

Yahoo group: kenwoodradio
Date: 2000-12-17 00:49:57 UTC
From: Paul Brown
Topic: 73 Message: 73

Thinking of buying a ts520 from an estate. I know nothing about this radio. Does anyone? When was it manufactured, and what are its capabilities?

74. Greetings

Yahoo group: kenwoodradio
Date: 2000-12-31 19:54:03 UTC
From: Demetre SV1UY
Topic: 74 Message: 74

HAPPY NEW YEAR TO ALL

73 de Demetre SV1UY

75. TS-520 info needed

Yahoo group: kenwoodradio
Date: 2000-12-31 23:37:45 UTC
From: kf4fhs@hotmail.com
Topic: 75 Message: 75

I just aquired a Kenwood TS-520 and was wondering if someone who is familiar with these rigs would share any information with me, good points and bad points. Any info will be appreciated.

Thanks & 73,
Bernie, KF4FHS
kf4fhs@...

76. 707 Software - Out of band RX?

Yahoo group: kenwoodradio
Date: 2001-01-04 22:50:54 UTC
From: evan@espphotography.com
Topic: 76 Message: 76

I have a Kenwood TMG-707. I'd like to use it to monitor local law enforcement on 480's, and yes, I can program it manually OK, however when using the software (version 1.01), I put in a frequency, but when I hit OK, it says "Frequency is rounded" and puts in 469.995. Any ideas? I'd like to be able to program it with all my frequencies via software.

Thanks!

Evan
KG6ESP

77. Kenwood TH-D7AG - Best Source?

Yahoo group: kenwoodradio
Date: 2001-01-12 21:07:52 UTC
From: Doc
Topic: 77 Message: 77

Any suggestions as to the best source from which to acquire
a new Kenwood TH-D7AG HT? (It seems to be the best of the
TNC/Packet/APRS-equipped 2/440 HT's.)

I would tend to go to the Georgia HRO since that is where I
got my Alinco DJ-V5THC and they provided an excellent price
and solid support at the time.

Better prices, etc. elsewhere? (We are located in West Central
Florida and I guess the difference between FL sales tax and
shipping here from elsewhere is probably a wash. If there is a
local Florida source that is price competitive I will support them
with my business.)

Thanks! & 73, DavidC KD4E

78. Is it OK to Post TS-180S Manual to BAMA

Yahoo group: kenwoodradio
Date: 2001-01-14 22:43:19 UTC
From: Doc
Topic: 78 Message: 78

Is it OK for me to scan and post my TS-180S manual to
the BAMA site?

The rig is for sale and I wanted to do this before it is sold.
The manual includes the instructions for the WARC mods.

I do not want to violate any copyrights but am thinking they
may have expired on this vintage solid state rig.

Thanks! Doc KD4E

[Non-text portions of this message have been removed]

79. New to Kenwood Question

Yahoo group: kenwoodradio
Date: 2001-01-25 13:36:11 UTC
From: Joe Kazura
Topic: 79 Message: 79

Hi, I am considering a Kenwood HT on eBay and would like some info on the specific model.

It's a Kenwood TH-79. The seller says that that's all it says on the unit and in the manual.

How does it compare feature wise with the current, TH-79AKSS ?

What would be a reasonable price range?

Thanks - 73's

Joe Kazura

80. (no subject)

Yahoo group: kenwoodradio
Date: 2001-02-02 00:25:35 UTC
From: maidin@tm.net.my
Topic: 80 Message: 80

Hai there Bill and guys here are some good thing for the Kenwood and
to get to know the way to handle it ..
pls read the last colum....

http://www.mods.dk/

eg:---

I don't know about you, but I don't think solid state equipment needs
to run hot enough to fry
an egg on. The fan on the 440 is set to come on at 50 deg C. That
makes the heatsink hot
enough that you can only put your hand on it for about 3 seconds
without being in pain.

Looking at the schematic and pondering the situation, I decided
that
it would be quite easy to
change the "trigger" point for fan operation. This mod will do just
that and not effect the
"high-temp-shutdown" mode that is provided in case the fan dies.
Actually, it wouldn't be a
bad idea to make the same sort of mod to that circuit too, but
let's
just do this one for now. I'll
put out another bulletin on this if I go into the failsafe circuit.

The fan is controlled by two sensing circuits on the FINAL UNIT. On
the schematic, Q9(1/2)
is the failsafe trigger that activates the powerdown circuit in
case
the final reaches 80 deg C. It
won't normally do this, even under continuous keydown conditions,
unless the fan has failed.
Q9(2/2) is the stage that controls operation of the fan. It is a
simple voltage comparator and
therefore can be made to trigger wherever you want.
TH1 is a thermistor with a negative coefficient. That is, when the
temp rises, the resistance
goes down. This pulls the - input to Q9(2/2) lower and lower until
it is at or below the 2.26v
reference that is present on the + input of the same stage. At that
point, the output flips high
and turns on Q8, thus turning on the fan. By raising the reference
voltage at the + input, the
TH1 voltage will fall to the reference voltage sooner and turn on

the fan at a cooler
temperature. By clipping the top loop of R27 on the final unit
(2.2k
res. that provides
reference voltage) and temporarily inserting a 5k precision
multi-turn pot in series with it, I
determined that I liked the way it operated with about 800 ohms
extra resistance in the circuit.

I then installed an 820 ohm fixed resistor in series with the cut
loop. I also put a very small dab
of silicon seal between the new "hung" resistor and the ferrite
transformer right next to it so that
there would be no added strain on the remains of R27. The
alternative would be to remove the
final unit completely and do the mod the right way, replacing the
complete R27 with a 3k
resistor. This was a step that I didn't really want to perform on a
two week old rig. When you
choose your series resistance, remember that the more resistance
you
add to it, the sooner the
fan will turn on. If you go too high, it will be on all the time.

This modification brings the fan on at least 10 deg. earlier. By
the
way, my only reservation
about this mod is the added wear and tear on the fan unit itself. I
have been buying parts from
Kenwood for about 10 years now and they have always seemed
remarkably inexpensive.
Ordering a spare fan to have on hand seems like a very reasonable
thing to do if you are
worried about it.
so this is what it mean to this artical of which i get from this
groups.
have fun on it but read first .
my problem just to ask any one have a manual a complate pls let me
know
in deed needed badly
bye 73
maidin

81. Just Joined In

Yahoo group: kenwoodradio
Date: 2001-02-03 02:51:26 UTC
From: Dave deSouza
Topic: 81 Message: 81

Hi guys.

I have just joined the group, and wanted to say hi to all :-)

Dave G3VFP

http://www.btinternet.com/~g3vfp

82. New PSK Software

Yahoo group: kenwoodradio
Date: 2001-02-08 02:06:47 UTC
From: Dave deSouza
Topic: 82 Message: 82

Hello all.

Just to say I have added PAL-PSK software to the files on my download page. It is relatively new psk software from Erik VK7AAB. It has waterfall, and scope display. Can be used with upto three channels, and has a logging report utility built in. Developed using Visual Basic, with the PSK Core taken from Moe AE4JY's excellent work. Easy to set up, it is worth taking a look at. This version was completed on Dec 18th 2000.

Have a play with it, and see what you think.

http://www.btinternet.com/~g3vfp/download.html

Regards,

Dave G3VFP.

83. (no subject)

Yahoo group: kenwoodradio
Date: 2001-03-10 12:48:00 UTC
From: alexan
Topic: 83 Message: 83

Hello kenwoodradio,

--
Best regards,
alexan mailto:alexan@...

84. 570 pre amp default ?

Yahoo group: kenwoodradio
Date: 2001-03-21 23:46:53 UTC
From: Bob Mason
Topic: 84 Message: 84

Hi

In the manual for the TS-570 DG it states on page 37 that the pre amp is on by default from 7.5mhz up and off below.

I have noticed that most sigs I receive are accurate if I use this method, if I switch it off from 7.5mhz and above sigs are down by 3 s points from my report on average.

Does this mean there is NO pre amp above 7.5mhz then.

Just a thought ;-)

I have used this radio for 14 months now and am very happy with it but just read something I dont understand.
" NOTE: Switching Preamplifier OFF has the same effect as activating the AIP function on other Kenwood Transceivers. "

Can someone tell me what AIP is please ?

73
Bob Mason
MM0BQM
http://www.qsl.net/mm0bqm

85. Re: [kw-radio] 570 pre amp default ?

Yahoo group: kenwoodradio
Date: 2001-03-21 23:56:43 UTC
From: edoc
Topic: 85 Message: 85

AIP in the TS-690s manual reads:

"Advanced Intercept Point) ... Use AIP when good signal reception can not be obtained. When switched on, it reduces interference from strong signals."

From 100KHz - 21.5 MHz AIP reduces sensitivity 10dB. The reduction is 15dB above that.

Hope that helps ... 73, Doc KD4E

----- Original Message -----
From: Bob Mason
To: kenwoodradio@yahoogroups.com
Sent: Wednesday, March 21, 2001 6:46 PM
Subject: [kw-radio] 570 pre amp default ?

Hi

In the manual for the TS-570 DG it states on page 37 that the pre amp is on by default from 7.5mhz up and off below.

I have noticed that most sigs I receive are accurate if I use this method, if I switch it off from 7.5mhz and above sigs are down by 3 s points from my report on average.

Does this mean there is NO pre amp above 7.5mhz then.

Just a thought ;-)

I have used this radio for 14 months now and am very happy with it but just read something I dont understand.
" NOTE: Switching Preamplifier OFF has the same effect as activating the AIP function on other Kenwood Transceivers. "

Can someone tell me what AIP is please ?

73
Bob Mason
MM0BQM
http://www.qsl.net/mm0bqm

Yahoo! Groups Sponsor

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

86. TS 520 SE

Yahoo group: kenwoodradio
Date: 2001-03-25 11:21:24 UTC
From: Jim Neumann
Topic: 86 Message: 86

Does anyone know how I can get the operators manuel for the TS520 SE?

87. Re: [kw-radio] TS 520 SE

Yahoo group: kenwoodradio
Date: 2001-03-25 11:39:07 UTC
From: Robert Mason
Topic: 87 Message: 87

>From: "Jim Neumann" <kb9qod@...>
>To: kenwoodradio@yahoogroups.com
>Subject: [kw-radio] TS 520 SE
>Date: Sun, 25 Mar 2001 11:21:24 -0000
>
>Does anyone know how I can get the operators manuel for the TS520 SE?

http://216.133.235.165/Amateur/Older%20Instruction%20Manuals/readme.htm

HTH

73
Bob Mason
MM0BQM
http://www.qsl.net/mm0bqm

_____
Get Your Private, Free E-mail from MSN Hotmail at http://www.hotmail.com.

88. manual for TR-7730 needed

Yahoo group: kenwoodradio
Date: 2001-04-11 12:40:00 UTC
From: fred
Topic: 88 Message: 88

Hi

Copy of operating manual needed
for TR-7730 2m mobile rig.

Thanks,
Fred
N1DEC

Milford, Ct

7373737373737373737373737373

89. Seeking tk-730 remote mount kit.

Yahoo group: kenwoodradio
Date: 2001-04-23 17:55:28 UTC
From: rtavernetti@hotmail.com
Topic: 89 Message: 89

I'm looking for a new or used remote kit for a tk-730. If you have one or can help please let me know.
Thankx
rtavernetti@...

90. Which antenna conector for tk-730?

Yahoo group: kenwoodradio
Date: 2001-05-10 04:14:11 UTC
From: rtavernetti@hotmail.com
Topic: 90 Message: 90

I need to get a mag mount vhf antenna for my kenwood tk-730 . I have no idea what connector I need for the tk-730. If you know can you please tell me.
rtavernetti@...

91. Motrola speaker for a kenwood mobile?

Yahoo group: kenwoodradio
Date: 2001-05-10 04:20:48 UTC
From: rtavernetti@hotmail.com
Topic: 91 Message: 91

I have a motorola speaker with two wires at the end of the cable. The kenwood is a tk-730 and has a brick of holes in the back. Does anyone know what I need to do to make things work?
rtavernetti@...

92. new Kenwood HT

Yahoo group: kenwoodradio
Date: 2001-05-24 02:57:04 UTC
From: kb0vof@home.com
Topic: 92 Message: 92

Good Evening all,
I'm new to the group, so I thought I'd introduce myself by asking if anyone's seen the new Kenwood HT, the TH-F6A? It was previewed at Dayton. Similar size to the Yaesu VX-5R, has 3 transmit bands: 144, 220, 440. Wide receive with SSB. Many other features. Have a look at it on Dave Z's page:
http://members.fortunecity.com/swradios/thf6.html
(Sorry about the rather intrusive ads. Dave needs to move his page elswhere...)
73
Gerry N0DOZ

93. Kenwood TM-221E

Yahoo group: kenwoodradio
Date: 2001-06-04 11:22:17 UTC
From: Mogens Petersen
Topic: 93 Message: 93

Hi

Anybody who knows if there is a kind of battery backup in a Kenwood TM-221E.
Everytime it's powered up, it starts from the lowest frequency.
Can it be fixed ?

73 de oz1akn, Mogens

94. Kenwood TK-840

Yahoo group: kenwoodradio
Date: 2001-06-08 19:35:04 UTC
From: Glenn Roland
Topic: 94 Message: 94

Does anyone know if the TK-840 can be converted to 440 mhz amateur bands.
I have type 1 450-488 mhz
Glenn
KD5JBN

95. TS-940S/AT - Info please

Yahoo group: kenwoodradio
Date: 2001-06-14 20:10:22 UTC
From: Joseph Lutz
Topic: 95 Message: 95

Hi,

Before I open up my 940, I want to throw out to the group for possible areas to check. Problem is this: I finally decided to get back into using my equipment and put finishing the shack on hiatus, and thought that this past WW CW Contest was a place to check out what I have been told was the attributes of this rig - previously my workhorse both here and overseas had been the FT-101ZD. Anyway, it really was great to operate, until I went to MHz and could not get the AT to tune into my G5RV. [I had to take unit out of AT on MHz and use it that way]. After the contest I tried again to get the 940 to tune to the G5RV on AT but no luck, even though via bypass I can tune to better that 1:2 - almost flat. Any suggestions? If this is/or requires unit to be sent in - maybe I will step up my efforts to get my SB104A station operational again!!! Thanks in advance.

73,
JOE W7LPF/3 - NNN?KUU
NEW FLORENCE, PA [WESTMORELAND CO]
QWCA - SWOP - NCVA - FISTS - NAVMARS - RCC
10-10 #29058

96. Fw: [Kenwood] TS-940S/AT - Info please

Yahoo group: kenwoodradio
Date: 2001-06-15 16:26:51 UTC
From: Joseph Lutz
Topic: 96 Message: 96

Egad! What a dunce!!!

Can understand why the wife tells me to do only one
thing at a time - - - Problem I have with 940S/AT is
that the AT will not tune 7MHz and below. Even when
I go to bypass and manually tune the rig/antennae
that way, and then switch to AT, the 940 will
just keep 'searching'. I do not/not have this problem
on 20M and up, where I will set my MFJ tuner to
the area of the band I am working, and then I switch
over to the AT and it locks in with no problem. I hope
this explains my first stupid posting. Sorry for the
bandwidth.

Joe
----- Original Message -----
From: "Joseph Lutz" <kwz99@...>
To: "Kenwood [egroups]" <kenwoodradio@egroups.com>; "KENWOOD"
<kenwood@...>
Sent: Thursday, June 14, 2001 4:10 PM
Subject: [Kenwood] TS-940S/AT - Info please

> Hi,
>
> Before I open up my 940, I want to throw out to the
> group for possible areas to check. Problem is this:
> I finally decided to get back into using my equipment
> and put finishing the shack on hiatus, and thought that
> this past WW CW Contest was a place to check out
> what I have been told was the attributes of this rig -
> previously my workhorse both here and overseas had
> been the FT-101ZD. Anyway, it really was great to
> operate, until I went to MHz and could not get the
> AT to tune into my G5RV. [I had to take unit out of
> AT on MHz and use it that way]. After the contest
> I tried again to get the 940 to tune to the G5RV on AT
> but no luck, even though via bypass I can tune to better
> that 1:2 - almost flat. Any suggestions? If this is/or
> requires unit to be sent in - maybe I will step up my
> efforts to get my SB104A station operational again!!!
> Thanks in advance.
>
> 73,
> JOE W7LPF/3 - NNN?KUU
> NEW FLORENCE, PA [WESTMORELAND CO]
> QWCA - SWOP - NCVA - FISTS - NAVMARS - RCC

> 10-10 #29058
>
>
> -
> Your Moderator is: Larry Wilson KE1HZ
> EMail: owner-kenwood@...
> -----
> Submissions: kenwood@...
>

97. new to ham and kenwood

Yahoo group: kenwoodradio
Date: 2001-06-22 04:58:34 UTC
From: sladeb@bellsouth.net
Topic: 97 Message: 97

hello to all,
i am new to the ham hobby. just got my call sign may 11th and got a kenwood tm-261a on advise from a ham elder. so far i really enjoy the hobby and the radio. i would like to find a tsu-8 to install so i would be able to talk using ctcss.
thanks
slade bridges KG4NJW

98. Ts 870S PC Control Program ?

Yahoo group: kenwoodradio
Date: 2001-07-21 17:24:49 UTC
From: Bob Mason
Topic: 98 Message: 98

Hi,

I have just bought a new 870S and thought there would be included software for PC control similar to the 570 but there was none.

The feature on kenwoods site mentions it is included but I wonder if it avaliable for download anywhere ?

73
Bob Mason
MM0BQM
http://www.qsl.net/mm0bqm

99. TS-820 problems

Yahoo group: kenwoodradio
Date: 2001-07-23 04:09:26 UTC
From: David Bennett
Topic: 99 Message: 99

Hi:
I just discovered this group and hope I can find some answers to a problem I'm having with a TS-820 transceiver. (This has been a great radio and I'd really like to get it back on the air.)

The problem: it was functioning perfectly in the early evening of one day. Next day ... no transmit. The receiver works fine. There appears to be maybe a couple of watts going out, but nowhere near the power it should be producing. I've tried substituting the finals, changed the driver, cleaned relay contacts, etc. I do have a service manual and have followed most of the trouble shooting tips therein to no avail. Has anyone ever had a similar problem, and if so, how was it fixed?

Thanks.

Dave, VE7YJ

100. NEW ... TS870 User Group

Yahoo group: kenwoodradio
Date: 2001-07-30 22:41:06 UTC
From: m0cke@btinternet.com
Topic: 100 Message: 100

Hi All.

I've created a user group for the Kenwood TS870.
Join up and you can upload and files / programs related to the TS870 to the Files Area.
Got a problem? .. Maybe other TS870S owners have the same, try asking through the messages.
Got an experience to share (Good or Bad) again share it via the messages!

Please join, Let make the group helpful for the new user of a TS870S!

Why not make Sked with another TS870 User .. do it via the group messages!

I hope to hear you on the air and see you posting on the group!

Join via e-mail with at:

Subscribe: TS870-subscribe@...
Unsubscribe: TS870-unsubscribe@...
List owner: TS870-owner@...

Join via Web at:

http://www.egroups.co.uk/group/TS870

Regards,

Jim M0CKE

102. Re: new Kenwood HT

Yahoo group: kenwoodradio
Date: 2001-08-03 19:25:31 UTC
From: Delbert Matlock
Topic: 92 Message: 102

According to QRZ (http://www.qrz.com/article.pl?sid=01/08/01/1844214) the TH-F6A has been granted FCC approval. Also, apparently AES (www.aesham.com) is now listing a price of $389.99.

What really has my attention on this radio is the really wide receive band (DC to daylight anyone?).

Looking forward to hearing some user reviews on this radio.

--KG4NMC (http://delbert.matlock.com/kg4nmc.htm)

--- In kenwoodradio@y..., kb0vof@h... wrote:
> Good Evening all,
> I'm new to the group, so I thought I'd introduce myself by asking
if
> anyone's seen the new Kenwood HT, the TH-F6A? It was previewed at
> Dayton. Similar size to the Yaesu VX-5R, has 3 transmit bands:
144,
> 220, 440. Wide receive with SSB. Many other features. Have a
look
> at it on Dave Z's page:
> http://members.fortunecity.com/swradios/thf6.html
> (Sorry about the rather intrusive ads. Dave needs to move his page
> elswhere...)
> 73
> Gerry N0DOZ

103. Re: [kw-radio] Re: new Kenwood HT

Yahoo group: kenwoodradio
Date: 2001-08-03 20:15:10 UTC
From: edoc
Topic: 103 Message: 103

Does it have at least one 2.4KHz filter so that on 20, 40, and 80m one can actually pick out the signal one wants from all of the QRM? Little point of a SSB receiver on HF without a SSB filter these days!

Also, have they again used the awful (read weak and inconvenient) SMA antenna connector (as on the D7) or the more sturdy and convenient BNC?

Thanks! & 73, Doc KD4E ARRL-WCF-SEC

~~~~~~

According to QRZ (http://www.qrz.com/article.pl?sid=01/08/01/1844214) the TH-F6A has been granted FCC approval. Also, apparently AES (www.aesham.com) is now listing a price of $389.99.

What really has my attention on this radio is the really wide receive band (DC to daylight anyone?).

Looking forward to hearing some user reviews on this radio.

--KG4NMC (http://delbert.matlock.com/kg4nmc.htm)

[Non-text portions of this message have been removed]
~~~~~~

104. [kw-radio] Re: new Kenwood HT

Yahoo group: kenwoodradio
Date: 2001-08-06 19:00:24 UTC
From: Delbert Matlock
Topic: 103 Message: 104

--- In kenwoodradio@y..., "edoc" <edoc@c...> wrote:

> Also, have they again used the awful (read weak and inconvenient) SMA
> antenna connector (as on the D7) or the more sturdy and convenient BNC?

I don't think you are going to escape the SMA connector. It appears to be a permanent fixture on the newer handhelds. However, there is a possible compromise by way of a reinforced SMA to BNC adapter that fits very snug against the radio body. Take a look at it here:

http://www.wa3hrl.com/smabnc/index.html

--KG4NMC (http://delbert.matlock.com/kg4nmc.htm)

105. Re: [kw-radio] Re: new Kenwood HT

Yahoo group: kenwoodradio
Date: 2001-08-06 23:27:22 UTC
From: edoc
Topic: 103 Message: 105

I bought two of those adapters. It was the pin in that adapter that failed and required me to send the D7 to AAVID (Kenwood repair) for service.

I am not sure if I dare to use the other one (the first appears to be useless now). I have a Watson W-889 BNC antenna I'd prefer to use.

I am thinking about a less stressful solution using a sma-RG274-bnc dongle cable instead ... I have an idea about a metal plate on the back of the case to which a bnc connector would be welded ... completely remove any stress whatsoever to anything SMA!

Thanks! & 73, Doc KD4E ARRL-WCF-SEC/PIO

~~~~~~

> Also, have they again used the awful (read weak and inconvenient) SMA
> antenna connector (as on the D7) or the more sturdy and convenient BNC?

I don't think you are going to escape the SMA connector. It appears to be a permanent fixture on the newer handhelds. However, there is a possible compromise by way of a reinforced SMA to BNC adapter that fits very snug against the radio body. Take a look at it here:

http://www.wa3hrl.com/smabnc/index.html

--KG4NMC (http://delbert.matlock.com/kg4nmc.htm)
~~~~~~

106. TR-2500 question

Yahoo group: kenwoodradio
Date: 2001-08-08 16:00:26 UTC
From: on4cbj@village.uunet.be
Topic: 106 Message: 106

Did the TR-2500 come with PL/CTCSS tones? I was offered one (cheap) a couple of minutes ago, no manual, and am unable to determine if it has PL tones.

Thanks,

Gert

107. RE: [kw-radio] Re: new Kenwood HT

Yahoo group: kenwoodradio
Date: 2001-08-08 16:15:20 UTC
From: Newell, John O
Topic: 103 Message: 107

> a reinforced SMA to BNC adapter that
> fits very snug against the radio body. Take a look at it here:
> http://www.wa3hrl.com/smabnc/index.html

Tnx for the tip. I am using a TH-G71A in and out of a vehicle, and this adapter looks like a fabulous solution. I've ordered two and will report when I receive them. The maker/seller, Stephen Gulyas KC2BHO, is very responsive. (No, I didn't get any discount for mentioning him! <g>) We'll see how they work.

73
John Newell
KB1FPM

This message is intended only for the designated recipient(s). It may contain confidential or proprietary information and may be subject to the attorney-client privilege or other confidentiality protections. If you are not a designated recipient, you may not review, copy or distribute this message. If you receive this in error, please notify the sender by reply e-mail and delete this message. Thank you.

108. Re: [kw-radio] TR-2500 question

Yahoo group: kenwoodradio
Date: 2001-08-09 00:07:34 UTC
From: ken uhrick
Topic: 106 Message: 108

if ctcss is touch tone i think it had it and the pl was a add on board the
pl needed the back removed to change the pl or a hole cut in thre back
to reach the dip switch's
i have the manul some ware i think its all ready a 4-5 gen. photo copy
so it mite be hard to read if i found it and copyed it for you
the
iu dont think the pl board can be bayed from kenwood any more

At 04:00 PM 8/8/2001 +0000, on4cbj@... wrote:
>Did the TR-2500 come with PL/CTCSS tones? I was offered one (cheap) a
>couple of minutes ago, no manual, and am unable to determine if it
>has PL tones.
>
>Thanks,
>
>Gert
>
>
>To unsubscribe from this group, send an email to:
>kenwoodradio-unsubscribe@egroups.com
>
>For polls, files, and other info visit:
><http://www.egroups.com/group/kenwoodradio>http://www.egroups.com/group/kenwoodradio
>
>
>Your use of Yahoo! Groups is subject to the
><http://docs.yahoo.com/info/terms/>Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

109. RE: [kw-radio] TR-2500 question

Yahoo group: kenwoodradio
Date: 2001-08-09 00:20:22 UTC
From: D. Werkema
Topic: 106 Message: 109

The 2500 series (2570A, 2550A, 2550E, 2530A) all use the optional TU-7 Tone Unit that mounts near IC5 and IC6 on the Control Unit Board that is located in the bottom of the radio. I have the TM 2550A with this option installed as well as the users manual in English with all schematics. Willing to scan and send (very time taking process) or copy and mail if you happened to get radio. Only problems I have had were the backlights on faceplate burn out. Need to replace with higher voltage unit from radio

AL7JB
Don Werkema
1SG, US Army Retired (24+ years)
Current 911 Dispatch Supervisor
Life Member: NRA, DAV, AMVETS, VFW

-----Original Message-----
From: on4cbj@... [mailto:on4cbj@...]
Sent: Wednesday, August 08, 2001 12:00
To: kenwoodradio@yahoogroups.com
Subject: [kw-radio] TR-2500 question

Did the TR-2500 come with PL/CTCSS tones? I was offered one (cheap) a couple of minutes ago, no manual, and am unable to determine if it has PL tones.

Thanks,

Gert

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

110. Kenwood TR-2500 question: THANKS!

Yahoo group: kenwoodradio
Date: 2001-08-09 03:36:26 UTC
From: Gert E. Janssens
Topic: 110 Message: 110

Thanks to all that replied to my question.

From what you all said I was able to determine that it uses the TU-7 unit, which is indeed installed.

The person that offered it to me is sure he has a user's manual "somewhere" in the house, didn't know where, but is sure he can find it, given a couple of days time, hi...

Thanks again,

Gert

[Non-text portions of this message have been removed]

111. TK-840

Yahoo group: kenwoodradio
Date: 2001-08-09 17:31:50 UTC
From: Glenn Roland
Topic: 111 Message: 111

Sorry Guys.. Returned from Vacation and someone had stolen the radio from my truck.

KD5JBN
Glenn

112. Kenwood TM-261A

Yahoo group: kenwoodradio
Date: 2001-08-10 03:23:03 UTC
From: Brice D. Hornback
Topic: 112 Message: 112

Hi. I just received a new TM-261A and I'm having a bit of trouble with it. I can't seem to assign names to the memory channels that I've stored frequencies in. I've followed the instructions in the manual to the letter... but when I press [MN]+ POWER ON it does nothing except turn on. Pressing the [MN] button does change the tone of the beeps... so I know the button is ok.

Am I doing anything wrong? ANY help would be appreciated.

73, Brice - KA8MAV

113. RE: [kw-radio] Kenwood TM-261A

Yahoo group: kenwoodradio
Date: 2001-08-10 04:19:23 UTC
From: Karl Salisbury
Topic: 113 Message: 113

Brice,

Quoting Marc Schneider, W4NVY
****
The manual was printed before they properly debugged in the information in it. So they included a supplimentary page with printing code number B59-1080-00(K) which came with the radio and manual.

In the manual on page 30 is instructions for Memory Naming (thus the button is titled MN). The only missing instruction on page 30 is immediately after instruction "4" which reads: "Press [MN]+POWER ON." The missing instruction is : THEN PRESS REVERSE

Just to be sure I will give the sequence:

1) press [MR] to select Memory Recall

2) switch OFF the power

3) press [MN]+POWER ON
The radio is now in memory channel select mode

4) turn the TUNING control - or use the microphone [UP]/[DOWN] buttons to select the desired memory cannel.

5) press [REV]
The first digit blinks (to enter a dot after the first digit, press [MR]. Pressing [MR] again clears the dot.

6) turn the TUNING control - or use the mic. up/down buttons - to select the first digit.

7) press [MN]
The second digit blinks

8) repeat steps 6 & 7 to enter up to 6 digits, then press [REV] to complete entry.

To name subsequent channels, repeat steps 4 - 8 without exiting the memory channel select mode
To exit thememory channel select mode, press [MHz], [F], [TONE], microphone [PTT] or mic. [PF]
They use the term "digit" for the term alpha character.
This should do it.
Good luck,
73,

Marc Schneider, Psy.D.
W4NVY

-----Original Message-----
From: Brice D. Hornback [mailto:bdh@...]
Sent: Thursday, August 09, 2001 11:23 PM
To: kenwoodradio@yahoogroups.com
Subject: [kw-radio] Kenwood TM-261A

Hi. I just received a new TM-261A and I'm having a bit of trouble with it. I can't seem to assign names to the memory channels that I've stored frequencies in. I've followed the instructions in the manual to the letter... but when I press [MN]+ POWER ON it does nothing except turn on. Pressing the [MN] button does change the tone of the beeps... so I know the button is ok.

Am I doing anything wrong? ANY help would be appreciated.

73, Brice - KA8MAV

114. Re: [kw-radio] Kenwood TM-261A

Yahoo group: kenwoodradio
Date: 2001-08-10 03:57:13 UTC
From: Brice D. Hornback
Topic: 113 Message: 114

IT WORKS!!!!

Thank you so much for the info. I was TERRIFIED there was something wrong with the radio. Is there anything else I should know? I don't seem to have the supplimentary page of updated information.

73, Brice - KA8MAV

----- Original Message -----
From: Karl Salisbury <Briela@...>
To: Brice D. Hornback <bdh@...>; <kenwoodradio@yahoogroups.com>
Sent: Thursday, August 09, 2001 11:16 PM
Subject: RE: [kw-radio] Kenwood TM-261A

Brice,

Quoting Marc Schneider, W4NVY
****
The manual was printed before they properly debugged in the information in it. So they included a supplimentary page with printing code number B59-1080-00(K) which came with the radio and manual.

In the manual on page 30 is instructions for Memory Naming (thus the button is titled MN). The only missing instruction on page 30 is immediately after instruction "4" which reads: "Press [MN]+POWER ON." The missing instruction is : THEN PRESS REVERSE

Just to be sure I will give the sequence:

1) press [MR] to select Memory Recall

2) switch OFF the power

3) press [MN]+POWER ON
The radio is now in memory channel select mode

4) turn the TUNING control - or use the microphone [UP]/[DOWN] buttons to select the desired memory cannel.

5) press [REV]
The first digit blinks (to enter a dot after the first digit, press [MR]. Pressing [MR] again clears the dot.

6) turn the TUNING control - or use the mic. up/down buttons - to select the first digit.

7) press [MN]
The second digit blinks

8) repeat steps 6 & 7 to enter up to 6 digits, then press [REV] to complete entry.

To name subsequent channels, repeat steps 4 - 8 without exiting the memory channel select mode
To exit thememory channel select mode, press [MHz], [F], [TONE], microphone [PTT] or mic. [PF]
They use the term "digit" for the term alpha character.
This should do it.
Good luck,
73,

Marc Schneider, Psy.D.
W4NVY

-----Original Message-----
From: Brice D. Hornback [mailto:bdh@...]
Sent: Thursday, August 09, 2001 11:23 PM
To: kenwoodradio@yahoogroups.com
Subject: [kw-radio] Kenwood TM-261A

Hi. I just received a new TM-261A and I'm having a bit of trouble with it. I can't seem to assign names to the memory channels that I've stored frequencies in. I've followed the instructions in the manual to the letter... but when I press [MN]+ POWER ON it does nothing except turn on. Pressing the [MN] button does change the tone of the beeps... so I know the button is ok.

Am I doing anything wrong? ANY help would be appreciated.

73, Brice - KA8MAV

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

115. TH-21R

Yahoo group: kenwoodradio
Date: 2001-08-17 10:25:08 UTC
From: sv1ens@otenet.gr
Topic: 115 Message: 115

Hi all,

Does anyone have any information on the TH-21R ?
When was it in production ?
Any comments on it's performance ?
Hamfest value ?

73
Demetre - SV1ENS

Amateur Radio Software Repository: http://www.qsl.net/sv1ens

116. Re: Cost to fix a TH-D7 knob?

Yahoo group: kenwoodradio
Date: 2001-08-21 03:04:51 UTC
From: edoc
Topic: 116 Message: 116

Tried the BNC-replacement request ... they said "no way, no room inside".

I am still hoping to rig a thin plate under the belt clip (on the carrying case) with
a BNC connector welded to it ... with RG-274 up to the SMA connector.

This would remove all stress on the SMA, provide a stronger and more versatile BNC connector, and provide a better ground plane for the HT vertical.

Now if someone else has the time and talent to create something like this for me it would be worth $20. (incl. shipping) to me!

73, Doc KD4E

> I *really* don't want to reopen this topic (which was beaten like the dead
> horse that it was), but while it's there you might want to get the SMA
> antenna connector replaced with a new one as a preventative step. Learning
> that the duty cycle of that connector is only 500 connect/disconnects and
> seeing how all the little metal flakes connect in it has made me quite
> careful with mine. You might even go with what some others advised and see if
> they're willing to replace it with a BNC.
>
> Mark W1NTL

117. Fw: BNC for D7

Yahoo group: kenwoodradio
Date: 2001-08-21 16:58:27 UTC
From: edoc
Topic: 117 Message: 117

Steve is a good guy and I like his product and I acquired two of his
adapters.

The design with the rubber covering is a good one as it provides more
support
around the pitifully weak SMA connector ... but ... not adequate for heavy
use
with larger HT antennas like the Watson W889 nor for frequent changes of
external cables to HT antennas and back -- the tiny internal pin *will* fail
(mine
did and the HT had to go to Kenwood to have it extracted).

It is time for a better alternative for active D7 users such as the RG-274
to
backplate/BNC assembly I mentioned.

Anyone out there up to the task?

Thanks! & 73, Doc KD4E ARRL-WCF-SEC/PIO

~~~~~~

> > Steven Gulyas back in Joizy makes an SMA-to-BNC adapter that he sells
> > for about $13. I am happy with it on my D7 and another HT. It is not
> > only more rugged and convenient, it allows antenna connector
> > standardization among same-band radios.His email is gulyas@...
> > <mailto:gulyas@...> .
> > 73, Keith, KG6CGT
~~~~~~

118. fs: Kenwood TS-690S/at

Yahoo group: kenwoodradio
Date: 2001-08-25 04:44:41 UTC
From: edoc
Topic: 118 Message: 118

Selling my Kenwood TS-690S/at with mic and manual.
Want to acquire a tiny Yaesu FT-817 for emergency
communications portability reasons.

Asking $675. for the rig (excellent cosmetic and op condition)
with autotuner, mic, and manual.
Asking $45. for the PC-1A Kenwood Phone Patch.
Asking $45. for the optional Kenwood tone board.
Asking $70. for the optional Kenwood filter (yk88-sn1).
Asking $775. for everything.

All asking prices include shipping conus.

Thanks! & 73, Doc KD4E

119. RAC 2002 Natiional Convention!

Yahoo group: kenwoodradio
Date: 2001-08-27 07:29:41 UTC
From: Mike Roberts
Topic: 119 Message: 119

Hello All.

This email is to inform everyone of the upcomming
Radio Amateurs of Canada 2002 National Convention.
This even will be held July 26, 27, 28th of 2002 in
Vernon, British Columbia, Canada. For those who are
unfamiliar with RAC, it is the Canadian version of
ARRL. This event is the second ever put on, with the
first happening 5 years ago in Calgary, Alberta. It
was a major success. This event was one of the
largest amateur radio events EVER in Canada. This
upcomming convention will be the largest amateur radio
event over the last 5 years in Canada.

This is meant to inform radio amateurs who might be
interested in attending.

Additional Information is available online at

http://www.rac2002.org/

Please forward this email to anyone you know that
might be interested.

See you there,

Mike Roberts,
VE7KED/VA7EEE
DN09hv

Do You Yahoo!?
Make international calls for as low as $.04/minute with Yahoo! Messenger
http://phonecard.yahoo.com/

120. Questions...

Yahoo group: kenwoodradio
Date: 2001-08-29 21:02:54 UTC
From: tsudmeier1@aol.com
Topic: 120 Message: 120

Hello,

I have a couple of questions,

I am using the software that came with the programming cable for the TM-V7a. Can I import a freq list to that software say from an exel spreadsheet or maybe TravelPlus ?

Also, I have a TH-D7a and a palm pilot. Are there programs avaiable to use both together? I am just curious as to what options are avaiable.

Thanks for any help....

121. Setting DTMF Detect & Open Squelch on D7?

Yahoo group: kenwoodradio
Date: 2001-09-04 15:13:34 UTC
From: edoc
Topic: 121 Message: 121

I have tried to extract this information from the D7 manual and several supplements to no avail ...

Can someone instruct me as to how I might program the D7(g) to detect a specific DTMF (tone pad) tone sequence and to open squelch in response, please?

Time is limited so I'd rather appear dense and learn from others than to waste it! :-)

Thanks! & 73, Doc KD4E ARRL-WCF-SEC/PIO

~~~~~~
~~~~~~

122. Which Kenwood Gear Supports DTMF Squelch?

Yahoo group: kenwoodradio
Date: 2001-09-04 19:51:32 UTC
From: edoc
Topic: 122 Message: 122

Is there a list anywhere of Kenwood 2, 440, and 2/440 gear that
supports DTMF squelch?

We are trying to develop a list for ARES and other emergency communications
folks that includes the ability of certain rigs to be programmed for "tone
paging".

We need to be able to activate emergency communications volunteers via our
repeater network but recognize that most cannot have their radios squawking
all
day with mundane traffic and kerchunking.

Sure appreciate any and all rig-specific information, including how to
program this
feature.

Thanks! & 73, Doc KD4E ARRL-WCF-SEC/PIO

~~~~~~
~~~~~~

123. Re: [kw-radio] Which Kenwood Gear Supports DTMF Squelch?

Yahoo group: kenwoodradio
Date: 2001-09-04 20:23:42 UTC
From: Evan Platt
Topic: 122 Message: 123

You're refering to, let's say I key the radio and "punch in" 3303, and bob's radio goes "beep beep"? IIRC, the Kenwood TH79A(D) rig does. This is a older dual band HT that was VERY advanced for its time. Cross band repeat, full duplex, etc. I've seen them on ebay occasionally. A very well built radio, nice display, etc.

Hope this helps.

Evan

-----Original Message-----
From: "edoc" <edoc@...>
To: <kenwoodradio@yahoogroups.com>
Date: Tue, 4 Sep 2001 15:51:32 -0400
Subject: [kw-radio] Which Kenwood Gear Supports DTMF Squelch?

> Is there a list anywhere of Kenwood 2, 440, and 2/440 gear that
> supports DTMF squelch?
>
> We are trying to develop a list for ARES and other emergency
> communications
> folks that includes the ability of certain rigs to be programmed for
> "tone
> paging".
>
> We need to be able to activate emergency communications volunteers via
> our
> repeater network but recognize that most cannot have their radios
> squawking
> all
> day with mundane traffic and kerchunking.
>
> Sure appreciate any and all rig-specific information, including how to
> program this
> feature.
>
> Thanks! & 73, Doc KD4E ARRL-WCF-SEC/PIO
>
> ~~~~~~
>
>
>
> ------------------------- Yahoo! Groups Sponsor
> ------------------------~-->
> Get your FREE credit report with a FREE CreditCheck
> Monitoring Service trial

> http://us.click.yahoo.com/MDsVHB/bQ8CAA/ySSFAA/ELTolB/TM
> ----------~-
> >
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

124. DXLab freeware

Yahoo group: kenwoodradio
Date: 2001-09-13 04:12:34 UTC
From: Dave, AA6YQ
Topic: 124 Message: 124

DXLab is a suite of applications designed to automate DXing activities. Each application can be independently installed and utilized; when multiple applications are running, they sense each other's presence and interoperate appropriately. All DXLab applications are free, and contain no advertising.

DXLab's transceiver control application, Commander, began life supporting Icom radios only. Recently, I've added support for Kenwood HF radios, but have only tested it with a TS-2000. If you're interested in beta testing Commander with other Kenwood HF radios, its available via http://www.qsl.net/civ_commander/ . Please let me know what works and what doesn't via the DXLab reflector - dxlab@yahoogroups.com .

Note that Commander is not intended as a "front panel replacement" -- it provides basic functionality like a VFO, mode control, and memories; it also supports frequency-dependent devices like amplifiers and external antenna tuners, eliminating the need for scraps of paper correlating frequencies to control settings. Commander's primary role is to provide transceiver control for the other DXLab applications, e.g. WinWarbler (PSK31) and DXKeeper (logging, award progress, QSL card/label generation).

Besides WinWarbler, Commander, and DXKeeper, DXLab also includes SpotCollector (telnet DXCluster interface and database), DXView (plots spots on earth map, shows beam heading and solar terminator, controls rotator), PropView (propagation prediction), and Pathfinder (QSL route lookup). For additional information about these free applications, see www.qsl.net/dxlab .

73,

Dave, AA6YQ

125. Re: [htaprs] re: SMA - BNC Adapter.

Yahoo group: kenwoodradio
Date: 2001-09-20 14:56:19 UTC
From: edoc
Topic: 125 Message: 125

I acquired two of the rubber booted SMA-BNC adapters a while back.
One of them failed under moderate use and I lost use of my D7 for
three weeks while they removed the sheared pin.

I have an idea for a metal plate under the belt clip to which a right-
angle BNC is welded ... from the base of that would run a short
cable with a SMA on the other end ... up to the D7 connector. Any
reason this wouldn't work? Sure would solve the mechanical failure
problem of the adapter and connector!

I am seriously considering selling my D7 and acquiring a HT with
a more robust BNC connector. (The other reason is that I need
tone squelch paging, not offered on the D7 -- unless someone
knows of a way to cause the D7 to open squelch in response to
DTMF tone sequences.)

Thanks! & 73, Doc KD4E ARRL-WCF-SEC/PIO

~~~~~~

> > I have to respectively disagree with the SMA/BNC solution below. Since
the
> > adapter is not specifically made for the D7 over a period of many
months the
> > SMA threads stripped. The reason they stripped is the adapter does not
> > fully screw on to the SMA connector. I have remove the rubber fitting
from
> > the adapter when I need to connect a BNC to the radio. Fortunately the
new
> > SMA connector is of better quality then OEM.
>
> I've heard about this connector from three different sources in the past
> month, all are enthusiastic. Last night at my local club meeting I got to
> play with one. Seemed cool enough. But your comments certainly concern me.
>
> One part that confused me was your last sentence. Do you mean that your
SMA
> failed and you replaced it? By "stronger than OEM" do you mean that you
> bought a new SMA connector and soldered it in yourself, vs sending it to
> Kenwood for repair?
>
> Sorry if you had already told us about your steps. It's a lot of people
and
> email to keep straight.
>
> Thanks,
~~~~~~

> Mark W1NTL
> Morris Twp, NJ
> BMW K75

126. Re: [htaprs] re: SMA - BNC Adapter.

Yahoo group: kenwoodradio
Date: 2001-09-20 19:14:23 UTC
From: edoc
Topic: 125 Message: 126

> As soon as I could locate one, I got the protective case for the TH-D7A.
> It's formed like a little bag, and it has its own clip. No way can it fall
> out (unless you stand on your head for an extended period, and even then
> it's got a retaining strap). I took the "belt" "clip" off the battery
packs
> and forgot about them completely. They are around here someplace, but I
> don't need them.

I also have the matching Kenwood protective case. Its design is as poor as
the belt clip! The material unravels, the plastic too thin -- it wrinkles
and
obscures the display esp. in bright light, and there is no protection at the
top from rain, etc. Sigh!

Yes, the best option does seem to be a plate mounted on the protective
case rather than the HT, and the SMA connector really should be a quick
disconnect for easy of battery changes, etc. (Must recall that SMA's are
not engineered for repetitive on and off activities. Or so I am told.)

Good to hear that Icom is getting the message and looking at designs
more suitable for serious users, esp. those of us in emergency
communications
for whom mechanical failure is serious business!

Thanks! & 73, Doc KD4E ARRL-WCF-SEC/PIO

~~~~~~
~~~~~~

127. kenwood mics

Yahoo group: kenwoodradio
Date: 2001-09-21 13:27:37 UTC
From: gws@redbird.net
Topic: 127 Message: 127

What is the difference between the kenwood kmc-14 and kmc-27 mics?

128. 2-220-440 Used Price & Reliability?

Yahoo group: kenwoodradio
Date: 2001-09-23 02:57:01 UTC
From: edoc
Topic: 128 Message: 128

I have been doing some searching for 2, 220 & 440 HT's and mobiles, not much out there ... yet!

What HTs, other than the new Kenwood F6, cover 2, 220 & 440?

What affordable used mobiles other than the older Kenwood TM-742a handle 2, 220 & 440?

Any comments, recommendations, or gotchas about the HTs, other than the F6, and any of the mobiles?

Also, any of these things do DTMF tone-squelch paging? Or just DCS?

Thanks! & 73, Doc KD4E ARRL-WCF-SEC/PIO

~~~~~~
~~~~~~

129. Money Maker! (as seen on TV)

Yahoo group: kenwoodradio
Date: 2001-09-23 03:59:41 UTC
From: J J
Topic: 129 Message: 129

DO NOT DELETE IF YOU HAVEN'T READ THIS. THIS IS A ONE TIME MAILING.
This program is for real. And it works no matter which country you live in (read the testimonials at the end of this message). Read on and you will be convinced. It would only take 2 minutes.

Dear Friends & Future Millionaire:

AS SEEN ON NATIONAL TV:
Making over half million dollars every 4 to 5 months from your home for an investment of only $25 U.S. Dollars expense one time

Step by Step Instructions are enclosed to insure your success with this program. Please take the 2 minutes it takes to read this letter.

THANK'S TO THE COMPUTER AGE AND THE INTERNET !
==========

BE A MILLIONAIRE LIKE OTHERS WITHIN A YEAR!!!

Before you say ''Bull'', please read the following. This is the letter you have been hearing about on the news lately. Due to the popularity of this letter on the Internet, a national weekly news program recently devoted an entire show to the investigation of this program described below, to see if it really can make people money. The show also investigated whether or not the program was legal.

Their findings proved once and for all that there are ''absolutely NO Laws prohibiting the participation in the program and if people can -follow the simple instructions, they are bound to make some mega bucks with only $25 out of pocket cost''. DUE TO THE RECENT INCREASE OF POPULARITY & RESPECT THIS PROGRAM HAS ATTAINED, IT IS CURRENTLY WORKING BETTER THAN EVER.

You are supplying information for a small fee- People will request from you copies of all reports many times over. This is a cash business better than a Mc ee D.!!!!!
Each report will give you the information you will need to succeed.

This is what one had to say: '' Thanks to this profitable opportunity. I was approached many times before but each time I passed on it. I am so glad I finally joined just to see what one could expect in return for the minimal effort and money required. To my astonishment, I received total $610,470.00 in 21 weeks, with money still coming in''. Pam Hedland, Fort Lee, New Jersey.

===
Here is another testimonial: ''' this program has been around for a long time but I never believed in it. But one day when I received this again in the mail I decided to gamble my $25 on it. I followed the simple instructions and walaa ..... 3 weeks later the money started to come in. First month I only made $240.00 but the next 2 months after that I made a total of $290,000.00. So far, in the past 8 months by re-entering the program, I have made over $710,000.00 and I am playing it again. The key to success in this program is to follow the simple steps and NOT change anything.'' More testimonials later but first,

================ PRINT THIS NOW FOR YOUR FUTURE REFERENCE ==========

$$

If you would like to make at least $500,000 every 4 to 5 months easily and comfortably, please read the following...THEN READ IT AGAIN and AGAIN !!!
$$

FOLLOW THE SIMPLE INSTRUCTION BELOW AND YOUR FINANCIAL DREAMS WILL COME TRUE, GUARANTEED! INSTRUCTIONS:

================
Order all 5 reports shown on the list below
=================

For each report, send $5 CASH, THE NAME & NUMBER OF THE REPORT YOU ARE ORDERING and YOUR E-MAIL ADDRESS to the person whose name appears ON THAT LIST next to the report. MAKE SURE YOUR RETURN ADDRESS IS ON YOUR ENVELOPE TOP LEFT CORNER in case of any mail problems.

===
When you place your order, make sure you order each of the 5 reports. You will need all 5 reports so that you can save them on your computer and resell them. YOUR TOTAL COST $5 X 5=$25.00.

===
Within a few days you will receive, vie e-mail, each of the 5 reports from these 5 different individuals. Save them on your computer so they will be accessible for you to send to the 1,000's of people who will order them from you. Also make a floppy of these reports and keep it on your desk in case something happen to your computer.

===
IMPORTANT __ DO NOT alter the names of the people who are listed next to each report, or their sequence on the list, in any way other than what is instructed below in step '' 1 through 6 '' or you will lose out on majority of your profits. Once you understand the way this works, you will also see how it does not work if you change it. Remember, this method has been tested, and if you alter, it will NOT work !!! People have tried to put their friends/relatives names on all five thinking they could get all the money. But it does not work this way. Believe us, we all have tried to be greedy and then nothing happened. So Do Not try to change anything other than what is instructed. Because if you do, it will not work for you. Remember, honesty reaps the reward!!!

1.... After you have ordered all 5 reports, take this advertisement and REMOVE the name & address of the person in REPORT # 5. This person has made it through the cycle and is no doubt counting their fortune.

2.... Move the name & address in REPORT # 4 down TO REPORT # 5.

3.... Move the name & address in REPORT # 3 down TO REPORT # 4.

4.... Move the name & address in REPORT # 2 down TO REPORT # 3.

5.... Move the name & address in REPORT # 1 down TO REPORT # 2

6.... Insert YOUR name & address in the REPORT # 1 Position.

PLEASE MAKE SURE you copy every name & address ACCURATELY!
==========

**** Take this entire letter, with the modified list of names, and save it on your computer. DO NOT MAKE ANY OTHER CHANGES.

Save this on a disk as well just in case if you lose any data. To assist you with marketing your business on the internet, the 5 reports you purchase will provide you with invaluable marketing information which includes how to send bulk e-mails legally, where to find thousands of free classified ads and much more. There are 2 Primary methods to get this venture going:

METHOD # 1: BY SENDING BULK E-MAIL LEGALLY
==========

Let's say that you decide to start small, just to see how it goes, and we will assume You and those involved send out only 5,000 e-mails each. Let's also assume that the mailing receive only a 0.2% response (the response could be much better but lets just say it is only 0.2%. Also many people will send out hundreds of thousands e-mails instead of only 5,000 each). Continuing with this example, you send out only 5,000 e-mails.

With a 0.2% response, that is only 10 orders for report # 1. Those 10 people responded by sending out 5,000 e-mail each for a total of 50,000. Out of those 50,000 e-mails only 0.2% responded with orders.

That's=100 people responded and ordered Report # 2.

Those 100 people mail out 5,000 e-mails each for a total of 500,000 e-mails.
The 0.2% response to that is 1000 orders for Report # 3.

Those 1000 people send out 5,000 e-mails each for a total of 5 million e-mails sent out.
The 0.2% response to that is 10,000 orders for Report #4.

Those 10,000 people send out 5,000 e-mails each for a total of 50,000,000 (50 million) e-mails.
The 0.2% response to that is 100,000 orders for Report # 5
THAT'S 100,000 ORDERS TIMES $5 EACH=$500,000.00 (half million).

Your total income in this example is: 1..... $50 + 2..... $500 + 3.....$5,000 + 4..... $50,000 + 5..... $500,000 ..... Grand Total=$555,550.00

NUMBERS DO NOT LIE. GET A PENCIL & PAPER AND FIGURE OUT THE WORST POSSIBLE RESPONSES AND NO MATTER HOW YOU CALCULATE IT, YOU WILL STILL MAKE A LOT OF MONEY !

==========
REMEMBER FRIEND, THIS IS ASSUMING ONLY 10 PEOPLE
ORDERING OUT OF 5,000 YOU MAILED TO. Dare to think for
a moment what would happen if everyone or half or even
one 4th of those people mailed 100,000 e-mails each or
more? There are over 150 million people on the
Internet worldwide and counting. Believe me, many
people will do just that, and more!

METHOD # 2 : BY PLACING FREE ADS ON THE INTERNET
==========
Advertising on the net is very very inexpensive and
there are hundreds of FREE places to advertise.
Placing a lot of free ads on the Internet will easily
get a larger response. We strongly suggest you start
with Method # 1 and add METHOD # 2 as you go along.
For every $5 you receive, all you must
do is e-mail them the Report they ordered. That's it.
Always provide same day service on all orders.

This will guarantee that the e-mail they send out,
with your name and address on it, will be prompt
because they can not advertise until they receive the
report.

========== AVAILABLE
REPORTS==========

ORDER EACH REPORT BY ITS NUMBER & NAME ONLY. Notes:
Always send $5 cash (U.S. CURRENCY) for each Report.
Checks NOT accepted. Make sure the cash is concealed
by wrapping it in at least 2 sheets of paper. On one
of those sheets of paper, Write the NUMBER & the NAME
of the Report you are ordering, YOUR E-MAIL ADDRESS
and your name and postal address.

PLACE YOUR ORDER FOR THESE REPORTS NOW :
==========
REPORT # 1 : ''The Insider's Guide to Advertising for
Free on the Net''
Order Report # 1 from:

Teresita Santos
1-7 Row House Rawis
Don Bosco, Tondo Manila
Philippines 1012

REPORT # 2 : ''The Insider's Guide to Sending Bulk
e-mail on the Net''
Order Report # 2 from :

Bianca Elaine
c/o Joy Casanova
35 India St., Better Living Subd.
Paranaque City
Philippines 1711

REPORT # 3 : ''The Secret to Multilevel marketing on
the net''
Order Report # 3 from:

Kris H. Webber
Sankt Hansgade 24,3th.
Copenhagen 2200
Denmark

REPORT # 4 : ''How to become a millionaire utilizing
MLM & the Net''
Order Report # 4 from:

J Profit
P.O.Box 38333
Greensboro,NC 27438-8333
USA

REPORT # 5 : ''HOW TO SEND 1 MILLION E-MAILS FOR
FREE''
Order Report # 5 from:

Auralyn Joy
c/o Maximo L. Quijano
2262 Road 3
San Andres Bukid
Manila City
Philippines 1017

$$$$$$$$$ YOUR SUCCESS GUIDELINES $$$$$$$$$$$

Follow these guidelines to guarantee your success:

=== If you do not receive at least 10 orders for
Report #1 within 2 weeks, continue sending e-mails
until you do.

=== After you have received 10 orders, 2 to 3 weeks
after that you should receive 100 orders or more for
REPORT # 2. If you did not, continue advertising or
sending e-mails until you do.

=== Once you have received 100 or more orders for Report # 2, YOU CAN RELAX, because the system is already working for you, and the cash will continue to roll in ! THIS IS IMPORTANT TO REMEMBER: Every time your name is moved down on the list, you are placed in front of a different report.

You can KEEP TRACK of your PROGRESS by watching which report people are ordering from you. IF YOU WANT TO GENERATE MORE INCOME SEND ANOTHER BATCH OF E-MAILS AND START THE WHOLE PROCESS AGAIN. There is NO LIMIT to the income you can generate from this business !!!

==========

FOLLOWING IS A NOTE FROM THE ORIGINATOR OF THIS PROGRAM:
You have just received information that can give you financial freedom for the rest of your life, with NO RISK and JUST A LITTLE BIT OF EFFORT. You can make more money in the next few weeks and months than you have ever imagined.

Follow the program EXACTLY AS INSTRUCTED.
Do Not change it in anyway. It works exceedingly well as it is now. Remember to e-mail a copy of this exciting report after you have put your name and address in Report #1 and moved others to #2 .....# 5 as instructed above. One of the people you send this to may send out 100,000 or more e-mails and your name will be on every one of them. Remember though, the more you send out the more potential customers you will reach. So my friend, I have given you the ideas, information, materials and opportunity to become financially independent. IT IS UP TO YOU NOW!

========== MORE TESTIMONIALS==========

'' My name is Mitchell. My wife, Jody and I live in Chicago. I am an accountant with a major U.S. Corporation and I make pretty good money. When I received this program I grumbled to Jody about receiving ''junk mail''. I made fun of the whole thing, spouting my knowledge of the population and percentages involved. I ''knew'' it wouldn't work. Jody totally ignored my supposed intelligence and few days later she jumped in with both feet. I made merciless fun of her, and was ready to lay the old ''I told you so'' on her when the thing didn't work. Well, the laugh was on me! Within 3 weeks she had received 50 responses. Within the next 45 days she had received

total $ 147,200.00 ..... all cash! I was
shocked. I have joined Jody in her ''hobby''. Mitchell
Wolf M.D., Chicago, Illinois
==========
'' Not being the gambling type, it took me several
weeks to make up my mind to participate in this plan.
But conservative that I am, I decided that the initial
investment was so little that there was just no way
that I wouldn't get enough orders to at least get my
money back''. '' I was surprised when I found my
medium size post office box crammed with orders. I
made $319,210.00 in the first 12 weeks. The nice thing
about this deal is that it does not matter where
people live. There simply isn't a better investment
with a faster return and so big''. Dan Sondstrom,
Alberta, Canada
==========
'' I had received this program before. I deleted it,
but later I wondered if I should have given it a try.
Of course, I had no idea who to contact to get another
copy, so I had to wait until I was e-mailed again by
someone else.....11 months passed then it luckily
came again..... I did not delete this one! I made
more than $490,000 on my first try and all the money
came within 22 weeks''. Susan De Suza, New York, N.Y.
==========
'' It really is a great opportunity to make relatively
easy money with little cost to you. I followed the
simple instructions carefully and within 10 days the
money started to come in. My first month I made $
20,560.00 and by the end of third month my total cash
count was $ 362,840.00. Life is beautiful, Thanx to
internet''. Fred Dellaca, Westport, New Zealand
==========

ORDER YOUR REPORTS TODAY AND GET STARTED ON YOUR ROAD
TO FINANCIAL FREEDOM!

==========
If you have any questions of the legality of this
program, contact the Office of Associate Director for
Marketing Practices, Federal Trade Commission, Bureau
of Consumer Protection, Washington, D.C.
==========THE
END==========

***
This message is in compliance with U.S. Federal
requirements for commercial e-mail proposed in Bill
S.630 CAN SPAM Act of 2001 Section 5, Paragraph (a),
(3), and Section 5, Paragraph (5)(c) passed by the

107th>U.S. Senate and cannot be considered SPAM since
it includes both a physical mailing address and remove
mechanism.
***

This is a one time mailing- If you would like to be
removed from all of our mailing databases reply to:
zppll@... Please put REMOVE in the subject
line. This is an Automatic remove system and you will
never receive mail from our server again. We update
daily M-F. We use mail opt-in list provided by
Internet Marketing Services. Our list come from
E-maz-contest- and other resources- If our mailing
found you and offended you in any way please except
our apologies.

_____
Do You Yahoo!?
Get email alerts & NEW webcam video instant messaging with Yahoo! Messenger.
http://im.yahoo.com

130. Kenwood TS-820 Help Needed

Yahoo group: kenwoodradio
Date: 2001-09-23 19:14:36 UTC
From: Brice D. Hornback
Topic: 130 Message: 130

Hi. Is anyone VERY familier with the TS-820? I have one that was mine up until about 16 years ago... it was sold, then sold again... and last month I tracked it down and bought it back. :-)

However, there is no output power. It tries to transmit... and does (about 0.5 watts out)... but nothing more.

- Antenna is connected properly.

- All three tubes test as new.

- Plate voltage is 900 volts.

- Plate idling current is right on 60ma

- The SG switch on the back is in the UP/ON position.

- The VFO jumper between pins 8 and 9 is connected.

- The receive section works perfectly.

Everything seems to work fine... but I don't get any output to speak of other that about 0.5 watts out... so I know the relay is working.

Does anyone have any suggestions?

73 Brice KA8MAV
ka8mav@...

131. kenwood ts770e

Yahoo group: kenwoodradio
Date: 2001-09-25 07:13:31 UTC
From: robert.johnson12@ntlworld.com
Topic: 131 Message: 131

Looking for a service manual for a kenwood ts770e.I tried many places
including kenwood uk,no look.
Can any one help so that I can realign my set.
regards
g7jhw/bob

132. Kenwood TH-22AT

Yahoo group: kenwoodradio
Date: 2001-09-30 20:47:51 UTC
From: Brice D. Hornback
Topic: 132 Message: 132

Hi everyone. I need to find a charger and an original antenna for my
Kenwood TH-22AT. If you have something laying around, PLEASE let me know.

73 Brice KA8MAV
ka8mav@...

133. Recommendation

Yahoo group: kenwoodradio
Date: 2001-10-02 00:06:29 UTC
From: Mark Wintle
Topic: 133 Message: 133

Hi.

I got my Tech license about 9 months ago. I bought a TH-D7A(g) so that I could have a radio for my motorcycle and to use APRS with my Garmin GPS III+. So far so good. It works nicely. But now I'm to the point that I want to get more serious gear. I should have my General ticket soon, and I need an HF radio. Many of the current Kenwood line looks good, but I don't think I can afford to buy "new".

I've looked a bit on eBay, but Ham radio people are loathe to list anything in detail. Techies like to just drop model numbers and expect you to have the whole back-catalog of everything memorized.

Does anyone have a suggestion for a classic Kenwood HF radio that's not too antique that I could buy for a reasonable amount used? I was thinking that $400-$600 would be my price range.

My primary anticipated uses would be 20m, 40m phone, CW, and PSK31. (I'd probably try some satellite as well, but I don't need the special satellite features that the new radios have. I'm willing to do it "by hand".)

I think I want a mobile rig. I think. They're a little less expensive, and my primary use would probably be in the car.

I got to see a Icom HF rig in a car the other day. The operator had an Icom brand antenna tuner that worked right from a button on the radio. Cool. Any Kenwood equivalent?

I'm being a little brand loyal because I like the user interface of my D7 and it would be nice if the mobile had some interoperability with the HT. But if I'm better off with another brand, that's not out of the question.

Do any of the mobile HF rigs also have 2m/70cm?

MEW

Mark Wintle
Network Manager
Global Turnkey Systems
Voice: +1 (973) 331-1010 x 636
Fax: +1 (973) 331-0042
http://www.gtsystems.com

134. F6A User Reviews?

Yahoo group: kenwoodradio
Date: 2001-10-01 20:52:15 UTC
From: edoc
Topic: 134 Message: 134

I am considering selling my FT-8100R to get the rest of the cash I need to acquire
an F6.

Can someone address their experience with HF SSB reception? An early review suggested that the HT is somewhat deaf, even with a full sized wire antenna through
a tuner, is that true? It sure would be helpful to be able to monitor the 14.325 and
3.950 Hurricane Watch Net freqs when in the field during an ARES Tropical Event
activation here in West Central Florida.

What about selectivity? I don't expect performance even close to my FT-817 but wonder how it handles the typical 20m QRM.

Finally, any word on accessories like a proper protecting case, matching hands-free
earpiece/mic (Is it wired like the D7, non-standard?), spare battery?

Note: I have read what little is posted on the QRZ site but am hoping for more
here.

Thanks! & 73, Doc KD4E

135. Need best source for lithium battery for TM-731A

Yahoo group: kenwoodradio
Date: 2001-10-12 22:29:49 UTC
From: Tom Blackwell
Topic: 135 Message: 135

What is the best source for lithium (back up) batteries for the TM-731A? (What I've seen so far is the price of $6.00 and an $8.00 shipping/handling fee.)

Is there a generic description of this battery, or a substitute?

Thanks,

Tom, N5GAR, Dallas, Texas

136. Does the F6 Use The Same Batter Pack as the D7?

Yahoo group: kenwoodradio
Date: 2001-10-13 01:41:32 UTC
From: Doc - KD4E
Topic: 136 Message: 136

Does the F6 Use The Same Battery Pack as the D7?

I have a mobile adapter that my former D7 plugged into and
was supported by and through which it received power mobile.
If it won't fit the F6 then I will sell it and acquire one to fit the F6
when I get one.

Thanks! & 73, Doc KD4E

137. Re: [kw-radio] Does the F6 Use The Same Batter Pack as the D7?

Yahoo group: kenwoodradio
Date: 2001-10-13 03:32:43 UTC
From: Gerry
Topic: 137 Message: 137

No, it's an all-new 1550 mAH LiIon pack. The DC plug is the PG-3J.
73
Gerry N0DOZ
----- Original Message -----
From: Doc - KD4E
To: kenwoodradio@yahoogroups.com ; kenwood@...
Sent: Friday, October 12, 2001 6:41 PM
Subject: [kw-radio] Does the F6 Use The Same Batter Pack as the D7?

Does the F6 Use The Same Battery Pack as the D7?

I have a mobile adapter that my former D7 plugged into and
was supported by and through which it received power mobile.
If it won't fit the F6 then I will sell it and acquire one to fit the F6
when I get one.

Thanks! & 73, Doc KD4E

Yahoo! Groups Sponsor
ADVERTISEMENT

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

138. TH-F6 DC power

Yahoo group: kenwoodradio
Date: 2001-10-13 04:10:50 UTC
From: Gerry
Topic: 138 Message: 138

....and looking at the new AES catalog: the filtered DC power cable PG-3J is the same for the TH-79, the D7, and the F6. At $37, keep that sucker and just change radios. :-)

[Non-text portions of this message have been removed]

139. Dead Kenwood TM-742

Yahoo group: kenwoodradio
Date: 2001-11-01 12:39:48 UTC
From: Chris Petersen
Topic: 139 Message: 139

Have you ever seen this problem? I have a remoted TM-742.

Here's what works:
Power on/off - radio lights up and displays frequencies.
Change frequencies/bands
When I key the mic, the fan starts

Here's what doesn't work:
No beeps from the speaker; when buttons are pressed
No RF when transmitting (although indicator shows full output)
No Rx
No Rx noise even with squelch open
Same problem on all 3 bands

The problem comes and goes with no action on my part. I suspect
that the serial data stream from the control head is not making it to
the radio. Naturally, it always seems to work when I have it opened up
on the bench.

I would greatly appreciate it if you have seen this problem and could
pass along some clues. It's driving me nuts!

73's
Chris, K9EQ

140. THD7A Headset?

Yahoo group: kenwoodradio
Date: 2001-11-02 02:41:28 UTC
From: Howard Weissman
Topic: 140 Message: 140

Is anyone aware of a over-the-ear headphone with or without a boommike for the THD7A(g)?

I need to filter out crowd noise from time to time.

141. TM-261-A Microphone

Yahoo group: kenwoodradio
Date: 2001-11-05 19:28:50 UTC
From: wcombs@dbts.edu
Topic: 141 Message: 141

I have a TM-261A, but would like to put a smaller microphone on it. Actually, it is for my wife, who does not like the large Kenwood mike. It would not need a touchtone pad. Any ideas?

Bill
W8BC

142. TR-2600 Manual?

Yahoo group: kenwoodradio
Date: 2001-11-05 21:13:57 UTC
From: Doc - KD4E
Topic: 142 Message: 142

I have acquired a TR-2600 HT but it lacks a manual.

Anyone have a set of basic instructions they could E-mail me?

I need to be able to change the offset, know if the drop-in charger may be left on -- if it will protect the battery against overcharging, and how to program memories.

If anyone has scanned the whole manual sure would love a copy via E-mail. I have loaned the HT to a neighbor who is studying for his license as a way to encourage him (I trust him not to xmit.) and he needs the manual.

Thanks! & 73, Doc KD4E

143. TS530S

Yahoo group: kenwoodradio
Date: 2001-11-06 01:43:07 UTC
From: rustdavid@yahoo.com
Topic: 143 Message: 143

I just bought a TS530S with no manual. Does anyone have one they would sell, or I'll pay for copies??

There is a small up/down off/on switch on the back of the radio, I dont know if this has been added or is original. Can anyone tell me what it for it is original equipment.

Thanks
73
Dave

144. kenwood tk-760

Yahoo group: kenwoodradio
Date: 2001-11-10 20:35:13 UTC
From: benskole@hotmail.com
Topic: 144 Message: 144

I have aquired this radio from a trade ,and I would like to find out how to program it, It had no manual and I cant find any thing on the net with instructions on proraming ,can any 1 help?

145. Introduction, and request for information...

Yahoo group: kenwoodradio
Date: 2001-11-10 22:00:13 UTC
From: Michael
Topic: 145 Message: 145

Hi all,

My name is Michael, from the Blue Mountains, west of Sydney, Australia.

I have, among other radios, a Kenwood R-2000 receiver, which I am extremely fond of.

One of my hobbies is MW DXing, and unfortunately the Kenwood, like most decent radios, is deliberately de-sensitised in the Medium-wave band (presumably to prevent intermod on strong local signals).

I have successfully modified a Yaesu FRG-8800 to full sensitivity on the MW band, and would like to do the same to the Kenwood.

Does anyone know the mod to remove/bypass the R-2000's MW attenuation circuit? I have a circuit diagram, but can't figure out exactly where the attenuation is taking place. Either blind or stupid, not sure which... <g>

Thanks for any assistance
:)
Michael

146. TH-F6A Speaker Mikes???

Yahoo group: kenwoodradio
Date: 2001-11-15 21:11:48 UTC
From: dmcrober@inovant.com
Topic: 146 Message: 146

Kenwood lists three speaker-microphones. However, can someone tell me exactly what the difference is between the different models?

The SMC32 is listed as a Speaker microphone. The SMC33 is listed as a Speaker microphone with Remote Control. And, the SMC34 is listed as Speaker microphone with Volume & Remote Control.

So, the real question is, why is the SMC33 more expensive than the SMC34 which "appears" to not have as much functionality as the SMC33? Can anyone fill me in with the missing details???

(NOTE: This question is also cross-posted on the THF6A Yahoo group)

Tnx,
Don - KG6EYY

147. TS50 Battery backup

Yahoo group: kenwoodradio
Date: 2001-11-19 11:29:27 UTC
From: Mogens Petersen
Topic: 147 Message: 147

Hi

My TS50 has lost its memory. At every power up it starts at 14.000 USB,which properly is it's initial state.
But what kind of battery is used for back-up ? I guess it's a 3V something, but what type would interest me.

Vy 73 de oz1akn, Mogens

148. "dit" not stopping

Yahoo group: kenwoodradio
Date: 2001-11-22 17:35:30 UTC
From: on4cbj@village.uunet.be
Topic: 148 Message: 148

Hi all,

My 570 started behaving very strange last night: the keyer doesn't stop anymore!

Only happens to the dits, not the dahs. I have to turn off the radio to make it stop. Then when I turn it on again, and touch the "dit" on the paddle, the same thing happens all over again. I can squeeze in "dahs", but as soon as I release that lever it will start sending "dits" again.

Has any of you ever experienced this?

There's nothing wrong with the paddle, and I disconnected all other equipment that was hooked up to the 570.

I tried a partial reset, and the full reset, they didn't help...

Any ideas anyone, before I send it off to the shop?

Thanks,

Gert - K5WW

149. Pyramid SVR-200 Vehicular Repeater

Yahoo group: kenwoodradio
Date: 2001-12-11 23:07:11 UTC
From: RadioGuy205@aol.com
Topic: 149 Message: 149

I am trying to interface a Kenwood TK-730H with a Pyramid SVR-200 vehicular repeater. My problem is when I turn the repeater on, I get a constant squelch unless the radio is receiving traffic. I have been inside the repeater and played with the squelch resistor. The directions say to turn it until the COR light goes off on the repeater side. Well, when I do this the repeater will not TX or RX. Any help is appreciated!

Clay

[Non-text portions of this message have been removed]

150. Alignment of Pyramid SVR-200 Vehicular in GA?

Yahoo group: kenwoodradio
Date: 2001-12-16 02:18:03 UTC
From: RadioGuy205@aol.com
Topic: 150 Message: 150

Does anyone in Georgia service and tune the Pyramid SVR-200 vehicular repeaters? I need to get mine aligned for my Kenwood TK-730H. Thanks!

Clay

[Non-text portions of this message have been removed]

151. Re: TS-570 "dit" not stopping

Yahoo group: kenwoodradio
Date: 2001-12-21 22:54:27 UTC
From: Gert E. Janssens
Topic: 151 Message: 151

Hi Bill, and all that replied to my question several weeks ago,

I got my 570 back today; here's the description of what the service person did:

Replaced leakey parts on control & TX/RX unit: 105/X53-3690-11 / C4, C166, D2, D89, D90/01 (2 times CK73FB1H102K chip capacitor and 3 times MA110 diodes).

I hope I read all of that right, it was one of those carbon copies (especially the "I" and "1" were hard to read).

Just letting everyone know, in case someone else runs into the same problem later.

Pretty good service, a week slower than they said though, and I wish the repair person had wiped of that drop of solder on the case himself...

But it works! Happy holidays to everyone,

Gert

----- Original Message -----
From: Bill Leahy KOZL
To: Amateur-repairs@yahoogroups.com
Sent: Monday, November 26, 2001 6:43 AM
Subject: Re: [Amateur-repairs] TS-570 "dit" not stopping

Gert, sounds like a blown keyer chip. Static. It's ok, I just killed my computer motherboard.. Kid grabbed the USB cable for the digi camera, blew out the channels for the mouse and keyboard! yikes...

I am going to make it a rule to remove shoes around the house, or at least in the shack! hi hi...

Looks like C386 on the TX/RX unit is shorted or leaky. This is the 1000pf SMD bypass cap on the board near J5, the keyer jack. If you have a service manual you should have no problem finding and clearing this. You will need another cap to replace, a very small "conventional" cap should fit on the pads, or use a junk HT for the part.

Let me know if I can help further.

Bill

--- "Gert E. Janssens" <on4cbj@...>
wrote:
> (sent this before, but in HTML, and I think it got
> filtered out...)
>
> Hi all,
>
> My 570 just started behaving very strange: the keyer
> doesn't stop anymore!
>
> Only happens to the dits, not the dahs. I have to
> turn off the radio to make
> it stop. Then when I turn it on again, and touch the
> "dit" on the paddle,
> the same thing happens all over again. I can squeeze
> in "dahs", but I soon
> as I release that lever it will start sending "dits"
> again.
>
> Has any of you ever experienced this?
>
> There's nothing wrong with the paddle, and I
> disconnected all other
> equipment that was hooked up to the 570.
>
> I tried a partial reset, and the full reset, they
> didn't help...
>
> Any ideas anyone, before I send it off to the shop?
>
> Thanks,
>
> Gert - K5WW
>
>
>
> ---------- Yahoo! Groups Sponsor
>
> BE SURE to check out our website,
> www.amateur-repairs.com
> Christian Hams, check out:
> http://groups.yahoo.com/group/ChristianHams
> TS-50 owners, see:
> http://groups.yahoo.com/group/Kenwood_TS50
> TS-850 owners, see:
> http://groups.yahoo.com/group/TS-850
> For other rigs, logon to Yahoo Groups and search the
> model number ("ts*, ft-101*), or search the
> manufacturer ("yaesu")
>
> TO UNSUBSCRIBE: login to groups.yahoo.com, select

> group amateur-repairs, click on "leave group" on
> right side of screen and follow instructions.
> PLEASE do not send UNSUBSCRIBE messages to the list,
> thanks.
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

Do You Yahoo!?
Yahoo! GeoCities - quick and easy web site hosting, just $8.95/month.
http://geocities.yahoo.com/ps/info1

Yahoo! Groups Sponsor
ADVERTISEMENT

BE SURE to check out our website, www.amateur-repairs.com
Christian Hams, check out: http://groups.yahoo.com/group/ChristianHams
TS-50 owners, see: http://groups.yahoo.com/group/Kenwood_TS50
TS-850 owners, see: http://groups.yahoo.com/group/TS-850
For other rigs, logon to Yahoo Groups and search the model number ("ts*, ft-101*), or search the manufacturer ("yaesu")

TO UNSUBSCRIBE: login to groups.yahoo.com, select group amateur-repairs, click on "leave group" on right side of screen and follow instructions. PLEASE do not send UNSUBSCRIBE messages to the list, thanks.

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

152. MAT-100 antenna tuner

Yahoo group: kenwoodradio
Date: 2001-12-26 19:59:29 UTC
From: kb7ztr
Topic: 152 Message: 152

I would like to hear from anyone that owns or has had experience using this Kenwood antenna tuner. I don't have one but have seen one (not the inside). It's interesting the case looks identical to the ICOM AH-2 tuner. I was wondering if the internals are the same. Is there supposed to be a remote controller for the MAT-100 that connects to a radio? If so, what model radio. Thanks KB7ZTR@... Larry

153. DSU-2 same as DSU-3A?

Yahoo group: kenwoodradio
Date: 2001-12-27 18:47:55 UTC
From: vtnn43e@aol.com
Topic: 153 Message: 153

This may be a dumb question but I still need to ask it. I really would like a DSU-2 for my TS-850 but they are out of production and hard to come by. In looking at the latest AES catalog I noticed that there is a DSU-3A for the TS-570. Can anyone tell me if they are compatable? I bet that they are not but would like to hear from others out there in the know.
Any info on this will be greatly appreciated.

Thanks
Zack Schindler
N8FNR

154. Last post supposed to be DRU-2 - not DSU

Yahoo group: kenwoodradio
Date: 2001-12-27 18:52:37 UTC
From: vtnn43e@aol.com
Topic: 154 Message: 154

In my last post I meant to ask about the DRU-2 and DRU-3A Duh.
Thanks
Zack Schindler
N8FNR

155. FS: Misc. Stuff

Yahoo group: kenwoodradio
Date: 2001-12-29 18:07:06 UTC
From: Doc
Topic: 155 Message: 155

1. For Kenwood D7 HT -- Dealer modified MAHA MH-PB-39 DC
Battery Pack (case only) quick-power mobile adapter. Has a matching
black plastic L-bracket at the base for mounting and a wire and connector
to access DC from the vehicle. Asking $10. shipped conus.

2. Motorola HMN-1056D mic w/modular connector. Asking $12.
shipped conus.

3. Two Realistic 21-541 speakers. Asking $10. (for both) shipped conus.

4. Two new REX serial docking ports for the Franklin and REX PCMCIA
PDA's. Asking $15. for both, shipped conus.

5. X10 wireless home alarm system. It is the one with the autodial
(will call police, a neighbor, you on your cell-phone, or whatever
four numbers you program, no fees to a monitoring center).

Has multiple sensors, remote appliance switches, remote
buzzer, emergency buttons, wireless controls. Have original
box and manual. Basically the system found at:
http://www.x10.com/products/x10_ds7000.htm , but with
a few extras. Am replacing this with a customized system.
Asking $50. shipped conus.

Will swap it all for a 220 transverter appropriately small to use with
my FT-817.

73, doc KD4E

156. Pyramid SVR-200 Vehicular Repeater

Yahoo group: kenwoodradio
Date: 2002-01-04 17:49:33 UTC
From: RadioGuy205@aol.com
Topic: 149 Message: 156

One more question about the Pyramid SVR-200 Vehicular Repeater. I have an SVR-200 which is hooked up to a Kenwood TK-730H. Which resistor do I need to adjust to get the repeater to transmit while my repeater is still up? What is happening is I am out of my vehicle and I cannot TX on my portable until the repeater unkeys, or if my mobile is in the scan mode I cannot TX until the mobile quits receiving. I had this problem corrected before but I went in and tuned it a little and must have changed on of the resistors that I shouldn't have. Any help is greatly appreciated!!!!

Clay

[Non-text portions of this message have been removed]

157. Uk source for PC to TS 950 SD interface ?

Yahoo group: kenwoodradio
Date: 2002-01-06 20:56:28 UTC
From: mm0bqm
Topic: 157 Message: 157

Does anyone know of a source for new or second hand pc to tcvr interfaces (rs232) for the Kenwood TS 950 SD ?

Thanks ...

73
Bob Mason
MM0BQM
http://www.mm0bqm.co.uk

158. Kenwood Cat Interfacing Help ?

Yahoo group: kenwoodradio
Date: 2002-01-11 16:16:20 UTC
From: mm0bqm
Topic: 158 Message: 158

Can anyone using a Kenwood tcvr with built in cat interface tell me if it uses a straight cable (pin for pin) or has the cable any crossed connections ?

I am trying to wire a Siskin interface for a TS950 SD and cannot get it to detect the radio, the cable I am using is wired pin for pin, I am sure the Siskin unit is working okay.

Thanks ....
--

Bob Mason
MM0BQM
http://www.mm0bqm.co.uk

159. Swan owner?

Yahoo group: kenwoodradio
Date: 2002-01-12 15:35:49 UTC
From: coorsbill
Topic: 159 Message: 159

http://groups.yahoo.com/group/SwanRadios/

This is your official invite to the Swan Radios group on Yahoo.

Enjoy!

Bill

160. TR7930 Manual

Yahoo group: kenwoodradio
Date: 2002-01-17 19:18:04 UTC
From: frg72001
Topic: 160 Message: 160

A friend of mine is looking for the operating manual for a TR7930 2M rig, to copy or an original. Anyone able to help?

Dave,
VE7YJ

161. help on TM732A

Yahoo group: kenwoodradio
Date: 2002-01-22 00:59:32 UTC
From: Luiz Felipe Ceglia
Topic: 161 Message: 161

hi folks,

would any of you have the diagram for the Kenwood TM-732A?
or would have a front panel for sale?

I have one of this rig, and the front panel has gone crazy: only some
digits of the display appears, the radio is semi-functionable, it
TX's but there is no audio on the RX side. The power button doesn't
work also, the radio is continuosly on.

I checked the connection cable, and another front panel worked fine on it.

Would you have any clues on my problem?

Thank you and 73,

Felipe Ceglia - PY1NB
Rio de Janeiro - Brasil

ps: as kenwood guys told me that they would not send me a copy of the
diagram, and they do not have the front panel for sale, the diagram
is no longer copyrighted.

ps2: it seems like kenwood doesn't give a sh*t for their customers... :(

--
Luiz Felipe Ceglia - Staff TereNet
lceglia@... - +55-21-9135-3679

162. Re: [kw-radio] help on TM732A

Yahoo group: kenwoodradio
Date: 2002-01-22 13:16:09 UTC
From: Fred
Topic: 162 Message: 162

Hi Luiz

I have the manual and schematic. I can scan the schematic for
you if you want. Did you check the
internal battery?

Fred
N1DEC

----- Original Message -----
From: "Luiz Felipe Ceglia" <lceglia@...>
To: <kenwoodradio@yahoogroups.com>
Sent: 21 January, 2002 7:59 PM
Subject: [kw-radio] help on TM732A

> hi folks,
>
> would any of you have the diagram for the Kenwood TM-732A?
> or would have a front panel for sale?
>
> I have one of this rig, and the front panel has gone crazy: only some
> digits of the display appears, the radio is semi-functionable, it
> TX's but there is no audio on the RX side. The power button doesn't
> work also, the radio is continuosly on.
>
> I checked the connection cable, and another front panel worked fine on it.
>
>
> Would you have any clues on my problem?
>
> Thank you and 73,
>
> Felipe Ceglia - PY1NB
> Rio de Janeiro - Brasil
>
>
> ps: as kenwood guys told me that they would not send me a copy of the
> diagram, and they do not have the front panel for sale, the diagram
> is no longer copyrighted.
>
> ps2: it seems like kenwood doesn't give a sh*t for their customers... :(
>
>
>
> --
> Luiz Felipe Ceglia - Staff TereNet

> lceglia@... - +55-21-9135-3679
>
>
>
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

163. changing freq. step

Yahoo group: kenwoodradio
Date: 2002-01-23 22:40:15 UTC
From: kg4mql
Topic: 163 Message: 163

I want to use the tm7 or satellite work. Is there a way to change the 23cm band steps smaller than 25mhz.

164. FS: Kenwood R5000 Shortwave Receiver -- Loaded!!

Yahoo group: kenwoodradio
Date: 2002-01-26 08:08:02 UTC
From: David B. Rogers
Topic: 164 Message: 164

For Sale: Kenwood R5000 general coverage receiver

This is an outstanding receiver with a full complement of features (IF shift, notch filter, dual clocks, timer, dual noise blankers, etc) with typical Kenwood clear as a bell audio.

It also has the VS-1 speech enunciator which reads out the frequency, mode, etc. when changed or on command.

It also has the IC-10 which are necessary for computer control of the receiver (also requires the IF-232C interface/level converter which isn't included).

The really outstanding feature of this receiver -- and what sets it apart -- are the cascaded filters. This has the upgraded, high quality AM filter (YK-88A-1), the SSB filter (YK-88S), the SSB narrow filter (YK-88SN), and the 500 hz CW filter (YK-88C). As each succeeding filter is switched in, the preceding filters are cascaded, giving outstanding selectivity. The selectivity can be switched automatically or manually. (The original AM filter is also included, but is not installed in the radio -- it was replaced with the YK-88A-1.)

The radio is in very excellent condition with no glaring or major scratches, dents or dings. It is at least an 8.5+/10. The only "defects" are that the S meter light is out (an easy repair -- I just never needed it) and the tilt up bail is missing. I had this receiver in a rack mount setup (it sat on a shelf) that required removing the bail and have misplaced it.

Included are the a.c. power cord, the carry handle, a good copy of the manual, a good copy of the IC-10 manual, a good copy of the service manual and a copy of a handbook for improving the R5000 (I haven't made any of the mods).

This is a fine receiver and will give much SWL/Ham/MW listening enjoyment.

$425.00 plus shipping from 83861 (north Idaho). (The extra filters alone are worth $150.00).

David, WA7ZYQ

208-245-2070
north Idaho (PST)

165. Looking for a source

Yahoo group: kenwoodradio
Date: 2002-02-03 23:09:08 UTC
From: n8pu
Topic: 165 Message: 165

I have a Kenwood Th-G71 HT and was wondering if any one knows if
there is a place that the battery clips can be purchased separately,
with out having to buy a new battery just to get a replacement clip.
Thanks
Dave N8PU

166. Re: [kw-radio] Looking for a source

Yahoo group: kenwoodradio
Date: 2002-02-05 00:02:10 UTC
From: Howard Weissman
Topic: 166 Message: 166

AES has some in stock- http://www.aesham.com

_____ Reply Header _____
Subject: [kw-radio] Looking for a source
Author: "n8pu" <n8pu@...>
Date: Sun, 3 Feb 2002 23:09:08 -0500

I have a Kenwood Th-G71 HT and was wondering if any one knows if there is a place that the battery clips can be purchased separately, with out having to buy a new battery just to get a replacement clip. Thanks
Dave N8PU

---------- Yahoo! Groups Sponsor ----------~--> Get your FREE credit report with a FREE CreditCheck
Monitoring Service trial
http://us.click.yahoo.com/ACHqaB/bQ8CAA/ySSFAA/ELTolB/TM
----------~->

To unsubscribe from this group, send an email to: kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

167. WTB: Kenwood TK-380

Yahoo group: kenwoodradio
Date: 2002-02-07 19:59:35 UTC
From: RadioGuy205@aol.com
Topic: 167 Message: 167

WTB. Kenwood TK-380 radio only. With or without DTMF pad. 450-490 MHz. Please e-mail off list. Thanks!

Clay
RadioGuy205@...

[Non-text portions of this message have been removed]

168. TH-79 on 800mhz rx?

Yahoo group: kenwoodradio
Date: 2002-02-08 04:23:43 UTC
From: coorsbill
Topic: 168 Message: 168

Does anyone have info on how to get the TH-79 dual band handy to receive on 800mhz? These rigs have a complete front end and mixer, just no apparent way to turn on this feature.

Thanks

bill K0ZL

169. TH-79 on 800mhz rx?

Yahoo group: kenwoodradio
Date: 2002-02-08 14:13:21 UTC
From: Threlfall, Gary
Topic: 168 Message: 169

Message: 2
Date: Fri, 08 Feb 2002 04:23:43 -0000
From: "coorsbill" <coorsbill@...>
Subject: TH-79 on 800mhz rx?

Does anyone have info on how to get the TH-79 dual band handy to receive on 800mhz? These rigs have a complete front end and mixer, just no apparent way to turn on this feature.

Thanks

bill K0ZL

Hi Bill,
Well the radio has the mixer, but the control eeprom for the US A version has been locked out, also the performance up there would probably be very poor, lots of unwanted mixer products etc.
Kenwood tend to design their kit well for the intended purpose, so to receive 800Mhz+ reliably would (of course) be best on a scanning receiver or such.
Cheers,
Gary - G7TOK

****
This e-mail and its attachments are intended for the above named recipient(s) only and are confidential and may be privileged. If they have come to you in error you must take no action based on them, nor must you copy or disclose them or any part of their contents to any person or organisation; please notify the sender immediately and delete this e-mail and its attachments from your computer system.

Please note that Internet communications are not necessarily secure and may be changed, intercepted or corrupted. We advise that you understand and observe this lack of security when e-mailing us and we will not accept any liability for any such changes, interceptions or corruptions.

Although we have taken steps to ensure that this e-mail and its attachments are free from any virus, we advise that in keeping with good computing practice the recipient should ensure they are actually virus free.

Copyright in this e-mail and attachments created by us belongs to Littlewoods.

Littlewoods takes steps to prohibit the transmission of offensive,
obscene or discriminatory material. If this message contains
inappropriate material please forward the e-mail intact to
postmaster@... and it will be investigated.
Statements and opinions contained in this e-mail may not
necessarily represent those of Littlewoods.

Please note that e-mail communication may be monitored.

Registered office:
Littlewoods Retail Limited,
Sir John Moores Building,
100 Old Hall Street,
Liverpool,
L70 1AB
Registered no: 421258

http://www.littlewoods.com
****

170. TM-261A

Yahoo group: kenwoodradio
Date: 2002-02-08 14:47:27 UTC
From: w8bc
Topic: 170 Message: 170

I have a TM-261A which has apparenly lost the output module.
The power ouput is very very low, so I assume this is the most
likely reason for this result. I was wondering if anyone had any
experience with having this repaired by Kenwood and what the
cost was. I notice now that I can pick up a similiar 2 meter rig for
as cheap as $129.

Bill
W8BC

171. Re: [kw-radio] TM-261A

Yahoo group: kenwoodradio
Date: 2002-02-08 15:16:24 UTC
From: Fred
Topic: 171 Message: 171

Hi Bill

You might want to check the archives of kenwood@... for
this rig.
looking through some messages from a year or two back I see
someone had the same problem. The problem was a PIN diode
or something like that that cost about $10.00.
I can copy you the messages I found if you
want.

Fred
N1DEC

----- Original Message -----
From: "w8bc" <wcombs@...>
To: <kenwoodradio@yahoogroups.com>
Sent: 08 February, 2002 9:47 AM
Subject: [kw-radio] TM-261A

> I have a TM-261A which has apparenly lost the output module.
> The power ouput is very very low, so I assume this is the most
> likely reason for this result. I was wondering if anyone had any
> experience with having this repaired by Kenwood and what the
> cost was. I notice now that I can pick up a similiar 2 meter rig for
> as cheap as $129.
>
> Bill
> W8BC
>
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>

172. Re: [kw-radio] TM-261A

Yahoo group: kenwoodradio
Date: 2002-02-08 21:37:12 UTC
From: Fred
Topic: 171 Message: 172

Here are some transcripts:

Fred
N1DEC

I am having the same problem. Let me know what the resolution is. I will try
to get the radio out and trouble shoot it myself also.

> -----Original Message-----
> From: owner-kenwood@... [mailto:owner-kenwood@...]On Behalf Of
> Dennis Lemonds
> Sent: Sunday, June 10, 2001 8:43 AM
> To: kenwood@...
> Subject: [Kenwood] TM-261A Problem
>
>
> The power output on my 261A has dropped off to less than a watt
> irreguardless of the power setting. Radio seems to function normal
> otherwise. This is as measured into a dummy load so I don't think the swr
> circuit is shutting it down. Anyone else experienced this problem? Has the
> power amp module gone south? Can anyone tell me if one of the pots inside
> adjust the drive to the PA? Appreciate any help or comments.
>
> 73,
> Dennis
> WB4QCD
>
> -
> Your Moderator is: Larry Wilson KE1HZ
> EMail: owner-kenwood@...
> -----
> Submissions: kenwood@...
>
>

-
Your Moderator is: Larry Wilson KE1HZ
EMail: owner-kenwood@...

Submissions: kenwood@...

How abt $9.35 plus a couple of bucks postage and envelope.

Clif Holland, KA5IPF
Owner, "AVVid", an Authorized Kenwood
and Icom Service Center

For more info go to:
http://www.avvid.com

----- Original Message -----
From: Dennis Lemonds <lemonds@...>
To: <kenwood@...>
Sent: Saturday, June 16, 2001 4:07 PM
Subject: [Kenwood] TM-261A final update

> Hello and again thanks for all the help on my 261A problem. It appears
that
> the replacement of a PIN diode (MI407) which is a 25-40 watt pin diode
made
> by Mitsubishi will cure my problem. Next problem is finding one. If anyone
> knows of a good source or has one that they would sell me, please let me
> know. RF-Parts has them for $3.75 but they have a $25 minimum plus
shipping.
> Kenwood parts supplier wants almost $20 for a single unit including
shipping
> which I find a little insulting. Looks like they are gonna get you one way
> or another. Appreciate any other sources if anyone know of one. If not,
I'll
> get a few extras and find a few other goodies to get for RFP.
>
> 73 and thanks to all,
> Dennis
> WB4QCD
>
> -
> Your Moderator is: Larry Wilson KE1HZ
> EMail: owner-kenwood@...
> -----
> Submissions: kenwood@...
>
>

-
Your Moderator is: Larry Wilson KE1HZ
EMail: owner-kenwood@...

Submissions: kenwood@...

----- Original Message -----
From: "w8bc" <wcombs@...>
To: "Fred" <fred@...>
Sent: 08 February, 2002 11:55 AM
Subject: Re: [kw-radio] TM-261A

> Fred,
> I would appreciate it if you would send me the message and I
> will try to check the archives. I will have to dig the manual out and

> see if it includes a schematic. As I remember, it doesn't, but I
> could be wrong.
> Bill, W8BC
>
> --- In kenwoodradio@y..., "Fred" <fred@t...> wrote:
> > Hi Bill
> >
> > You might want to check the archives of kenwood@m... for
> > this rig.
> > looking through some messages from a year or two back I see
> > someone had the same problem. The problem was a PIN
> diode
> > or something like that that cost about $10.00.
> > I can copy you the messages I found if you
> > want.
> >
> > Fred
> > N1DEC
> >
> > ----- Original Message -----
> > From: "w8bc" <wcombs@d...>
> > To: <kenwoodradio@y...>
> > Sent: 08 February, 2002 9:47 AM
> > Subject: [kw-radio] TM-261A
> >
> >
> > > I have a TM-261A which has apparenly lost the output
> module.
> > > The power ouput is very very low, so I assume this is the
> most
> > > likely reason for this result. I was wondering if anyone had
> any
> > > experience with having this repaired by Kenwood and what
> the
> > > cost was. I notice now that I can pick up a similiar 2 meter rig
> for
> > > as cheap as $129.
> > >
> > > Bill
> > > W8BC
>

----- Original Message -----
From: "w8bc" <wcombs@...>
To: "Fred" <fred@...>
Sent: 08 February, 2002 11:55 AM
Subject: Re: [kw-radio] TM-261A

> Fred,
> I would appreciate it if you would send me the message and I
> will try to check the archives. I will have to dig the manual out and

> see if it includes a schematic. As I remember, it doesn't, but I
> could be wrong.
> Bill, W8BC
>
> --- In kenwoodradio@y..., "Fred" <fred@t...> wrote:
> > Hi Bill
> >
> > You might want to check the archives of kenwood@m... for
> > this rig.
> > looking through some messages from a year or two back I see
> > someone had the same problem. The problem was a PIN
> diode
> > or something like that that cost about $10.00.
> > I can copy you the messages I found if you
> > want.
> >
> > Fred
> > N1DEC
> >
> > ----- Original Message -----
> > From: "w8bc" <wcombs@d...>
> > To: <kenwoodradio@y...>
> > Sent: 08 February, 2002 9:47 AM
> > Subject: [kw-radio] TM-261A
> >
> >
> > > I have a TM-261A which has apparenly lost the output
> module.
> > > The power ouput is very very low, so I assume this is the
> most
> > > likely reason for this result. I was wondering if anyone had
> any
> > > experience with having this repaired by Kenwood and what
> the
> > > cost was. I notice now that I can pick up a similiar 2 meter rig
> for
> > > as cheap as $129.
> > >
> > > Bill
> > > W8BC
>

173. TK-330

Yahoo group: kenwoodradio
Date: 2002-02-15 05:45:09 UTC
From: bmlusmc99
Topic: 173 Message: 173

Can someone please tell me how to find a user's manual for this radio. I also would like to know how to program it and what each of the keys on the key pad do. Thanks.

174. Kenwood 700A service manual?

Yahoo group: kenwoodradio
Date: 2002-02-16 06:44:27 UTC
From: Stan Olson
Topic: 174 Message: 174

I'm looking for the service manual for the Kenwood 700A, anyone have an extra copy laying around?
Please let me know, thanks!

Stan Olson (KB9YBU)
kb9ybu@...

175. Kenwood TS950 SD parts ?

Yahoo group: kenwoodradio
Date: 2002-02-16 14:09:03 UTC
From: mm0bqm
Topic: 175 Message: 175

Hi,

I am looking for info on any dealers ww where I can get a part for my TS950 SD, here in UK it can be a very slow proccess :-(

Kenwood UK tell me to contact a UK dealer but past experience means I will be still waiting this time 2003 :-)

Any websites of dealers etc would be very handy so I can make a quick repair.

I need a 90 Degree thermal switch as my 950 has the problem when it has been on 50w RRTY or 150w ssb for a while that the power folds back to 50w and the cooling fan takes off and it takes about 20 mins to resume !

For More info :-

Service Bulletin no. 1019 (14 May 1993)

Symptom:

After transmitting for approximately 2 hours at 50% duty with 150 watts output the temperature protection circuit activates reducing the output power to about 50 watts. Normally, full output power will be restored after the fans have had a chance to cool things down. Occasionally the power output will not return to normal, even after extended receive operations.

Parts required:

Qty Description Kenwood Part No. Circuit
1 90°C Thermal switch S59-1416-05 S1

Thanks in advance

Bob Mason
MM0BQM
http://www.mm0bqm.co.uk

bob@mm0bqm.co.uk

176. TM-741A

Yahoo group: kenwoodradio
Date: 2002-02-17 18:54:56 UTC
From: alvin_ka9qlq
Topic: 176 Message: 176

Hi, I have a TM-741A and was wondering if anyone else had one on here? I am wanting to find an old desk mike hull and wire it for the 741 including adding buttons for call, VFO, MR, and PF. Any advice welcome. Also the vfo seems, well loose. If you wiggle it the radio beeps like your tring to change Freq. Is there something in the facepanel you can tighten? Sometimes it'll beep if you bump the table hard.
Thanks.
Alvin
http://ka9qlq.tripod.com/home/

177. Kenwood KPG49D Programming Help

Yahoo group: kenwoodradio
Date: 2002-02-19 01:06:44 UTC
From: RadioGuy205@aol.com
Topic: 177 Message: 177

I have a Kenwood TK-280 and I am trying to change the battery warning level. I have a 380 and put the battery on it and it TX's fine, but on the 280, the red light flashes and a beep tone is emitted. When I go into the software tuning mode to change it. I press the spacebar and the radio starts to TX. Well, that is as far as I can get. When I try to move the bar to change the level it doesn't work. Any ideas? Thanks to anyone who can help! Clay Radio Guy 205@... [Non-text portions of this message have been removed]

178. RE: [kw-radio] Kenwood KPG49D Programming Help

Yahoo group: kenwoodradio
Date: 2002-02-23 13:31:57 UTC
From: Norm and Cathy Beasley
Topic: 177 Message: 178

Clay, Have you tried reading from the -280 first, then go into the tune mode? I seem to recall that is the order of sequence for older Kenwood -250s. Norm ========== Norm Beasley, P29NB / KO4CB SIL PO Box 437 Ukarumpa, EHP 444 PAPUA NEW GUINEA Telephone: +675 737 4667 (Home) Telephone: +675 737 4203 (Work) FAX: +675 737 3507 E-mail: norm_beasley@... ========== -----Original Message----- From: RadioGuy205@... [mailto:RadioGuy205@...] Sent: Tuesday, February 19, 2002 11:07 To: Kenwood2Way@yahoogroups.com; kenwoodradio@yahoogroups.com; radio-programming@yahoogroups.com; twoway_program@yahoogroups.com Subject: [kw-radio] Kenwood KPG49D Programming Help I have a Kenwood TK-280 and I am trying to change the battery warning level. I have a 380 and put the battery on it and it TX's fine, but on the 280, the red light flashes and a beep tone is emitted. When I go into the software tuning mode to change it. I press the spacebar and the radio starts to TX. Well, that is as far as I can get. When I try to move the bar to change the level it doesn't work. Any ideas? Thanks to anyone who can help! Clay Radio Guy 205@...

179. Off the wall Q about Kenwood KSC-19

Yahoo group: kenwoodradio
Date: 2002-02-27 17:04:12 UTC
From: RadioGuy205@aol.com
Topic: 179 Message: 179

I know this is a crazy question but I want to make sure. Exactly how long should you leave a KNB-17A or B battery on a KSC-19 charger if the battery is totally dead? (What is the difference between a KNB-17 A and B?) I think it is 24 hours, but not sure. I just bought 2 brand new Kenwood batteries and do not want to mess them up because they are not cheap. LOL. Will a KSC-20 charge a battery from completely dead to fully charged in an hour? Just looking into getting a faster charger. Thanks to anyone who can help!

Clay
RadioGuy205@...

[Non-text portions of this message have been removed]

180. Kenwood Service Manuals forsale.

Yahoo group: kenwoodradio
Date: 2002-02-28 20:05:32 UTC
From: isgs294
Topic: 180 Message: 180

I have the following Kenwood service manuals forsale.
Price is $25/Shipped within the US. Manuals are orginals and not copies.

Kenwood TM-731A/E Amateur dual band
Kenwood Tk-330 Commercial UHF ht.
Kenwood Tk-240D Commercial VHF HT.
Kenwiid TK-840 Commercial UHF mobile.
Tk-760HG/762HG Commercial VHF mobile.

Gary N8EMR

181. NEED AN OWNERS MANUAL TM-641

Yahoo group: kenwoodradio
Date: 2002-02-28 21:49:38 UTC
From: David Peters
Topic: 180 Message: 181

HI I am looking for an owners manual for a TM-641A wich is the 2 meter/1.25 meter version of the TM-741A pdf format is just fine unless you want to discuss oher arrangements if you could send me a copy of the manual in pdf format or you wish to discuss other arangements please E-Mail me at kb9ewg@yahoo,com thanks and 73

STORM SPOTTING IS LOOKING UP

Do You Yahoo!?
Yahoo! Greetings - Send FREE e-cards for every occasion!

[Non-text portions of this message have been removed]

182. RE: [kw-radio] NEED AN OWNERS MANUAL TM-641

Yahoo group: kenwoodradio
Date: 2002-02-28 22:02:23 UTC
From: McRoberts, Don
Topic: 182 Message: 182

David,

Try Pacific Coast Parts Distributors at http://www.pacparts.com
<http://www.pacparts.com> for ordering information. Just log in as a guest.
Then select KENWOOD and "TM641A" (no spaces, hyphens, etc).

The owners manual is apparently out of print but they offer the TM-741A as a
substitute for $34.95. The service manual is available for the TM-641A and
costs $15.50.

Hope this helps.

73s
Don - KG6EYY

-----Original Message-----
From: David Peters [mailto:kb9ewg@...]
Sent: Thursday, February 28, 2002 1:50 PM
To: kenwoodradio@yahoogroups.com
Subject: [kw-radio] NEED AN OWNERS MANUAL TM-641

HI I am looking for an owners manual for a TM-641A wich is the 2 meter/1.25
meter version of the TM-741A pdf format is just fine unless you want to
discuss oher arrangements if you could send me a copy of the manual in pdf
format or you wish to discuss other arangements please E-Mail me at
kb9ewg@yahoo,com thanks and 73

STORM SPOTTING IS LOOKING UP

Do You Yahoo!?
Yahoo! Greetings - Send FREE e-cards for every occasion!

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor

ADVERTISEMENT

<http://rd.yahoo.com/M=217097.1902236.3397169.1261774/D=egroupweb/S=1705063108:HM/A=960173/R=0/*http://service.bfast.com/bfast/click?bfmid=29150849&siteid=39249818&bfpage=moneyyahoo4>

<http://us.adserver.yahoo.com/l?M=217097.1902236.3397169.1261774/D=egroupmail/S=1705063108:HM/A=960173/rand=642668759>

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio
<http://www.egroups.com/group/kenwoodradio>

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

183. Kenwood Service Manual TS 4 3 0 S

Yahoo group: kenwoodradio
Date: 2002-02-28 23:17:37 UTC
From: paolo alutto
Topic: 180 Message: 183

OUR SCHOOL (AEMILIANUM INSTITUTE OF TECHNOLOGY ,
IN SORSOGON CITY - PHILIPPINES) IS LOOKING FOR
:

TECHNICAL MANUAL OF KENWOOD T S 4 3 0 S
****
(ENGLISH OR ANY LANGUAGE).

THI IS BADLY NEEDED , A S A P . THANKS.

W'LL PAY FOR IT (ITEM + S/H VIA AIR MAIL) IN $ USA.

THANKS AGAIN .

FR. PAOLO ALUTTO CRS

=====
fr. PAOLO ALUTTO CRS - AEMILIANUM COLLEGE - AITV CH 5-7
D W A M - FM 94.3 MHZ - 4700 SORSOGON CITY - PHILIPPINES
FAX-PHONE (56) 211 12 97 - phone 211 23 30 paolutto@... , aemilianum@...
http://ph.members.tripodasia.com/paolutto/aemilianum.html

_____
Do You Yahoo!?
Yahoo! Greetings - Send FREE e-cards for every occasion!
http://greetings.yahoo.com

184. Re: [kw-radio] NEED AN OWNERS MANUAL TM-641

Yahoo group: kenwoodradio
Date: 2002-02-28 23:38:20 UTC
From: David Peters
Topic: 180 Message: 184

oops i spoted a typo in my previous posting it is in the e-mail addeess try kb9ewg@... I hit the , instead of the. sorry and 73
David Peters <kb9ewg@...> wrote:

HI I am looking for an owners manual for a TM-641A wich is the 2 meter/1.25 meter version of the TM-741A pdf format is just fine unless you want to discuss oher arrangements if you could send me a copy of the manual in pdf format or you wish to discuss other arangements please E-Mail me at kb9ewg@yahoo,com thanks and 73

STORM SPOTTING IS LOOKING UP

Do You Yahoo!?
Yahoo! Greetings - Send FREE e-cards for every occasion!

[Non-text portions of this message have been removed]

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

STORM SPOTTING IS LOOKING UP

Do You Yahoo!?
Yahoo! Greetings - Send FREE e-cards for every occasion!

[Non-text portions of this message have been removed]

185. need manual

Yahoo group: kenwoodradio
Date: 2002-03-01 18:11:52 UTC
From: ve3kfq
Topic: 185 Message: 185

Does anyone have a copy of the manual for the kenwood th-78a radio
they could send to me, off the the list, The guy I bought the radio
from tells me he has one but can't find it.

Thanks very much
Doug
ve3kfq@...

186. TH-G71A Users

Yahoo group: kenwoodradio
Date: 2002-02-25 14:21:03 UTC
From: w2gcs
Topic: 186 Message: 186

Looking for the stock antenna for the TH-G71A. If you have replaced your stock antenna with an aftermarket and it's just laying around without a home, please contact me - looking for antennas in good condition (not bent, no bite marks, scrapes, scuffs etc.)

Thanks
Greg
w2gcs@...

187. WTB::A DSP For Kenwood TS-450S

Yahoo group: kenwoodradio
Date: 2002-03-07 20:35:23 UTC
From: w1kxm
Topic: 187 Message: 187

[Body unavailable in the source archive]

188. TS-820 Warc Mod needed

Yahoo group: kenwoodradio
Date: 2002-03-08 02:06:44 UTC
From: Joe Caluda
Topic: 188 Message: 188

I am trying to locate the February 1983 QST article with the
modification for adding the WARC bands to the TS-820.
Anyone got a copy they can shoot me?
Thanks for any help.
Joe AA5HP

189. DRU-1 & DRU-2

Yahoo group: kenwoodradio
Date: 2002-03-09 04:32:17 UTC
From: Kevin Hunter
Topic: 189 Message: 189

I am trying to sort out the differences between the Kenwood DRU-1 and the DRU-2 Digital Voice Recording Units. The one I have was in a box that labeled it as a DRU-1. The part number on the board is X42-3010-00. Can anyone tell if the DRU-1 and the DRU-2 look alike. I ask because my owner's manual with my TS-850S shows a picture of the DRU-2, and it looks exactly like what I have. I have put the one I have in my TS-850S and it functions as the manual says it should. The only difficulty that I'm having is that the audio level voice messages are too low. The unit works fine on CW.

I'm trying to figure out if the audio is low because it is the wrong board, or if there is an adjustment somewhere.

Thanks & 73,
Kevin Hunter - KAØVKF
Willard, MO
kj558@...

[Non-text portions of this message have been removed]

190. Help with Kenwood 430

Yahoo group: kenwoodradio
Date: 2002-03-09 13:55:13 UTC
From: wc8i
Topic: 190 Message: 190

Hi i have a kenwood 430 and it has decided not to change bands now
and the digital display does not work, has anyone had these problems
with them they can give me some advise on what to do , it has been
sitting for some time, please e mail me at wc8i@... or
instant message me on yahoo at wc8i@... thanks Bill

191. Re: [kw-radio] Help with Kenwood 430

Yahoo group: kenwoodradio
Date: 2002-03-09 14:49:09 UTC
From: Jerome M. Kutche
Topic: 191 Message: 191

Hi Bill,
Mine seems to do that from time to time about two to three times a year.... When Mine does it several of the mode lights are lite at same time not just one... Display has one dot in it... No numbers... I usually try to shut it off and back on then excersize all the controls... And turn it off and on one more time usually brings it back.... It was at Kenwood two years ago for blown finals and this same problem... This problem does not happen like it used to and only started getting worse lately... Let me know what you find...
73 jerry
----- Original Message -----
From: wc8i
To: kenwoodradio@yahoogroups.com
Sent: Saturday, March 09, 2002 8:55 AM
Subject: [kw-radio] Help with Kenwood 430

Hi i have a kenwood 430 and it has decided not to change bands now
and the digital display does not work, has anyone had these problems
with them they can give me some advise on what to do , it has been
sitting for some time, please e mail me at wc8i@... or
instant message me on yahoo at wc8i@... thanks Bill

Yahoo! Groups Sponsor
ADVERTISEMENT

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

192. RadioModifications

Yahoo group: kenwoodradio
Date: 2002-03-17 19:33:05 UTC
From: brian mcguire
Topic: 192 Message: 192

Dear Member,

Radio Modifications is a group dedicated to the repair maintenance and modification of radio related equipment. I found this group, which is extremely helpful for ham radio operators who need information about their equipment. Whether you are a novice or experienced, this group will benefit all aspects of ham radio.

If you would like to join, please email the following RadioModifications-subscribe@yahoogroups.com or go to the website http://groups.yahoo.com/group/RadioModifications

---
Do You Yahoo!?
Yahoo! Sports - live college hoops coverage

[Non-text portions of this message have been removed]

193. Kenwood TS-700a CW problem

Yahoo group: kenwoodradio
Date: 2002-03-19 00:51:12 UTC
From: Stan Olson
Topic: 193 Message: 193

I've been tinkering with an old Kenwood TS-700A and for some reason it will not send in CW mode.
When I flip the 'send' switch, it puts out a tone but it will not recognize either of my keys. (both
of them work fine on other radios) It's almost like a relay or something is stuck in the on position
when I flip the send switch. I've checked out the service manual and the service bulletins, but
can't seem to find the problem. Anyone have any experience with a similar problem on the 700A? Let
me know, thanks!

Stan - KB9YBU
kb9ybu@...

194. Best Price foe a New TH-F6a?

Yahoo group: kenwoodradio
Date: 2002-03-19 01:49:25 UTC
From: doc
Topic: 194 Message: 194

Just sold my two Icom W21AT HT's and need a real small
and versatile HT so am looking at the F6a.

I have seen it for $369. at www.hamcity.com and
http://www.gigaparts.com/radioindex.php is that the
best price out there?

Thanks! & 73, doc KD4E

195. TR-751A Help...

Yahoo group: kenwoodradio
Date: 2002-03-20 03:10:43 UTC
From: kj558
Topic: 195 Message: 195

I recently purchased a Kenwood TR-751A. It is off frequency by about 0.5 kHz. Does anyone have a service manual that could look to see where to adjust the frequency?

Thanks,

Kevin Hunter - KAØVKF
Willard, MO

196. Kenwood goodies FS

Yahoo group: kenwoodradio
Date: 2002-03-20 04:06:15 UTC
From: Barry Kirkwood
Topic: 196 Message: 196

SELL:

INRAD 400Hz cw filter type 103, model 88H400AC, 8830 kHz.
Fits TS850, TS 930-40-50.
Have sold TS850 without filter to SSB man.
List $95 plus p&p
Asking $70 US , includes first class airmail to anywhere in the world.

IRCI TS-850 Tuning upgrader.
Adds new lower tuning speed, goes back to higher stock speed when knob
turned rapidly.
PC board does trick electronically, no front panel changes, no front panel
functions lost or altered.
As new, never installed.
List $45 plus p&p
Asking $30 US , includes first class airmail to anywhere in the world.

I can take VISA or Mastercard by telephone or fax.

73

end
Barry Kirkwood PhD ZL1DD
Signal Hill Homestay
66 Cory Road
Palm Beach
Waiheke Island 1240
NEW ZEALAND
www.waiheke.co.nz/signal.htm

197. (no subject)

Yahoo group: kenwoodradio
Date: 2002-03-20 10:26:08 UTC
From: paolo alutto
Topic: 197 Message: 197

=====
fr. PAOLO ALUTTO CRS - AEMILIANUM COLLEGE - AITV CH 5-7
D W A M - FM 94.3 MHZ - 4700 SORSOGON CITY - PHILIPPINES
FAX-PHONE (56) 211 12 97 - phone 211 23 30 paolutto@... , aemilianum@...
http://ph.members.tripodasia.com/paolutto/aemilianum.html

_____
Do You Yahoo!?
Yahoo! Sports - live college hoops coverage
http://sports.yahoo.com/

198. GRADUATIONS 2002 AT AEMILIANUM COLLEGE - SORSOGON CITY

Yahoo group: kenwoodradio
Date: 2002-03-20 22:56:16 UTC
From: FR. PAOLO ALUTTO CRS
Topic: 197 Message: 198

=====
fr. PAOLO ALUTTO CRS - AEMILIANUM INSTITUTE
DWAM-FM 90.0 - 94.3 - 106.0 MHZ and AITV CH 7 AEMILIANUM BROADCASTING NETWORK 4700 SORSOGON CITY - PHILIPPINES
PHONE/FAX (56) 211 12 97 PHONE (56) 211 23 30
paolutto@... , paolutto@... ,aemilianum@... , http://clubs.yahoo.com/clubs/dwamfmclub2000

_____
Do You Yahoo!?
Yahoo! Movies - coverage of the 74th Academy Awards?
http://movies.yahoo.com/

[Non-text portions of this message have been removed]

199. Re: [kw-radio] Kenwood TS-700a CW problem

Yahoo group: kenwoodradio
Date: 2002-03-21 22:06:46 UTC
From: Bill Leahy KOZL
Topic: 193 Message: 199

When you flip the Send switch in CW mode with no key
inserted in the key jack, what happens?

When you put in a key in the key jack, what happens in
rx mode?

When you put it in transmit with a key plugged into
the key jack but NOT keyed, what happens?

Finally, what happens in TX mode with a key plugged
in, and keyed?

b

--- Stan Olson <kb9ybu@...> wrote:
> I've been tinkering with an old Kenwood TS-700A and
> for some reason it will not send in CW mode.
> When I flip the 'send' switch, it puts out a tone
> but it will not recognize either of my keys. (both
> of them work fine on other radios) It's almost like
> a relay or something is stuck in the on position
> when I flip the send switch. I've checked out the
> service manual and the service bulletins, but
> can't seem to find the problem. Anyone have any
> experience with a similar problem on the 700A? Let
> me know, thanks!
>
> Stan - KB9YBU
> kb9ybu@...
>
>
>

=====
John 14:6 "I am the way, and the truth, and the life; no one comes to the Father but
through Me.

_____
Do You Yahoo!?
Yahoo! Movies - coverage of the 74th Academy Awards?
http://movies.yahoo.com/

200. Testing

Yahoo group: kenwoodradio
Date: 2002-03-24 08:22:15 UTC
From: Barry Kirkwood
Topic: 200 Message: 200

```
Testing
Please ignore.
Thanks

end
Barry Kirkwood PhD ZL1DD
Signal Hill Homestay
66 Cory Road
Palm Beach
Waiheke Island 1240
NEW ZEALAND
www.waiheke.co.nz/signal.htm
```

201. Yahoo Marketing

Yahoo group: kenwoodradio
Date: 2002-03-30 18:51:23 UTC
From: David Shrum
Topic: 201 Message: 201

I got this from another news group, but unless you want to get allot of Spam, it is worth looking into. Here is a snip on how to check your Yeahwho info.
Dave

==========
Here's what you need to do:
Go to My Groups and click on Account Info, verify your password if it asks you to, and your Yahoo ID card comes up. Click on 'Edit your Marketing Preferences' and change all those Yes's back to No's! Click Save Changes.

202. Newest Yahoo Ads Unacceptable

Yahoo group: kenwoodradio
Date: 2002-04-01 15:49:07 UTC
From: doc
Topic: 202 Message: 202

I apologize if some folks object to this post as off topic -- use your delete key. The continued participation of many on these lists is at risk.

I am uncertain as to how else to request general fellow user action to force Yahoo to clean up its act. Instead of toning down the x10 ads people have objected to they have instead allowed even less appropriate ones!

The newest x10 ads on Yahoogroups are over the top -- nearly naked women in see-thru lingerie, nurse pulling open blouse, scantily clad teens in voyeur views. Enough! :-(

At what point do we act upon switching to a more civilized host for our discussion lists?

It has become problematic for anyone of positive moral character to use our lists when they are constantly assaulted with this garbage.

This is the Yahoogroups page for what they describe as: "Inappropriate content, harassment, threats, or other general abuse." Would seem an appropriate place to complain about the semi-pornographic ads http://add.yahoo.com/fast/help/us/groups/cgi_abuse

Sigh ... 73, doc kd4e (husband, parent, pastor, civilized citizen, ham)

203. TK-350

Yahoo group: kenwoodradio
Date: 2002-04-10 03:54:38 UTC
From: Gary
Topic: 203 Message: 203

I'm trying to get my Kenwood 32 channel TK-350 into self programming mode. I have the software and programming cable. I've enabled "Test Mode" and "Self Programming Mode" in the software and uploaded it to the radio. When I turn the radio off and then power it back up holding the lamp button and the D/A button, I get "SEL" as I believe I should but from their nothing seems to work. Pressing "LO" I get "ch 1-- 1" and by turning the channel selector knob, the display with to "ch 1-- 2" on up to 1-- 8 before it changes to 2-- 1 through 6-- 8. Press "LO" again and I'm back to "SEL". Pressing "SCN" brings up the display showing all the possible readouts.

I've opened up the case, I believe the B/3 (R332) jumper has been removed, either that or I don't know what it should look like. On the board underneath the panel the DTMF keypad and speaker mounts on, I can see written B/3, to its right is SLF and to its right is a chip of some type with A335 on it. No where do I see anything that says R332.

This is all I can get. Can someone tell me what I am doing wrong?

204. Kenwood SkyCommand

Yahoo group: kenwoodradio
Date: 2002-04-14 18:26:52 UTC
From: SJM
Topic: 204 Message: 204

Does anyone know the current status of Kenwood SkyCommand and FCC approvals..

Thanks..

73's

Steve
W0SJM@...

205. Kenwood ps-40 repair

Yahoo group: kenwoodradio
Date: 2002-04-14 22:35:45 UTC
From: kj6fd
Topic: 205 Message: 205

Hi All,

I have a ps 40 that refuses to put out the correct voltage.
I get about 8 volts with some spikes on it. The scope tells me that
the pwm is running. I have tested all (I think i got em all) semi's
with the multi and the switching transistors on the transistor
tester. All the caps appear to function correctly with the ohm meter
and I am now stumped. Any Ideas?
Thanks

Jeff KJ6FD

206. TM-G707A & Computer timeout error

Yahoo group: kenwoodradio
Date: 2002-04-16 13:08:52 UTC
From: Newell, John O
Topic: 206 Message: 206

Hello all --

Hope someone can shed some light on this. I'm using the Kenwood memory control software and computer cable and am getting a communication timeout error.

On the radio side, I believe all I need to do is put the rig in 'clone' mode.

On the PC side, the correct serial port has been selected and is not in use by any other program. I've tried various settings on the com port but haven't gotten any different results. The PC is a Dell desktop that works fine with my TH-G71A and various other radios.

I'm kinda baffled... any thoughts appreciated.

73
John Newell
KB1FPM

This message is intended only for the designated recipient(s). It may contain confidential or proprietary information and may be subject to the attorney-client privilege or other confidentiality protections. If you are not a designated recipient, you may not review, copy or distribute this message. If you receive this in error, please notify the sender by reply e-mail and delete this message. Thank you.

[Non-text portions of this message have been removed]

207. trio ts530sp

Yahoo group: kenwoodradio
Date: 2002-04-20 15:51:16 UTC
From: m0dbo
Topic: 207 Message: 207

i have a problem with my ts530sp it has developed a high pitched whistle every 24 khz up the band this happens on all bands.does anyone have any ideas what it could be.i have another reciever in the shack which does not have the same problem so i can not see it being outside interference. any help would be most welcome .

208. Re: [kw-radio] trio ts530sp

Yahoo group: kenwoodradio
Date: 2002-04-20 15:58:24 UTC
From: Bill
Topic: 207 Message: 208

Try tightening the mounting screws for the counter and
PLL circuit boards. Tighten them all up, not too
much, just a bit more than snug. Sounds like a ground
loop on one of the digital units.

Does the receiver do this with a dummy load attached?

73

b

--- m0dbo <m0dbo@...> wrote:
> i have a problem with my ts530sp it
> has developed a high pitched whistle
> every 24 khz up the band this
> happens on all bands.does anyone
> have any ideas what it could be.i
> have another reciever in the shack
> which does not have the same problem
> so i can not see it being outside
> interference. any help would be most
> welcome .
>
>

=====
Romans 8:5 Those who live according to the sinful nature have their minds set on what that nature desires; but those who live in accordance with the Spirit have their minds set on what the Spirit desires.

____
Do You Yahoo!?
Yahoo! Games - play chess, backgammon, pool and more
http://games.yahoo.com/

209. Re: [kw-radio] query for moderator

Yahoo group: kenwoodradio
Date: 2002-04-20 15:59:52 UTC
From: Bill
Topic: 207 Message: 209

HEY MODERATOR!

The group is set for all replies to posts to go back
to the originator instead of to the list. Is this
intended?

The only bad thing about that is, threads can't
develop and it leaves everyone else "out of the
loop"... Your choice, but I would set it to send
replies to the group.

73!

Bill

--- m0dbo <m0dbo@...> wrote:
> i have a problem with my ts530sp it
> has developed a high pitched whistle
> every 24 khz up the band this
> happens on all bands.does anyone
> have any ideas what it could be.i
> have another reciever in the shack
> which does not have the same problem
> so i can not see it being outside
> interference. any help would be most
> welcome .
>
>

=====
Romans 8:5 Those who live according to the sinful nature have their minds set on what that
nature desires; but those who live in accordance with the Spirit have their minds set on
what the Spirit desires.

_____
Do You Yahoo!?
Yahoo! Games - play chess, backgammon, pool and more
http://games.yahoo.com/

210. Kenwood manuels

Yahoo group: kenwoodradio
Date: 2002-04-21 23:40:15 UTC
From: alvin_ka9qlq
Topic: 210 Message: 210

I remember someone a whyle back asking about a manuel for his Kenwood, well I found a FREE place to get Kenwood manuels and added it to groups bookmarks. http://216.133.82.101/Amateur/ is it.
Alvin
http://ka9qlq.tripod.com/home/

211. FS SP-940 Kenwood Speaker

Yahoo group: kenwoodradio
Date: 2002-04-22 11:32:19 UTC
From: ac5vq
Topic: 211 Message: 211

I have for sale a Kenwood SP-940 speaker in excellant shape. It has swithable dual-inputs with push-button filtering for each input. $100 by money-order only please. I'll split the shipping with you. I will also try to get pics made today so that you can see it if you are interested. Thanks for reading,

Charlie - AC5VQ

212. Re: Inquiry on Kenwood TK-930 mobiles?

Yahoo group: kenwoodradio
Date: 2002-04-22 20:36:40 UTC
From: Evan Platt
Topic: 212 Message: 212

Not to reply to myself AGAIN, but anyone have those parts used?

Thanks. :)

Evan

At 04:04 PM 4/22/2002 -0400, you wrote:
>We have them new in the box, made by Kenwood. Mode # KRK-1 Remote kit &
>KCT-10A control cable. are you interested yet?

213. Re: [kw-radio] query for moderator

Yahoo group: kenwoodradio
Date: 2002-04-23 04:34:24 UTC
From: Evan Platt
Topic: 207 Message: 213

That's the way a majority of groups are set up. And yes, it's typically intentional. It prevents replies from by default going to the group.

Threads can be developed - you simply change the reply address when you reply via e-mail, much as I've done, and much as you've done. It prevents accidental replies to the group.

Evan

At 08:59 AM 4/20/2002 -0700, you wrote:
>HEY MODERATOR!
>
>The group is set for all replies to posts to go back
>to the originator instead of to the list. Is this
>intended?
>
>The only bad thing about that is, threads can't
>develop and it leaves everyone else "out of the
>loop"... Your choice, but I would set it to send
>replies to the group.

214. TS-820 Low Output Problem

Yahoo group: kenwoodradio
Date: 2002-04-28 18:31:09 UTC
From: Brice D. Hornback, KA8MAV
Topic: 214 Message: 214

Well... I finally got around to replacing all three tubes in my TS-820. Problem is... it still only puts out about 5-watts in all modes on all bands. All the voltages check fine at the finals. Receive works perfectly. The carrier adjust knob does adjust... from nothing up to the 5-watts or so. All the settings are correct and the jumper is in place (not using an external VFO).

Any thoughts?

73 Brice KA8MAV

215. TS140

Yahoo group: kenwoodradio
Date: 2002-04-29 12:07:12 UTC
From: jimwedlake
Topic: 215 Message: 215

My TS140 stopped transmitting after a possible a VSWR. The transmit light comes on but no apparent output. Any ideas? 73 de KD4MZL

216. Re: [kw-radio] TS-820 Low Output Problem

Yahoo group: kenwoodradio
Date: 2002-04-29 12:19:51 UTC
From: Fred
Topic: 216 Message: 216

Hi

Your better off asking for help on the main kenwood newsgroup at qth.net.
Its at http://mailman.qth.net/

Fred
N1DEC

----- Original Message -----
From: "Brice D. Hornback, KA8MAV" <ka8mav@...>
To: <kenwoodradio@yahoogroups.com>
Sent: 28 April, 2002 2:31 PM
Subject: [kw-radio] TS-820 Low Output Problem

> Well... I finally got around to replacing all three tubes in my TS-820.
> Problem is... it still only puts out about 5-watts in all modes on all
> bands. All the voltages check fine at the finals. Receive works
perfectly.
> The carrier adjust knob does adjust... from nothing up to the 5-watts or
so.
> All the settings are correct and the jumper is in place (not using an
> external VFO).
>
> Any thoughts?
>
> 73 Brice KA8MAV
>
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>

217. manual for TK 862

Yahoo group: kenwoodradio
Date: 2002-05-03 02:29:44 UTC
From: J. Pinkston
Topic: 217 Message: 217

Where can I get an owner's/installation manual for a Kenwood TK 862? Also a service manual.
Thanks
Jim

218. kenwood ts530sp

Yahoo group: kenwoodradio
Date: 2002-05-08 10:07:31 UTC
From: m0dbo
Topic: 218 Message: 218

hi i own a kenwood ts530sp the manual i received with the radio is next to useless. i would like to run the rig at qrp level and wondered if any one can tell me how to reduce the power.i would also like to know the pin outs for the four pin mic socket this page of the manual is very faded and i can not read it properly. i would like to run psk31.any help would be much appreciated.nigel m0dbo

219. Kenwood Radio Service and User's manuals - download page

Yahoo group: kenwoodradio
Date: 2002-05-10 16:02:02 UTC
From: l566cx
Topic: 219 Message: 219

I have located a link for internet downloadable Kenwood owners
manuals and service manuals for many but not all of the entire
Kenwood Amateur Radio line. This covers some old and most new rigs.

It had the manual I was after...

Here is the link.....
http://www.ab7sl.com/index.html?row1col2=links.html

73 - Hank

220. Test (Please Ignore)

Yahoo group: kenwoodradio
Date: 2002-05-11 20:54:40 UTC
From: mm0bqm
Topic: 220 Message: 220

```
Test pop mail delivery.

End
```

221. Kenwood Manual

Yahoo group: kenwoodradio
Date: 2002-05-12 02:51:39 UTC
From: W1TJL
Topic: 221 Message: 221

Hi!

I'm looking for a service manual for a Kenwood TS-950SDX. Do you have one either paper or electronic copy??

Thanks in advance and 73, Tom W1TJL

222. All MFJ products and Ameritron amps manuals - free downloads!

Yahoo group: kenwoodradio
Date: 2002-05-12 22:02:42 UTC
From: l566cx
Topic: 222 Message: 222

Here is a link I found to download free manuals for every MFJ & Ameritron product listed of which currently there are over 200 product mnauals total available and more coming.

All Ameritron amps are also listed with free manuals
There are separate links for MFJ and Ameritron at this URL.

http://www.ab7sl.com/index.html?row1col2=links.html

223. K I S S [KARAMBOLA INI SA SORSOGON]from A I T V - SOROGON CITY

Yahoo group: kenwoodradio
Date: 2002-05-20 10:21:19 UTC
From: paolo alutto
Topic: 223 Message: 223

=====
fr. PAOLO ALUTTO CRS - AEMILIANUM COLLEGE - AITV CH 5- 11
D W A M - FM 94.3 MHZ - 4700 SORSOGON CITY - PHILIPPINES
FAX-PHONE (56) 211 12 97 - phone 211 23 30 paolutto@..., aemilianum@...
http://ph.members.tripodasia.com/paolutto/aemilianum.html

Do You Yahoo!?
LAUNCH - Your Yahoo! Music Experience
http://launch.yahoo.com

[Non-text portions of this message have been removed]

224. K I S S [KARAMBOLA INI SA SORSOGON]from A I T V - SOROGON CITY

Yahoo group: kenwoodradio
Date: 2002-05-20 10:23:00 UTC
From: paolo alutto
Topic: 223 Message: 224

=====
fr. PAOLO ALUTTO CRS - AEMILIANUM COLLEGE - AITV CH 5- 11
D W A M - FM 94.3 MHZ - 4700 SORSOGON CITY - PHILIPPINES
FAX-PHONE (56) 211 12 97 - phone 211 23 30 paolutto@..., aemilianum@...
http://ph.members.tripodasia.com/paolutto/aemilianum.html

_____
Do You Yahoo!?
LAUNCH - Your Yahoo! Music Experience
http://launch.yahoo.com

[Non-text portions of this message have been removed]

225. r-599

Yahoo group: kenwoodradio
Date: 2002-05-20 19:29:43 UTC
From: John Jackson
Topic: 225 Message: 225

i am new to this group. hope you can help.

i am looking for a schematic for a r-599d receiver... in particular i need data for the cable socket so i can mute the receiver when running it with a transmitter (not t-599).

thanks es 73 de wa8qca (john)
wa8qca@...

[Non-text portions of this message have been removed]

226. WTB--TK350 DTMF pad(KDM-7)?

Yahoo group: kenwoodradio
Date: 2002-05-24 17:08:42 UTC
From: CAlan64
Topic: 226 Message: 226

HI, I'm looking for 1 to 4 Kenwood KDM-7 DTMF keypads for my Kenwood TK-350 radios. Anyone that has any for sale or knows where I can buy them please e-mail me directly @ KA0GFC@.... Thanks! Chuck

227. TM-732 backlight out

Yahoo group: kenwoodradio
Date: 2002-06-02 02:25:47 UTC
From: CAlan64
Topic: 227 Message: 227

Just replaced the VHF RF Amp. IC, but somehow I lost my backlight. I've checked the settings for the backlight & it is on. I see what appears to be a surface mounted cylinder shaped fuse on the control board, but not sure if this is related. I don't think all 4 lamps would go at once, but who knows? Has anyone experienced this? Any help would be appreciated! Thanks, Chuck KA0GFC

228. Someone have information for the th k7 ?

Yahoo group: kenwoodradio
Date: 2002-06-07 14:59:26 UTC
From: lu9dpd2000
Topic: 228 Message: 228

Hi !
I need information , quick codes, manual, instructions sheets, schematics, for the handy TH K7 . Thanks in advance.
Daniel LU9DPD

229. New file uploaded to kenwoodradio

Yahoo group: kenwoodradio
Date: 2002-06-07 22:21:51 UTC
From: kenwoodradio@yahoogroups.com
Topic: 229 Message: 229

Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the kenwoodradio
group.

File : / Place you bet online now!
Uploaded by : juuayursrraaesa <juuayursrraaesa@...>
Description : Securely place your sport bets online. Click above.

You can access this file at the URL

http://groups.yahoo.com/group/kenwoodradio/files/%20Place%20you%20bet%20online%20now%21

To learn more about file sharing for your group, please visit

http://help.yahoo.com/help/us/groups/files

Regards,

juuayursrraaesa <juuayursrraaesa@...>

230. Re: [kw-radio] New file uploaded to kenwoodradio

Yahoo group: kenwoodradio
Date: 2002-06-07 22:28:26 UTC
From: Bill
Topic: 229 Message: 230

MODERATOR PLEASE KILL THIS FILE AND BAN THIS SPAMMER
FROM THE LIST.

THANKS

BILL K0ZL

--- kenwoodradio@yahoogroups.com wrote:
>
> Hello,
>
> This email message is a notification to let you know
> that
> a file has been uploaded to the Files area of the
> kenwoodradio
> group.
>
> File : / Place you bet online now!
> Uploaded by : juuayursrraaesa
> <juuayursrraaesa@...>
> Description : Securely place your sport bets
> online. Click above. NOT NOT NOT
>
> You can access this file at the URL
>
>
http://groups.yahoo.com/group/kenwoodradio/files/%20Place%20you%20bet%20online%20now%21
>
>
> To learn more about file sharing for your group,
> please visit
>
> http://help.yahoo.com/help/us/groups/files
>
> Regards,
>
> juuayursrraaesa <juuayursrraaesa@...>
>
>
>
>
>
>

=====
"You can tune a piano, but you can't tune a fish"--Joe Walsh

Do You Yahoo!?
Yahoo! - Official partner of 2002 FIFA World Cup
http://fifaworldcup.yahoo.com

231. Lamps for Kenwood TM732A

Yahoo group: kenwoodradio
Date: 2002-06-08 03:15:07 UTC
From: Joseph Brining
Topic: 231 Message: 231

Hi...
I recently obtained a used TM-732A VHF/UHF rig. Does anyone know where I can obtain four replacement lamps for the backlite. I have the service manual but the part number for the light bulbs was left out of the manual.
Tnx...
Joe...

[Non-text portions of this message have been removed]

232. A good receiver.

Yahoo group: kenwoodradio
Date: 2002-06-11 21:52:12 UTC
From: Stu
Topic: 232 Message: 232

As an aside, you may well have seen signals on the waterfall that your AFC in the program cannot follow? Yes, it is not a stable rig the guy□s got!
We use SSB with a bandwidth of 2500Hz in a □narrow□ part of the spectrum. It is well to remember this when you are operating. The bandpass filters are not linear, but instead they are curved like the hump of a camel.

[Non-text portions of this message have been removed]

233. Free KENWOOD, ICOM and YAESU Manuals for download

Yahoo group: kenwoodradio
Date: 2002-06-14 17:06:51 UTC
From: l566cx
Topic: 233 Message: 233

I came across this extremely useful and well done web page for free radio manual downloads for Icom, Kenwood, and Yaesu radios and accessories both current stuff and older rigs as well.

Schematic diagrams are included with most. It includes complete service mnauals also for a few of the products. A great find!

http://www.ab7sl.com/index.html?row1col2=links.html

John Smith - KB9BMB 73'

234. WTB DTMF pad for TK-250/350

Yahoo group: kenwoodradio
Date: 2002-06-17 03:33:38 UTC
From: CAlan64
Topic: 234 Message: 234

I'm looking for at least 2 KDM-7 DTMF keypads for the Kenwood TK-250/350 model radios. Please contact me if you have any or any dead Kenwwod HTs that might have the keypads on them. Thanks! Chuck KA0GFC@...

235. Radio Modifications

Yahoo group: kenwoodradio
Date: 2002-06-19 00:41:49 UTC
From: coolrigger7
Topic: 235 Message: 235

Dear Member,

Radio Modifications is a group dedicated to the repair maintenance and modification of radio related equipment. I found this group, which is extremely helpful for ham radio operators who need information about their equipment. Whether you are a novice or experienced, this group will benefit all aspects of ham radio.

If you would like to join, please email the following RadioModifications-subscribe@yahoogroups.com or go to the website http://groups.yahoo.com/group/RadioModifications

Brian McGuire

236. Microphone Schematic?

Yahoo group: kenwoodradio
Date: 2002-06-20 15:39:20 UTC
From: va3wjo
Topic: 236 Message: 236

Anybody have the schematic for the DTMF mic. (53)???

237. Cushcraft R7 / R7000 Antennas TECH TIPS Page w/ FREE downloads

Yahoo group: kenwoodradio
Date: 2002-06-21 15:56:59 UTC
From: l566cx
Topic: 237 Message: 237

Here is a very handy and informative Cushcraft R7 / R7000 tech page with illustrations, tech tips, R7 trap drawings, R7 and R7000 instruction and assembly manuals too.

It is all free and also all downloadable. By far the best page of it's kind I have ever found...

http://www.ab7sl.com/index.html?row1col2=r7.html

238. ts430s mod

Yahoo group: kenwoodradio
Date: 2002-06-21 23:47:43 UTC
From: n3brs
Topic: 238 Message: 238

How do I mod a ts430s to transmit on 11 meters.

O know it not legal (please don't ask) I am asking for a friend.

239. WTB: Kenwood KRK-4DB Dual Band Kit for 30 Series Mobile

Yahoo group: kenwoodradio
Date: 2002-06-22 15:34:05 UTC
From: RadioGuy205@aol.com
Topic: 239 Message: 239

Looking for a complete KRK-4DB for Kenwood 30 series mobile radio. Also need a short control cable (KCT) if it doesn't come with the kit. Thanks in advance!! Clay Radio Guy 205@... [Non-text portions of this message have been removed]

240. th75a

Yahoo group: kenwoodradio
Date: 2002-06-22 17:57:45 UTC
From: hopperjohn1960
Topic: 240 Message: 240

is there any mods for this older radio?

241. K7HOG Field Day and Rohn HBX-56 Tower for sale

Yahoo group: kenwoodradio
Date: 2002-06-27 04:15:09 UTC
From: regularguy01
Topic: 241 Message: 241

The K7HOG Field Day team was hosted by Marsh Johnson, KK7CW. The set up was 3a high power with all hf bands in use, as well as a novice station.
I operated at the 20 meter ssb and cw position, as well as the 75 meter ssb position. Conditions were pretty good, with ability to hold a frequency even on 20 ssb with about 350 - 400 watts to a TA 33 JR at 45 feet or so.
Total efforts netted us approximately 1600 QSO's total, with the majority on 20 and 75 ssb.
The operators were Larry, AA0BY, John, K7FD, Harlan, N7HN, Jack, K7QH, Marsh, KK7CW, Chuck, KK7KU, and other operators. There were approxiamtely 35 operators who showed up.
How did everyone else do?
73,
Larry, AA0BY
aa0byglobalhams@yahoogroups.com
aa0by@...

http://groups.yahoo.com/group/aa0bysglobalhams

For Sale: Rohn HBX 56 tower with all hardware. Good condition. Asking $325. Contact me at the aa0by@... addy for more info.

242. Ham Radio manuals for free download - nearly all brands,vintage too!

Yahoo group: kenwoodradio
Date: 2002-06-28 17:30:31 UTC
From: l566cx
Topic: 242 Message: 242

Links to many free downloadable Ham Radio manuals at this URL

1. http://www.ab7sl.com/index.html?row1col2=links.html

Includes Alinco, Kenwood, Yaesu, Heathkit, Collins, Swan, Icom, Heathkit, MFJ-Ameritron and several others.

Also links for many "vintage" rigs manuals and schematics too such as Hallicrafters, Hammarlund,Kenwood-Trio,Lafayette and over 125 more vintage rig manuals... 73'

243. Kenwood Factory Outlet

Yahoo group: kenwoodradio
Date: 2002-06-30 02:38:45 UTC
From: magyar_gypsy_king
Topic: 243 Message: 243

Has anyone been to the Kenwood factory outlet in LA? I'm thinking of going there in the fall and would like to know if they carry a full line of Ham radios.

Dan

KG4Oxx

244. RE: [kw-radio] Digest Number 155

Yahoo group: kenwoodradio
Date: 2002-06-30 23:11:31 UTC
From: Dan Violette
Topic: 244 Message: 244

I think it is Kenwood audio (car stereo etc.), not ham radio. Might want to call first.

Dan KI6X

Message: 1
Date: Sun, 30 Jun 2002 02:38:45 -0000
From: "magyar_gypsy_king" <djs_111@...>
Subject: Kenwood Factory Outlet

Has anyone been to the Kenwood factory outlet in LA? I'm thinking of going there in the fall and would like to know if they carry a full line of Ham radios.

Dan

KG4Oxx

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

245. Kenwood TS-950SDX

Yahoo group: kenwoodradio
Date: 2002-07-02 01:12:57 UTC
From: W1TJL
Topic: 245 Message: 245

I'm looking for a source for any mods available for the above transceiver. I have all the Kenwood service bulletins but am wondering if anyone knows of any others...

Thanks in advance for any help...

Tom W1TJL

246. TMD700- cooked!

Yahoo group: kenwoodradio
Date: 2002-07-04 15:04:09 UTC
From: g8osn
Topic: 246 Message: 246

Hi,

A friend's TMD700 has cooked itself- around the interface to the head unit.

He has hand no joy locating a circuit or service manual. Anyone know if these are available or can offer any ideas, please?

73

Brian
G8OSN

247. Kenwood TK-x30 series pinout for Molex plug on rear of control head

Yahoo group: kenwoodradio
Date: 2002-07-04 15:39:23 UTC
From: RadioGuy205@aol.com
Topic: 247 Message: 247

Does anyone have or know what the pinout is for the Kenwood TK-x30 series on the rear of the control head? Thanks in advance to anyone who can help! Happy 4th to all!!

Clay

[Non-text portions of this message have been removed]

248. manuals

Yahoo group: kenwoodradio
Date: 2002-07-05 06:14:33 UTC
From: Handcrafted Log Homes Ltd
Topic: 248 Message: 248

Hi all from down in the South of the South (Dunedin New Zealand)

I've just picked up a Kenwood TH 27A 2M Handheld and I was wondering if anyone knows of a site that I can download a copy of the user manual

thanks

Ray

[Non-text portions of this message have been removed]

249. manuals

Yahoo group: kenwoodradio
Date: 2002-07-05 06:52:49 UTC
From: Handcrafted Log Homes Ltd
Topic: 248 Message: 249

Hi all from down in the South of the South (Dunedin New Zealand)

I've just picked up a Kenwood TH 27A 2M Handheld and I was wondering if anyone knows of a site that I can download a copy of the user manual

thanks

Ray

[Non-text portions of this message have been removed]

250. Manuals

Yahoo group: kenwoodradio
Date: 2002-07-05 06:54:16 UTC
From: Handcrafted Log Homes Ltd
Topic: 250 Message: 250

Hi all from down in the South of the South (Dunedin New Zealand)

I've just picked up a Kenwood TH 27A 2M Handheld and I was wondering if anyone knows of a site that I can download a copy of the user manual

thanks

Ray

[Non-text portions of this message have been removed]

251. One final question on Kenwood radios.. :) (The TK-930 mobile)

Yahoo group: kenwoodradio
Date: 2002-07-06 17:49:00 UTC
From: Evan Platt
Topic: 251 Message: 251

I have a tk-930 mobile. Yes, I intend to obtain the programming cable, but not a high priority (unless someone wants to swap a ICOM F-40 cable??) My question is how does it SCAN? When I hit the A button, all it does is put A in the display. On every channel. And scan doesn't seem to do anything but chnage the display from 1 1 to - -.

Any help appreciated. Anyone want to trade cables?

Or will a Vertex 1011 cable work?

Thanks.

252. Help for TM732

Yahoo group: kenwoodradio
Date: 2002-07-08 10:33:01 UTC
From: Jean-Paul YONNET
Topic: 252 Message: 252

I have a problem with my TM-732.
After stopping several times, it now stays on "on" and it does not want to work
The only way to put it on and off is to connect the 12V. The screen is lighting and stay on "on". It continuously emits a small noise in the loudspeaker, and the fan try to start and stop permanently. All the keys are non operating. It seems that the TM732 want to start and stop several times per second.
I have tried to reset the 732, but it is impossible.
I have measured several voltage, all of them seem correct : 3.2V on the lithium battery which had been changed one year ago, 8v in the mike, 8V at the output of the internal regulator, ...and an overall consumption of 60mA
Can anyone help me.
Thank you in advance
Jean-Paul / F1LVT

****
Jean-Paul / F1LVT / ADRASEC 38
F1LVT@...
UTM (Eur50) : 31T GL 717300 5008300
****

253. Hello ALL! Im VERY NEW!

Yahoo group: kenwoodradio
Date: 2002-07-08 19:04:38 UTC
From: eiefs
Topic: 253 Message: 253

My Grandfather passed away a few months ago and I recd some of His equip. I will be TRYING to learn as much as I can as fast as I can over time.

I am a self-employed (almost 7yrs)plastering contractor in east central Illinois with family. I work all kinds of hours in the summer trying to beat the pm heat of the day.

The two major pieces that have been left to me are the TS530S and the YAESU FRG-7700 along with a tuner and some testing equip, cables, and I believe a ground umbrella type antenna. Oh..... ALL kinds of books. and tapes and a cpl of keys.

Grandpa built a HR-1680 years ago and He gave that to me about 6years ago but it has no audio. I have the schemes of it and have replaced a few IC but still to no avail!

I bought for myself a year or so ago the Radio Schack DX399... That has brought me great listening pleasure.

I also like to observe the night skies with a meade 90Astro and the 125EC.

I also skydive (when I can find the time) I will be 40yoa next March.

I thank you for having this group and hope I can give back something in the future.

BEST REGARDS
Dan :)

254. Looking for a few kenwood accessories / radio / trade?

Yahoo group: kenwoodradio
Date: 2002-07-09 03:52:00 UTC
From: Evan Platt
Topic: 254 Message: 254

Greetings all.. I'm looking for a Kenwood KMC-17 speaker mike. Anyone got any?

And a 'D' swivel bracket that attaches to the back of the radio. 2?

Also, I'm looking to offload a GE MPS T-band split with convertacom. Prefer to trade for a TK-250 UHF (or is that 350? 160 channels UHF)?

Or will sell outright for $200 - convertacom charges but makes a high whistling noise - may be speaker?

Thanks.

Evan

255. Re: [kw-radio] Help for TM732

Yahoo group: kenwoodradio
Date: 2002-07-10 14:35:43 UTC
From: Fred
Topic: 255 Message: 255

Hi Jean-Paul

Try detaching the front and see if the little cable is plugged
in good than connects the front to the back of the rig.

Fred
N1DEC

----- Original Message -----
From: "Jean-Paul YONNET" <Jean-Paul.Yonnet@...>
To: <kenwoodradio@yahoogroups.com>
Sent: 08 July, 2002 6:33 AM
Subject: [kw-radio] Help for TM732

> I have a problem with my TM-732.
> After stopping several times, it now stays on "on" and it does not want
> to work
> The only way to put it on and off is to connect the 12V. The screen is
> lighting and stay on "on". It continuously emits a small noise in the
> loudspeaker, and the fan try to start and stop permanently. All the keys
> are non operating. It seems that the TM732 want to start and stop
> several times per second.
> I have tried to reset the 732, but it is impossible.
> I have measured several voltage, all of them seem correct : 3.2V on the
> lithium battery which had been changed one year ago, 8v in the mike, 8V
> at the output of the internal regulator, ...and an overall consumption
> of 60mA
> Can anyone help me.
> Thank you in advance
> Jean-Paul / F1LVT
>
>
>
> **
> Jean-Paul / F1LVT / ADRASEC 38
> F1LVT@...
> UTM (Eur50) : 31T GL 717300 5008300
> **
>
>
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:

> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>

256. In need of cable between the mic and the base unit!!!

Yahoo group: kenwoodradio
Date: 2002-07-14 17:46:34 UTC
From: eiefs
Topic: 256 Message: 256

After RE-sorting my GIFTS i have come to the conclusion that the cable between the Kenwood MC-50 and the Kenwood TS-530S is missing or misplaced by my Uncle whom brought to me the equipment that was left to me.

After surfing around pretty much ALL day yesterday looking for a replacement, I can not find one.

PRICE and availibilty from someone PLEASE!

Sidenote: I have been practicing my CW with one of the two keys and -SCADS- :) of cassette tapes. THIS is great fun. I have also been listening to CW on the YAESU FRG7700 among other programs too! This frg7700 also came with the FRT7700,, but I dont have any documentation for it. So I dont know really what to do or how it works or hooking up proceedures, HELP with that would also be GREATLY appreciated. There are a cpl more "Tuners" packed in here to!

Thanks in ADVANCE!!!

Dan :)

257. Need a TM-v7a cool blue head.

Yahoo group: kenwoodradio
Date: 2002-07-23 05:22:41 UTC
From: w4fbi
Topic: 257 Message: 257

MY display head got damaged wile a way from the radio. so I am in need of one. do you have a damaged radio, but the display is still good and want to sell it. Hugh W4fbi@... I live in charlotte, NC.

258. RE: [kw-radio] Need a TM-v7a cool blue head.

Yahoo group: kenwoodradio
Date: 2002-07-23 13:00:22 UTC
From: Newell, John O
Topic: 258 Message: 258

Have you tried Kenwood? I've been told they won't replace stolen heads, but perhaps they will replace one if the damaged one is returned.

GL.

John Newell KB1FPM

> MY display head got damaged wile a way from the radio. so I am in
> need of one. do you have a damaged radio, but the display is still
> good and want to sell it. Hugh W4fbi@... I live in charlotte,
> NC.
>

This message is intended only for the designated recipient(s). It may contain confidential or proprietary information and may be subject to the attorney-client privilege or other confidentiality protections. If you are not a designated recipient, you may not review, copy or distribute this message. If you receive this in error, please notify the sender by reply e-mail and delete this message. Thank you.

[Non-text portions of this message have been removed]

259. 12 volt , 7 Ah sealed recharable lead acid Batterys

Yahoo group: kenwoodradio
Date: 2002-07-27 14:52:01 UTC
From: wc8i
Topic: 259 Message: 259

Have a nice supply of Power Sonic 12 volt , 7 Amp HR sealed recharable batterys , these are nice for qrp work and just about anything, they all are over 13 volts and are nice. $8.00 each plus shipping costs, also i have nice larger sealed recharable batterys for powering hf rigs and other equipment at a good price, Please e mail me at wc8i@... I can send pictures if requested.

260. Kenwood TM741A

Yahoo group: kenwoodradio
Date: 2002-07-29 14:56:53 UTC
From: livewire_44481
Topic: 260 Message: 260

Greetings all,
I purchased a 741 and after having it a while my firend KB8QDX said that I had some hot audio, I would like him to fix it he has an IFR100 so seting up to specks would be no problem just need to know what pots are what. power seems to be down also so any help would be appreciated. Does the 741 have a hystory on haveing a soft brick on the 2 meter mod? I would like to get it set up to specks asap. KB8YWY Allen.

kb8ywy@...

262. Laminated Mini Manual for TH-F6

Yahoo group: kenwoodradio
Date: 2002-08-04 20:30:13 UTC
From: kb9yul
Topic: 262 Message: 262

Hi to all in the goroup

I would like to offer a $4.00 Laminated Mini Manual for TH-F6 which I recently designed. For more information, photos and testimonials visit www.radioamater.com/kb9k

Available models:
Yaesu: VX-5R, VX-1R, FT-100, FT-817, VX-7R, FT-90
Icom: IC-706, IC-T81, IC-W32
Kenwood: TH-F6

I apologize if you are not interested. This email will only be sent once.

73
Jovan Peric - KB9K
3425 W. Ardmore Ave.
Chicago, IL 60659
---
e-mail: kb9k@...
URL: www.RadioAmater.com/kb9k

264. Google Security Flaws

Yahoo group: kenwoodradio
Date: 2002-08-11 03:34:29 UTC
From: ke4yqz@kc.rr.com
Topic: 264 Message: 264

>From: "Joe Horn"
>Subject: Fw: Google security flaws
>Date: Fri, 9 Aug 2002 14:54:55 -0700

Sent: Friday, August 09, 2002 11:30 AM
Subject: Google security flaws

With Carl Limbacher and NewsMax.com Staff
For the story behind the story...

Thursday, Aug. 8, 2002
You Could Get Googled by Hackers

Google, the fabulous search engine beloved by writers, researchers and students, has a flaw that allows hackers to inflict serious mischief on users of the Google Toolbar.

The toolbar (version 1.1.58 and prior) contains a flaw discovered by Israel's GreyMagic Software Company, which explains that Google has been offering a popular, free, simple and useful browser toolbar that can be used to search the Web without going to the Google home page.

According to Google.com: "The new Google Toolbar increases your ability to find information from anywhere on the web and takes only seconds to install. When the Google Toolbar is installed, it automatically appears along with the Internet Explorer toolbar. This means you can quickly and easily use Google to search from any website location, without returning to the Google home page to begin another search."

Which give users a big advantage - and could also provoke a bad headache along with it.

Says GreyMagic: We found multiple security flaws in the Google toolbar; we will list them all (sorted by severity) ...

Without any user interaction, an attacker can:

Tap to key presses in the toolbar's search box.
Control all visual configuration options.
Enable features with privacy implications.
Clear the toolbar's history.
Completely uninstall the toolbar.
Hijack the toolbar and reroute searches.
Execute arbitrary programs.
Read local files.
Script in the "My Computer" zone.
That's the bad news. The good news is that GreyMagic notified Google about

these problems on July 31, 2002, and worked with them to fix the issues.
Google has been quick to produce a fixed version (1.1.59/1.1.60).
The new version began distributing on Wednesday (Aug. 7, 2002) noon using
the auto-update feature in the Google toolbar. Therefore, most of the
toolbar's users should be protected from these vulnerabilities by now.

For a fuller explanation of the very complicated details, go to GreyMagic's
Web site at http://sec.greymagic.com/adv/gm001-mc/

http://www.newsmax.com/showinsidecover.shtml?a=2002/8/8/162247

265. Free Ham Radio Clasifieds

Yahoo group: kenwoodradio
Date: 2002-08-16 00:53:44 UTC
From: kb9yul
Topic: 265 Message: 265

Hi,

If you want to sell your Ham Radio equipment place a FREE Clasified
on www.RadioAmater.com/kb9k web site.

Thanks
Jovan KB9K

266. WTB: Kenwood TK-280 with DTMF Pad. Production 2.0 Radio

Yahoo group: kenwoodradio
Date: 2002-08-17 21:54:24 UTC
From: RadioGuy205@aol.com
Topic: 266 Message: 266

Can anyone give me a quote on a NEW Kenwood TK-280 146-174 MHz with DTMF pad, Production Version 2.0 Radio only. No battery, charger needed. Thanks in advance. Please e-mail me direct. Thanks again!!

Frederic C.

[Non-text portions of this message have been removed]

267. How to field program a Kenwood TK-280 with DTMF pad?

Yahoo group: kenwoodradio
Date: 2002-09-01 04:38:26 UTC
From: RadioGuy205@aol.com
Topic: 267 Message: 267

I have enabled all the self programming functions in the software, turn the radio off, held the lamp key while turning it back on and nothing. Is there some type of resistor I have to remove to enable this also. When I turn it on with the key held it acts like it wants to go into the mode, but chickens out at the last second and boots up as usual. Thanks in advance to anyone who can help!!

Frederic C.

[Non-text portions of this message have been removed]

268. TS-520S capacitors

Yahoo group: kenwoodradio
Date: 2002-09-08 13:37:36 UTC
From: lonelyone_64109
Topic: 268 Message: 268

I am replacing all the power supply capcitors as one of the HV ones took out one of the 6146B finals.I am looking for the 100uF 500V ones and the 22uf 450v dual section ones.I have located a source (Antique Radio Supply) that has a dual section 100uF 500V one that would work for the 100uF caps.However they only have a 4 section 20uF 475 volt one that would still work for the 2 dual section caps.I would to find the caps like the original ones (2 separate 100uF and 2 dual section 22 uF ones)but that may not be possible.

Any ideas where to get the main T/R relay as well?Its fine but I noticed the 520S and the VFO use the same type (Omron MH4P) and would be nice to have an extra one.

While I'm at it: replacement mic element for the MC-50 microphone?I have the mic but all it needs is a new element.Any clues????

Paul WB0CJB

269. Kenwood HTs (440 MHz and 2 m) and accessories FS

Yahoo group: kenwoodradio
Date: 2002-09-08 18:42:28 UTC
From: Ken Simpson, W8EK
Topic: 269 Message: 269

For Sale:

Kenwood TH-21 AT 2 meter HT.
Fully synthesized, small HT, about the size of a deck of cards. Thumbwheel selection of frequency. Very easy to use. About 1.3 W in high power and 1/3 W in low power. This one is in very nice condition. It includes rubber duck antenna, good battery, charger, and original manual for $65.

Kenwood TH-41 BT HT for 440 MHz.
Similar to the TH-21, but for 440 MHz.
SubAudible (PL) tones internal, with DIP switch selection. Very good shape, with rubber duck, battery, charger and original manual for $95.

Kenwood PB-21 H
This is the heavy duty battery for the TH-21 / 31 /41 series of HTs. It is 450 mahr, instead of the standard 180 mahr of the regular PB-21. With paperwork for $35.

Kenwood BC-6 fast desk charger.
Charges PB-21 and PB-21 H battery packs, as used on the Kenwood TH-21 / 31 / 41 series of HTs. Holds two batteries, charging one and then the other. Takes about an hour or so to charge. It can also be used to power the radio for base station use. With manual for $ 50.

Kenwood SMC-30 speaker mic for use with TH-21 / 31 / 41 series of HTs and other Kenwood HTs.
Good shape for $25.

AC adapter for TH-21 / 31 / 41 HTs
Wall wort DC supply plugs into wall, and has adapter that slides on to the HT to use it off of 115 V AC. $ 25

Kenwood SC-6 protective case.
Fits the TH-21 /31 /41 series of HTs. It does not have a "cut out" for the DIP switches on the PL encoder, but will protect the HT in great shape. $ 10

Kenwood DC-21 used to operate the TH-21 / 31 / 41 from 13 V DC. Includes cigarette lighter plug, and voltage converter. With paper work for $25.

Kenwood RA-8 A "Stubby duck" antenna for the TH-21, two meter HT. $ 10

Kenwood RA-10 A "Stubby duck" antenna for the TH-41.
440 MHz HT. $ 10

Antenna adapter to fit the connector on the TH -
21 / 31/ 41, and adapt it to standard PL-259
antenna connector. $ 3

Antenna adapter as above, but goes to
BNC connector. $ 3

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-Mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

270. TM-732 manual

Yahoo group: kenwoodradio
Date: 2002-09-10 14:27:24 UTC
From: dirk
Topic: 270 Message: 270

Hallo,

I'm looking for the manual of a TM-732 dualband mobile tansceiver. Who can help me?
Thanks a lot in advance!

dirk, Ghent Belgium
dirk@...

[Non-text portions of this message have been removed]

271. Re: [kw-radio] TM-732 manual

Yahoo group: kenwoodradio
Date: 2002-09-10 14:36:20 UTC
From: Fred
Topic: 271 Message: 271

Hi Dirk

I've got a manual. What info do you need? I could
scan some pages for you.

Fred
N1DEC

-------Original Message-------

From: dirk
Date: 10 September, 2002 10:28:01 AM
To: kenwoodradio@yahoogroups.com
Subject: [kw-radio] TM-732 manual

Hallo,

I'm looking for the manual of a TM-732 dualband mobile tansceiver. Who can
help me?
Thanks a lot in advance!

dirk, Ghent Belgium
dirk@...

[Non-text portions of this message have been removed]

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

272. Re: [kw-radio] TM-732 manual

Yahoo group: kenwoodradio
Date: 2002-09-10 16:45:45 UTC
From: dirk
Topic: 271 Message: 272

Hi Fred,

That's very friendly but in fact I'm looking for a complete manual and I guess scanning means a lot of work? I know that for the recent models there are pdf files. Maybe there was one for the TM-732 to?

dirk

----- Original Message -----
From: "Fred" <fred@...>
To: <dirk@...>; <kenwoodradio@yahoogroups.com>
Sent: Tuesday, September 10, 2002 4:36 PM
Subject: Re: [kw-radio] TM-732 manual

Hi Dirk

I've got a manual. What info do you need? I could scan some pages for you.

Fred
N1DEC

-------Original Message-------

From: dirk
Date: 10 September, 2002 10:28:01 AM
To: kenwoodradio@yahoogroups.com
Subject: [kw-radio] TM-732 manual

Hallo,

I'm looking for the manual of a TM-732 dualband mobile tansceiver. Who can help me?
Thanks a lot in advance!

dirk, Ghent Belgium
dirk@...

[Non-text portions of this message have been removed]

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

273. Old manuals, was: TM-732 manual

Yahoo group: kenwoodradio
Date: 2002-09-10 17:53:31 UTC
From: Newell, John O
Topic: 273 Message: 273

Has anyone ever phoned Kenwood to see whether they have .pdf files for discontinued radios? There is a fair number of radios discontinued within the past 3 or 4 years that I'd be surprised if they didn't have on disk somewhere. (IIRC, there's even a directory on their FTP site that is set up for these manuals, but there are no files in that directory.)

73
John Newell
KB1FPM

This message is intended only for the designated recipient(s). It may contain confidential or proprietary information and may be subject to the attorney-client privilege or other confidentiality protections. If you are not a designated recipient, you may not review, copy or distribute this message. If you receive this in error, please notify the sender by reply e-mail and delete this message. Thank you.

[Non-text portions of this message have been removed]

274. Emailing: www.mods

Yahoo group: kenwoodradio
Date: 2002-09-10 18:10:22 UTC
From: Doug Hodgson
Topic: 274 Message: 274

Try this page, it has what your looking for.
This document contains frames, which cannot be edited. The original document is attached.

[Non-text portions of this message have been removed]

275. re manual for tm-732

Yahoo group: kenwoodradio
Date: 2002-09-10 18:12:36 UTC
From: Doug Hodgson
Topic: 275 Message: 275

e-mail me with your e-mail address and I will send you the link for the manual.

[Non-text portions of this message have been removed]

276. Kenwood TK-250 / 350 Field Programming, Anyone??

Yahoo group: kenwoodradio
Date: 2002-09-12 06:05:15 UTC
From: RadioGuy205@aol.com
Topic: 276 Message: 276

Anyone know how to, or if you can, field program a TK-250 / 350? Thanks in advance!!

Frederic C.

[Non-text portions of this message have been removed]

277. Possible Purchase

Yahoo group: kenwoodradio
Date: 2002-09-12 20:10:36 UTC
From: Tom Predmore
Topic: 277 Message: 277

I am thinking about buying a Kenwood TM-G707A. I will need a power supply to run it at home. Any suggestions? Would the Atron RS-12A or RS-20A work? I also plan on using this in my vehicle. Would I be able to hook it up to the cigarette lighter?

73,
Tom

278. Kenwood TM-642 TM-742 HEAT problem

Yahoo group: kenwoodradio
Date: 2002-09-12 20:22:56 UTC
From: Ron
Topic: 277 Message: 278

I have a Kenwood TM-642 Tri-band radio.
It is now 2 meter / 220 / 440 configuration.

If I have the radio on for a few hours -- just receive -- the
radio will go a little "NUTS" The display will get brighter
and if you key the mic.... local repeaters sound off frequency
and receiver is "deaf". The unit gets sooooo hot that you
can NOT touch the case... this is only receive - no transmitt
and no - the fan does not run during this time.

It still transmitts - but while it is SOooooo HOT -
it seems like the freq is off....

Let it cool -- it is fine again.

Ron Bouder

rbouder@...

279. RE: [kw-radio] Possible Purchase

Yahoo group: kenwoodradio
Date: 2002-09-12 20:24:46 UTC
From: Newell, John O
Topic: 279 Message: 279

> I am thinking about buying a Kenwood TM-G707A. I will need a power
> supply to run it at home. Any suggestions? Would the Atron RS-12A or
> RS-20A work? I also plan on using this in my vehicle. Would I be able
> to hook it up to the cigarette lighter?

Off the top of my head: The -707A probably needs 11-12A. The RS-12A is too small, it's rated only 9A continuous. (It is rated 12 intermittent, but I don't think I'd push it.) The RS-20A would be fine at 16A continuous, though possibly overkill. For the vehicle, many cigarette lighters -- apart from any noise issues -- won't take that kind of current draw. IIRC, both my Cherokee and my wife's Windstar are rated below that, for the cigarette lighters -- but the *accessory* taps (just another cigarette lighter jack, right?) are wired for heavier loads (forget how much -- might be only 10A?). I am running two radios in the Cherokee, both wired independently off the battery. It wasn't that hard to run the wiring. There was an existing weatherproofed hole for the factory wiring in the rear of the engine compartment.

I've been very happy with this radio, by the way. I mounted the head separately. The display is bright and large, very easy to read, and the controls are excellent for mobile use. Beyond the ergonomics, it's also a very good performer on both tx and rx. One thing -- if you want to move the radio in and out of the vehicle, consider mounting it with the head _not_ separated. There is a couple of pieces of small hardware that are easily lost and hard to replace (I know!).

GL and 73
John Newell
KB1FPM

This message is intended only for the designated recipient(s). It may contain confidential or proprietary information and may be subject to the attorney-client privilege or other confidentiality protections. If you are not a designated recipient, you may not review, copy or distribute this message. If you receive this in error, please notify the sender by reply e-mail and delete this message. Thank you.

[Non-text portions of this message have been removed]

280. Re: [kw-radio] Possible Purchase

Yahoo group: kenwoodradio
Date: 2002-09-14 07:37:23 UTC
From: Evan Platt
Topic: 277 Message: 280

Tom: I have the 707. AWESOME radio. Only lacks two features - true dual band (you can only listen to one thing at once), and cross band repeat... and that's it. I use it as a scanner, as it recieves up past 488 (few ham radios nowdays do), and has INCREDIBLE 800 mhz coverage and reception. receives up to 858 at least. Cellular blocked. Great at pulling in signals - it recieves a commercial 800 mhz frequency (857.xxxx) better than the kenwood LMR radio I use to transmit on! I think the manual suggests at least a 20 amp, I'll double check. As for using the cig. lighter, i'd reccomend against it - if you do, use a HEAVY cord, and a fuse. I think I tried that once, and got REAL bad alternator hum. (1998 ford taurus at the time, IIRC).

Any questions on this radio, don't hesitate to ask. Oh, AND it does PL Tone search! Another thing I don't 'like' - it's too easy to program a channel - I've overwritten frequencies all too often.

Evan

At 01:10 PM 9/12/2002, you wrote:
>I am thinking about buying a Kenwood TM-G707A. I will need a power
>supply to run it at home. Any suggestions? Would the Atron RS-12A or
>RS-20A work? I also plan on using this in my vehicle. Would I be able
>to hook it up to the cigarette lighter?

281. Need firmware for TK-280 and 380 first version not 2.0 radio.

Yahoo group: kenwoodradio
Date: 2002-09-15 18:13:15 UTC
From: RadioGuy205@aol.com
Topic: 281 Message: 281

In need of firmware for Kenwood TK-280 and 380 first version. The guy that had these radios programmed them with the version 2.0 software and now it will not recognize the software it is supposed to be programmed by. Any help is greatly appreciated!!

Thanks!

Frederic C.

[Non-text portions of this message have been removed]

282. AT-250, manual for

Yahoo group: kenwoodradio
Date: 2002-09-27 21:33:18 UTC
From: oz1bv
Topic: 282 Message: 282

Hello HAM's

Can anybody help me with a maanual for the AT-250 automatic antenna tuner?

Best regards, Brian - OZ1BV / OX3IO

283. TS-430, technical manual

Yahoo group: kenwoodradio
Date: 2002-09-27 21:34:44 UTC
From: oz1bv
Topic: 283 Message: 283

Hello again!

I have the user manual for the TS-430, but I would very much like to find a technical manual. Anybody able to help me out here?

Vy 73 de OZ1BV/OX3IO, Brian

284. Re: [kw-radio] TS-430, technical manual

Yahoo group: kenwoodradio
Date: 2002-09-27 23:26:45 UTC
From: Rusty Caufield
Topic: 284 Message: 284

Kenwood Amateur Parts
East Coast Transistor: (800) 637-0388
Pacific Coast Parts: (800) 262-1312
http://www.pacparts.com

----- Original Message -----
From: "oz1bv" <oz1bv@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Friday, September 27, 2002 4:34 PM
Subject: [kw-radio] TS-430, technical manual

> Hello again!
>
> I have the user manual for the TS-430, but I would very much like to
> find a technical manual. Anybody able to help me out here?
>
> Vy 73 de OZ1BV/OX3IO, Brian
>
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

285. Question

Yahoo group: kenwoodradio
Date: 2002-10-03 21:48:01 UTC
From: Jeff
Topic: 285 Message: 285

Hi all,
I am new to the group. I just got a Kenwood TM-241 from a friend of a friend (My friend is the one who was holding it for his friend to sell) today and my we were looking through the instruction manual and came across one of teh accessories in the there called and IC-20. We were curious as to what that was for. the picture showed like 4 or 5 radios attached to it and we thouhgt maybe it was to either a)work all 5 or b) act like a cross band repeater. Can anyone tell me what this accessory was used for? Thanks. I'll probably have more questions later as I get into useing the new radio, but for now this is what I got. Thanks for your help.

Jeff

286. kenwood 860g cable schematics

Yahoo group: kenwoodradio
Date: 2002-10-05 03:25:16 UTC
From: thecrimboy
Topic: 286 Message: 286

hello all

i want to make a interface cable to suit a kenwood 860g does anyone have the cable diagram they can send me?? .....please.... thecrimboy@...

thanking you

287. kenwood 860g cable schematics

Yahoo group: kenwoodradio
Date: 2002-10-05 03:28:27 UTC
From: thecrimboy
Topic: 286 Message: 287

hello all

i want to make a interface cable to suit a kenwood 860g does anyone have the cable diagram they can send me?? .....please.... thecrimboy@...

thanking you

288. TK 862

Yahoo group: kenwoodradio
Date: 2002-10-06 04:59:39 UTC
From: J Pinkston
Topic: 288 Message: 288

I'm looking for an user's manual for the Kenwood TK 862. A service manual would be nice also. If you have one email me & let me know . I'm trying to find out what the options are for the radio.

Thanks
Jim Pinkston

289. KPG-46 cable and my serial port?

Yahoo group: kenwoodradio
Date: 2002-10-07 20:56:13 UTC
From: Fred
Topic: 289 Message: 289

I have a few Kenwood 750 and 850 repeaters and can't get the programming cable to work. I have modern machines that have no 25 pin serial port, they are all 9 pin so I use a db25 to db 9 adapter. Is there a special pigtail cable I also have to have or did Kenwood create a cable that would only work with a 25 pin port and eliminate all laptops from being able to program their devices?

Fred
N4IXL

290. Re: [kw-radio] KPG-46 cable and my serial port?

Yahoo group: kenwoodradio
Date: 2002-10-07 21:23:01 UTC
From: Fred
Topic: 290 Message: 290

I figured out my cable problem, it works now. Does anybody have an opinion about operating the kenwood 2m and 70cm (750 and 850) repeaters with the fan on continuous vs. temperature? I don't see why the fan should run all the time.

Fred
N4IXL

[Non-text portions of this message have been removed]

291. Kenwood HT battery, chargers, and accessories FS

Yahoo group: kenwoodradio
Date: 2002-10-09 16:02:46 UTC
From: Ken Simpson, W8EK
Topic: 291 Message: 291

For Sale:

Kenwood PB-21 H
This is the heavy duty battery for the TH-21 / 31 /41 series of HTs. It is 450 mahr, instead of the standard 180 mahr of the regular PB-21. With paperwork for $35.

Kenwood W09-0393
"Wall wort" charger to use with the PB-21 H battery pack (above), if you do not use the desk charger. This is NOT the standard charger for the regular PB-21, but a special one for \the PB-21 H. $12

Kenwood BC-6 fast desk charger.
Charges PB-21 and PB-21 H battery packs, as used on the Kenwood TH-21 / 31 / 41 series of HTs. Holds two batteries, charging one and then the other. Takes about an hour or so to charge. It can also be used to power the radio for base station use. With manual for $ 50.

AC adapter for TH-21 / 31 / 41 HTs
Wall wort DC supply plugs into wall, and has adapter that slides on to the HT to use it off of 115 V AC. $ 25

Kenwood SC-6 protective case.
Fits the TH-21 /31 /41 series of HTs. It does not have a "cut out" for the DIP switches on the PL encoder, but will protect the HT in great shape. $ 10

Kenwood DC-21 used to operate the TH-21 / 31 / 41 from 13 V DC. Includes cigarette lighter plug, and voltage converter. With paper work for $25.

Kenwood RA-8 A "Stubby duck" antenna for the TH-21, two meter HT. $ 10

Kenwood RA-10 A "Stubby duck" antenna for the TH-41. 440 MHz HT. $ 10

Antenna adapter to fit the connector on the TH - 21 / 31/ 41, and adapt it to standard PL-259 antenna connector. $ 3

Antenna adapter as above, but goes to BNC connector. $ 3

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-Mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

292. Should I trade my FT-100D for TS-940

Yahoo group: kenwoodradio
Date: 2002-10-11 00:55:27 UTC
From: Jovan
Topic: 292 Message: 292

Hi to all in the group.

I was offered a Kenwood TS-940 HF radio to trade for my Yaesu FT-100 (even exchange). Do you think that this is a good deal for me? Radio has all filters instaled and it is in good working condition. Any advice...

Thanks
Jovan KB9K
---
kb9k@a...
http://www.MrHamRadio.com
http://www.RadioAmater.com/kb9k

293. Re: [kw-radio] Should I trade my FT-100D for TS-940

Yahoo group: kenwoodradio
Date: 2002-10-11 14:19:38 UTC
From: Paul Manuel
Topic: 292 Message: 293

--- Jovan <kb9k@...> wrote:
> I was offered a Kenwood TS-940 HF radio to trade for my Yaesu FT-
> 100 (even exchange). Do you think that this is a good deal for me?
> Radio has all filters instaled and it is in good working condition.
> Any advice...
Jovan,
If you don't need the extra bands on the FT-100, or its small size, or the fact that it can be run mobile, I'd go with the 940.

I had a 940 which I recently replaced with an 850, and have an FT-100 in the car. The FT-100 cannot come close to the performance of the TS-940S on HF, and the Kenwood is much easier to use in-home (no menus.) The filters would be a great bonus.

Again, for in-home HF operation, you'd be making a good trade.
73,
Paul K4PDM

Do you Yahoo!?
Faith Hill - Exclusive Performances, Videos & More
http://faith.yahoo.com

294. RE: [kw-radio] Should I trade my FT-100D for TS-940

Yahoo group: kenwoodradio
Date: 2002-10-11 14:25:40 UTC
From: Newell, John O
Topic: 292 Message: 294

Coincidentally, I was looking at the ARRL evaluation of the -940 last week. It is clearly one heck of a receiver. Depending on how you feel about the menus, possibly more user-friendly, too. It is *a lot* bigger and heavier, if that matters.

73
John Newell
KB1FPM

This message is intended only for the designated recipient(s). It may contain confidential or proprietary information and may be subject to the attorney-client privilege or other confidentiality protections. If you are not a designated recipient, you may not review, copy or distribute this message. If you receive this in error, please notify the sender by reply e-mail and delete this message. Thank you.

[Non-text portions of this message have been removed]

295. User Manual of the Kenwood TS-850-S

Yahoo group: kenwoodradio
Date: 2002-10-11 17:02:42 UTC
From: Juan Carlos
Topic: 295 Message: 295

Hello everybody,
I Have the User Manual of the Kenwood TS-850-S in DEUSTCH-ITALIANO-
DUTCH in one volume, and the User Manual in FRANCAIS (the pasges 139
to 202. I don´t need this because I can not understand this languages.
I Will make a change to the Spanish (ESPAÑOL) User Manual.
My address is
EA1FEN
P.O.Box: 1004
26080-Logroño
La Rioja - Spain
Thank you.
Juan Carlos

296. Kenwood TM-201 A 2 m FM xcvvr manual needed

Yahoo group: kenwoodradio
Date: 2002-10-20 11:22:32 UTC
From: Ken Simpson, W8EK
Topic: 296 Message: 296

Does anyone know where a manual for a Kenwood TM-201 A, 2 M rig, can be downloaded? I have tried the normal places, but they seem to have pictures and info available, but no manual.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

297. Upper - Lower Scan Limits

Yahoo group: kenwoodradio
Date: 2002-10-20 14:37:28 UTC
From: David Shrum
Topic: 297 Message: 297

To the group,
I think I already know the answer BUT I'll ask it any way. I have the Kenwood TH-G71A and have a question about the upper and lower scan limits in regard to the frequencies programmed into it.

I know that if I use as an example, L0 at 144.000 and U0 at 148.000 and put a frequency in the VFO that falls any where inside that range in the radio it will loop inside that range until I stop it. But suppose (and I have tried without desired results) I set say L1 to 150.000 and U1 to 153.000 and put a frequency in the VFO that falls any where inside that range in the radio, it will not loop but continues right on past the upper limit as if I hadn't put in those limits at all. I guess what I'm asking is; will the upper and lower limits work ONLY within the ham bands, or am I possibly missing something.

There are more times that I want to scan for a frequency to listen to that is out side of the amateur bands than frequencies that are inside of the ham bands; that's why I hope I'm missing something but I think that the engineers at Kenwood didn't think that that might be an option that would be used (DUH!!). My son has a Yaesu VX5R that he says can do what I want to be able to do. Now mind you I like my HT but when it comes time to replace it you can rest assured I WILL take a very long look at other models to find out what their capabilities are before making the final decision.

Thanks in advance for any help!
Dave N8PU

298. YEASU FT3000 MANUAL NEEDED

Yahoo group: kenwoodradio
Date: 2002-10-20 15:14:06 UTC
From: itsme7072002
Topic: 298 Message: 298

CAN SOME PLEASE HELP?
friend of mine was kind enough to sell me his old yeasu ft3000 he has lost the manual

I have searched the net but cant find it anywhere

I did download a zipped manual from www.mods.dk but it seem to be only 10 pages or so..

has any one got the book that i could have a copy of or point me to a downlaod site

cheers all

Mark MI3WWF

299. Kenwood NiMH battery charge in a KSC-19?? or KSC-20??

Yahoo group: kenwoodradio
Date: 2002-10-28 06:34:53 UTC
From: RadioGuy205@aol.com
Topic: 299 Message: 299

Can you charge a NiMH battery for a TK-280 in a KSC-19, or KSC-20? Thinking about changing to this type of battery due to the "memory" factor that a NiCd has. Any input?

Thanks!
Frederic C.

[Non-text portions of this message have been removed]

300. Re: [kw-radio] Kenwood NiMH battery charge in a KSC-19?? or KSC-20??

Yahoo group: kenwoodradio
Date: 2002-10-28 13:29:25 UTC
From: Rusty Caufield
Topic: 300 Message: 300

No, The KNB-22 does not fit in the KSC-19 or KSC-20 and these chargers are "Single Chemistry" only.
You need the KSC-24 to charge both the NiCD & NiMH batteries.
I have used both Batteries and have had good luck with each. But I also have 2 or 3 of each and use the battery till it goes dead and then charger it, I also remove the battery from the radio and charger it by it's self.
Using a handheld every day and charging the batteries in this manner I was able to get almost 3 years life out of my KNB-17A battery.
It is not recommended by any battery manufacturer to charge your batteries while the radio is on in the charger, turn it off!, or if "You Can't turn it off", get another battery!. It will save you money and hassle down the road.

- Rusty
----- Original Message -----
From: <RadioGuy205@...>
To: <Kenwood2Way@yahoogroups.com>; <kenwoodlmr@yahoogroups.com>; <kenwoodradio@yahoogroups.com>
Sent: Monday, October 28, 2002 12:34 AM
Subject: [kw-radio] Kenwood NiMH battery charge in a KSC-19?? or KSC-20??

> Can you charge a NiMH battery for a TK-280 in a KSC-19, or KSC-20? Thinking
> about changing to this type of battery due to the "memory" factor that a NiCd
> has. Any input?
>
> Thanks!
> Frederic C.
>
>
> [Non-text portions of this message have been removed]
>
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

301. Programming information for TK-981

Yahoo group: kenwoodradio
Date: 2002-10-31 13:21:52 UTC
From: m_b_blake
Topic: 301 Message: 301

Since no commercial 902 mHz ham radio FM equipment exists we are converting Kenwood TK-981 transceivers for use on a new 902 repeater here in Indianapolis, IN.

By creating a programming file for a commercial frequency and then editing the resulting (filename.dat) file, with a HEX editor, we have successfully placed the TK-981 on the ham band.

The question I have is a technical program question that relates to two bytes in each frequency assignment. These two bytes are between the 8 bytes that define the receive and transmit frequency and the 4 bytes that define the receive and transmit subaudible tone frequencies.

These two bytes (hex 32 32) appear to affect some VCO offset but I would like to be able to determine exactly what the definition of these bytes is.

An example:

5087979250874790(3232)02030203393237723938373520

the frequency is 929.7875, 904.7875 (3232 is unknown bytes) 77.0 pl, 77.0 pl

73 - Mike - K9JRI

302. Other List

Yahoo group: kenwoodradio
Date: 2002-11-01 03:38:26 UTC
From: Rusty Caufield
Topic: 302 Message: 302

Just letting everyone know there is / was another Kenwood Radio List if you are interested.

- Rusty (List Owner, Kenwood2Way)

303. A few for trade items..

Yahoo group: kenwoodradio
Date: 2002-11-01 05:17:34 UTC
From: Evan Platt
Topic: 303 Message: 303

(My god, I've determined I hang on to a radio an average of like a week.. :))

I ended up getting here a Kenwood TK-350 160 channel UHF 440-470 radio. I'm looking for one of two trades:
trades:

Trade option one: (I'd prefer):
My Kenwood TK-350 UHF, GE MPS T-Band & convertacom, for your Motorola MTX 8000 B5 or B7. I have some other misc. goodies I can throw in too....

Or, my Kenwood TK-350 440-470 for your 490 - 512 - Well, I'd like one that recieves 460 AND 488 - so if you have one of these and need the 440 - 470...

Reply via e-mail.

Thanks. :)

304. Re: [kw-radio] Programming information for TK-981

Yahoo group: kenwoodradio
Date: 2002-11-03 07:30:50 UTC
From: Evan Platt
Topic: 301 Message: 304

Just a suggestion, and I'm not intending this to sound like I'm being a smartass - have you tried calling Kenwood? Their tech support to me has been GREAT. Worst they could say is "Sorry, can't tell you." Best case, they answer you.

They've gone above and beyond in answering my questions.

Evan

At 05:21 AM 10/31/2002, you wrote:
>These two bytes (hex 32 32) appear to affect some VCO offset but I
>would like to be able to determine exactly what the definition of
>these bytes is.

305. TM941 Cross Band

Yahoo group: kenwoodradio
Date: 2002-11-04 14:50:21 UTC
From: wa1hog
Topic: 305 Message: 305

I have a TM742 and a TM941 Triband radio. I have no problem with using the 742 in the crossband repeat mode of operation.
My question is does anyone know if and how I can get the 941 to operate in crossband mode?

Thanks Dennis WA1HOG

306. Re: [kw-radio] Digest Number 192

Yahoo group: kenwoodradio
Date: 2002-11-05 15:38:01 UTC
From: Dennis
Topic: 306 Message: 306

Solved my own problem. This radio, when I bought it used already had the 0 Ohm resistor removed. It went in for repair and Kenwood replaced the control board. I had to did out the text about converting the 741 for crossband operation. It now does crossband once more...

73
Dennis

----- Original Message -----
From: <kenwoodradio@yahoogroups.com>
To: <kenwoodradio@yahoogroups.com>
Sent: Tuesday, November 05, 2002 8:47 AM
Subject: [kw-radio] Digest Number 192

> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
> ---
>
> There is 1 message in this issue.
>
> Topics in this digest:
>
> 1. TM941 Cross Band
> From: "wa1hog" <dennis@...>
>
>
> _____
> _____
>
> Message: 1
> Date: Mon, 04 Nov 2002 14:50:21 -0000
> From: "wa1hog" <dennis@...>
> Subject: TM941 Cross Band
>
> I have a TM742 and a TM941 Triband radio. I have no problem with
> using the 742 in the crossband repeat mode of operation.
> My question is does anyone know if and how I can get the 941 to
> operate in crossband mode?
>
> Thanks Dennis WA1HOG
>
>

>
> ---
> ---
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>
>

307. Error on TH-79A Cloning?

Yahoo group: kenwoodradio
Date: 2002-11-06 05:08:07 UTC
From: nmfire10
Topic: 307 Message: 307

I am having a problem cloning this one TH-79a. It works fine on the others, but this one keeps going Error. It either errors right when I start the cloning or after about 10 seconds. What is causing this?

Matt

309. Kenwood TM-401

Yahoo group: kenwoodradio
Date: 2002-11-08 22:12:08 UTC
From: tower112uk
Topic: 309 Message: 309

I am looking for information on the Kenwood TM-401 UHF mobile, for changing the channel stepping, the rig currently steps in 10khz and I require either 12.5 or 25khz steps.
Also any info on how to remove the CTCSS decoder module.

Many thanks.
Roger

311. Kenwood THd7 TNC

Yahoo group: kenwoodradio
Date: 2002-11-10 07:26:08 UTC
From: Ian Bullock
Topic: 311 Message: 311

Hi there just built a cable for APRS for the Kenwood
and Garmina dn works great. But then tried to also
tie it all together with me computer via TNC cable.
It has been made correctly but unable to get Computer
and Radio to talk to each other. Anybody have any
ideas? Have the right com port.

Thx Ian

Do you Yahoo!?
U2 on LAUNCH - Exclusive greatest hits videos
http://launch.yahoo.com/u2

312. manuel or mike wireing for TR9000

Yahoo group: kenwoodradio
Date: 2002-11-10 08:52:04 UTC
From: Ernie
Topic: 312 Message: 312

Hi all

Has any one the group got a manuel or the mike wireing for a Trio 9000 that they could email me please my email address is g4yyb.ernie@...

Thanks Ernie G4YYB

313. Re: [Kenwood2Way] TK-730 VHF

Yahoo group: kenwoodradio
Date: 2002-11-13 13:57:46 UTC
From: Rusty Caufield
Topic: 313 Message: 313

I have a friend that has for sale:
TK-730HK w/ Full Function Single head remote, 160ch upgrade
TK-830HK w/ Full Function Single head remote, 160ch upgrade
KRK-4 Dual Band Single head remote kit

He can be contacted at:
chopperbill@...

- Rusty
----- Original Message -----
From: "maxpowers247" <maxpowers247@...>
To: <Kenwood2Way@yahoogroups.com>
Sent: Wednesday, November 13, 2002 7:42 AM
Subject: [Kenwood2Way] TK-730 VHF

> I need a TK-730, that I am going to convert to 2 meters. If anyone
> has one without a head I would like that since I am going to use it
> in a dual band set up. But I am interested in anything out there so
> get back to me.
>
> Robert
>
>
> To unsubscribe from this group, send an email to:
> Kenwood2Way-unsubscribe@egroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

314. The group.

Yahoo group: kenwoodradio
Date: 2002-11-15 16:43:15 UTC
From: Tommy Hooks
Topic: 314 Message: 314

Just an email to get me in the group. Hello everyone.

_____
Protect your PC - get McAfee.com VirusScan Online
http://clinic.mcafee.com/clinic/ibuy/campaign.asp?cid=3963

315. TM-3530A Low Receiver Sensitivity

Yahoo group: kenwoodradio
Date: 2002-11-15 20:54:25 UTC
From: KJ
Topic: 315 Message: 315

A friend recently purchased a used Kenwood TM-3530A (220 FM mobile). The receiver sensitivity on it is approximately 2 microvolts. The specs indicate that it should be near 0.2 microvolts. I borrowed a TM-3530A from another friend who had not used it for several years. I found that it lacks receiver sensitivity also. I have not measured it yet, but I suspect it is in the vicinity 2 microvolts also. This indicates that this may be a common problem with these rigs. Does anyone have any opinions/experiences with receiver sensitivity problems in the TM-3530? All thoughts appreciated. Thanks.

Kevin Hunter - KAØI
Willard, MO

316. Operating manual TK 340

Yahoo group: kenwoodradio
Date: 2002-11-17 09:29:36 UTC
From: Chris Hattan
Topic: 316 Message: 316

Anyone know where I can find a pdf operating manual for the Kenwood
TK 340??

Thanks

Chris
NZ

317. TM-401

Yahoo group: kenwoodradio
Date: 2002-11-23 00:00:03 UTC
From: tower112uk
Topic: 317 Message: 317

Can anyone help me with information on how to change the channel stepping from 10khz to 12.5 or 25khz.

Thanks in advance.
Roger

318. NEED info for GAP ant on TS530S rig.....

Yahoo group: kenwoodradio
Date: 2002-11-26 18:47:12 UTC
From: Dan
Topic: 318 Message: 318

Does ANYONE know how good the RELATIONSHIP is between thes two
componets???? Anyhelp will greatly be appreciated...

73s
Dan

319. MODERATOR... PLEASE setup replies to POST in the threads of the GROUP!!!!!

Yahoo group: kenwoodradio
Date: 2002-11-28 01:53:27 UTC
From: Dan
Topic: 319 Message: 319

I agree..... IT STILL does NOT work correctly! I found this out
last night trying to REPLY to my post...

73's
Dan

--- In kenwoodradio@y..., Bill <coorsbill@y...> wrote:
> HEY MODERATOR!
>
> The group is set for all replies to posts to go back
> to the originator instead of to the list. Is this
> intended?
>
> The only bad thing about that is, threads can't
> develop and it leaves everyone else "out of the
> loop"... Your choice, but I would set it to send
> replies to the group.
>
> 73!
>
> Bill

320. Re: MODERATOR... PLEASE setup replies to POST in the threads of the GROUP!!!!!

Yahoo group: kenwoodradio
Date: 2002-12-01 14:14:26 UTC
From: Dan
Topic: 319 Message: 320

test reply

321. Re: NEED info for GAP ant on TS530S rig.....

Yahoo group: kenwoodradio
Date: 2002-12-01 14:21:22 UTC
From: Dan
Topic: 318 Message: 321

I have recd GREAT reveiws on the TITIAN DX.... for a few people!!! No need for any other replies...
THANKS and 73s

Dan

--- In kenwoodradio@y..., "Dan" <eiefs@y...> wrote:
> Does ANYONE know how good the RELATIONSHIP is between thes two
> componets???? Anyhelp will greatly be appreciated...
>
>
> 73s
> Dan

322. Kenwood MC-50 and other desk microphones FS

Yahoo group: kenwoodradio
Date: 2002-12-02 02:43:39 UTC
From: Ken Simpson, W8EK
Topic: 322 Message: 322

For Sale:

Kenwood MC-50 desk microphone. This is the
popular mic that is made to match the TS-120,
TS-130, TS-180, TS-520, TS-820, TS-530, TS-830
and others of that vintage. It has both high and low
Z output. This one is in very nice shape. Someone
very tastefully added and "up" and a "down" pushbutton
switch to it, making it function like the $100 type of
desk mics. But this one is only $ 60.

Other microphones and related for sale:

Turner 253 desk microphone.
This is a low Z model, so it will work with most of
the new modern rigs. It is a brushed chrome styling
with nice PTT switch. It looks almost like new. $45

Shure 444 desk microphone.
The Shure has voice shaping built in to it, with PTT switch
on the base, and a switch for High or Low Z under the base.
This mic is the gray color, and is in good shape for $ 45.

Turner "Plus 3" desk microphone
It has an amplifier built in to the base, so will match
either Hi Z or Lo Z rigs. Nice shape for $50

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-Mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

323. TS940S Problems

Yahoo group: kenwoodradio
Date: 2002-12-02 05:49:39 UTC
From: m.w.dolan@juno.com
Topic: 323 Message: 323

I have a problem with my Kenwood TS940S, the digital display does not work at all, and at higher bands above 14 mhz the radio quits receiving and transmitting. At the lower bands it will work but at times will blink out. I have some ideas why it might be malfunctioning, Lithium battery, PLL, bad EPROM?. Any ideas would greatly appreciated. Thank You. Mark KK7VV

_____
Sign Up for Juno Platinum Internet Access Today
Only $9.95 per month!
Visit www.juno.com

324. TM 701A

Yahoo group: kenwoodradio
Date: 2002-12-07 20:41:23 UTC
From: Bill Alexander <kr6g@arrl.net>
Topic: 324 Message: 324

Lost manual, need spec for 2 and 440 power out and adjusting pots
location and #'s.
Want to verify proper operation before selling. Will buy a operator
manual from Surplus Sales of Neb. Seems to be cheapest.$15.00
Any help or ideals appreciated.

Alex kr6g
kr6g@...

325. Re: TS940S Problems

Yahoo group: kenwoodradio
Date: 2002-12-08 14:57:37 UTC
From: thumbpicker_2000 <jpeel1@cinci.rr.com>
Topic: 323 Message: 325

I had the same problem with my TS 940S and it turned out be bad
solder connections on the PLL board. After re-soldering any
suspicious looking joints the problem went away and the radio has
worked fine ever since.

Jeff W8GZW

--- In kenwoodradio@yahoogroups.com, m.w.dolan@j... wrote:
> I have a problem with my Kenwood TS940S, the digital display does
not
> work at all, and at higher bands above 14 mhz the radio quits
receiving
> and transmitting. At the lower bands it will work but at times will
> blink out. I have some ideas why it might be malfunctioning, Lithium
> battery, PLL, bad EPROM?. Any ideas would greatly appreciated.
Thank
> You. Mark KK7VV
>
> _____
> Sign Up for Juno Platinum Internet Access Today
> Only $9.95 per month!
> Visit www.juno.com

326. WTB or WTT for Kenwood TK-790H Remote Full Head

Yahoo group: kenwoodradio
Date: 2002-12-10 02:57:40 UTC
From: RadioGuy205@aol.com
Topic: 326 Message: 326

Wanting to buy, or wanting to trade a like new Kenwood TK-730H / 830H Dual band setup, full featured head, remote mount, 160 channel radio for a new or lightly used Kenwood TK-790H Remote Mount Full Featured Head. Frequency range of 148-174 MHz or close to that. Any info is appreciated. E-mail off list if possible. Thanks!!

Frederic C.

[Non-text portions of this message have been removed]

327. TK-350(G) won't program? Please Help.

Yahoo group: kenwoodradio
Date: 2002-12-10 17:27:37 UTC
From: nmfire10 <nmfire10@yahoo.com>
Topic: 327 Message: 327

I don't get this. I have a TK-350(G), the KPG-23D software and the programing cable. I hook it all up. I read in the "Readme" that you have to hold down LAMP and SCAN to put in program mode. Well that doesn't work. The only thing that does anything is if I hold down LAMP and L/O it will say "-PC-". Then, when I go to read it, it says "CHECK RADIO TYPE".

What is going wrong here? Any idead would be much appriciated!!
Thanks!

Matt

328. SOLENN THAKSGIVING MASS of rev. FR. MICHAEL \W. ESCOTO CRS

Yahoo group: kenwoodradio
Date: 2002-12-11 23:49:20 UTC
From: paolutto@yahoo.com
Topic: 328 Message: 328

You're Invited to "SOLENN THNAKSGIVING MASS of rev. FR. MICHAEL \W. ESCOTO CRS".

From your host PAOLO ALUTTO CRS:

TRHANKSGIVING MASS ,SUN. DEC. 15, 2002, 8:00 AM , OF FR. MICHAEL W. ESCOTO , CRS. JOIN US IN THIS GREAT DAY OF REJOICING TO THE LORD FOR GIVING US A NEW PASTOR ACCORDING TO HIS HEART*. LIVE TELECAST A I T V 5 / CABLE 11 & D W A M - F M 94.3 MHZ , STEREO , PROVINCEWIDE. AEMILIANUM BROADCASTING CENTER , IN COOPERATION WITH THE MASCOMM & ECE STUDENTS/TEACHER OF AEMILIANUM COLLEGE - SORSOGON CITY. STAY WITH US.

Host: aemilianum
Date: Sunday December 15, 2002
Time: 8:00 am - 10:00 am
Time Zone: China, Singapore, Taiwan Location: AEMILIANUM COLLEGE - GRADE SCHOOL - 17ST. STR. PANGPANG - SORSOGON CITY
Street: aemilianum broadacsting network
City/State/Zip: aemilianum college , 4700 sorsogon city
Phone: (56) 211 23 30 - 211 12 97

Will you attend? RSVP to this invitation at:

http://calendar.yahoo.com/YYY,00772/aemilianum?v=126&a1=0&iid=Thlx8phbLhi1agY5kh%40lNeh%40Fiz%40&igid=ShAnkctdfk3j%40dxz-h%40ihtda2FUaA9zT

Copyright 2002 Yahoo! Inc. All Rights Reserved.
http://www.yahoo.com

Privacy Policy:
http://privacy.yahoo.com/

Terms of Service:
http://docs.yahoo.com/info/terms/

[Non-text portions of this message have been removed]

329. Update: SOLEN THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS

Yahoo group: kenwoodradio
Date: 2002-12-12 00:07:24 UTC
From: paolutto@yahoo.com
Topic: 329 Message: 329

The event "SOLEN THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS" has changed.
New! = items changed by your host.

From your host PAOLO ALUTTO CRS:

TRHANKSGIVING MASS ,SUN. DEC. 15, 2002, 8:00 AM , OF FR. MICHAEL W. ESCOTO , CRS. JOIN US IN THIS GREAT DAY OF REJOICING TO THE LORD FOR GIVING US A NEW PASTOR ACCORDING TO HIS HEART*. LIVE TELECAST A I T V 5 / CABLE 11 & D W A M - F M 94.3 MHZ , STEREO , PROVINCEWIDE. AEMILIANUM BROADCASTING CENTER , IN COOPERATION WITH THE MASCOMM & ECE STUDENTS/TEACHER OF AEMILIANUM COLLEGE - SORSOGON CITY. STAY WITH US.

Host: aemilianum
Date: Sunday December 15, 2002
Time: 8:00 am - 10:00 am
Time Zone: China, Singapore, Taiwan Location: AEMILIANUM COLLEGE - GRADE SCHOOL - 17ST. STR. PANGPANG - SORSOGON CITY
Street: aemilianum broadacsting network
City/State/Zip: aemilianum college , 4700 sorsogon city
Phone: (56) 211 23 30 - 211 12 97

Will you attend the updated event? RSVP to this invitation at:

http://calendar.yahoo.com/YYY,04080/aemilianum?v=126&a1=0&iid=Thlx8phbLhi1agI5kh%40h6eh%40Fiz%40&igid=ShAnkctdfk3j%40dxz-h%40ihtda2FUaA9zT

Copyright 2002 Yahoo! Inc. All Rights Reserved.
http://www.yahoo.com

Privacy Policy:
http://privacy.yahoo.com/

Terms of Service:
http://docs.yahoo.com/info/terms/

[Non-text portions of this message have been removed]

330. Update: SOLEN THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS

Yahoo group: kenwoodradio
Date: 2002-12-12 00:11:59 UTC
From: paolutto@yahoo.com
Topic: 329 Message: 330

The event "SOLEN THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS" has changed.
New! = items changed by your host.

From your host PAOLO ALUTTO CRS:

TRHANKSGIVING MASS ,SUN. DEC. 15, 2002, 8:00 AM , OF FR. MICHAEL W. ESCOTO , CRS. JOIN US IN THIS GREAT DAY OF REJOICING TO THE LORD FOR GIVING US A NEW PASTOR ACCORDING TO HIS HEART*. LIVE TELECAST A I T V 5 / CABLE 11 & D W A M - F M 94.3 MHZ , STEREO , PROVINCEWIDE. AEMILIANUM BROADCASTING CENTER , IN COOPERATION WITH THE MASCOMM & ECE STUDENTS/TEACHER OF AEMILIANUM COLLEGE - SORSOGON CITY. STAY WITH US.

Host: aemilianum
Date: Sunday December 15, 2002
Time: 8:00 am - 10:00 am
Time Zone: China, Singapore, Taiwan Location: AEMILIANUM COLLEGE - GRADE SCHOOL - 17ST. STR. PANGPANG - SORSOGON CITY
Street: aemilianum broadacsting network
City/State/Zip: aemilianum college , 4700 sorsogon city
Phone: (56) 211 23 30 - 211 12 97

Will you attend the updated event? RSVP to this invitation at:

http://calendar.yahoo.com/YYY,54502/aemilianum?v=126&a1=0&iid=Thlx8phbLhi1agI5khal6ah%40Fiz%40&igid=ShAnkctdfk3j%40dxz-h%40ihtda2FUaA9zT

Copyright 2002 Yahoo! Inc. All Rights Reserved.
http://www.yahoo.com

Privacy Policy:
http://privacy.yahoo.com/

Terms of Service:
http://docs.yahoo.com/info/terms/

[Non-text portions of this message have been removed]

331. Update: SOLEN THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS

Yahoo group: kenwoodradio
Date: 2002-12-12 00:12:30 UTC
From: paolutto@yahoo.com
Topic: 329 Message: 331

The event "SOLEN THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS" has changed.
New! = items changed by your host.

From your host PAOLO ALUTTO CRS:

TRHANKSGIVING MASS ,SUN. DEC. 15, 2002, 8:00 AM , OF FR. MICHAEL W. ESCOTO , CRS. JOIN US IN THIS GREAT DAY OF REJOICING TO THE LORD FOR GIVING US A NEW PASTOR ACCORDING TO HIS HEART*. LIVE TELECAST A I T V 5 / CABLE 11 & D W A M - F M 94.3 MHZ , STEREO , PROVINCEWIDE. AEMILIANUM BROADCASTING CENTER , IN COOPERATION WITH THE MASCOMM & ECE STUDENTS/TEACHER OF AEMILIANUM COLLEGE - SORSOGON CITY. STAY WITH US.

Host: aemilianum
Date: Sunday December 15, 2002
Time: 8:00 am - 10:00 am
Time Zone: China, Singapore, Taiwan Location: AEMILIANUM COLLEGE - GRADE SCHOOL - 17ST. STR. PANGPANG - SORSOGON CITY
Street: aemilianum broadacsting network
City/State/Zip: aemilianum college , 4700 sorsogon city
Phone: (56) 211 23 30 - 211 12 97

Will you attend the updated event? RSVP to this invitation at:

http://calendar.yahoo.com/YYY,54591/aemilianum?v=126&a1=0&iid=Thlx8phbLhi1agI5khah6eh%40Fiz%40&igid=ShAnkctdfk3j%40dxz-h%40ihtda2FUaA9zT

Copyright 2002 Yahoo! Inc. All Rights Reserved.
http://www.yahoo.com

Privacy Policy:
http://privacy.yahoo.com/

Terms of Service:
http://docs.yahoo.com/info/terms/

[Non-text portions of this message have been removed]

332. Update: SOLEN THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS

Yahoo group: kenwoodradio
Date: 2002-12-12 00:11:20 UTC
From: paolutto@yahoo.com
Topic: 329 Message: 332

The event "SOLEN THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS" has changed.
New! = items changed by your host.

From your host PAOLO ALUTTO CRS:

TRHANKSGIVING MASS ,SUN. DEC. 15, 2002, 8:00 AM , OF FR. MICHAEL W. ESCOTO , CRS. JOIN US IN THIS GREAT DAY OF REJOICING TO THE LORD FOR GIVING US A NEW PASTOR ACCORDING TO HIS HEART*. LIVE TELECAST A I T V 5 / CABLE 11 & D W A M - F M 94.3 MHZ , STEREO , PROVINCEWIDE. AEMILIANUM BROADCASTING CENTER , IN COOPERATION WITH THE MASCOMM & ECE STUDENTS/TEACHER OF AEMILIANUM COLLEGE - SORSOGON CITY. STAY WITH US.

Host: aemilianum
Date: Sunday December 15, 2002
Time: 8:00 am - 10:00 am
Time Zone: China, Singapore, Taiwan Location: AEMILIANUM COLLEGE - GRADE SCHOOL - 17ST. STR. PANGPANG - SORSOGON CITY
Street: aemilianum broadacsting network
City/State/Zip: aemilianum college , 4700 sorsogon city
Phone: (56) 211 23 30 - 211 12 97

Will you attend the updated event? RSVP to this invitation at:

http://calendar.yahoo.com/YYY,54367/aemilianum?v=126&a1=0&iid=Thlx8phbLhi1agI5khah4eh%40Fiz%40&igid=ShAnkctdfk3j%40dxz-h%40ihtda2FUaA9zT

Copyright 2002 Yahoo! Inc. All Rights Reserved.
http://www.yahoo.com

Privacy Policy:
http://privacy.yahoo.com/

Terms of Service:
http://docs.yahoo.com/info/terms/

[Non-text portions of this message have been removed]

333. Update: SOLEN THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS

Yahoo group: kenwoodradio
Date: 2002-12-11 23:59:31 UTC
From: paolutto@yahoo.com
Topic: 329 Message: 333

The event "SOLEN THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS" has changed.
New! = items changed by your host.

From your host PAOLO ALUTTO CRS:

TRHANKSGIVING MASS ,SUN. DEC. 15, 2002, 8:00 AM , OF FR. MICHAEL W. ESCOTO , CRS. JOIN US IN THIS GREAT DAY OF REJOICING TO THE LORD FOR GIVING US A NEW PASTOR ACCORDING TO HIS HEART*. LIVE TELECAST A I T V 5 / CABLE 11 & D W A M - F M 94.3 MHZ , STEREO , PROVINCEWIDE. AEMILIANUM BROADCASTING CENTER , IN COOPERATION WITH THE MASCOMM & ECE STUDENTS/TEACHER OF AEMILIANUM COLLEGE - SORSOGON CITY. STAY WITH US.

Host: aemilianum
New! Title: SOLEN THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS (changed from SOLENN THNAKSGIVING MASS of rev. FR. MICHAEL \W. ESCOTO CRS)
Date: Sunday December 15, 2002
Time: 8:00 am - 10:00 am
Time Zone: China, Singapore, Taiwan Location: AEMILIANUM COLLEGE - GRADE SCHOOL - 17ST. STR. PANGPANG - SORSOGON CITY
Street: aemilianum broadacsting network
City/State/Zip: aemilianum college , 4700 sorsogon city
Phone: (56) 211 23 30 - 211 12 97

Will you attend the updated event? RSVP to this invitation at:

http://calendar.yahoo.com/YYY,27933/aemilianum?v=126&a1=0&iid=Thlx8phbLhi1agI5khal6ex%40Fiz%40&igid=ShAnkctdfk3j%40dxz-h%40ihtda2FUaA9zT

Copyright 2002 Yahoo! Inc. All Rights Reserved.
http://www.yahoo.com

Privacy Policy:
http://privacy.yahoo.com/

Terms of Service:
http://docs.yahoo.com/info/terms/

[Non-text portions of this message have been removed]

334. Update: SOLEN THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS

Yahoo group: kenwoodradio
Date: 2002-12-12 00:04:29 UTC
From: paolutto@yahoo.com
Topic: 329 Message: 334

The event "SOLEN THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS" has changed.
New! = items changed by your host.

From your host PAOLO ALUTTO CRS:

TRHANKSGIVING MASS ,SUN. DEC. 15, 2002, 8:00 AM , OF FR. MICHAEL W. ESCOTO , CRS. JOIN US IN THIS GREAT DAY OF REJOICING TO THE LORD FOR GIVING US A NEW PASTOR ACCORDING TO HIS HEART*. LIVE TELECAST A I T V 5 / CABLE 11 & D W A M - F M 94.3 MHZ , STEREO , PROVINCEWIDE. AEMILIANUM BROADCASTING CENTER , IN COOPERATION WITH THE MASCOMM & ECE STUDENTS/TEACHER OF AEMILIANUM COLLEGE - SORSOGON CITY. STAY WITH US.

Host: aemilianum
Date: Sunday December 15, 2002
Time: 8:00 am - 10:00 am
Time Zone: China, Singapore, Taiwan Location: AEMILIANUM COLLEGE - GRADE SCHOOL - 17ST. STR. PANGPANG - SORSOGON CITY
Street: aemilianum broadacsting network
City/State/Zip: aemilianum college , 4700 sorsogon city
Phone: (56) 211 23 30 - 211 12 97

Will you attend the updated event? RSVP to this invitation at:

http://calendar.yahoo.com/YYY,10690/aemilianum?v=126&a1=0&iid=Thlx8phbLhi1agI51halMah%40Fiz%40&igid=ShAnkctdfk3j%40dxz-h%40ihtda2FUaA9zT

Copyright 2002 Yahoo! Inc. All Rights Reserved.
http://www.yahoo.com

Privacy Policy:
http://privacy.yahoo.com/

Terms of Service:
http://docs.yahoo.com/info/terms/

[Non-text portions of this message have been removed]

335. Update: SOLEN THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS

Yahoo group: kenwoodradio
Date: 2002-12-12 00:06:58 UTC
From: paolutto@yahoo.com
Topic: 329 Message: 335

The event "SOLEN THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS" has changed.
New! = items changed by your host.

From your host PAOLO ALUTTO CRS:

TRHANKSGIVING MASS ,SUN. DEC. 15, 2002, 8:00 AM , OF FR. MICHAEL W. ESCOTO , CRS. JOIN US IN THIS GREAT DAY OF REJOICING TO THE LORD FOR GIVING US A NEW PASTOR ACCORDING TO HIS HEART*. LIVE TELECAST A I T V 5 / CABLE 11 & D W A M - F M 94.3 MHZ , STEREO , PROVINCEWIDE. AEMILIANUM BROADCASTING CENTER , IN COOPERATION WITH THE MASCOMM & ECE STUDENTS/TEACHER OF AEMILIANUM COLLEGE - SORSOGON CITY. STAY WITH US.

Host: aemilianum
Date: Sunday December 15, 2002
Time: 8:00 am - 10:00 am
Time Zone: China, Singapore, Taiwan Location: AEMILIANUM COLLEGE - GRADE SCHOOL - 17ST. STR. PANGPANG - SORSOGON CITY
Street: aemilianum broadacsting network
City/State/Zip: aemilianum college , 4700 sorsogon city
Phone: (56) 211 23 30 - 211 12 97

Will you attend the updated event? RSVP to this invitation at:

http://calendar.yahoo.com/YYY,17582/aemilianum?v=126&a1=0&iid=Thlx8phbLhi1agI51h%40lNeh%40Fiz%40&igid=ShAnkctdfk3j%40dxz-h%40ihtda2FUaA9zT

Copyright 2002 Yahoo! Inc. All Rights Reserved.
http://www.yahoo.com

Privacy Policy:
http://privacy.yahoo.com/

Terms of Service:
http://docs.yahoo.com/info/terms/

[Non-text portions of this message have been removed]

336. kenwood tk705d 16ch vhf and tk 805d 16ch uhf radios for sale

Yahoo group: kenwoodradio
Date: 2002-12-13 21:30:54 UTC
From: wcj64 <jcw74@hotmail.com>
Topic: 336 Message: 336

i have a kenwood tk705d 16ch vhf and tk 805d 16ch uhf radios for sale
both will do amature bands. will program for $25 extra per radio if
you supply freq list. asking $200 per radio obo. jcw74@...

337. Re: [kw-radio] Update: SOLEN THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS

Yahoo group: kenwoodradio
Date: 2002-12-14 17:33:52 UTC
From: Evan Platt
Topic: 329 Message: 337

1. Is there a reason this is in a Kenwood Radio discussion list?

2. Is there a reason this is in a Kenwood Radio discussion list TEN TIMES???

At 04:11 PM 12/11/2002, you wrote:
>The event "SOLEN
>THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS" has changed.
>New! = items changed by your host.

338. Re: [kw-radio] Update: SOLEN THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO ...

Yahoo group: kenwoodradio
Date: 2002-12-14 18:45:55 UTC
From: kenwoodthf7e@aol.com
Topic: 338 Message: 338

i agree keep this shit off as i thought i was on the wrong group BANN the person who sent the post

[Non-text portions of this message have been removed]

339. www.MrHamRadio.com

Yahoo group: kenwoodradio
Date: 2002-12-15 03:06:33 UTC
From: Jovan <kb9k@attbi.com>
Topic: 339 Message: 339

Hi to everyone in the Group & Happy Holiday's

For those of you who missed last month's posting regarding my mini manuals I wanted to let you know that I've moved all my files to a web site at www.MrHamRadio.com. The cards are still available and can be purchased from that site. Available models of the mini manuals are;

Yaesu VX-1, VX-5R, VX-7, FT-90, FT-100D, FT-817
Icom IC-T81, IC-W32, IC-706MKIIG
Kenwood TH-F6

They're a great stocking stuffier!!!

73

Jovan Peric KB9K
3425 W. Ardmore Ave. - Chicago, IL 60659
www.MrHamRadio.com

340. Re: [kw-radio] Update: SOLEN THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS

Yahoo group: kenwoodradio
Date: 2002-12-16 14:57:21 UTC
From: Fred
Topic: 340 Message: 340

It's probably some sort of autoreply. It's taken care of, I deleted his account.

Fred
List owner
N4IXL
----- Original Message -----
From: Evan Platt
To: kenwoodradio@yahoogroups.com
Sent: Saturday, December 14, 2002 12:33 PM
Subject: Re: [kw-radio] Update: SOLEN THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS

1. Is there a reason this is in a Kenwood Radio discussion list?

2. Is there a reason this is in a Kenwood Radio discussion list TEN TIMES???

At 04:11 PM 12/11/2002, you wrote:
>The event "SOLEN
>THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS" has changed.
>New! = items changed by your host.

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

341. Important: Is www.MrHamRadio.com releveant?

Yahoo group: kenwoodradio
Date: 2002-12-16 15:03:17 UTC
From: Fred
Topic: 341 Message: 341

Hi,

This is Fred, N4IXL the list owner. At first this post seemed like an ad and I was going to delete this person's account, but if this is information relevant to the group I don't want to do it unless the ads start showing up too regularly. I would like your input.

Fred

----- Original Message -----
From: Jovan <kb9k@...>
To: kenwoodradio@yahoogroups.com
Sent: Saturday, December 14, 2002 10:06 PM
Subject: [kw-radio] www.MrHamRadio.com

Hi to everyone in the Group & Happy Holiday's

For those of you who missed last month's posting regarding my mini manuals I wanted to let you know that I've moved all my files to a web site at www.MrHamRadio.com. The cards are still available and can be purchased from that site. Available models of the mini manuals are;

Yaesu VX-1, VX-5R, VX-7, FT-90, FT-100D, FT-817
Icom IC-T81, IC-W32, IC-706MKIIG
Kenwood TH-F6

They're a great stocking stuffier!!!

73

Jovan Peric KB9K
3425 W. Ardmore Ave. - Chicago, IL 60659
www.MrHamRadio.com

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

342. Re: [kw-radio] Important: Is www.MrHamRadio.com releveant?

Yahoo group: kenwoodradio
Date: 2002-12-16 15:24:15 UTC
From: Rich Schmitt
Topic: 342 Message: 342

Fred,
This looks like an Ad to me. It looks like he is trying to sell Manuals for Ham Radios. The problem I see is that if you let this person advertise his Manuals, the next thing you know we have 30 people doing the same thing. From what I understand this group was designed to help Kenwood Radio Owners with problems, not to sell manuals for every type of Radio under the sun.

Just my thoughts.

Rich Schmitt (KD7LMN)
kd7lmn@...
Peoria, AZ
-------Original Message-------

From: kenwoodradio@yahoogroups.com
Date: Monday, December 16, 2002 8:17:15 AM
To: kenwoodradio@yahoogroups.com
Subject: [kw-radio] Important: Is www.MrHamRadio.com releveant?

Hi,

This is Fred, N4IXL the list owner. At first this post seemed like an ad and I was going to delete this person's account, but if this is information relevant to the group I don't want to do it unless the ads start showing up too regularly. I would like your input.

Fred

----- Original Message -----
From: Jovan <kb9k@...>
To: kenwoodradio@yahoogroups.com
Sent: Saturday, December 14, 2002 10:06 PM
Subject: [kw-radio] www.MrHamRadio.com

Hi to everyone in the Group & Happy Holiday's

For those of you who missed last month's posting regarding my mini manuals I wanted to let you know that I've moved all my files to a web site at www.MrHamRadio.com. The cards are still available and can be purchased from that site. Available models of the mini manuals are;

Yaesu VX-1, VX-5R, VX-7, FT-90, FT-100D, FT-817
Icom IC-T81, IC-W32, IC-706MKIIG
Kenwood TH-F6

They're a great stocking stuffier!!!

73

Jovan Peric KB9K
3425 W. Ardmore Ave. - Chicago, IL 60659
www.MrHamRadio.com

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

343. Re: [kw-radio] Update: SOLEN THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS

Yahoo group: kenwoodradio
Date: 2002-12-16 15:32:56 UTC
From: Ed Cifelli
Topic: 340 Message: 343

Thank you, my delete button was getting tired

Ed
KC7MWP
----- Original Message -----
From: Fred
To: kenwoodradio@yahoogroups.com
Sent: Monday, December 16, 2002 7:57 AM
Subject: Re: [kw-radio] Update: SOLEN THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS

It's probably some sort of autoreply. It's taken care of, I deleted his account.

Fred
List owner
N4IXL
----- Original Message -----
From: Evan Platt
To: kenwoodradio@yahoogroups.com
Sent: Saturday, December 14, 2002 12:33 PM
Subject: Re: [kw-radio] Update: SOLEN THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS

1. Is there a reason this is in a Kenwood Radio discussion list?

2. Is there a reason this is in a Kenwood Radio discussion list TEN TIMES???

At 04:11 PM 12/11/2002, you wrote:
>The event "SOLEN
>THANKSGIVING MASS of rev. FR. MICHAEL W. ESCOTO CRS" has changed.
>New! = items changed by your host.

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

344. Re: [kw-radio] Important: Is www.MrHamRadio.com releveant?

Yahoo group: kenwoodradio
Date: 2002-12-16 15:43:00 UTC
From: Ed Cifelli
Topic: 342 Message: 344

Fred
My thoughts are to leave them if he only posts once a month. Many of us can use something like these cards. Sorry I can't as none of my gear is this new. I sill have the RS HTX 202 that I got when I first got my license.

Ed
KC7MWP

----- Original Message -----
From: Fred
To: kenwoodradio@yahoogroups.com
Sent: Monday, December 16, 2002 8:03 AM
Subject: [kw-radio] Important: Is www.MrHamRadio.com releveant?

Hi,

This is Fred, N4IXL the list owner. At first this post seemed like an ad and I was going to delete this person's account, but if this is information relevant to the group I don't want to do it unless the ads start showing up too regularly. I would like your input.

Fred

----- Original Message -----
From: Jovan <kb9k@...>
To: kenwoodradio@yahoogroups.com
Sent: Saturday, December 14, 2002 10:06 PM
Subject: [kw-radio] www.MrHamRadio.com

Hi to everyone in the Group & Happy Holiday's

For those of you who missed last month's posting regarding my mini manuals I wanted to let you know that I've moved all my files to a web site at www.MrHamRadio.com. The cards are still available and can be purchased from that site. Available models of the mini manuals are;

Yaesu VX-1, VX-5R, VX-7, FT-90, FT-100D, FT-817
Icom IC-T81, IC-W32, IC-706MKIIG
Kenwood TH-F6

They're a great stocking stuffier!!!

73

Jovan Peric KB9K
3425 W. Ardmore Ave. - Chicago, IL 60659
www.MrHamRadio.com

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

345. Re: [kw-radio] Important: Is www.MrHamRadio.com releveant?

Yahoo group: kenwoodradio
Date: 2002-12-16 15:43:44 UTC
From: rusty_caufield <rustyc@ev1.net>
Topic: 342 Message: 345

I agree, Ad it to the Links section as a source for Manuals and don't
advertise. Let ads or solicitations be sent to the list once and then
add
the link to the links folder. I do the same on my list.

My 0.02 - Rusty (List owner: Kenwood2way)

--- In kenwoodradio@yahoogroups.com, "Rich Schmitt" <kd7lmn@c...>
wrote:
> Fred,
> This looks like an Ad to me. It looks like he is trying to
sell Manuals
> for Ham Radios. The problem I see is that if you let this person
advertise
> his Manuals, the next thing you know we have 30 people doing the
same thing.
> From what I understand this group was designed to help Kenwood
Radio Owners
> with problems, not to sell manuals for every type of Radio under
the sun.
>
> Just my thoughts.
>
> Rich Schmitt (KD7LMN)
> kd7lmn@c...
> Peoria, AZ
> -------Original Message-------
>
> From: kenwoodradio@yahoogroups.com
> Date: Monday, December 16, 2002 8:17:15 AM
> To: kenwoodradio@yahoogroups.com
> Subject: [kw-radio] Important: Is www.MrHamRadio.com releveant?
>
> Hi,
>
> This is Fred, N4IXL the list owner. At first this post seemed like
an ad
> and I was going to delete this person's account, but if this is
information
> relevant to the group I don't want to do it unless the ads start
showing up
> too regularly. I would like your input.
>
> Fred
>

> ----- Original Message -----
> From: Jovan <kb9k@a...>
> To: kenwoodradio@yahoogroups.com
> Sent: Saturday, December 14, 2002 10:06 PM
> Subject: [kw-radio] www.MrHamRadio.com
>
>
> Hi to everyone in the Group & Happy Holiday's
>
> For those of you who missed last month's posting regarding my
mini
> manuals I wanted to let you know that I've moved all my files to
a
> web site at www.MrHamRadio.com. The cards are still available and
> can be purchased from that site. Available models of the mini
> manuals are;
>
> Yaesu VX-1, VX-5R, VX-7, FT-90, FT-100D, FT-817
> Icom IC-T81, IC-W32, IC-706MKIIG
> Kenwood TH-F6
>
> They're a great stocking stuffier!!!
>
> 73
>
> Jovan Peric KB9K
> 3425 W. Ardmore Ave. - Chicago, IL 60659
> www.MrHamRadio.com
>
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.
>
>
> [Non-text portions of this message have been removed]
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio

>
>
> Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.
>
>
>
> [Non-text portions of this message have been removed]

346. Re: [kw-radio] Important: Is www.MrHamRadio.com releveant?

Yahoo group: kenwoodradio
Date: 2002-12-16 16:15:21 UTC
From: Bob Mason
Topic: 342 Message: 346

On 16 Dec 2002 at 8:24, Rich Schmitt wrote:

> Fred,
> This looks like an Ad to me. It looks like he is trying to sell Manuals
> for Ham Radios. The problem I see is that if you let this person advertise
> his Manuals, the next thing you know we have 30 people doing the same
thing.
> From what I understand this group was designed to help Kenwood Radio
Owners
> with problems, not to sell manuals for every type of Radio under the sun.
>
> Just my thoughts.
>
> Rich Schmitt (KD7LMN)
> kd7lmn@...
> Peoria, AZ

I agree, if he wants to add his link as a sig fine, but just to sell his goods
through the list is just plain old Spam,

Seasons greetings

73
--
Bob Mason
http://www.mm0bqm.co.uk

347. KPS-15 Power Supply

Yahoo group: kenwoodradio
Date: 2002-12-21 00:29:03 UTC
From: djs_111 <djs_111@yahoo.com>
Topic: 347 Message: 347

Does anyone have any expiereance with this unit. I would like to know
if it works well with a ts-570.

Thanks,

Dan
KG4OXX

348. Re: [kw-radio] KPS-15 Power Supply

Yahoo group: kenwoodradio
Date: 2002-12-21 03:46:44 UTC
From: Rusty Caufield
Topic: 348 Message: 348

I have not used the KPS-15, but have used other Switching type power supplies (Duracom PS Series) with HF Rigs and have had nothing but problems. Stay with linear type or use a Battery with a Filter and a Good Linear Charger.

I have used the KPS-15 with VHF and UHF Kenwood Commercial (TK-760 up to the TK-790H) without any problems. I think it a very stable and good supply for VHF and up.

- Rusty
----- Original Message -----
From: <djs_111@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Friday, December 20, 2002 6:29 PM
Subject: [kw-radio] KPS-15 Power Supply

> Does anyone have any expiereance with this unit. I would like to know
> if it works well with a ts-570.
>
> Thanks,
>
> Dan
> KG4OXX
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

349. Kenwood PS-53 power supply FS

Yahoo group: kenwoodradio
Date: 2002-12-21 13:43:58 UTC
From: Ken Simpson, W8EK
Topic: 349 Message: 349

For Sale:

Kenwood PS-53 power supply

This a 13 V DC, 20 amp power supply that will power most any 100 W output HF xcvr, but it is made to match the TS-850 and others of that series cosmetically.

This particular supply works 100 %, and looks like it just came out of its box. You can buy a new one for about $300, or this one for $175 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

350. FS: Kenwood TK-730H / 830H Dual Band 160 Ch. Radio

Yahoo group: kenwoodradio
Date: 2002-12-21 20:40:51 UTC
From: RadioGuy205@aol.com
Topic: 350 Message: 350

I have for sale a used Kenwood TK-730H / 830H Dual Band radio with the KCH-5 upgrading it to 160 channels. Both radios are in good shape and will easily go into the ham bands on both radios. You'll get both RF decks, I believe a 12 foot remote cable, full featured control head, mic, brackets, KES-4 speaker and all the wiring. I will also program for free (up to 32 channels) and include a copy of the software. Anyone interested please e-mail me with an offer off list. Thanks again. Merry Christmas!!

Frederic C.

[Non-text portions of this message have been removed]

351. WTB: 6/7/890 series programming cable.

Yahoo group: kenwoodradio
Date: 2002-12-22 18:12:08 UTC
From: nmfire10 <nmfire10@yahoo.com>
Topic: 351 Message: 351

Wanted to Buy or need info to build a cable for the 90 series mobiles.

Anyone have a cable to sell or have a schematic to build one?
Contact me off list at mattlawrence@...

Thanks!
Matt

352. TX on the TS530S isnt working!

Yahoo group: kenwoodradio
Date: 2002-12-23 04:25:16 UTC
From: Dan <eiefs@yahoo.com>
Topic: 352 Message: 352

To: kenwoodradio@yahoogroups.com
From: Dan <eiefs@...>
Date: Sun Dec 22, 2002 10:00 pm
Subject: TX on the TS530S isnt working!

I recd the cable that was missing. I ordered it from Pacific Coast
Parts http://www.pacparts.com/
from a gal named Melissa... Sweet lady she is... Anyway, after
reading the operators manual more
than once and doing a TUNE on the RX and TX before doing any sort of
Tx, I try to transmit but to
NO avail. I am hearing a clicking noise each time I key the mic....
So I remove the top cover and
I see where the clicking noise is coming from and there is this clear
square relay (Q13 I believe
on the schematics) on the IF board.....

Can anyway kindly expalin what and how I should go about diagnose any
further? What short of
meters and equipment I should start looking at buying so that i may
try to learn and eventually
fix this problem. I know here in Champaign, that there are not to
many if any people that work on
rigs, and really dont know of any reputable service centers nearby....

Thanks and 73s
ALSO may ALL have a SAFE holiday season!!

Dan

353. Looking for a ME-1 Expansion unit

Yahoo group: kenwoodradio
Date: 2002-12-25 05:07:11 UTC
From: Evan Platt
Topic: 353 Message: 353

anyone have a ME-1 they want to sell?

Thanks. :)

Evan

354. Re: [kw-radio] Looking for a ME-1 Expansion unit

Yahoo group: kenwoodradio
Date: 2002-12-25 15:54:58 UTC
From: Bill Tarkington
Topic: 354 Message: 354

Evan, I purchased the ME-1 for $20 shipped a while back from a source on qth.com. He had additional ones to sell. Recommend you do a search on qth site for this item. Good Luck.
----- Original Message -----
From: Evan Platt
To: kenwoodradio-yahoogroups.com
Sent: Tuesday, December 24, 2002 11:07 PM
Subject: [kw-radio] Looking for a ME-1 Expansion unit

anyone have a ME-1 they want to sell?

Thanks. :)

Evan

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

355. Re: need help with ts-440

Yahoo group: kenwoodradio
Date: 2002-12-29 17:17:40 UTC
From: Charlie Brown
Topic: 355 Message: 355

```
----- Original Message -----
From: "Charlie Brown" <charlie@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Sunday, December 29, 2002 11:13 AM
Subject: Re: need help with ts-440

>
> ----- Original Message -----
> From: "Charlie Brown" <charlie@...>
> To: <kenwoodradio@yahoogroups.com>
> Sent: Friday, December 27, 2002 5:55 PM
> Subject: Re: need help with ts-440
>
>
> > I have a question about a problem with a Kenwood TS-440 SAT. When I
> > powered it up this morning, the dial reads 14000.00 with all the extra
> > segments
> > lighted on the dial face. Also the transmit light is on. Then
sometimes
> > when it is powered up all the digits are 8's with all the other segments
> > lighted. I tried a processor reset but nothing changed. There is no
> audio
> > also. Does anyone have a suggestion where I need to start looking for
the
> > problem. Also anyone have a suggestion for a place to get it serviced,
if
> I
> > am unable to get it going again.
> >
> > Charlie N5TYI
> >
> > charlie@...
> >
> >
>
```

356. info on ts140s

Yahoo group: kenwoodradio
Date: 2002-12-30 13:46:14 UTC
From: m0dbo <nhead@cwctv.net>
Topic: 356 Message: 356

hi can anyone point me in the
direstion of a web site where i can
find info on the ts140s so far my
searches have proved fruitless.
all the best nigel m0dbo

357. Invitation - Kenwood R-2000 Resource Page

Yahoo group: kenwoodradio
Date: 2003-01-01 02:36:00 UTC
From: Robert Williams
Topic: 357 Message: 357

Hi folks,
I'm a new subscriber here, and glad I found you guys.
I'd like to invite everyone to come visit my Kenwood
R-2000 Communciations Receiver Information Resource
Page:

http://www.qsl.net/kc7bum/

We're slowly accumulating on-line the owner's and
service manuals for the R-2000, schematics, email and
newsgroup lists, factory authorized repair centers,
parts, accessories, modifications, users, links and
anything else related to the Kenwood R-2000 receiver.
The page is far from complete, so we're eager to have
contributions from anybody here on this list.

Thanks for letting me be a part of your discussions.

All the best,

=====
Rob Williams
Portland, Oregon
Webmaster:
* ARP Odyssey Information Resource Page
http://www.overacker.com/ody/index.html
* Kenwood R-2000 Information Resource Page
http://www.qsl.net/kc7bum/

Do you Yahoo!?
Yahoo! Mail Plus - Powerful. Affordable. Sign up now.
http://mailplus.yahoo.com

358. Re: [kw-radio] Important: Is www.MrHamRadio.com releveant?

Yahoo group: kenwoodradio
Date: 2003-01-02 15:15:26 UTC
From: cfbc150 <cfbc150@hotmail.com>
Topic: 342 Message: 358

I agree as well!! If he keeps up with the irrelevant posts... ie his
ads I vote to boot him!!!

--- In kenwoodradio@yahoogroups.com, "Bob Mason" <bob@m...> wrote:
> On 16 Dec 2002 at 8:24, Rich Schmitt wrote:
>
> > Fred,
> > This looks like an Ad to me. It looks like he is trying to sell
Manuals
> > for Ham Radios. The problem I see is that if you let this person
advertise
> > his Manuals, the next thing you know we have 30 people doing the
same
> thing.
> > From what I understand this group was designed to help Kenwood
Radio
> Owners
> > with problems, not to sell manuals for every type of Radio under
the sun.
> >
> > Just my thoughts.
> >
> > Rich Schmitt (KD7LMN)
> > kd7lmn@c...
> > Peoria, AZ
>
> I agree, if he wants to add his link as a sig fine, but just to
sell his goods
> through the list is just plain old Spam,
>
> Seasons greetings
>
> 73
> --
> Bob Mason
> http://www.mm0bqm.co.uk

359. Programming cable/software for the Kenwood th-78a?

Yahoo group: kenwoodradio
Date: 2003-01-03 05:57:09 UTC
From: Evan Platt
Topic: 359 Message: 359

Is there software available to program the Kenwood TH-78A radio? I have the cable for other Kenwood (commercial) radios, which I'm guessing would work, but I've been unable to locate software. Do they make sofware?

Thanks. :)

Evan

360. Re: [Kenwood-TK-90-Series] Code Plug?

Yahoo group: kenwoodradio
Date: 2003-01-04 03:21:30 UTC
From: Rusty Caufield
Topic: 360 Message: 360

Do you have the Software?

If so, Read the Radio, the in the "File Menu" Select "New". It will give you a warning about "All data will be Cleared" select "OK" then write that to the radio.

Another way is to start the Software, Select the Model type with options you want it to be in the "Model Menu" then write that to the radio.

In both cases it should say "Unprogrammed" on the display when done.

It's that easy, no need to have a "New" Code Plug. You already have it.

- Rusty
----- Original Message -----
From: <DCPAQ2@...>
To: <Kenwood-TK-90-Series@yahoogroups.com>
Sent: Friday, January 03, 2003 5:16 PM
Subject: [Kenwood-TK-90-Series] Code Plug?

> Is there anyone who could send me a code plug file that has the
> default programming info in it from kenwood when you buy a new radio?
>
>
> I need the code plug how it comes from kenwood UNPROGRAMMED.
>
>
> Thanks
>
> Doug
>
>
> To unsubscribe from this group, send an email to:
> Kenwood-TK-90-Series-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

361. ts-940s

Yahoo group: kenwoodradio
Date: 2003-01-04 16:19:56 UTC
From: t4138 <t4138@yahoo.com>
Topic: 361 Message: 361

Im looking for a manual for the 940 anyone got one they can e-mail us
so we can figure this one out while were studying for our licenses
thanx T4

362. Kenwood Communication Equipment

Yahoo group: kenwoodradio
Date: 2003-01-08 23:49:25 UTC
From: commquestusa <commquestusa@yahoo.com>
Topic: 362 Message: 362

I just got a new vendor for my Kenwood equipment. If anyone is having trouble finding new radios, new accessories, current software and programming equipment then please drop me a line.

Please don't hesitate to ask. It doesn't hurt and I don't bite.
I AM GLAD TO ASSIST IN ANYWAY POSSIBLE!

ALSO, if you need any BRAND NEW Two-Way Radio Equipment or Accessories (Orignial or Aftermarket) I can supply you with some cheap equipment. Just ask. I CAN ALSO SUPPORT MANY OTHER RADIO MAKES AND MODELS BESIDES WHAT I LISTED ABOVE.

*** DO NOT POST ON THIS ENTIRE LIST, SEND ALL E-MAIL DIRECTLY TO ME, commquestusa@... (This is a YAHOO E-MAIL address) NOT THE LIST ***

363. Throat Mics for Kenwood?

Yahoo group: kenwoodradio
Date: 2003-01-09 07:40:11 UTC
From: Dakota Summerhawk <dakotas@hotpop.com>
Topic: 363 Message: 363

I am looking for a decent tactical throat mic for use in the Kenwood line. I have tried the so called throat mic from Pryme but they are not the quality that I seek. I do have a budget to work with, would like to find someting that is not the low end but no the high end as well. Can someone point me in the right direction for a decent throat mic that is not going to break me?
Thanks
Dakota

364. Re: [kw-radio] Kenwood Communication Equipment

Yahoo group: kenwoodradio
Date: 2003-01-09 13:45:04 UTC
From: Rusty Caufield
Topic: 364 Message: 364

It's too bad that the Dealer Agreement with Kenwood strictly states that dealers are only allowed the sell within their territory and internet sales are restricted to that area as well. Also that products are not to be "Double Billed", Sold to one party to be sold to another.

Something to think about.

- Rusty
----- Original Message -----
From: <commquestusa@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Wednesday, January 08, 2003 5:49 PM
Subject: [kw-radio] Kenwood Communication Equipment

> I just got a new vendor for my Kenwood equipment. If anyone is
> having trouble finding new radios, new accessories, current software
> and programming equipment then please drop me a line.
>
> Please don't hesitate to ask. It doesn't hurt and I don't bite.
> I AM GLAD TO ASSIST IN ANYWAY POSSIBLE!
>
> ALSO, if you need any BRAND NEW Two-Way Radio Equipment or
> Accessories (Orignial or Aftermarket) I can supply you with some
> cheap equipment. Just ask. I CAN ALSO SUPPORT MANY OTHER RADIO
> MAKES AND MODELS BESIDES WHAT I LISTED ABOVE.
>
> *** DO NOT POST ON THIS ENTIRE LIST, SEND ALL E-MAIL DIRECTLY TO ME,
> commquestusa@... (This is a YAHOO E-MAIL address) NOT THE LIST
> ***
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

365. Serious transmitter problem

Yahoo group: kenwoodradio
Date: 2003-01-11 20:51:18 UTC
From: robolt <robolt@yahoo.com>
Topic: 365 Message: 365

I just joined the group today. What a great program this is!

My problem; Whenever I speak into the mike with any power at all, the radio cuts out. It actually turns off and I must reset with the power switch.

Here's my set-up: A TS870 powered by an Astron 35a power supply. The radio looks into an SGC 230 antenna coupler which feeds an 80+ foot length of #
12 copper wire strung under the eaves around two sides of my house (covenants!). The wire is supported by tv standoff insulators.

Ground/counterpoise consists of six 80-foot #12 copper radials dug into the back yard in roughly a 90-degree fan shape. The vertex of the radials is connected to a four-foot ground rod and the tuner sits outside right on top of that. The distal ends of the radials each terminate in a four-foot ground rod.

The long-wire starts at the tuner on the ground directly below my second story shack, The wire rises up the outside wall parallel to the descending shack ground wire and about four feet from it. The antenna then takes a right angle turn and proceeds around the house. When I sit at my rig, I'm not more than four feet from the horizontal part of the long wire as it starts it's route around the house.

As I said, regardless of the band, when I press the ptt switch on the
mike and begin speaking, unless I have the mike gain cranked way down and the power on the xmtr cranked way back, as soon as I speak, somehting kicks my radio into shutdown--total shutdown as if someone had pulled the fuse.

Anyone have any ideas?

Ralph, K0HML

366. Re: [kw-radio] Serious transmitter problem

Yahoo group: kenwoodradio
Date: 2003-01-11 20:56:06 UTC
From: Michael B. Blake
Topic: 366 Message: 366

Probably getting RF into the power supply from the antenna. It would appear to rise very closely to the shack. The Astron supply will be fairly sensitive to RF getting into the '723 regulator circuit.

73 - Mike - K9JRI

----- Original Message -----
From: <robolt@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Saturday, January 11, 2003 15:51
Subject: [kw-radio] Serious transmitter problem

> I just joined the group today. What a great program this is!
>
> My problem; Whenever I speak into the mike with any power at all,
> the radio cuts out. It actually turns off and I must reset with the
> power switch.
>
> Here's my set-up: A TS870 powered by an Astron 35a power supply.
> The radio looks into an SGC 230 antenna coupler which feeds an 80+
> foot length of #
> 12 copper wire strung under the eaves around two sides of my house
> (covenants!). The wire is supported by tv standoff insulators.
>
> Ground/counterpoise consists of six 80-foot #12 copper radials dug
> into the back yard in roughly a 90-degree fan shape. The vertex of
> the radials is connected to a four-foot ground rod and the tuner sits
> outside right on top of that. The distal ends of the radials each
> terminate in a four-foot ground rod.
>
> The long-wire starts at the tuner on the ground directly below my
> second story shack, The wire rises up the outside wall parallel to
> the descending shack ground wire and about four feet from it. The
> antenna then takes a right angle turn and proceeds around the house.
> When I sit at my rig, I'm not more than four feet from the horizontal
> part of the long wire as it starts it's route around the house.
>
> As I said, regardless of the band, when I press the ptt switch on
> the
> mike and begin speaking, unless I have the mike gain cranked way down
> and the power on the xmtr cranked way back, as soon as I speak,
> somehting kicks my radio into shutdown--total shutdown as if someone
> had pulled the fuse.
>
> Anyone have any ideas?
>

> Ralph, K0HML
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

367. Re: [kw-radio] Serious transmitter problem

Yahoo group: kenwoodradio
Date: 2003-01-12 02:17:42 UTC
From: Paul Manuel
Topic: 365 Message: 367

--- "robolt <robolt@...>" <robolt@...> wrote:
> My problem; Whenever I speak into the mike with any power at all,
> the radio cuts out. It actually turns off and I must reset with the
> power switch.

Sounds like a problem I had once of RF getting into my power supply and shutting down either the PS momentarily.

It sounds like your setup would be a likely candidate for a lot of RF in the shack. Everything should be grounded with as short a lead as possible to a ground rod. Disconnect everything from your PS except the rig, and coil up the 13.8V cable from the PS to the rig, to give you as small a cross-section as possible of wiring that could pick up RF, and see what happens.

If you do already have everything grounded, disconnect the grounds, one at a time, and see if it makes any difference. I know this goes against most advice, but ground loops are insidious and unpredictable (by me, anyway, so I go into a "try everything" mode.) But the first thing I would try is disconnecting as much wiring as possible from the PS and coil up what remains.

Sure would be nice if you had another antenna or dummy load!
73,
Paul K4PDM

_____
Do you Yahoo!?
Yahoo! Mail Plus - Powerful. Affordable. Sign up now.
http://mailplus.yahoo.com

368. Re: [kw-radio] Serious transmitter problem

Yahoo group: kenwoodradio
Date: 2003-01-12 14:03:10 UTC
From: Jim
Topic: 366 Message: 368

3 things come to mind, as others have mentioned, RF getting into the supply and possibly back into the radio.

The second is a problem I have noticed in the past, the astron supply has a fairly large transformer in it, the magnetic field from the transformer when your drawing a lot of current gets to be quite strong, I have to keep the supply at least 3 feet from my radio or this field causes problems in the radio. Seems the supply could use more magnetic shielding.

Another problem just might be the proximity of your tuner to the radio and or supply, sometimes you just need to have a couple feet of separation.

Make sure you have the antenna leads separated from the power leads and keep the antenna leads away from the supply. Also you might try keeping the antenna lead from the tuner to the antenna separated from the antenna cable going from the tuner back to the radio.

Post back to let everybody know what you find out...

-Jim-

robolt wrote:

>I just joined the group today. What a great program this is!
>
>My problem; Whenever I speak into the mike with any power at all,
>the radio cuts out. It actually turns off and I must reset with the
>power switch.
>
>Here's my set-up: A TS870 powered by an Astron 35a power supply.
>The radio looks into an SGC 230 antenna coupler which feeds an 80+
>foot length of #
>12 copper wire strung under the eaves around two sides of my house
>(covenants!). The wire is supported by tv standoff insulators.
>
>Ground/counterpoise consists of six 80-foot #12 copper radials dug
>into the back yard in roughly a 90-degree fan shape. The vertex of
>the radials is connected to a four-foot ground rod and the tuner sits
>outside right on top of that. The distal ends of the radials each
>terminate in a four-foot ground rod.
>
>The long-wire starts at the tuner on the ground directly below my
>second story shack, The wire rises up the outside wall parallel to
>the descending shack ground wire and about four feet from it. The
>antenna then takes a right angle turn and proceeds around the house.
>When I sit at my rig, I'm not more than four feet from the horizontal

>part of the long wire as it starts it's route around the house.
>
>As I said, regardless of the band, when I press the ptt switch on
>the
>mike and begin speaking, unless I have the mike gain cranked way down
>and the power on the xmtr cranked way back, as soon as I speak,
>somehting kicks my radio into shutdown--total shutdown as if someone
>had pulled the fuse.
>
>Anyone have any ideas?
>
>Ralph, K0HML
>
>
>To unsubscribe from this group, send an email to:
>kenwoodradio-unsubscribe@egroups.com
>
>For polls, files, and other info visit:
>http://www.egroups.com/group/kenwoodradio
>
>
>Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>
>

369. Re:Subject: Serious transmitter problem [kw-radio] Digest Number 223

Yahoo group: kenwoodradio
Date: 2003-01-12 06:20:47 UTC
From: m.w.dolan@juno.com
Topic: 369 Message: 369

Ralph: do both the TS870 and your Astron power supply have a good ground. Also check your connectors, antenna and transmittion line you could be getting too many standing waves. Try a simple dipole first or a dummy load keep your antenna away from objects (especially metal ,wet and the ground). Good luck Mark KK7VV

_____
Sign Up for Juno Platinum Internet Access Today
Only $9.95 per month!
Visit www.juno.com

370. serious problem

Yahoo group: kenwoodradio
Date: 2003-01-13 03:26:20 UTC
From: robolt <robolt@yahoo.com>
Topic: 370 Message: 370

Thanks, Guys.

I presented my problem to two groups, Kenwoodradio and Smarttuner. The unanimous verdict is that I have RF problems in the shack or on the transmission or power lines. All the ideas were great and several really seem to fit my situation. I'll work through all of them and let you know the outcome.

Thanks again. I really appreciate the great response and if you come up with any other ideas, please send them on.

Ralph, K0HML

371. Re: TX on the TS530S isnt working! -- NEED FILTERS!?!?!?!?!?!

Yahoo group: kenwoodradio
Date: 2003-01-13 18:29:50 UTC
From: Dan <eiefs@yahoo.com>
Topic: 352 Message: 371

530s works fine.... NO problems...It was just ME!!!

I need some add on equipment tho... Like the 10meter filter

Also does anyone know if I can add an 11meter crystal or chip to this TS530S????

73
Dan

372. WTB - VFO 180s for Ts180s

Yahoo group: kenwoodradio
Date: 2003-01-14 11:09:58 UTC
From: W1WLS@aol.com
Topic: 372 Message: 372

Hi All;
Looking for a VFO 180s for my TS 180s. The VFO must have attaching cable and manual.

Thanks Walt - W1WLS

[Non-text portions of this message have been removed]

373. TM-201A

Yahoo group: kenwoodradio
Date: 2003-01-19 17:41:21 UTC
From: carl_bohman <cbohman@columbus.rr.com>
Topic: 373 Message: 373

Does anyone have info on how to use the features, i.e., memories on the TM-201A. I picked one up in good condition without a manual.

73,

Carl - W9PMZ

374. Audio Amp µPC1241H

Yahoo group: kenwoodradio
Date: 2003-01-21 00:33:26 UTC
From: KJ <kj558@yahoo.com>
Topic: 374 Message: 374

I am trying to find a source for a replacement audio amplifier for a Kenwood TM-3530A. The part number on it is µPC1241H. I have only located one source for them and it is in Germany. Surely that is not the only place to get them. Can anyone recommend a source for this part or a suitable replacement.

Kevin Hunter - KAØI
Willard, MO

375. Kenwood TK-790H w/ Pyramid SVR-200???

Yahoo group: kenwoodradio
Date: 2003-01-21 20:02:38 UTC
From: RadioGuy205@aol.com
Topic: 375 Message: 375

Hello all! I have interfaced a Kenwood TK-790H with a Pyramid SVR-200 repeater. The problem I am having is that I have no TX audio going to the radio. I can receive on the repeater fine, but just no TX audio. It is keying up the repeater but no TX audio from the repeater to the radio, not even low audio. I have played around with the program settings on the SVR-200 and the TK-790H but cannot seem to get anywhere. I have modified the repeater and the radio per the Pyramid Application notes (revised version), but I have an older repeater. Ver 2.61 firmware, it states in the application notes jumper J9 should be in, MCOR pull up. But my repeater has no J9 on the board anywhere. Anyone had any experience with this? Any ideas?
Thanks in advance!!

Frederic C.

[Non-text portions of this message have been removed]

376. Re: [kw-radio] Kenwood TK-790H w/ Pyramid SVR-200???

Yahoo group: kenwoodradio
Date: 2003-01-22 13:43:56 UTC
From: Rusty Caufield
Topic: 376 Message: 376

Where did you connect to on the Kenwood? Also what mods did the ap notes say
to do to the Radio?

- Rusty
----- Original Message -----
From: <RadioGuy205@...>
To: <Kenwood2Way@yahoogroups.com>; <kenwoodlmr@yahoogroups.com>;
<kenwoodradio@yahoogroups.com>; <Kenwood-TK-90-Series@yahoogroups.com>;
<radio-programming@yahoogroups.com>; <RadioModifications@yahoogroups.com>;
<twoway_program@yahoogroups.com>
Sent: Tuesday, January 21, 2003 2:02 PM
Subject: SPAM: [kw-radio] Kenwood TK-790H w/ Pyramid SVR-200???

> Hello all! I have interfaced a Kenwood TK-790H with a Pyramid SVR-200
> repeater. The problem I am having is that I have no TX audio going to the
> radio. I can receive on the repeater fine, but just no TX audio. It is
keying
> up the repeater but no TX audio from the repeater to the radio, not even
low
> audio. I have played around with the program settings on the SVR-200 and
the
> TK-790H but cannot seem to get anywhere. I have modified the repeater and
the
> radio per the Pyramid Application notes (revised version), but I have an
> older repeater. Ver 2.61 firmware, it states in the application notes
jumper
> J9 should be in, MCOR pull up. But my repeater has no J9 on the board
> anywhere. Anyone had any experience with this? Any ideas?
> Thanks in advance!!
>
> Frederic C.
>
>
> [Non-text portions of this message have been removed]
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>

>
>

377. TH-77A Manual

Yahoo group: kenwoodradio
Date: 2003-01-23 21:18:54 UTC
From: Greg Hoeck
Topic: 377 Message: 377

Anyone have an English version of the manual you could
send me?

Thanks,
Greg

=====

_____
Do you Yahoo!?
Yahoo! Mail Plus - Powerful. Affordable. Sign up now.
http://mailplus.yahoo.com

378. Still need 90 series mobile programming cable.

Yahoo group: kenwoodradio
Date: 2003-01-25 13:40:13 UTC
From: nmfire10 <nmfire10@yahoo.com>
Topic: 378 Message: 378

I'm still looking for a programming cable for our 90 series mobiles.
Please e-mail me at mattlawrence@... if you have them for sale
or can tell me how to build one!!

Thanks
Matt

379. Kenwood TK-790H Audio Prob?

Yahoo group: kenwoodradio
Date: 2003-01-25 20:20:52 UTC
From: RadioGuy205@aol.com
Topic: 379 Message: 379

Hello all,

Got the problem with the repeater fixed, there seems to be a little option in the programming menu that states Ext PTT Mic Mute. Yes, or No, well I had Yes like a dummy. So I was just muting myself. Thanks to Chris @ Pyramid for that one. Now I run into another problem. When I key a repeater, I have no audio out, and the repeater doesn't pick up on my signal until I un-key (noticed this by listening to another radio while I keyed mine up) But on Simplex channels it works fine. Any ideas?? Thanks in advance!

Frederic C.

[Non-text portions of this message have been removed]

380. Kenwood TK-730H/830H Dual Band Problems As Well

Yahoo group: kenwoodradio
Date: 2003-01-25 23:05:34 UTC
From: RadioGuy205@aol.com
Topic: 380 Message: 380

Hello all, It seems I have a bit of bad luck these days with radios. I just set up my second TK-730H/830H dual band setup. It programs fine, but when you change it to an UHF Channel (VHF is radio 1, UHF Radio 2) the channel name flashes, and will not let me TX, but if I change to VHF then it works fine. The UHF has power to it (I can hear the power supply clicking in both radios when I turn the power on. Any ideas on this anyone? All the mods have been made to both radios, and firmware chips are in place. Thanks to everyone who has been so helpful in the past. :O)

Frederic C.

[Non-text portions of this message have been removed]

381. TS140S Service manual required

Yahoo group: kenwoodradio
Date: 2003-01-27 08:19:56 UTC
From: Ravi S Gopan <vu3hpf@yahoo.com>
Topic: 381 Message: 381

Hi all,

I am looking for a soft copy of TS140s Service manual. Please let me know if any one has access to one.

Thanks,
Gopan
- VU3HPF

382. Relay Replacement

Yahoo group: kenwoodradio
Date: 2003-01-27 09:34:22 UTC
From: blacklabpupp <blacklabpupp@aol.com>
Topic: 382 Message: 382

I have a TS 430s that needs all the relays replaced. They are FBR 211. Does any one know an equivilant replacement for them? Does Radio Shack carry one that will work?
All the best,

Gene

383. Help with Kenwood 520

Yahoo group: kenwoodradio
Date: 2003-01-28 00:05:10 UTC
From: Charlie Brown
Topic: 383 Message: 383

Hello everyone

It seems like all of my radio equipment got sick at the same time. Well almost that is.

My 520 is not wanting to transmit. It seems to be receiving okay. I hear no relay noise when PTT. I checked and the tubes are lit. What should be my course of action to figure out what my problem. Any help would be appreciated.

Charlie N5TYI

384. TK-630 Scan Delete/Add function problem.... I think

Yahoo group: kenwoodradio
Date: 2003-02-05 18:48:27 UTC
From: nmfire10 <nmfire10@yahoo.com>
Topic: 384 Message: 384

We recently re-did the programming on a few of our Dept's TK-630's. In the past, from what I remember, you could go channel by channel and change the delete/add status of each. Now, I can't for the life of me get it to work. The button doesn't do anything when you press it. I have yet to see if it will do anything WHILE scanning and it stops on a channel. There wasn't enough activity on the air the other night ot test that.

Am I on crack here and it isn't supposed to let me D/A while not in scan or am I overlooking something? To answer a few obvious question.... Yes, the D/A button is activated and no it didn't work if I try assigning it to a different button. Scan is set for P1 to be selected and P2 is unassigned. I even tried turning on the "Priority Channel Temporary Delete" and that didn't help either.

Thanks!!!

Matt

385. Re: [kw-radio] TK-630 Scan Delete/Add function problem.... I think

Yahoo group: kenwoodradio
Date: 2003-02-06 03:41:01 UTC
From: Rusty Caufield
Topic: 385 Message: 385

Take the radio out of scan, select the channel to be deleted, press and hold the scan button, then press the D/A button.

for the 30 series, in other words, the SCN button must be held while using the D/A button. It was a supposed safety feature against accidental deletion.

- Rusty
----- Original Message -----
From: <nmfire10@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Wednesday, February 05, 2003 12:48 PM
Subject: [kw-radio] TK-630 Scan Delete/Add function problem.... I think

> We recently re-did the programming on a few of our Dept's TK-630's.
> In the past, from what I remember, you could go channel by channel
> and change the delete/add status of each. Now, I can't for the life
> of me get it to work. The button doesn't do anything when you press
> it. I have yet to see if it will do anything WHILE scanning and it
> stops on a channel. There wasn't enough activity on the air the
> other night ot test that.
>
> Am I on crack here and it isn't supposed to let me D/A while not in
> scan or am I overlooking something? To answer a few obvious
> question.... Yes, the D/A button is activated and no it didn't work
> if I try assigning it to a different button. Scan is set for P1 to
> be selected and P2 is unassigned. I even tried turning on
> the "Priority Channel Temporary Delete" and that didn't help either.
>
> Thanks!!!
>
> Matt
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

386. Re: [kw-radio] TK-630 Scan Delete/Add function problem.... I think

Yahoo group: kenwoodradio
Date: 2003-02-06 14:03:53 UTC
From: nmfire10 <nmfire10@yahoo.com>
Topic: 385 Message: 386

OK, that makes sense now. I was probably thinking of the 690's we have in other vehicles that let you do it with out holding the scan button. I guess I never actually used the D/A function on the one unit we have the 630 in. THANKS!!!!!

Matt

--- In kenwoodradio@yahoogroups.com, "Rusty Caufield" <rustyc@e...> wrote:
> Take the radio out of scan, select the channel to be deleted, press and hold
> the scan button, then press the D/A button.
>
> for the 30 series, in other words, the SCN button must be held while using
> the D/A button. It was a supposed safety feature against accidental
> deletion.
>
> - Rusty
> ----- Original Message -----
> From: <nmfire10@y...>
> To: <kenwoodradio@yahoogroups.com>
> Sent: Wednesday, February 05, 2003 12:48 PM
> Subject: [kw-radio] TK-630 Scan Delete/Add function problem.... I think
>
>
> > We recently re-did the programming on a few of our Dept's TK-630's.
> > In the past, from what I remember, you could go channel by channel
> > and change the delete/add status of each. Now, I can't for the life
> > of me get it to work. The button doesn't do anything when you press
> > it. I have yet to see if it will do anything WHILE scanning and it
> > stops on a channel. There wasn't enough activity on the air the
> > other night ot test that.
> >
> > Am I on crack here and it isn't supposed to let me D/A while not in
> > scan or am I overlooking something? To answer a few obvious
> > question.... Yes, the D/A button is activated and no it didn't work
> > if I try assigning it to a different button. Scan is set for P1

to
> > be selected and P2 is unassigned. I even tried turning on
> > the "Priority Channel Temporary Delete" and that didn't help
either.
> >
> > Thanks!!!
> >
> > Matt
> >
> >
> > To unsubscribe from this group, send an email to:
> > kenwoodradio-unsubscribe@egroups.com
> >
> > For polls, files, and other info visit:
> > http://www.egroups.com/group/kenwoodradio
> >
> >
> > Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/
> >
> >
> >

387. Kenwood Dual Band 30 Series KCH-5 problems.

Yahoo group: kenwoodradio
Date: 2003-02-06 19:16:59 UTC
From: RadioGuy205@aol.com
Topic: 387 Message: 387

Hello all,

Have a TK-630, 730 dual band setup, added the KCH-5 to Radio 1 and the control head, removed the resistors, and no when I turn the radio on the display just lights up. I cannot even get it into programming mode. Any ideas? Thanks in advance!!

Frederic C.

[Non-text portions of this message have been removed]

388. Roger Beep on a TR-7950

Yahoo group: kenwoodradio
Date: 2003-02-07 02:06:31 UTC
From: antaru_adun <tennintysix@hotmail.com>
Topic: 388 Message: 388

Can I put a Roger beep on a TR-7950? if yes, does anybody have a schematic? Thanks.

389. Re: [kw-radio] Kenwood Dual Band 30 Series KCH-5 problems.

Yahoo group: kenwoodradio
Date: 2003-02-07 02:57:07 UTC
From: Rusty Caufield
Topic: 389 Message: 389

Check the orientation of the KCH-5 chips. Make sure the Indention on the chip face towards it's mark in the silk screen.

Also make sure that the large prom next to the KCH-5 prom is seated well also.

Then recheck all your connections between the Control head and radio Deck again, even the cable from the remote kit to the deck.

- Rusty
----- Original Message -----
From: <RadioGuy205@...>
To: <Kenwood2Way@yahoogroups.com>; <kenwoodlmr@yahoogroups.com>; <kenwoodradio@yahoogroups.com>; <radio-programming@yahoogroups.com>; <twoway_program@yahoogroups.com>
Sent: Thursday, February 06, 2003 1:16 PM
Subject: [kw-radio] Kenwood Dual Band 30 Series KCH-5 problems.

> Hello all,
>
> Have a TK-630, 730 dual band setup, added the KCH-5 to Radio 1 and the
> control head, removed the resistors, and no when I turn the radio on the
> display just lights up. I cannot even get it into programming mode. Any
> ideas? Thanks in advance!!
>
> Frederic C.
>
>
> [Non-text portions of this message have been removed]
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

390. Re: [kw-radio] Digest Number 235

Yahoo group: kenwoodradio
Date: 2003-02-07 20:57:58 UTC
From: Chris G
Topic: 390 Message: 390

ok

--- kenwoodradio@yahoogroups.com wrote:
>To unsubscribe from this group, send an email to:
>kenwoodradio-unsubscribe@egroups.com
>
>For polls, files, and other info visit:
>http://www.egroups.com/group/kenwoodradio
>
>---
>
>There are 3 messages in this issue.
>
>Topics in this digest:
>
> 1. Kenwood Dual Band 30 Series KCH-5 problems.
> From: RadioGuy205@...
> 2. Roger Beep on a TR-7950
> From: "antaru_adun <tennintysix@...>" <tennintysix@...>
> 3. Re: Kenwood Dual Band 30 Series KCH-5 problems.
> From: "Rusty Caufield" <rustyc@...>
>
>
>_____
>_____
>
>Message: 1
> Date: Thu, 6 Feb 2003 14:16:59 EST
> From: RadioGuy205@...
>Subject: Kenwood Dual Band 30 Series KCH-5 problems.
>
>Hello all,
>
>Have a TK-630, 730 dual band setup, added the KCH-5 to Radio 1 and the
>control head, removed the resistors, and no when I turn the radio on the
>display just lights up. I cannot even get it into programming mode. Any
>ideas? Thanks in advance!!
>
>Frederic C.
>
>
>[Non-text portions of this message have been removed]
>
>
>

>_____
>_____
>
>Message: 2
> Date: Fri, 07 Feb 2003 02:06:31 -0000
> From: "antaru_adun <tennintysix@...>" <tennintysix@...>
>Subject: Roger Beep on a TR-7950
>
>Can I put a Roger beep on a TR-7950? if yes, does anybody have a
>schematic? Thanks.
>
>
>
>_____
>_____
>
>Message: 3
> Date: Thu, 6 Feb 2003 20:57:07 -0600
> From: "Rusty Caufield" <rustyc@...>
>Subject: Re: Kenwood Dual Band 30 Series KCH-5 problems.
>
>Check the orientation of the KCH-5 chips. Make sure the Indention on the
>chip face towards it's mark in the silk screen.
>
>Also make sure that the large prom next to the KCH-5 prom is seated well
>also.
>
>Then recheck all your connections between the Control head and radio Deck
>again, even the cable from the remote kit to the deck.
>
>- Rusty
>----- Original Message -----
>From: <RadioGuy205@...>
>To: <Kenwood2Way@yahoogroups.com>; <kenwoodlmr@yahoogroups.com>;
><kenwoodradio@yahoogroups.com>; <radio-programming@yahoogroups.com>;
><twoway_program@yahoogroups.com>
>Sent: Thursday, February 06, 2003 1:16 PM
>Subject: [kw-radio] Kenwood Dual Band 30 Series KCH-5 problems.
>
>
>> Hello all,
>>
>> Have a TK-630, 730 dual band setup, added the KCH-5 to Radio 1 and the
>> control head, removed the resistors, and no when I turn the radio on the
>> display just lights up. I cannot even get it into programming mode. Any
>> ideas? Thanks in advance!!
>>
>> Frederic C.
>>
>>

>> [Non-text portions of this message have been removed]
>>
>>
>> To unsubscribe from this group, send an email to:
>> kenwoodradio-unsubscribe@egroups.com
>>
>> For polls, files, and other info visit:
>> http://www.egroups.com/group/kenwoodradio
>>
>>
>> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>>
>>
>>
>
>
>
>_____
>_____
>
>
>
>Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

_____

GET THE HOTTEST CONTENT & FEATURES
Pre-Register Today for Firehouse.com MembersZone
http://www.firehouse.com/members/

Get Your Own Free E-Mail!
Firehouse.Com
The Web's Community and Resouce for Fire, Rescue and EMS
http://www.Firehouse.Com

Shop Today for Everything Fire/Rescue/EMS
From Books, to Tees, to Checks & Code 3
http://www.firehouse.com/shop/

391. Kenwood Speaker, Phone patch, and TT Microphone FS

Yahoo group: kenwoodradio
Date: 2003-02-09 18:40:05 UTC
From: Ken Simpson, W8EK
Topic: 391 Message: 391

Kenwood Accessory items FS:

Kenwood SP-430
This is the speaker that matches the TS-430, TS-440,
TS-711, TS-811, and many other Kenwood rigs. This
one works 100%, and looks the same. There is not a
scratch on it that I can find. I have the single page
instruction sheet, and think I can dig in the attic and
find the original box. $75

Kenwood PC-1 A phone patch.
This is the model with the 8 pin connectors, although
they can be changed, if needed. It includes a nice meter
for adjusting the null so VOX will work OK. This particular
unit works fine, and looks very good. $ 60

Kenwood MC-48 touchtone microphone.
Eight pin connector. 16 digit TT Pad on the back, with up
and down switches on the top. Often used on the 2 m
and 440 MHz rigs that do not have touchtone built in,
but can also be used on HF rigs for TT on 10 m FM. $ 55

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-Mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

392. Kenwood TK-760H Field Programming?

Yahoo group: kenwoodradio
Date: 2003-02-10 13:38:42 UTC
From: RadioGuy205@aol.com
Topic: 392 Message: 392

Can anyone tell me (again, sorry) what resistor you remove for the TK-760H to be field programmable. I have lost my notes for this. Thanks to all!!

Frederic C.

[Non-text portions of this message have been removed]

393. Opinions on TKR-850 Repeater

Yahoo group: kenwoodradio
Date: 2003-02-12 15:02:30 UTC
From: nmfire10 <nmfire10@yahoo.com>
Topic: 393 Message: 393

Anyone have experience with the Kenwood TKR-850 UHF Repeater? Good, Bad, Ok, anything? We are concidering this unit when we make our upgrade from simplex low band.

Thanks!
Matt

394. Re: [kw-radio] Opinions on TKR-850 Repeater

Yahoo group: kenwoodradio
Date: 2003-02-13 05:00:46 UTC
From: Rusty Caufield
Topic: 394 Message: 394

Awesome unit, Couldn't ask for more features in a Nicely priced repeater.
Audio quality is great, and you can work it like a Dog....

- Rusty
----- Original Message -----
From: <nmfire10@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Wednesday, February 12, 2003 9:02 AM
Subject: [kw-radio] Opinions on TKR-850 Repeater

> Anyone have experience with the Kenwood TKR-850 UHF Repeater? Good,
> Bad, Ok, anything? We are concidering this unit when we make our
> upgrade from simplex low band.
>
> Thanks!
> Matt
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

395. email server test please ignore !

Yahoo group: kenwoodradio
Date: 2003-02-13 18:55:23 UTC
From: Bob Mason <bob@mm0bqm.co.uk>
Topic: 395 Message: 395

Test from Yahoo

--
Bob Mason
MM0BQM
http://www.mm0bqm.co.uk

396. Re: [kw-radio] email server test please ignore !

Yahoo group: kenwoodradio
Date: 2003-02-13 18:58:29 UTC
From: Bob Mason
Topic: 395 Message: 396

```
Hello Bob,

Thursday, February 13, 2003, 6:55:23 PM, you wrote:

BMbmcu> Test from Yahoo

BMbmcu> --
BMbmcu> Bob Mason
BMbmcu> MM0BQM
BMbmcu> http://www.mm0bqm.co.uk

Test The Bat! filters

--
Bob Mason
http://www.mm0bqm.co.uk
```

397. Need kpg-59d software please

Yahoo group: kenwoodradio
Date: 2003-02-15 18:18:34 UTC
From: djpaulino <djpaulino@yahoo.com>
Topic: 397 Message: 397

Does anyone have or know where I can get kpg-59d software?

398. TS-430s and electret mic

Yahoo group: kenwoodradio
Date: 2003-02-16 21:33:51 UTC
From: Martin
Topic: 398 Message: 398

Hi Guys. Has anyone sucessfully wired an electret mic (or a headset or anything with an electret element) to a TS-430? If so, please send me info on how it was done. I am trying (unsucessfully so far) to wire one of 2 headsets with electret mic elements to my TS-430S.

Thanks for any help!
--
Cul8r

Martin Campbell kb?hae1@... KB?HAE

Want to help stop Spam? (also known as UNSOLICITED COMMERCIAL E-MAIL)
Support the Anti-Spam Amendment. Join at http://www.cauce.org/

399. Re: [kw-radio] TS-430s and electret mic

Yahoo group: kenwoodradio
Date: 2003-02-19 20:00:12 UTC
From: wb4mle@surfbest.net
Topic: 398 Message: 399

On Sun, 16 Feb 2003 13:33:51 -0800, you wrote:

>Hi Guys. Has anyone sucessfully wired an electret mic (or a headset or
>anything with an electret element) to a TS-430? If so, please send me
>info on how it was done. I am trying (unsucessfully so far) to wire one
>of 2 headsets with electret mic elements to my TS-430S.
>
Power the electret with a 1K resistor from pin 5 (+8) to pin 1 (Mic).
Mic element + to pin 1 (Mic), - to pin 7 (Mic gnd). The 430s has a DC
blocking cap in the radio.

--
Eddie Seymour, WB4MLE
E-Mail wb4mle@...

400. Re: TK 730/830 Repeater Conversion?

Yahoo group: kenwoodradio
Date: 2003-02-23 06:33:41 UTC
From: Rusty Caufield
Topic: 400 Message: 400

Hope people don't mind the cross post.

Here is an Update on Pin Outs for using Kenwood TK-x30 series Mobiles for Repeaters or w/ Accessories.
The radio's I used to check these has 8 digit serial numbers beginning with 401xxxxx and 509xxxxx.
I make no claim that these will work with all TK-x30 series mobiles.

Connections:
15 pin Accessory Connector:
Pin 7 - Switched Battery
Pin 15 - Earth / Ground
Pin 5 - Mic High
Pin 4 - Descriminator (Flat, Raw receive Audio)
Pin 8 - PTT
Pin 6 - Speaker Audio (15Watt / 4ohm, Pair w/ Pin 12 for External Speaker)

Control Board Option Connectors:
CN107 Pin 7 - COR - Active High - Goes high while receiving regardless of QT/DQT Matching - Make sure to protect with a resistor (10K or 100K, should be sufficient)

Board Level Connection:
AF Unit - "AFO" Silk Screen Near IC501 (Audio PA), Same as Pin 2 of IC501 - Receive Audio (Conditioned), After Squelch and Volume Control but Prior to Audio Amplifier for Speaker output.
This is a great point for connecting to Tone Remote adapters or other things you don't want to hit with the full speaker level audio.

Tx/Rx unit - QT/DQT Input - Wiper of VR303 "Tone" Level Adjustment Pot - R159 can be removed to disable the QT/DQT output from the CPU. It is located on the "Foil Side" (under or Bottom Side) of the Control Unit directly under IC106 (CPU) on the Top / Component Side

- Rusty

> ----- Original Message -----
> From: "Peter Lent" <pete@...>
> To: <kenwoodlmr@yahoogroups.com>
> Sent: Thursday, January 16, 2003 8:14 PM
> Subject: [kenwoodlmr] TK 730/830 Repeater Conversion?
>
>
> > Hi All,
> >
> > I was wondering if anyone had any suggestions/plans for make a repeater
> out

> > of two Kenwood TK 730/830 radios.
> >
> > THANKS
> >
> > Peter
> >
> >
> > To unsubscribe from this group, send an email to:
> > kenwoodlmr-unsubscribe@yahoogroups.com
> >
> >
> >
> > Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/
> >
> >
> >
>
>
> To unsubscribe from this group, send an email to:
> kenwoodlmr-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

401. Re: TK 730/830 Repeater Conversion? (correction on Pin 6)

Yahoo group: kenwoodradio
Date: 2003-02-23 07:05:26 UTC
From: Rusty Caufield
Topic: 401 Message: 401

```
Sorry, this should have said:
Pin 12 - Speaker Audio (15Watt / 4ohm, Pair w/ Pin 6 for External Speaker)

Not:
> Pin 6 - Speaker Audio (15Watt / 4ohm, Pair w/ Pin 12 for External Speaker)
>
```

402. How difficult is setting up or converting dual band 30 & 90 series units?

Yahoo group: kenwoodradio
Date: 2003-02-23 14:45:59 UTC
From: nmfire10 <nmfire10@yahoo.com>
Topic: 402 Message: 402

We currently have all low band TK-690 and TK630 remote single and dual head units. We are planning this UHF thing that I have brought up here recently and I am still trying to play with numbers. Our local dealer who I do WANT to work with on this has come down to a much more reasonable price range since before which I am very happy about. The big kicker as I see it is going to be labor. In the past, we have had them do everything. This would be silly now that I am here and capable of doing most basic stuff and programming.

My question, finally, is this. What is involved with converting our single band units over to dual. Say we get the RF deck and whatever kits are needed. Is it all plug, program, and play or are their internal modifications needed? The answers to this question will make a difference in how much I estimate the dealer labor charges to be.

Thanks!! I love the help and info I get here, it is a huge help!

Matt

403. Adding a Scrambler to several Kenwood Mobiles and Handhelds

Yahoo group: kenwoodradio
Date: 2003-02-25 13:25:16 UTC
From: RadioGuy205@aol.com
Topic: 403 Message: 403

I would like to add a scrambler to several radios in my fleet. I would be adding it to a: Kenwood TK-790H, TK-760H mobiles, and Kenwood TK-280, TK-270 portables. My question is the cost of the scramblers, and difficulty of installation. Thanks in advance!!

Frederic C.

[Non-text portions of this message have been removed]

404. Re: [kw-radio] Adding a Scrambler to several Kenwood Mobiles and Handhelds

Yahoo group: kenwoodradio
Date: 2003-02-25 14:07:33 UTC
From: Bud Haynes
Topic: 404 Message: 404

>Subject: [kw-radio] Adding a Scrambler to several Kenwood >Mobiles and Handhelds

Before I invested any money in this project I would check on the legal aspect of it. I am pretty sure that this subject came up years ago and it was not legal at that time on Ham Radio.
Bud - KV7G - Yuma, AZ

405. Re: [kw-radio] Adding a Scrambler to several Kenwood Mobiles and Handhelds

Yahoo group: kenwoodradio
Date: 2003-02-25 14:20:19 UTC
From: RadioGuy205@aol.com
Topic: 404 Message: 405

I am public safety band 157 MHz range. Mainly this will be used for drug investigation traffic and surveillance. Thanks to al!!

Frederic C.

[Non-text portions of this message have been removed]

406. Re: Adding a Scrambler to several Kenwood Mobiles and Handhelds

Yahoo group: kenwoodradio
Date: 2003-02-26 17:20:29 UTC
From: Cortland Richmond
Topic: 403 Message: 406

How secure do you want to be? Look for law enforcement rated DES. There are probably even be internal DES boards for your radios.

I'd avoid voice inversion scrambling, since decoders are readily available (even if illegal to use on scanners). Even a rolling code can be defeated in near-real-time with little more than a digital recorder and DSP software.

Cortland

RadioGuy205 wrote:

> I am public safety band 157 MHz range. Mainly this will be used for drug
> investigation traffic and surveillance. Thanks to al!!

407. FS: 599D Twins

Yahoo group: kenwoodradio
Date: 2003-02-28 01:44:39 UTC
From: jhg_2 <jh.graves@verizon.net>
Topic: 407 Message: 407

For Sale a set of 599D twins. Included are all interconnecting cables, the riser feet for both units, the original manuals, and a D104 wired for the T599D.

The R599 seemd good on a tribander, and very stable. The T599 loaded to full power intoa admmy load on several bands. Cosmetically, I would rate these clean but used.

Price $425 + shipping

Pictures at: http://members.bellatlantic.net/~vze2qh29

John Graves
WB1EHL

408. Manuals

Yahoo group: kenwoodradio
Date: 2003-03-02 22:32:33 UTC
From: Ken Ward <ken.g1itv@ntlworld.com>
Topic: 250 Message: 408

Hi,
Can anyone help with locating manuals in the UK for my newly aquired
TS-700G?

Ken G1ITV

409. DRU-2 Manual Needed for TS-850

Yahoo group: kenwoodradio
Date: 2003-03-05 16:29:32 UTC
From: vtnn43e48073
Topic: 409 Message: 409

I recently was able to buy a DRU-2 for my TS-850. However it did not include the manual. Does anyone out there have a copy of it? If so could you post it in the files section? I would also be willing to pay to have a copy sent to me.

Thanks
Zack
N8FNR

410. Fw: Tait has new VP

Yahoo group: kenwoodradio
Date: 2003-03-07 01:21:33 UTC
From: Rusty Caufield
Topic: 410 Message: 410

Sent: Thursday, March 06, 2003 1:44 PM
Subject: Tait has new VP

> Tait names new North America president
> Tait Electronics Ltd. announce the appointment of Tom Wineland as
President
> Tait North America.
>
> Wineland is the former Kenwood Communications USA president. He replaces
> John Warren who is taking another senior role within Tait's international
> operations.
>
> Wineland is a board member of AMTA, ITA, and IWTA. He is also on the IWCE
> Advisory Board and the Corporate Advisory Committee of APCO.
>
> Based in Christchurch, New Zealand, Tait says it has heightened its focus
> on the North America mobile radio market.

411. Kenwood PS-30, 20 amp power supply FS

Yahoo group: kenwoodradio
Date: 2003-03-08 14:52:23 UTC
From: Ken Simpson, W8EK
Topic: 411 Message: 411

Kenwood PS-30, 20 amp (at 13 V DC) power supply for sale:

This power supply will furnish up to 20 amps at 13 V DC to power most 100 W output HF transceivers. It also has auxiliary terminals on the back to power an additional rig, such as a 2 m rig. The main connector will match most Kenwood, Icom, and Alinco HF radios, as well as some Yaesu.

Cosmetically, it is the Kenwood "brownish-gray".

This particular unit works 100% and looks the same. It is still in its original double box, with the packing material.

$125 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

412. Kenwood "Communications Speaker" FS

Yahoo group: kenwoodradio
Date: 2003-03-09 00:06:46 UTC
From: Ken Simpson, W8EK
Topic: 412 Message: 412

For Sale:

Kenwood "Communications Speaker"

I can not find a number on it, but it says "Communications Speaker" in two different places. This is an 8 ohm speaker, rated at 3 Watts. It is relatively flat, measuring about 1.5 inches thick, 5 inches wide, and 3.2 inches high. The cord has an 1/8 inch (mono) plug on it. The front grill is black (or maybe very dark gray), while the rest of the speaker is a lighter grayish/silverish.

It would appear that it would go with most any communications receiver or transceiver you would want to use it on.

$20 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

413. Re: [kw-radio] Kenwood "Communications Speaker" FS

Yahoo group: kenwoodradio
Date: 2003-03-09 05:06:36 UTC
From: Rusty Caufield
Topic: 413 Message: 413

Sounds like maybe the SP-50.

- Rusty
----- Original Message -----
From: "Ken Simpson, W8EK" <W8EK@...>
To: "Kenwood at Yahoo" <Kenwood@yahoogroups.com>; "KenwoodRadio" <KenwoodRadio@yahoogroups.com>
Sent: Saturday, March 08, 2003 6:06 PM
Subject: [kw-radio] Kenwood "Communications Speaker" FS

> For Sale:
>
> Kenwood "Communications Speaker"
>
> I can not find a number on it, but it says "Communications
> Speaker" in two different places. This is an 8 ohm speaker,
> rated at 3 Watts. It is relatively flat, measuring about 1.5
> inches thick, 5 inches wide, and 3.2 inches high. The cord
> has an 1/8 inch (mono) plug on it. The front grill is black
> (or maybe very dark gray), while the rest of the speaker
> is a lighter grayish/silverish.
>
> It would appear that it would go with most any
> communications receiver or transceiver you would
> want to use it on.
>
> $20 plus shipping from Florida.
>
> Thanks.
>
> 73,
>
> Ken, W8EK
>
> Ken Simpson
> E-mail to W8EK@... or W8EK@...
> Voice Phone (352) 732-8400
>
>
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:

> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

414. Kenwood RM-1 Controller

Yahoo group: kenwoodradio
Date: 2003-03-09 11:51:49 UTC
From: w1tjl
Topic: 414 Message: 414

I am looking for an RM-1 controller for the TS-850, 950 and possibly more. If anyone has one, working or not, please drop me a note and let me know. Seems they are not available new anywhere...

Thanks and 73!

Tom W1TJL

415. sw-2000

Yahoo group: kenwoodradio
Date: 2003-03-15 02:17:19 UTC
From: garyolbert
Topic: 415 Message: 415

Just picked a sw-2000 swr/watt meter with 3 modules the SWC-1
SWC-2 and SW-3. If anyone has a manual or data sheets that I could
get a copy of or a pdf file I would greatly appreciate the help.
Thanks gary@...

416. sw-2000

Yahoo group: kenwoodradio
Date: 2003-03-15 02:17:25 UTC
From: garyolbert
Topic: 415 Message: 416

Just picked a sw-2000 swr/watt meter with 3 modules the SWC-1
SWC-2 and SW-3. If anyone has a manual or data sheets that I could
get a copy of or a pdf file I would greatly appreciate the help.
Thanks gary@...

417. FS: Kenwood TS B2000

Yahoo group: kenwoodradio
Date: 2003-03-18 03:53:12 UTC
From: Sarge
Topic: 417 Message: 417

Kenwood TS B2000 (computer contolled)
With moblie accessories
Goldline Mic.
and more.
$1200.00 plus shipping

Call or email Chris
kg4bon@...
713-947-2055
Houston area

[Non-text portions of this message have been removed]

418. FS: AC & DC Cables for Kenwood TS-520 Series

Yahoo group: kenwoodradio
Date: 2003-03-21 10:52:47 UTC
From: Brian Carling
Topic: 418 Message: 418

For sale:

Power Cables for all Kenwood TS-520 Series:

AC Power Cable, two cond. with connector for TS-520 $19.00
DC Power Cable, two cond. with connector for TS-520 $19.00

Shipping is $5.00 additional for any quantity.

Does anyone on the list know if these will work with other models too?
(Like TS-820s etc.) ?

Not sure if this should be sent to egroups.com or yahoogroups.com
So sent to both.

73 - Brian, AF4K

419. FS: AC & DC power Cables for TS-520 Series

Yahoo group: kenwoodradio
Date: 2003-03-21 10:53:54 UTC
From: Brian Carling
Topic: 419 Message: 419

For sale:

Power Cables for all Kenwood TS-520 Series:

AC Power Cable, two cond. with connector for TS-520 $19.00
DC Power Cable, two cond. with connector for TS-520 $19.00

Shipping is $5.00 additional for any quantity.

Does anyone know if these will also work on TS-820S or any other Kenwood models?

Thanks & 73 - Brian, AF4K

420. TEST

Yahoo group: kenwoodradio
Date: 2003-03-22 11:34:55 UTC
From: Brian Carling
Topic: 420 Message: 420

```
Group test - kenwoodradio
```

421. FS: AC & DC Cables for TS520 series

Yahoo group: kenwoodradio
Date: 2003-03-22 11:45:41 UTC
From: Brian Carling
Topic: 421 Message: 421

```
For sale:

Power Cables for all Kenwood TS-520 Series:
AC Power Cable, two cond. with connector for TS-520 $19.00
DC Power Cable, two cond. with connector for TS-520 $19.00

Also:
Power Cables for all Yaesu FT-101 Series:
AC Power Cable, two cond. with connector for FT-101 $19.00
DC Power Cable, two cond. with connector for FT-101 $19.00

Shipping is $5.00 additional for any quantity.
```

422. Group Members Address Book

Yahoo group: kenwoodradio
Date: 2003-03-30 06:13:32 UTC
From: dcpaq2
Topic: 422 Message: 422

Group,

I have created a members address book in the data base folder for everyone to put in their contact information for other members to contact you if they should need to contact you.

This will prevent us from having to post messages requesting contact information.

It also has other benifits too.

ALL information is at your option. Only put in what you want to.

Please join in and enter in your contact information.

Doug

423. TS-140S firmware JAJ2

Yahoo group: kenwoodradio
Date: 2003-04-03 06:21:08 UTC
From: IGOR
Topic: 423 Message: 423

Help!
I need the Kenwood TS-140S MBM27C12825-JAJ2 firmware
as binary file.

73 to ALL

424. TS-570D(G) - modification 6meter

Yahoo group: kenwoodradio
Date: 2003-04-07 10:40:29 UTC
From: stefano_catena
Topic: 424 Message: 424

I just bought the Kenwood TS-570 D(G)
This version do not allow 6meter band
Anyone does know if exist the modification to add 6 meter band to
this rig.

Thanks for your help

73 de Stefano IW6DPY

425. Re: [kw-radio] TS-570D(G) - modification 6meter

Yahoo group: kenwoodradio
Date: 2003-04-07 12:19:56 UTC
From: Rusty Caufield
Topic: 425 Message: 425

http://www.qrz.com/download/mods-t-z/ts570dg.jpg

Not sure what bands this opens up, but it is an "Extended Frequency" Modification.

- Rusty
----- Original Message -----
From: "stefano_catena" <stefano_catena@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Monday, April 07, 2003 5:40 AM
Subject: [kw-radio] TS-570D(G) - modification 6meter

> I just bought the Kenwood TS-570 D(G)
> This version do not allow 6meter band
> Anyone does know if exist the modification to add 6 meter band to
> this rig.
>
> Thanks for your help
>
> 73 de Stefano IW6DPY
>
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

426. Kenwood TKR-820 UHF Repeater Programming

Yahoo group: kenwoodradio
Date: 2003-04-13 04:07:04 UTC
From: boohaca
Topic: 426 Message: 426

So from what I've read, there is absolutely no other means to program one of these units other than using the genuine Kenwood KPT-20 or KPT-50 programmer? I've read that the KPT-50 is used in conjunction with the KPG-21D software. Can anyone explain the purpose of the KPT-50 interface then? I was hoping it was a simple TTL/RS-232 level converter but I'm starting to think that this isn't the case.

Suprisingly, I cannot find a circuit that can replace the KPT-50. Has anyone seen something like this?

427. Re: [kw-radio] Kenwood TKR-820 UHF Repeater Programming

Yahoo group: kenwoodradio
Date: 2003-04-13 18:42:05 UTC
From: Rusty Caufield
Topic: 427 Message: 427

The KPT-50 is a Software driven Eprom Burner. It has it's own software inside for Handheld use, or can be hooked to a computer and used w/ KPG-21D to burn the proms with the computer.

The TKR amd TKB have Eproms and not volital memory proms for storing the Data.

- Rusty
----- Original Message -----
From: "boohaca" <radiobinaries@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Saturday, April 12, 2003 11:07 PM
Subject: [kw-radio] Kenwood TKR-820 UHF Repeater Programming

> So from what I've read, there is absolutely no other means to program
> one of these units other than using the genuine Kenwood KPT-20 or KPT-
> 50 programmer? I've read that the KPT-50 is used in conjunction with
> the KPG-21D software. Can anyone explain the purpose of the KPT-50
> interface then? I was hoping it was a simple TTL/RS-232 level
> converter but I'm starting to think that this isn't the case.
>
> Suprisingly, I cannot find a circuit that can replace the KPT-50.
> Has anyone seen something like this?
>
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

428. New Yahoo Group Created

Yahoo group: kenwoodradio
Date: 2003-04-14 17:22:23 UTC
From: dcpaq2
Topic: 428 Message: 428

For anyone who has Linksys products or an interest in Linksys products I have created a new yahoo group for those to learn more about Linksys products and to share information about the products.

Please keep in mind that the group was just started only a few days ago and their are no members in the group yet, but as time goes on we should get some new members and hopefully the group should become a success.

Please check the group out, and hopefully youll like the group.

http://groups.yahoo.com/group/The-Linksys-Group-Inc/

If you are not familiar with the company called Linksys, they make Wired and Wireless Broadband routers and networking devices.

Thanks for your time.

Doug

429. Kenwood Desk Microphone FS

Yahoo group: kenwoodradio
Date: 2003-04-16 00:08:59 UTC
From: Ken Simpson, W8EK
Topic: 429 Message: 429

For Sale:

Kenwood MC-80 desk microphone

This is the very nice "gooseneck" mic that also includes
an "up" and "down" switch, and nice windscreen. It is
wired with the 8 pin Kenwood connector. Looks and
works very nice, with paper work for $70 plus shipping
from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

430. For Sale 2 Aerotron Railroad Locomotive "Clean Cab" Service Manuals

Yahoo group: kenwoodradio
Date: 2003-04-16 17:13:47 UTC
From: dcpaq2
Topic: 430 Message: 430

Group I have two radio service manuals for sale. I have 1 service manual that covers the Aerotron Alpha 1700 "Clean Cab" Transceiver only. This manual has 114 pages. All black and white with texted, drawings, schematics, and one lititure page in color.

The other manual covers Aerotron Alpha AL-1500, AL-1597, And AL-1700 "Clean Cab" series radios.

There is approx 300 pages in this manual. All are black and white, with texted, drawings, and schematics.

My asking price is $50.00 for the Alpha 1700 only manual.

And $80.00 for the Alpha Al-1500,1597,1700 manual.

Or buy both manuals for $100.00.

Buyer pays Actual shipping charges.

Price is firm.

If you would like to see photos of the manuals let me know and ill email you photos.

If anyone is interested you may reach me at DCPAQ2@...

or 708-932-5471

Doug

431. BK Software For Sale? Maybe?

Yahoo group: kenwoodradio
Date: 2003-04-18 02:51:23 UTC
From: dcpaq2
Topic: 431 Message: 431

Group,

A little off subject but here goes.

I have some Bendix King Programming software that I really have no more use for, and I was "Thinking" about selling them off.

I have the "Original" copies on disk, not copies off the internet or anything like that. Right from BK.

Is there anyone here that would be interested in buying them from me "IF" I should decide to sell them?

Email me and let me know how much your would be willing to offer for all 8 of the below programs. Highest offer gets em.

The following list is what I have available for programs.

LAA-1735
EPH Series Radio Frequency
RX/TX Tuning
Power Adjustment
Bandwidth Selection
Alpha Editor
P/N 7019-1660-701

LAA-1735
EPH Series Portable Radio
Frequency Programming
RX/TX Tuning, Power Adjustment,
Bandwidth Selection, Alpha Editor,
Code Guard Editor
P/N 7019-10660-702 Rev. 1.0

LAA-1733
L/E Series UHF Portable Radio
Frequency Programming
Alpha Editor
Synthesizer Alignment
P/N 7019-1660-501

LAA-0732
L-Series VHF Radio
Programming Software
P/N 7019-1660-401

LAA-0737

EMV/EMH Series Mobile Radio
Programming Software
P/N 7019-1660-901

LAA-0760
UCOM
Programming Software
P/N 7019-10661-001

LAA-0738
GPH Series Portable Radio
Programming Software
"Beta Copy" 3 Disks
P/N 7019-10660-902

LAA-0737CD
EMH-Editor-Rev. 1.0.3
EMV Editor-Rev. 1.0.2
Runs on Windows O/S

All the above programs come with Programming Manuals except for the CD version.

Floppy disks currently sell new for about $40.00 per copy, and the CD "Windows" version about $80.00 per disk/copy.

I will not sell them individually if i do sell them, only as a lot.

Anyone who is interested in these programs, please email me off list with your best offer. I will sell them to the highest offer received.

My email address is DCPAQ2@...

Thanks for reading.

Doug

432. Re: BK Software For Sale? Maybe?

Yahoo group: kenwoodradio
Date: 2003-04-23 12:05:20 UTC
From: dcpaq2
Topic: 431 Message: 432

Software is no longer for sale.
==========

--- In kenwoodradio@yahoogroups.com, "dcpaq2" <DCPAQ2@D...> wrote:
> Group,
>
> A little off subject but here goes.
>
> I have some Bendix King Programming software that I really have no
> more use for, and I was "Thinking" about selling them off.
>
> I have the "Original" copies on disk, not copies off the internet
or
> anything like that. Right from BK.
>
> Is there anyone here that would be interested in buying them from
> me "IF" I should decide to sell them?
>
> Email me and let me know how much your would be willing to offer
for
> all 8 of the below programs. Highest offer gets em.
>
> The following list is what I have available for programs.
>
> LAA-1735
> EPH Series Radio Frequency
> RX/TX Tuning
> Power Adjustment
> Bandwidth Selection
> Alpha Editor
> P/N 7019-1660-701
> ----------
> LAA-1735
> EPH Series Portable Radio
> Frequency Programming
> RX/TX Tuning, Power Adjustment,
> Bandwidth Selection, Alpha Editor,
> Code Guard Editor
> P/N 7019-10660-702 Rev. 1.0
> ----------
> LAA-1733
> L/E Series UHF Portable Radio
> Frequency Programming
> Alpha Editor
> Synthesizer Alignment

> P/N 7019-1660-501
> ----------
> LAA-0732
> L-Series VHF Radio
> Programming Software
> P/N 7019-1660-401
> ----------
> LAA-0737
> EMV/EMH Series Mobile Radio
> Programming Software
> P/N 7019-1660-901
> ----------
> LAA-0760
> UCOM
> Programming Software
> P/N 7019-10661-001
> ----------
> LAA-0738
> GPH Series Portable Radio
> Programming Software
> "Beta Copy" 3 Disks
> P/N 7019-10660-902
> ----------
> LAA-0737CD
> EMH-Editor-Rev. 1.0.3
> EMV Editor-Rev. 1.0.2
> Runs on Windows O/S
> ----------
>
> All the above programs come with Programming Manuals except for
the
> CD version.
>
> Floppy disks currently sell new for about $40.00 per copy, and the
> CD "Windows" version about $80.00 per disk/copy.
>
> I will not sell them individually if i do sell them, only as a lot.
>
> Anyone who is interested in these programs, please email me off
list
> with your best offer. I will sell them to the highest offer
received.
>
> My email address is DCPAQ2@D...
>
>
> Thanks for reading.
>
> Doug

433. WTB: KCH-4 kit for our TK-830

Yahoo group: kenwoodradio
Date: 2003-04-23 12:56:11 UTC
From: nmfire10
Topic: 433 Message: 433

Looking to convert our TK-830 C-Med radio from the 2 digit channel # only display to the full alpha display. Anyone have one of these kits left? I know it is an old part so I am running on luck now. E-Mail me directly at mattlawrence@...

434. Comformation austaximan@hotmail.com

Yahoo group: kenwoodradio
Date: 2003-04-26 09:58:54 UTC
From: Austaximan Australia
Topic: 434 Message: 434

```
_____________________________________________________________________
MSN Instant Messenger now available on Australian mobile phones.?Go to
http://ninemsn.com.au/mobilecentral/hotmail_messenger.asp
```

435. ts-430S PA and 2SC2509

Yahoo group: kenwoodradio
Date: 2003-04-28 17:11:10 UTC
From: Joe D
Topic: 435 Message: 435

I am trying to rejuvenate a TS-430S that I got for a song (and a dance) at a hamfest. One of several problems I found was the PA driver transistors (a pair of 2SC2509's) were shorted. According to the Service Manual (page 34) the transistor leads are B-E-C, but every bit of documentation I have found on the 2SC2509 shows it to be B-C-E! Does anyone have a clue what is going on?

Thanks
Joe
n2uf@...

436. Re: [kw-radio] ts-430S PA and 2SC2509

Yahoo group: kenwoodradio
Date: 2003-04-28 17:29:30 UTC
From: W1WLS@aol.com
Topic: 436 Message: 436

Try and e-mail Kentwood there may be a miss print in the manual. Also check the web site and find the service bulletins.
W1WLS

[Non-text portions of this message have been removed]

437. Kenwood VS-1 voice synthesizer FS

Yahoo group: kenwoodradio
Date: 2003-05-07 00:57:36 UTC
From: Ken Simpson, W8EK
Topic: 437 Message: 437

For Sale:

Kenwood VS-1 voice synthesizer

This is a small circuit board that will allow the rig to
"speak" (announce frequency, mode, VFO in use, etc.)
on certain Kenwood rigs. These include the TW-4000,
TS-711, TS-811, TS-440, and quite a few others. It
even lets you select English or Japanese!

This one has been tested, and works fine. Paper work
is included for $65 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

438. 400 hertz CW filter for Kenwood TS-120/130/430/440 and others FS

Yahoo group: kenwoodradio
Date: 2003-05-07 16:05:11 UTC
From: Ken Simpson, W8EK
Topic: 438 Message: 438

For Sale:

CW filter for Kenwood TS-120/130/430/440, and many others.

This is a 400 hertz CW filter for the 8.8 MHz IF used in many
of the Kenwood rigs. Actual center frequency is 8830.7 MHz.

It is the solder in type filter, with steep skirts.

$75 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

439. Station Monitor Question

Yahoo group: kenwoodradio
Date: 2003-05-08 23:44:28 UTC
From: ac7nj@bentonrea.com
Topic: 439 Message: 439

I have a Kenwood TS-850S can I use the SM-220 Station Monitor and if so what is needed for cabling? and hook ups?

Randy

AC7NJ

[Non-text portions of this message have been removed]

440. Kenwood TKR-820

Yahoo group: kenwoodradio
Date: 2003-05-15 22:02:36 UTC
From: n2jve
Topic: 440 Message: 440

Hello All,

First off, Thank You for reading this post. I am looking for the pinout on the back of the TKR-820 UHF Repeater. What i'm trying to do is pull Recieve Audio and COR/COS from our present UHF Repeater to a VHF Repeater for a temperary Reciever. I have a radio set up at another site that will crossband, Recieve on 2 meters and Tx on UHF. This is the only way I can do this until i get the VHF Reciever repaired. If anyone could help out, that would be GREAT!!!! Thanks Again!!!!

Mike N2JVE owner of 146.07/67 Chatham,New York

441. Kenwood TW-4000 dual band FM mobile xcvr FS

Yahoo group: kenwoodradio
Date: 2003-05-17 14:47:09 UTC
From: Ken Simpson, W8EK
Topic: 441 Message: 441

For Sale:

Kenwood TW-4000 dual band mobile FM transceiver

Covers 2 m and 440 MHz FM. 25 Watts output, or 5 W in low power. Of course it has memories, scan, etc. It has a GASFET front end, giving it a really great receiver. This would make a great packet rig, which is what it has been used for. All solid state switching makes silent packet operation. Since it has been used on packet, it does not have a mic or mobile bracket with it, although it takes a standard 8 pin round mic connector, like most Kenwood rigs. It needs 13 V DC at 7 or 8 amps to operate. It works fine, and is good cosmetically, although there are a few scratches. Manual is included for $95 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

442. TS-430 vs. Lightning Bolt

Yahoo group: kenwoodradio
Date: 2003-05-18 19:47:54 UTC
From: Joseph DiPietro
Topic: 442 Message: 442

Here is a challenge for all of you Kenwood experts.

I bought (cheap) a TS-430 that had experienced an altercation with a lightning bolt. The hit came through the PS-430. The antenna was not connected and the rig was not powered up.

The rig was turned on after the strike. Unfortunately the power supply was putting out about 25VDC at the time.

Results:

The receiver was dead. The transmitter was dead. The power supply was putting out 25VDC.

What I have done so far:

Every transistor in the power supply (PS-430) was blown and several pc board traces were vaporized. It has been fixed.

The receiver audio amp, IC5 in the IF unit, was blown. After replacing it, the receiver worked fine.

Now on to the transmitter; there was RF power out of Q1 on the Final Unit. Q2 and Q3 (the second stage drivers) were shorted, Q5 and Q6 (the final transistors) were shorted and R15 and R16 had exploded. I replaced all of those parts. Now I have RF on the bases of Q2 and Q3, but no power out of them.

Looking closer at Q2 and Q3 I discovered a strange inconsistency between the Kenwood schematic and reality. The transistors are indicated as 2SC2509. The schematic shows the center pin of this TO-220 transistor to be the emitter. The schematic shows the emitters are at ground. The pc board view in the service manual, and the circuit board itself, have the center pin (and tab) of the transistor at ground.

All of this is wonderful, except the center pin and tab of a 2SC2509 is the Collector! I called Kenwood service and asked about this. The tech I spoke with got rather huffy at me for implying that there was something wrong, but about an hour later he called me back and said I was right, there was something strange going on. His suggestion was that I order the parts (again) from Kenwood.

Does anyone out there have any experience with replacing these driver transistors? Has anyone noticed that the Kenwood schematic has the emitter and collector of these transistors switched? Does it really matter?

What else could be wrong with the transmitter?

Clues? Suggestions? Advice?

Thanks

Joe DiPietro

N2UF@...

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.481 / Virus Database: 277 - Release Date: 5/15/2003

443. Re: [kw-radio] TS-430 vs. Lightning Bolt

Yahoo group: kenwoodradio
Date: 2003-05-18 20:22:02 UTC
From: Colburn
Topic: 442 Message: 443

I don't know if Cliff (authorized Kenwood tech) reads this list ...
there are so many!

Anyhow, you may want to copy your question to Kenwood@...
since I am pretty certain he hangs around there and has always been
generous with free help.

I wish you well, you sure have taken on a daunting task!

73, doc kd4e

On Sun, 2003-05-18 at 15:47, Joseph DiPietro wrote:
> Here is a challenge for all of you Kenwood experts.
>
> I bought (cheap) a TS-430 that had experienced an altercation with a
> lightning bolt. The hit came through the PS-430. The antenna was not
> connected and the rig was not powered up.
>
> Snip!
>
> Does anyone out there have any experience with replacing these driver
> transistors? Has anyone noticed that the Kenwood schematic has the emitter
> and collector of these transistors switched? Does it really matter?
>
> What else could be wrong with the transmitter?
>
> Clues? Suggestions? Advice?
> Thanks
> Joe DiPietro N2UF@...

444. New HF Mobile from Kenwood Dayton flyer

Yahoo group: kenwoodradio
Date: 2003-05-18 21:49:17 UTC
From: tcreedon
Topic: 444 Message: 444

All,

Just posted, in the photo section of this group, a copy of the flyer
Kenwood provided at Dayton regarding
their new HF mobile rig. They had two there, one under a glass case
and one in a car mockup. The rep stated December as the ship time.
No nomenclature at this time.

Regards,

Tom AG4QP

445. Re: [kw-radio] New HF Mobile from Kenwood Dayton flyer

Yahoo group: kenwoodradio
Date: 2003-05-18 22:04:39 UTC
From: Colburn
Topic: 444 Message: 445

Any estimated price?

Thanks! & 73, doc kd4e

On Sun, 2003-05-18 at 17:49, tcreedon wrote:
> All,
>
> Just posted, in the photo section of this group, a copy of the flyer
> Kenwood provided at Dayton regarding
> their new HF mobile rig. They had two there, one under a glass case
> and one in a car mockup. The rep stated December as the ship time.
> No nomenclature at this time.
>
> Regards,
>
> Tom AG4QP

446. Re: [kw-radio] New HF Mobile from Kenwood Dayton flyer

Yahoo group: kenwoodradio
Date: 2003-05-18 22:07:50 UTC
From: tcreedon
Topic: 444 Message: 446

No, they were no very forthcoming with info other than what was on
the flyer, and stating that the rig would be ready around December.

Regards,

Tom AG4QP

--- In kenwoodradio@yahoogroups.com, Colburn <kd4e@a...> wrote:
> Any estimated price?
>
> Thanks! & 73, doc kd4e
>
> On Sun, 2003-05-18 at 17:49, tcreedon wrote:
> > All,
> >
> > Just posted, in the photo section of this group, a copy of the
flyer
> > Kenwood provided at Dayton regarding
> > their new HF mobile rig. They had two there, one under a glass
case
> > and one in a car mockup. The rep stated December as the ship
time.
> > No nomenclature at this time.
> >
> > Regards,
> >
> > Tom AG4QP

447. Re: [kw-radio] New HF Mobile from Kenwood Dayton flyer

Yahoo group: kenwoodradio
Date: 2003-05-18 22:25:34 UTC
From: Colburn
Topic: 444 Message: 447

What rigs did they appear to be positioning it to compete with?

Perhaps that would provide some sense of the necessary price range?

doc

On Sun, 2003-05-18 at 18:07, tcreedon wrote:
> No, they were no very forthcoming with info other than what was on
> the flyer, and stating that the rig would be ready around December.
> Regards,
> Tom AG4QP

448. Kenwood Repair Centers

Yahoo group: kenwoodradio
Date: 2003-05-22 15:13:39 UTC
From: kr4oe
Topic: 448 Message: 448

I have a hf rig I need to send in for repairs and any available updates. I have talked to two people and they have told me to send it to the west coast repair center even though I am on the east coast. They said they had bad experiences with the east coast repair center. Anyone have thoughts on this?

449. Re: [kw-radio] Kenwood Repair Centers

Yahoo group: kenwoodradio
Date: 2003-05-22 15:50:13 UTC
From: Tim Tribble
Topic: 448 Message: 449

When Kenwood Service Center West switched to a
contract vendor I had my TH-79 in for repairs. They
"lost" the radio in the move from one location to
another. It took them a couple of weeks and several
angry phone calls from me to finally get the radio
found. They were kind enough to put it at the head of
the line after they found it. It's a mixed bag, just
make sure that you keep track of your radio, they may
not. I would send it certified mail to prove it was
delivered and keep on them calling to verify status.
If I had not done this, I would be out an HT.

--- kr4oe <kr4oe@...> wrote:
> I have a hf rig I need to send in for repairs and
> any available
> updates. I have talked to two people and they have
> told me to send
> it to the west coast repair center even though I am
> on the east
> coast. They said they had bad experiences with the
> east coast repair
> center. Anyone have thoughts on this?

=====
Donald "Tim" Tribble, KD6MDV
Sacramento, CA
"Doctor of Colorectal Spelunking"

450. Re: [kw-radio] Kenwood Repair Centers

Yahoo group: kenwoodradio
Date: 2003-05-23 03:01:27 UTC
From: Rusty Caufield
Topic: 448 Message: 450

I only use the West Coast Service center. I have had really good luck with them, and their proximity to Long Beach makes the communication with corporate and Tech Support very good. I have sent LMR, Amateur and Stereo equipment there without problems.

- Rusty
----- Original Message -----
From: "kr4oe" <kr4oe@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Thursday, May 22, 2003 10:13 AM
Subject: [kw-radio] Kenwood Repair Centers

> I have a hf rig I need to send in for repairs and any available
> updates. I have talked to two people and they have told me to send
> it to the west coast repair center even though I am on the east
> coast. They said they had bad experiences with the east coast repair
> center. Anyone have thoughts on this?
>
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

451. Kenwood TM-741 problem

Yahoo group: kenwoodradio
Date: 2003-05-23 11:55:47 UTC
From: Ron
Topic: 451 Message: 451

I have a Kenwood TM-741 with the UT-220 module....

When I turn the radio on -- that is all I get ----

------- ON --------

This is as far as it goes and nothing else is displayed....
no audio - no freqs' - no memory - no VFO -- you get the
picture.... dead!!!! I can not turn the radio off or change
anything else. I have to turn the power supply off or pull the
DC connector to have it shut off again.
Yes I did the Memory reset - factory reset deal.
I know this is a good sign that the radio is not functioning - but -
is this an easy fix - or costly repair?? Just how bad is it??

Ron Bouder

rbouder@...

452. Re: [kw-radio] Kenwood TM-741 problem

Yahoo group: kenwoodradio
Date: 2003-05-23 16:20:15 UTC
From: John Przychocki
Topic: 452 Message: 452

I had this problem twice quite a few years ago and sent it back to kenwood for warrenty repair. Fast in and out. The first time was they replaced the control head (replaced the control PCB and aligned unit. The second time I had to pay $66.55 for repaired control unit. replaced battery and align and only the battery shows up on the materials used list. I remember the fight since it was almost a year from the first time. And this unit was always mounted in my shack.
This was back in 1995 and 1996.

Boy, I should clean this file cabinet out. I have manual, reciepts for things I haven't had for years...

73's de John / KB2NQT
----- Original Message -----
From: Ron
To: kenwoodradio@yahoogroups.com
Sent: Friday, May 23, 2003 7:55 AM
Subject: [kw-radio] Kenwood TM-741 problem

I have a Kenwood TM-741 with the UT-220 module....

When I turn the radio on -- that is all I get ----

------- ON --------

This is as far as it goes and nothing else is displayed....
no audio - no freqs' - no memory - no VFO -- you get the
picture.... dead!!!! I can not turn the radio off or change
anything else. I have to turn the power supply off or pull the
DC connector to have it shut off again.
Yes I did the Memory reset - factory reset deal.
I know this is a good sign that the radio is not functioning - but -
is this an easy fix - or costly repair?? Just how bad is it??

Ron Bouder

rbouder@...

Yahoo! Groups Sponsor
ADVERTISEMENT

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

453. Kenwood TS-930S

Yahoo group: kenwoodradio
Date: 2003-05-26 08:11:55 UTC
From: Budi Rianto Halim.
Topic: 453 Message: 453

I have problem with my TS-930 in PLL unit.
I need part number X-54 - 1670.

Any body can help I must order to where?

Thank you.

Budi Rianto Halim.

454. Re: [kw-radio] Kenwood TS-930S

Yahoo group: kenwoodradio
Date: 2003-05-26 09:10:22 UTC
From: W1WLS@aol.com
Topic: 454 Message: 454

Hi; Have you tried East Coast Transistor Parts. They have a lot of parts for older and current Kenwood Radios. Here is Link to East coast > East Coast Transistor - Your Authorized Parts Distributor (http://www.kenwoodparts.com/) After you link to page do this; 1. Click on Kenwood. 2. DO NOT enter user or password just click on login now. (you enter as a guest). 3. Click on search for parts. 4. Click on Amateur button and then Continue 5. On model number put TS930s hit submit. This will bring you to a list of all the parts for the TS-930s Hope this helps. 73, Walt - W1WLS [Non-text portions of this message have been removed]

455. Want to Buy/Trade

Yahoo group: kenwoodradio
Date: 2003-06-02 05:19:04 UTC
From: wb5yjx
Topic: 455 Message: 455

Looking for a reasonably priced TS-130 to use mobile. Will trade or buy outright. Please reply off list.

mike
mgoins@...
wb5yjx

456. Aftermarket drop-in charger?

Yahoo group: kenwoodradio
Date: 2003-06-03 14:35:18 UTC
From: Dakota Summerhawk
Topic: 456 Message: 456

I have a TK-240 that the drop in charger finally went belly up,
anyone have any info on a replacement for the desktop charger?
Aftermarket is fine and I need it for the 12V battery.
Thanks
Dakota

457. Re: [kw-radio] Aftermarket drop-in charger?

Yahoo group: kenwoodradio
Date: 2003-06-04 12:39:00 UTC
From: Rusty Caufield
Topic: 457 Message: 457

Check into W&W or Alexander / J-Bro. They both make chargers. Also you can check with your Kenwood dealer for a KSC-18 or KSC-14. They are the chargers for the 250 350 and 353 but they work with the TK-x40 series.

- Rusty
----- Original Message -----
From: "Dakota Summerhawk" <dakotas@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Tuesday, June 03, 2003 9:35 AM
Subject: [kw-radio] Aftermarket drop-in charger?

> I have a TK-240 that the drop in charger finally went belly up,
> anyone have any info on a replacement for the desktop charger?
> Aftermarket is fine and I need it for the 12V battery.
> Thanks
> Dakota
>
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

458. control the TM-V7

Yahoo group: kenwoodradio
Date: 2003-06-05 14:23:36 UTC
From: ac7nj@bentonrea.com
Topic: 458 Message: 458

Has anyone in the group seen or herd of controlling the TM-V7 with the computer?

I assume that this would be done through the mike connection with a level converter of some kind.

I'd like to use this radio for a PACKET NODE with users on 2 meter and the cluster connection on 440.

If someone has worked out the details I don't need to re-invent the wheel.

Software is an other issue.

Thank you in advance,

Randy

AC7NJ

[Non-text portions of this message have been removed]

459. Re: [kw-radio] control the TM-V7

Yahoo group: kenwoodradio
Date: 2003-06-05 18:50:11 UTC
From: Tim Tribble
Topic: 458 Message: 459

The only computer interface I am aware of is the "memory management" program to program the memory channels. It uses an RS-232 connection to a plug on the front of the radio. If you look at the front of the chassis on the left side (Don't have it in front of me) there is a black plug. That is where the cable goes. I would think that would be where you would go for the "computer control" and the mic attachement would just be for ptt/rtl functions.

--- ac7nj@... wrote:
> Has anyone in the group seen or herd of controlling
> the TM-V7 with
> the computer?

=====
Donald "Tim" Tribble, KD6MDV
Sacramento, CA
"Doctor of Colorectal Spelunking"

461. Re: [kw-radio] Digest Number 280

Yahoo group: kenwoodradio
Date: 2003-06-07 21:36:50 UTC
From: Alan Gault
Topic: 461 Message: 461

These ads have what to do with ham radio?

462. Re: [kw-radio] Digest Number 280

Yahoo group: kenwoodradio
Date: 2003-06-07 22:51:19 UTC
From: Bud Haynes
Topic: 461 Message: 462

> These ads have what to do with ham radio?
>
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>

These ads are what pays for you to be able to use this service, There are options but I doubt if you would like them.

KV7G

463. F/S Kenwood TK-790H Remote Mount Full Head!

Yahoo group: kenwoodradio
Date: 2003-06-09 22:04:57 UTC
From: RadioGuy205@aol.com
Topic: 463 Message: 463

Make offer: Kenwood TK-790H Remote mount, full head, remote speaker. Used but in good shape. E-mail off list with offers. Thanks!!

Frederic C.

[Non-text portions of this message have been removed]

464. F/S Kenwood TK-760H Like New!!

Yahoo group: kenwoodradio
Date: 2003-06-09 22:06:27 UTC
From: RadioGuy205@aol.com
Topic: 464 Message: 464

Make offer: Kenwood TK-760H 45 watt, 32 channel like new radio. Excellent condition. E-mail off list with offers. Thanks!!

Frederic C.

[Non-text portions of this message have been removed]

466. Newest TK-790 Firmware

Yahoo group: kenwoodradio
Date: 2003-06-10 18:53:21 UTC
From: RadioGuy205@aol.com
Topic: 466 Message: 466

Looking for the latest version of firmware for the TK-790. I believe it is the one with the power on text. Any assistance is appreciated!! Thanks!!

Frederic C.

[Non-text portions of this message have been removed]

467. TM-733 Service Manual

Yahoo group: kenwoodradio
Date: 2003-06-11 01:40:46 UTC
From: Jim Hagen
Topic: 467 Message: 467

Does anyone have access to the Service Manual for the TM-733 Dual Band mobile, or at least could someone tell me how to adjust the modulation level on this radio?

Thanks,

Jim KD4HEY

468. Re: [kw-radio] TM-733 Service Manual

Yahoo group: kenwoodradio
Date: 2003-06-11 02:08:48 UTC
From: Ed Lawson
Topic: 467 Message: 468

Are you sure you really need to adjust the deviation level? (not modulation on FM/PM).....?

More than likely, it's just like most Japanese mics/radios, it's max deviation is probably fine, it's just got tooooooo much audio..... putting a 2.2K +/- ohm resister across the mic element will likely solve the problem...

Ed W5ZS

********** REPLY SEPARATOR **********

On 6/11/2003 at 1:40 AM Jim Hagen wrote:

>Does anyone have access to the Service Manual for the TM-733 Dual Band
>mobile, or at least could someone tell me how to adjust the modulation
>level on this radio?
>
>Thanks,
>
>Jim KD4HEY
>
>
>
>To unsubscribe from this group, send an email to:
>kenwoodradio-unsubscribe@egroups.com
>
>For polls, files, and other info visit:
>http://www.egroups.com/group/kenwoodradio
>
>
>Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

469. TR 2300 Ni-Cad Pack

Yahoo group: kenwoodradio
Date: 2003-06-12 07:56:16 UTC
From: Ken Ward
Topic: 469 Message: 469

Hi,
Anyone know of a UK source of Ni-Cad packs or the older battery holders for the TR 2300?

Ken G1ITV

471. tired of dates and not scoring

Yahoo group: kenwoodradio
Date: 2003-06-16 00:09:24 UTC
From: thong_sniffing_fem3
Topic: 471 Message: 471

try using ADULT dating sites where your almost guaranteed to fuck

http://www.nakedfriendfinder.com/landing.asp?afl=MYHO

472. ENough unwanted ads!!

Yahoo group: kenwoodradio
Date: 2003-06-16 01:10:25 UTC
From: Brian Carling
Topic: 472 Message: 472

Stop the garbage posts!!

Where is the moderator for this group?

AF4K

473. FS: Two Kenwood CW Filters

Yahoo group: kenwoodradio
Date: 2003-06-16 01:12:22 UTC
From: Brian Carling
Topic: 473 Message: 473

FOR SALE:

Kenwood YG-88C CW 250 Hz Filter for i.f. NEW $75.00 plus shipping

International Radio IR-88H250 AC
by Fox Tango Corporation. This is the 250 Hz CW Filter
for the Kenwood TS930s NEW for $75.00

474. Re: [kw-radio] ENough unwanted ads!!

Yahoo group: kenwoodradio
Date: 2003-06-16 01:16:17 UTC
From: Timothy-Allen Albertson-KG6IRH
Topic: 474 Message: 474

fixing his Kenwood
----- Original Message -----
From: Brian Carling
To: kenwoodradio@yahoogroups.com
Sent: Sunday, June 15, 2003 6:10 PM
Subject: [kw-radio] ENough unwanted ads!!

Stop the garbage posts!!

Where is the moderator for this group?

AF4K

Yahoo! Groups Sponsor
ADVERTISEMENT

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

475. Re: [kw-radio] ENough unwanted ads!!

Yahoo group: kenwoodradio
Date: 2003-06-16 02:49:35 UTC
From: Sarge
Topic: 474 Message: 475

That butterfly dude must be asleep too. Hahaha!

[Non-text portions of this message have been removed]

476. Re: [kw-radio] ENough unwanted ads!!

Yahoo group: kenwoodradio
Date: 2003-06-16 03:18:41 UTC
From: Rusty Caufield
Topic: 474 Message: 476

kenwood2way group is doing well

- Rusty
----- Original Message -----
From: "Sarge" <sarge43@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Sunday, June 15, 2003 9:49 PM
Subject: Re: [kw-radio] ENough unwanted ads!!

> That butterfly dude must be asleep too. Hahaha!
>
> [Non-text portions of this message have been removed]
>
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

477. tired of dates and not scoring

Yahoo group: kenwoodradio
Date: 2003-06-16 12:56:44 UTC
From: thong_sniffing_fem3
Topic: 471 Message: 477

try using ADULT dating sites where your almost guaranteed to fuck

http://www.nakedfriendfinder.com/landing.asp?afl=MYHO

478. ad accounts deleted

Yahoo group: kenwoodradio
Date: 2003-06-19 01:23:17 UTC
From: Fred -h
Topic: 478 Message: 478

The offenders have been removed.

Fred
N4IXL

[Non-text portions of this message have been removed]

479. Re: [kw-radio] ad accounts deleted

Yahoo group: kenwoodradio
Date: 2003-06-19 01:25:51 UTC
From: Sarge
Topic: 479 Message: 479

Thanks, Fred !!

The offenders have been removed.

Fred
N4IXL

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

480. adapter question

Yahoo group: kenwoodradio
Date: 2003-06-28 19:03:40 UTC
From: Dakota Summerhawk
Topic: 480 Message: 480

Is there an adapter that goes from the Kenwood antenna type to an SMA female? Most of the antennas we have are SMA male and I wanted to see if there is an adapter.
Thanks
Dakota

481. Kenwood TK-2140 PTT Release Tone?

Yahoo group: kenwoodradio
Date: 2003-06-30 03:20:11 UTC
From: RadioGuy205@aol.com
Topic: 481 Message: 481

Just curious if the new TK-2140 has the PTT release tone like the TK-X80 series portables do. Any info is appreciated! Thanks!!

Frederic C.

[Non-text portions of this message have been removed]

482. Re: [kw-radio] Kenwood TK-2140 PTT Release Tone?

Yahoo group: kenwoodradio
Date: 2003-06-30 10:52:22 UTC
From: Rusty Caufield
Topic: 482 Message: 482

Yes, Think of the x140's as an x80 stuffed into a smaller package. They share all the same features.

- Rusty
----- Original Message -----
From: <RadioGuy205@...>
To: <Kenwood2Way@yahoogroups.com>; <kenwoodlmr@yahoogroups.com>; <kenwoodradio@yahoogroups.com>
Sent: Sunday, June 29, 2003 10:20 PM
Subject: [kw-radio] Kenwood TK-2140 PTT Release Tone?

> Just curious if the new TK-2140 has the PTT release tone like the TK-X80
> series portables do. Any info is appreciated! Thanks!!
>
> Frederic C.
>
>
> [Non-text portions of this message have been removed]
>
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

483. Another TK-240D question

Yahoo group: kenwoodradio
Date: 2003-07-11 07:49:35 UTC
From: Dakota Summerhawk
Topic: 483 Message: 483

Morning,
Can anyone tell me what all the contacts do on the back of the unit? I have it programmed but have a feeling that the rest of the PCB contacts have other functions besides programming.
Can someone help with this?
Thanks
Dakota

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.497 / Virus Database: 296 - Release Date: 7/4/2003

484. Transverter and TS-520

Yahoo group: kenwoodradio
Date: 2003-07-12 10:03:36 UTC
From: sm1nvv
Topic: 484 Message: 484

Hi Hams
I´ve just got me an tranverter 28-144MHz and I can´t figure out how
to connect the transverter to the gray transverterplug on the TS-520.
I managed to get it to recieve well but can´t transmit.
The SG switch is off as it should.
The tranverter is an UHF-UNIT from an Swedish company.
I sure could use some help to connect it.

73 de Tommy SM1NVV

485. Kenwood TH-21 two meter HT and many accessory items FS

Yahoo group: kenwoodradio
Date: 2003-07-12 22:37:34 UTC
From: Ken Simpson, W8EK
Topic: 485 Message: 485

For Sale:

Kenwood TH-21 AT 2 meter HT.
Fully synthesized, small HT, about the size of a deck of cards. Thumbwheel selection of frequency. Very easy to use. About 1.3 W in high power and 1/3 W in low power. This one is in very nice condition. It includes rubber duck antenna, good battery, charger, and original manual for $65.

Kenwood TU-6 sub-audible tone encoder
for use in the TH-21 / 31 / 41 series of HTs.
With paper work, in great shape, for $40.

Kenwood PB-21 battery pack.
As used on the TH-21 / 31 /41. Very good shape, in its box, with paper work. $25

Kenwood DC-21 used to operate the TH-21 / 31 / 41 from 13 V DC. Includes cigarette lighter plug, and voltage converter. With paper work for $25.

AC adapter for TH-21 / 31 / 41 HTs
Wall wort DC supply plugs into wall, and has adapter that slides on to the HT to use it off of 115 V AC. $ 25

Kenwood SC-6 protective case.
Fits the TH-21 /31 /41 series of HTs.
This will protect the HT in great shape. $ 10

DC adapter used to operate the TH-21 / 31 / 41 from 13 V DC. Includes cigarette lighter plug. $20

Kenwood BH-2 belt clip for the TH-21 / 31/ 41. $ 5

Kenwood RA-8 A "Stubby duck" antenna for the TH-21, two meter HT. $ 10

Kenwood RA-10 A "Stubby duck" antenna for the TH-41. 440 MHz HT. $ 10

Antenna adapter to fit the connector on the TH - 21 / 31/ 41, and adapt it to standard PL-259 antenna connector. $ 3

Antenna adapter as above, but goes to BNC connector. $ 3

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-Mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

486. Kenwood microphones FS

Yahoo group: kenwoodradio
Date: 2003-07-13 12:51:27 UTC
From: Ken Simpson, W8EK
Topic: 486 Message: 486

Kenwood Microphones For Sale:

Kenwood MC-35 S hand microphone
This hand microphone is used with most all of the
older Kenwood rigs - TS-120, TS-180, TS-520, TS-820,
etc. It has a four pin plug on it to match these rigs.
Good shape for $40

Kenwood MC-80 desk microphone
This is the very nice "gooseneck" mic that also includes
an "up" and "down" switch, and nice windscreen. It is
wired with the 8 pin Kenwood connector. Looks and
works very nice, with paper work for $70

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

487. FS: Microphone Collection

Yahoo group: kenwoodradio
Date: 2003-07-18 09:48:42 UTC
From: Brian Carling
Topic: 487 Message: 487

FOR SALE: Several Microphones

Shure 414B Hand microphone - $15.00

Astatic N30 with new desk stand - $55.00

Astatic 513H mobile microphone, high impedance - $65.00

Turner SR785 Gooseneck microphone, NIB - $35.00

Several others for sale also. Shipping additional

Pictures at:
http://members17.clubphoto.com/brian730049/1464173/owner-a966.phtml
Click thumbnails for larger views

Details at:
http://home.cfl.rr.com/happysurfer/mics.htm

488. Narrowband Publication in Federal Register 03-34

Yahoo group: kenwoodradio
Date: 2003-07-18 12:23:56 UTC
From: Rusty Caufield
Topic: 488 Message: 488

For those of you interested in the impending switch to Narrow band and when
it will occur, here is some more information.
I received this from the APCO list I am on.
- Rusty

----- Original Message -----
From: "Ken Yoder" <yoderk@...>

> Attached is the pdf file of the Federal Register published today
> indicating the dates for narrowband transition. The major decisions
adopted
> in the Order are as follows: The Order
>
> -Prohibits the filing of applications for new operations using 25kHz
> channels, beginning six months after publication of the Order in the
Federal
> Register.
>
> -Prohibits any modification applications that expand the authorized
> contour of an existing station if the bandwidth for transmissions
specified
> in the modification application is greater than 12.5kHz, beginning six
> months after publication of the Order in the Federal Register.
>
> -Prohibits the certification of any equipment capable of operating
> at one voice path per 25kHz of spectrum, i.e. equipment that includes a
> 25kHz mode, beginning January 1, 2005.
>
> -Prohibits the manufacture and importation of any 150-174 MHz and
> 421-512 MHz band equipment that can operate on a 25 kHz bandwidth,
beginning
> January 1, 2008.
>
> -Imposes deadlines for migration to 12.5 kHz technology for PLMRS
> systems operating in the 150-174 MHz and 421-512 MHz bands. The deadlines
> are: January 1, 2013 for non-public safety systems, and January 1,
> 2018 for public safety systems.
>
>
> Kenneth C. Yoder
> Texas Chapter APCO
> Frequency Advisor

[Non-text portions of this message have been removed]

489. New file uploaded to kenwoodradio

Yahoo group: kenwoodradio
Date: 2003-07-18 12:38:21 UTC
From: kenwoodradio@yahoogroups.com
Topic: 229 Message: 489

Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the kenwoodradio
group.

File : /03-18054(narrowband).pdf
Uploaded by : rusty_caufield <rustyc@...>
Description :

You can access this file at the URL

http://groups.yahoo.com/group/kenwoodradio/files/03-18054%28narrowband%29.pdf

To learn more about file sharing for your group, please visit

http://help.yahoo.com/help/us/groups/files

Regards,

rusty_caufield <rustyc@...>

490. CW filter for Kenwood TS-120/130/180/430/440 etc.

Yahoo group: kenwoodradio
Date: 2003-07-18 15:57:30 UTC
From: Ken Simpson, W8EK
Topic: 490 Message: 490

For Sale:

CW filter for Kenwood TS-120/130/180/430/440, and many others.

This is a 400 hertz CW filter for the 8.8 MHz IF used in many
of the Kenwood rigs. Actual center frequency is 8830.7 MHz.
This is not manufactured by Kenwood. I think it is InRad.

It is the solder in type filter, with steep skirts.

$75 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

491. Kenwood HC-10 world clock

Yahoo group: kenwoodradio
Date: 2003-07-28 01:54:37 UTC
From: Ken Simpson, W8EK
Topic: 491 Message: 491

For Sale:

Kenwood HC-10 world clock.

Shows both local and GMT, or what ever
2 times you care to set it for. Very versatile
and nice clock. This one is in very, very nice
shape. It includes paper work for $ 80
plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-Mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

492. Narrow ssb filter

Yahoo group: kenwoodradio
Date: 2003-08-03 14:31:10 UTC
From: David A. Echols
Topic: 492 Message: 492

Does anyone know ,if there is a narrow ssb filter mod for the Kenwood 820s? If so could you please let me know....73's David

493. Re: [kw-radio] Narrow ssb filter

Yahoo group: kenwoodradio
Date: 2003-08-03 15:21:47 UTC
From: Martin
Topic: 492 Message: 493

Hi David. International Radio (http://www.qth.com/inrad/) has a 2100Khz filter and a 1800Khz filter for the Kenwood TS-820 series radios. At www.mods.dk there is a mod to allow the CW filter spot to hold another SSB filter, or the SSB filter spot to hold another CW filter. Without modifying the radio, you would have to replace the current SSB filter.

Good Luck!

David A. Echols wrote:

> Does anyone know ,if there is a narrow ssb filter mod for the Kenwood
> 820s? If so could you please let me know....73's David
>
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

--
Cul8r

Martin Campbell kb?hae1@... KB?HAE

Want to help stop Spam? (also known as UNSOLICITED COMMERCIAL E-MAIL)
Support the Anti-Spam Amendment. Join at http://www.cauce.org/

494. 950 SD Baud rate ?

Yahoo group: kenwoodradio
Date: 2003-08-04 15:55:34 UTC
From: Bob Mason
Topic: 492 Message: 494

Hello

Can anyone tell me the default Baud rate to use for the Kenwood TS-950-SD?

I have an interface for logging (Kenwood Isolated Controller - G3VFP) through Win_EQF and MixW which use the CAT control but I would like to know the default Baud rate for all.

It works okay at 4800 but I tried a demo of Logger 32 and it did not have this Baud rate in the options.

Many thanks in advance.

73
--
Bob Mason
http://www.mm0bqm.co.uk

"All those who believe in psychokinesis raise my hand."

495. Freeware multiple radio control

Yahoo group: kenwoodradio
Date: 2003-08-04 20:21:00 UTC
From: Dave Bernstein
Topic: 495 Message: 495

For those of you interested in PC rig control, the latest release of Commander (4.4.3) lets you switch between up to three connected radios with a single mouse click, or automatically by assigning a radio to each amateur band. Commander currently supports the following radios:

Elecraft: K2

Icom: all models using the CI-V bus

Kenwood: TS-440, TS-450, TS-570, TS-690, TS-711, TS-811, TS-850, TS-870, TS-940, TS-950, TS-2000

TenTec: all models using the CI-V bus

Yaesu: FT-100, FT-757, FT-767, FT-817, FT-840, FT-847, FT-857, FT-890, FT-897, FT-900, FT-920, FT-990, FT-1000D, FT-1000MP, MarkV

Commander, like all DXLab applications is completely free, and available via http://www.qsl.net/dxlab/.

73,

Dave, AA6YQ

496. my next orgy party

Yahoo group: kenwoodradio
Date: 2003-08-07 21:54:59 UTC
From: courtney_2_qut6
Topic: 496 Message: 496

hey, i'll be having another big orgy party in about 3 weeks, and wanted to send out another invitation to see who wants to come to this one.

if you were at the last one, you already know how awesome it was, and you're invited again. it's at the same place, and there will be even more single girls there this time! just remember...clothing isn't even an option! ;-)

come and RSVP at this link,

http://www.eroticy.com/landing.asp?AFL=AYHO

just leave me a message on my profile if you want to come, and i'll do the rest.

See ya there!

497. Kenwood TH-21 two meter HT and accessory items FS

Yahoo group: kenwoodradio
Date: 2003-08-13 14:48:40 UTC
From: Ken Simpson, W8EK
Topic: 497 Message: 497

For Sale:

Kenwood TH-21 AT 2 meter HT.
Fully synthesized, small HT, about the size of a deck of cards. Thumbwheel selection of frequency. Very easy to use. About 1.3 W in high power and 1/3 W in low power. This one is in very nice condition. It includes rubber duck antenna, good battery, charger, and original manual for $65.

Kenwood PB-21 battery pack.
As used on the TH-21 / 31 /41. Very good shape, in its box, with paper work. $25

AC adapter for TH-21 / 31 / 41 HTs
Wall wort DC supply plugs into wall, and has adapter that slides on to the HT to use it off of 115 V AC. $ 25

Kenwood HMC-1
This is a VOX Headset/boom mic unit that can be used on the TH-21 / 31 / 41 series of HTs, plus other Kenwood HTs. In nice shape, with paper work for $25.

Kenwood EP-1 ear phone
Used on almost all Kenwood HTs. Like new. $4

Kenwood SC-6 protective case.
Fits the TH-21 /31 /41 series of HTs.
This will protect the HT in great shape. $ 10

DC adapter used to operate the TH-21 / 31 / 41 from 13 V DC. Includes cigarette lighter plug. $20

Kenwood BH-2 belt clip for the TH-21 / 31/ 41. $ 5

Kenwood RA-8 A "Stubby duck" antenna for the TH-21, two meter HT. $ 10

Kenwood RA-10 A "Stubby duck" antenna for the TH-41. 440 MHz HT. $ 10

Antenna adapter to fit the connector on the TH - 21 / 31/ 41, and adapt it to standard PL-259 antenna connector. $ 3

Antenna adapter as above, but goes to BNC connector. $ 3

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-Mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

498. Earphone / mics FS

Yahoo group: kenwoodradio
Date: 2003-08-15 16:57:39 UTC
From: Ken Simpson, W8EK
Topic: 498 Message: 498

Earphone / microphones For Sale:

Yaesu MH-37 A4B
Lightweight earphone and microphone with PTT switch.
Four conductor plug fits VX-7, VX-5 or VX-1 dual band HTs
and others in that series. Never used; like new. $25

MFJ-288 I
Deluxe Headset with microphone and PTT switch.
Four conductor plug as above. Also never used;
like new. $25

Kenwood HMC-1
This is a VOX Headset/boom mic unit that can be used
on the TH-21 / 31 / 41 series of HTs, plus other
Kenwood HTs. In nice shape, with paper work for $25.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

499. TM 621 service manual

Yahoo group: kenwoodradio
Date: 2003-08-16 17:18:03 UTC
From: catsysop
Topic: 499 Message: 499

Hello,

I have a TM 621 2m/220mhz mobile that I need a service manual for. A copy is fine, or an original. Want to help line a fellow hams pocket before I go to the manual sellers.

Thanks!
Tom KC8KZY
t.kishjr@...

500. Kenwood Microphones FS

Yahoo group: kenwoodradio
Date: 2003-08-19 23:39:02 UTC
From: Ken Simpson, W8EK
Topic: 500 Message: 500

Kenwood Microphones For Sale:

Kenwood MC-80 desk microphone
This is the very nice "gooseneck" mic that also includes an "up" and "down" switch, and nice windscreen. It is wired with the 8 pin Kenwood connector, so it fits almost all modern Kenwood rigs. It looks and works very nice, with paper work for $70

Kenwood MC-30 S hand microphone
This is a 500 ohm (low Z) noise canceling hand microphone with a 4 pin connector on it. It fits most any of the Kenwood rigs using a four pin plug. It is in nice shape for $35

Kenwood MC-35 S hand microphone
This is similar to the MC-30 above, but has a high (50 K ohm) impedance. It is used with rigs such as the TS-520 and TS-820, and others with a 4 pin connector. Good condition for $ 35.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

501. TK-790H "clicking when off"

Yahoo group: kenwoodradio
Date: 2003-08-30 22:54:30 UTC
From: RadioGuy205@aol.com
Topic: 501 Message: 501

I have a Kenwood TK-790H with a Pyramid VHF repeater connected to it. When the radio is off there is a clicking noise that can be heard coming from the RF deck. When you key the PTT it makes the same sound (normal) for a split second before you begin transmitting. Any ideas what could be the problem? It kinda goes like clickclick (pause) clickclickclick? Thanks in advance for any assistance!!

Frederic C.

[Non-text portions of this message have been removed]

502. Kenwood 820s

Yahoo group: kenwoodradio
Date: 2003-08-31 02:40:43 UTC
From: sugerdelta109
Topic: 502 Message: 502

I need the amplifyer keyup cables for a Kenwood 820s and a Heathkit SB 200.I am disabled and can't see well enough to make one up! Any help would be greatly appreciated.....73's David Echols

503. TK-830 program help please!!

Yahoo group: kenwoodradio
Date: 2003-09-02 22:10:38 UTC
From: djpaulino
Topic: 503 Message: 503

Would someone please tell me how to place a TK-830 into program mode.

Thanks, Dave

504. Re: [kw-radio] TK-830 program help please!!

Yahoo group: kenwoodradio
Date: 2003-09-02 23:20:09 UTC
From: Jack R
Topic: 503 Message: 504

--- djpaulino <djpaulino@...> wrote:
> Would someone please tell me how to place a TK-830
> into program mode.
>
> Thanks, Dave
>
>

Hold in the first button to the right (OPT) of the
channel knob while powering on the radio. Depending
on whether you have the full featured or basic head,
it will display 'program' or 'PC' (I think, it's been
some time since I programmed a basic head.)

=====
73, Jack
KC8WEH

Do you Yahoo!?
Yahoo! SiteBuilder - Free, easy-to-use web site design software
http://sitebuilder.yahoo.com

505. Looking for service manual for TS-140S

Yahoo group: kenwoodradio
Date: 2003-09-03 15:29:25 UTC
From: robjaw1
Topic: 505 Message: 505

Can anyone help me in locating a service manual on line for the ts-140s unit? I have found several sources for the manual, but not the service manual. Anyone have it on CD or can someone make me a copy for a resonable cost?
Thanks
Rob
KB3JZG

506. Test - Please Ignore!

Yahoo group: kenwoodradio
Date: 2003-09-07 00:57:24 UTC
From: Bob Mason
Topic: 506 Message: 506

Test - Please Ignore!

507. TS-570 for sale

Yahoo group: kenwoodradio
Date: 2003-09-08 23:32:02 UTC
From: Mark Fielden
Topic: 507 Message: 507

Must sell for financial reasons:

Kenwood TS-570D(g)
Purchased new last year, used for about five hours, works perfectly
Absolutely new condition, not a scratch, includes original box,
packing, microphone, and instruction manual

$725.00

For additional $70 I will include a West Mountain Radio RigBlaster
PSK31 interface, with instructions and software. Also in excellent
condition.

Buyer to pay postage and insurance if desired
Will ship CONUS only, or buyer can pick up in Nashville area
Cash, money order, or Paypal accepted

Please reply off list to mfielden@...

508. Re: [kw-radio] TS-570 for sale

Yahoo group: kenwoodradio
Date: 2003-09-09 07:14:07 UTC
From: David Rogers
Topic: 508 Message: 508

I assume that it includes the antenna tuner, in which case, I will take it
if it is still available.

Thanks,

David, WA7ZYQ

----- Original Message -----
From: "Mark Fielden" <mfielden@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Monday, September 08, 2003 4:32 PM
Subject: [kw-radio] TS-570 for sale

> Must sell for financial reasons:
>
> Kenwood TS-570D(g)
> Purchased new last year, used for about five hours, works perfectly
> Absolutely new condition, not a scratch, includes original box,
> packing, microphone, and instruction manual
>
>
> $725.00
>
> For additional $70 I will include a West Mountain Radio RigBlaster
> PSK31 interface, with instructions and software. Also in excellent
> condition.
>
> Buyer to pay postage and insurance if desired
> Will ship CONUS only, or buyer can pick up in Nashville area
> Cash, money order, or Paypal accepted
>
> Please reply off list to mfielden@...
>
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

509. Kenwood VS-1 voice synthesizer FS

Yahoo group: kenwoodradio
Date: 2003-09-15 01:31:52 UTC
From: Ken Simpson, W8EK
Topic: 437 Message: 509

For Sale:

Kenwood VS-1 voice synthesizer

This is a small circuit board that will allow the rig to
"speak" (announce frequency, mode, VFO in use, etc.)
on certain Kenwood rigs. These include the TW-4000,
TS-711, TS-811, TS-440, and quite a few others. It
even lets you select English or Japanese!

This one has been tested, and works fine.
$65 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

511. New windows version of Software

Yahoo group: kenwoodradio
Date: 2003-09-17 12:54:48 UTC
From: Rusty Caufield
Topic: 511 Message: 511

There are 3 new versions of Windows software, Re-releases of DOS software,

KPG-38D V2.0 - 90 Series portable
KPG-47D V3.0 - 30 & 40 Series repeaters
KPG-56D V4.0 - 60G & 70G Series

- Rusty

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.518 / Virus Database: 316 - Release Date: 9/11/2003

512. Ebay Buyer beware

Yahoo group: kenwoodradio
Date: 2003-09-19 00:10:18 UTC
From: Rob J
Topic: 512 Message: 512

This is just an FYI for anyone looking to buy radios
and or antyhing else ham related on Ebay. I would warn
anyone NOT to buy from "plumrzbutt". I bought what I
thought was going to be a non DOA TS-430S unit and it
turned out to be nothing more then a door stop. When I
told him what had come to my doorstep he informed me
to bad sale done. I have reported him to Ebay, square
trade and so far neither has done NOTHING for me...
Now I am reporting him to my credit card company. Well
I might have been stuck with a piece of JUNK, but I am
for warning anyone else not to buy from this guy!
Sorry for taking up any bandwidth with trivial stuff,
but I thought I would try to at least make people
beware of this guy! You might be getting a deal, but
with this guy you could be getting nothing but junk
and he isnt going to stand behind it either!

Rob
KB3JZG

_____
Do you Yahoo!?
Yahoo! SiteBuilder - Free, easy-to-use web site design software
http://sitebuilder.yahoo.com

513. Re: [kw-radio] Ebay Buyer beware

Yahoo group: kenwoodradio
Date: 2003-09-19 15:19:27 UTC
From: Evan Platt
Topic: 512 Message: 513

--On Thursday, September 18, 2003 5:10 PM -0700 Rob J <robjaw1@...>
wrote:

> This is just an FYI for anyone looking to buy radios
> and or antyhing else ham related on Ebay. I would warn
> anyone NOT to buy from "plumrzbutt". I bought what I
> thought was going to be a non DOA TS-430S unit and it
> turned out to be nothing more then a door stop. When I
> told him what had come to my doorstep he informed me
> to bad sale done. I have reported him to Ebay, square
> trade and so far neither has done NOTHING for me...
> Now I am reporting him to my credit card company. Well
> I might have been stuck with a piece of JUNK, but I am
> for warning anyone else not to buy from this guy!
> Sorry for taking up any bandwidth with trivial stuff,
> but I thought I would try to at least make people
> beware of this guy! You might be getting a deal, but
> with this guy you could be getting nothing but junk
> and he isnt going to stand behind it either!

Not to take sides, but read the auction:
"DUE TO ITS AGE THE RADIO IS SOLD AS IS BUT NOT DOA! NO WARRANTIES OR GUARANTEES implied or expressed. I am not a technician, everything is sold AS IS, WHERE IS. I do my best to be as accurate as possible with my descriptions, but there are NO REFUNDS, so please bid accordingly. As with all used items, there is the possibility that this item may need some new components in order to work correctly."

So what's the problem with the radio?

Evan

514. Re: [kw-radio] Ebay Buyer beware

Yahoo group: kenwoodradio
Date: 2003-09-19 19:31:27 UTC
From: robjaw1
Topic: 512 Message: 514

The radios SQL knob doesnt work at all and it was NOT shipping damage. I have been in the electonics biz long enough to know that didnt work when he sent it. I finally powered up the radio since i figured Im stuck with this piece of junk, and it only puts out less then 50 watts of power, and sounds like hell. The front of the unit that was SUPPOSED to be in great shape, was anything but. And that light rust on the top is another understatement, Id hate to see what he thinks is really rusty. Hell there is even rust on the chrome switches on the front of it. This looks like it came out of a war. Dirty is an understatement. The sliders on the top of the radio dont move, the "origianl mounting bracket" was installed on the radio with wood screws, not the original ones. This is nothing more now then a doorstop or a large paper weight..... Im sorry I ever did bussiness with this guy.... NOT DOA means it should work when it gets here, and this thing doesnt work.

515. Re: [kenwoodlmr] Re: New windows version of Software

Yahoo group: kenwoodradio
Date: 2003-09-20 05:09:29 UTC
From: Rusty Caufield
Topic: 515 Message: 515

This is what I found in my research into the windows software:

38D - TK-2_390 Portable
44D - TK-6_7_890 Mobile
47D - TK-7_840 Repeater
56D - TK-2_3_7_860G / 2_3_7_870G Series Portables and Mobiles
66D - TK-7_850 Repeater
70D - TK-7_8102 Mobile
71D - KDS-100 (MDT / Message Terminal)
73D - KPG-2A_B (GPS Mobile & Base units)
74D - TK-2_3140 Portable
75D - TK-3130_3131 Portables
76D - TK-373 LTR Portable
77D - TK-782 220MHZ Mobile
78D - TK-5400 (APCO Project 25 - 800MHz Portable)
79D - TK-7_8150 Mobile

----- Original Message -----
From: "Bill Smith" <brs.comm@...>
To: <kenwoodlmr@yahoogroups.com>
Sent: Friday, September 19, 2003 3:53 PM
Subject: RE: [kenwoodlmr] Re: New windows version of Software

> Does anyone have a definitive list of what Kenwood software is available
in
> windows? I have a pile of TK880's, TK380's TK690's, 690/890 dual bands and
a
> few 630/830 series. I don't really care about the 30 series, as they will
be
> junked in less than a year anyway. The 80 and 90 series will be with me
for
> quite a while and the old DOS machine is failing fast...
>
>

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.518 / Virus Database: 316 - Release Date: 9/12/2003

516. WANTED! Kenwood DK-520 adapter for DG-5 to TS-520

Yahoo group: kenwoodradio
Date: 2003-09-23 16:44:53 UTC
From: poobah53
Topic: 516 Message: 516

Does anyone out there have ANY info on the DK-520 adapter for the DG-5 Digital Display to enable use on a TS-520? WIll buy adapter or schematic/manaul....I think I had one in '77.....but can't seem to place it. 73 Ed

517. Re: [kw-radio] WANTED! Kenwood DK-520 adapter for DG-5 to TS-520

Yahoo group: kenwoodradio
Date: 2003-09-23 21:44:53 UTC
From: Martin
Topic: 516 Message: 517

Hi Ed. there is a schematic available at:
www.mods.dk
Look under kenwood, and then go to manuals.

Good Luck.

poobah53 wrote:
> Does anyone out there have ANY info on the DK-520 adapter for the DG-
> 5 Digital Display to enable use on a TS-520? WIll buy adapter or
> schematic/manaul....I think I had one in '77.....but can't seem to
> place it. 73 Ed
>
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

--
Cul8r

Martin Campbell kb?hae1@... KB?HAE

Want to help stop Spam? (also known as UNSOLICITED COMMERCIAL E-MAIL)
Support the Anti-Spam Amendment. Join at http://www.cauce.org/

518. Re: [kw-radio] Ebay Buyer beware

Yahoo group: kenwoodradio
Date: 2003-09-24 07:06:36 UTC
From: rowsculls
Topic: 512 Message: 518

I fyou by chance paid him DIRECTLY thru Visa, you can get the charge cancelled. Otherwise, you are stuck.

As for ebay, they could care less what a seller does. Truly. If you are a buyer, and a seller reports you to ebay for something, ebay comes after you post haste. IT is they YOUR problem to prove to ebay YOU are not at fault. However, if you are the buyer, you are invisible. This is because ebay KNOWS the money is with the SELLERS, not the buyers. You need product to make money as far as ebay is concerned. If someone doesn;t buy, another person will...

Sad, but true...

dan

--- In kenwoodradio@yahoogroups.com, "robjaw1" <robjaw1@y...> wrote:
> The radios SQL knob doesnt work at all and it was NOT shipping
> damage. I have been in the electonics biz long enough to know that
> didnt work when he sent it. I finally powered up the radio since i
> figured Im stuck with this piece of junk, and it only puts out less
> then 50 watts of power, and sounds like hell. The front of the unit
> that was SUPPOSED to be in great shape, was anything but. And that
> light rust on the top is another understatement, Id hate to see
what
> he thinks is really rusty. Hell there is even rust on the chrome
> switches on the front of it. This looks like it came out of a war.
> Dirty is an understatement. The sliders on the top of the radio
dont
> move, the "origianl mounting bracket" was installed on the radio
with
> wood screws, not the original ones. This is nothing more now then a
> doorstop or a large paper weight..... Im sorry I ever did
bussiness
> with this guy.... NOT DOA means it should work when it gets here,
and
> this thing doesnt work.

519. Re: [kw-radio] WANTED! Kenwood DK-520 adapter for DG-5 to TS-520

Yahoo group: kenwoodradio
Date: 2003-09-25 04:34:55 UTC
From: poobah53
Topic: 516 Message: 519

Thank you....have looked there before, but evidently NOT CLOSE
ENOUGH! 73 Ed

--- In kenwoodradio@yahoogroups.com, Martin <kb0hae1@m...> wrote:
> Hi Ed. there is a schematic available at:
> www.mods.dk
> Look under kenwood, and then go to manuals.
>
> Good Luck.
>
> poobah53 wrote:
> > Does anyone out there have ANY info on the DK-520 adapter for
the DG-
> > 5 Digital Display to enable use on a TS-520? WIll buy adapter or
> > schematic/manaul....I think I had one in '77.....but can't seem
to
> > place it. 73 Ed
> >
> >
> >
> > To unsubscribe from this group, send an email to:
> > kenwoodradio-unsubscribe@egroups.com
> >
> > For polls, files, and other info visit:
> > http://www.egroups.com/group/kenwoodradio
> >
> >
> > Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/
> >
> >
> >
>
> --
> Cul8r
>
> Martin Campbell kbØhae1@m... KBØHAE
>
> Want to help stop Spam? (also known as UNSOLICITED COMMERCIAL E-
MAIL)
> Support the Anti-Spam Amendment. Join at http://www.cauce.org/

520. TH-79a problems

Yahoo group: kenwoodradio
Date: 2003-09-26 01:30:25 UTC
From: cs4632
Topic: 520 Message: 520

Iv had my TH-79a for a while and have prity much figured out everything there is to do on it but for some reason the top band wont scan rite. It starts to scan then stops and beeps on every channle. This is a new problem for my radio because it use to scan both channles just fine. If anyone has any ideas on how to fix this I would appreaciate and info.

thanks

cs4632

521. Kenwood MC-85 desk microphone FS

Yahoo group: kenwoodradio
Date: 2003-09-29 16:29:42 UTC
From: Ken Simpson, W8EK
Topic: 521 Message: 521

For Sale:

Kenwood MC-85 desk microphone

This desk mic has the 8 pin plug, and is made to work
with most all of the Kenwood rigs that take the 8 pin
plug. It is a very nice "gooseneck" type mic. This
desk mic is similar to the MC-80, but has provisions
for 3 separate cables, so that it can be used with 3
different radios. It also has a speech compressor built in.
This one is in good shape, no scratches that I can find,
with paper work, for $110 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

522. New file uploaded to kenwoodradio

Yahoo group: kenwoodradio
Date: 2003-10-02 01:41:02 UTC
From: kenwoodradio@yahoogroups.com
Topic: 229 Message: 522

```
Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the kenwoodradio
group.

File : /DK520.pdf
Uploaded by : goodstuff_inhere <brittmercer1967@...>
Description : Dk520 Digital Kit instructions & Schematic

You can access this file at the URL

http://groups.yahoo.com/group/kenwoodradio/files/DK520.pdf

To learn more about file sharing for your group, please visit

http://help.yahoo.com/help/us/groups/files

Regards,

goodstuff_inhere <brittmercer1967@...>
```

523. TM-261 Receiver out, well almost

Yahoo group: kenwoodradio
Date: 2003-10-02 15:41:45 UTC
From: J. Rausch
Topic: 523 Message: 523

I have a 261 that the receive side has crapped out. I can inject a signal at about 50 uV to get it to respond. This is with the squelch open. I think it's a front end FET of some sort, but I have no idea which one and I don't have a service manual. Has anyone else seen this?

Thankx,
Jason KE4NYV
Mototorla Tech
www.ke4nyv.com
RPC Electronics
www.ke4nyv.com/rpc

524. Re: [kw-radio] TM-261 Receiver out, well almost

Yahoo group: kenwoodradio
Date: 2003-10-02 16:52:52 UTC
From: Bud Haynes
Topic: 524 Message: 524

I have a 261 that the receive side has crapped out. I can inject a signal at about 50 uV to get it to respond. This is with the squelch open. I think it's a front end FET of some sort, but I have no idea which one and I don't have a service manual. Has anyone else seen this?
Be sure that you have not hit the button to receive I think it is AM aircraft. It is very easy to do. If this is the case there will be an icon on the lower right part of the digital display and it will have the symptoms that you decribed. It is noted in the owners manual. I can't locate my manual at the moment. I let one of these sit for almost a year and finally decided to fool with it and found that was the problem.

Bu - KV7G - Yuma, AZ

[Non-text portions of this message have been removed]

525. (no subject)

Yahoo group: kenwoodradio
Date: 2003-10-04 16:13:10 UTC
From: wb5yjx
Topic: 525 Message: 525

I am considering buying a DFC-230 remote digital control but don't have any idea what it is worth. It matches the TS-130. Can anyone help me with a possible price range for this unit?

Please, off list. Thanks. mgoins@...

526. PS-430 Fan not turning...

Yahoo group: kenwoodradio
Date: 2003-10-04 23:56:37 UTC
From: r391
Topic: 526 Message: 526

Hi:

I just bought a TS-430 - PS-430 combination. After initial set up and just running the TS-430 on receive, I noticed that the PS-430 cooling fan is not turning at all but I also noticed that the PS-430 is only slightly warm to the touch.

Unlike the TS-430 manual which advises that it's cooling fan is temperature controlled, PS-430 manual doesn't mention if it's cooling fan operates in a similar fashion... that is, that a substantial level of heat is required to turn the cooling fan on.

Question: Do I have a problem or is this just normal stuff for a PS-430...

As I'm new to Kenwood and anything approaching modern equipment for that matter... all the rigs here use tubes... I'm hesitant to run the it up before I know what to expect.

tnx, Ott

527. Re: [kw-radio] PS-430 Fan not turning...

Yahoo group: kenwoodradio
Date: 2003-10-05 00:48:39 UTC
From: Alan Wolke
Topic: 527 Message: 527

The fan in the PS-430 is temperature controlled. My experience is that it comes one when the supply gets quite warm. When I had one of them, I changed the trip-point so that the fan would come on a little sooner.

r391 wrote:

> Hi:
>
> I just bought a TS-430 - PS-430 combination. After initial set up and
> just
> running the TS-430 on receive, I noticed that the PS-430 cooling fan
> is not
> turning at all but I also noticed that the PS-430 is only slightly
> warm to
> the touch.
>
> Unlike the TS-430 manual which advises that it's cooling fan is
> temperature
> controlled, PS-430 manual doesn't mention if it's cooling fan operates
> in a
> similar fashion... that is, that a substantial level of heat is
> required to
> turn the cooling fan on.
>
> Question: Do I have a problem or is this just normal stuff for a
> PS-430...
>
> As I'm new to Kenwood and anything approaching modern equipment for
> that
> matter... all the rigs here use tubes... I'm hesitant to run the it
> up
> before I know what to expect.
>
> tnx, Ott
>
>
> Yahoo! Groups Sponsor
ADVERTISEMENT
[Image]

>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio

>
>
> Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

--
Alan Wolke, W2AEW
"i usta cuDn't speL enjinere, noW i ar wuN"

528. Ken TS-940

Yahoo group: kenwoodradio
Date: 2003-10-05 11:56:02 UTC
From: fish_497072000
Topic: 528 Message: 528

Hi- Need help.My Ts-940 quit transmitting.Looks like no output. Recieves fine in all modes. Collector voltages are 150% high at 43 volts.I'm thinking a relay isn't kicking in ,but havn't found it as yet.I use this rig for PSK ,but ssb doesn't work either. HELP !!!
TKS,Jerry W8KQ

529. Re: [kw-radio] Ken TS-940

Yahoo group: kenwoodradio
Date: 2003-10-05 13:08:54 UTC
From: John
Topic: 529 Message: 529

Hi

You got big trouble. The power supply, pass transistor have shorted and or the AVR board is shot. Unfortunately when this happens the driver transistor (MRF485)are gone too...They are expensive. This is normal failure for the 940 ..I have fix many of them. this is going to be an expensive repair ..Even if you do it yourself ...Sorry for the bad news

73 john

[Non-text portions of this message have been removed]

530. Programming the TK-350?

Yahoo group: kenwoodradio
Date: 2003-10-06 22:38:55 UTC
From: Dakota Summerhawk
Topic: 530 Message: 530

I have a few UHF TK-350 and can they be programmed without software? I would like some omore info on these units, what they cover and the like.
Thanks

Dakota Summerhawk
WY ARES/RACES/Skywarn
Am. Red Cross Instructor

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.522 / Virus Database: 320 - Release Date: 9/29/2003

531. Re: [kw-radio] PS-430 Fan not turning...

Yahoo group: kenwoodradio
Date: 2003-10-08 12:50:43 UTC
From: r391
Topic: 527 Message: 531

Hi Al:

Thanks for the info. Once I was sure as to what was going on I ran the rig up into a dummy load. Sure enough, within a few minutes the power supply fan turned on... about 8 minutes later the one in the ts-430 turned on too.

Your right about fan power up being secondary to heat level. Both the power supply and the transceiver get really hot before they cool themselves down. With heat being the enemy of all things solid state, I can't help but wonder why Kenwood programmed the fan on/off temps as high as they did.

Ott

At 08:48 PM 10/4/2003, you wrote:
>The fan in the PS-430 is temperature controlled. My experience is that
>it comes one when the supply gets quite warm. When I had one of them, I
>changed the trip-point so that the fan would come on a little sooner.
>
>r391 wrote:

532. Re: [kw-radio] PS-430 Fan not turning...

Yahoo group: kenwoodradio
Date: 2003-10-08 13:43:17 UTC
From: w2aew@arrl.net
Topic: 527 Message: 532

Hi Ott, I'm not sure why Kenwood programmed it so hot, maybe I guess to keep complaints of fan noise to a minimum! The schematic is pretty simple as I remember, and it wasn't too hard to simply adjust one resistor value to make the fan come on earlier (cooler). It's been a couple of years, so I don't remember specifically what I did, and I sold that station years ago. 73, Alan W2AEW Quoting r391 : > > > > > Hi Al:
>
> Thanks for the info. Once I was sure as to what was going on I ran the > rig
> up into a dummy load. Sure enough, within a few minutes the power > supply
> fan turned on... about 8 minutes later the one in the ts-430 turned on > too.
>
> Your right about fan power up being secondary to heat level. Both the >
> power supply and the transceiver get really hot before they cool themselves >
> down. With heat being the enemy of all things solid state, I can't help >
> but wonder why Kenwood programmed the fan on/off temps as high as they > did.
>
> Ott
>
>
>
> At 08:48 PM 10/4/2003, you wrote:
> >The fan in the PS-430 is temperature controlled. My experience is > that
> >it comes one when the supply gets quite warm. When I had one of > them, I
> >changed the trip-point so that the fan would come on a little > sooner.
> >
> >r391 wrote:
>
> > >
> > > >
>
>
Yahoo! Groups > Sponsor
>
>
>

>
ADVERTISEMENT
href="http://rd.yahoo.com/M=244522.3707890.4968055.1261774/D=egroupweb/S=170506
3108:HM/A=1595053/R=0/SIG=124gf29oe/*http://ashnin.com/clk/muryutaitakenattogyo
?YH=3707890&yhad=1595053" > alt="">
src="http://us.a1.yimg.com/us.yimg.com/a/qu/quinstreet/300x250_uofp_green-arrow s2.gif" >
alt="Click Here!" width="300" height="250" border="0">
>
>
>

src="http://us.adserver.yahoo.com/l?M=244522.3707890.4968055.1261774/D=egroupma
il/S=:HM/A=1595053/rand=669357952">
> @unserialize($prefs->getValue('identiti@K8`K8 >
> > > > >
> > To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> href="http://www.egroups.com/group/kenwoodradio">http://www.egroups.com/group/k
enwoodradio
> >
> >
> Your use of Yahoo! Groups is subject to the
href="http://docs.yahoo.com/info/terms/">Yahoo! Terms of Service. > > > > >
---------- This mail sent through the BlastNet
Webmail

533. Re: [kw-radio] PS-430 Fan not turning...

Yahoo group: kenwoodradio
Date: 2003-10-08 16:48:56 UTC
From: Martin
Topic: 527 Message: 533

Hi Guys. My TS-430 gets only slightly warm, even during a long SSB qso. I do not use it for digital operations, nor any mode but SSB voice. The radio has a large heat sink! My fan has never come on in normal SSB voiec use. I did key it down into a dummy load at 100 watts FM, and it took 7 minutes before the fan came on. w2aew@... wrote: > Hi Ott, > > I'm not sure why Kenwood programmed it so hot, maybe I guess to keep complaints > of fan noise to a minimum! > > The schematic is pretty simple as I remember, and it wasn't too hard to simply > adjust one resistor value to make the fan come on earlier (cooler). It's been > a couple of years, so I don't remember specifically what I did, and I sold that > station years ago. > > 73, > Alan W2AEW > > Quoting r391 : > > >> >> >> >> >>Hi Al:
>>
>>Thanks for the info. Once I was sure as to what was going on I ran the >>rig
>>up into a dummy load. Sure enough, within a few minutes the power >>supply
>>fan turned on... about 8 minutes later the one in the ts-430 turned on >>too.
>>
>>Your right about fan power up being secondary to heat level. Both the >>
>>power supply and the transceiver get really hot before they cool themselves >>
>>down. With heat being the enemy of all things solid state, I can't help >>
>>but wonder why Kenwood programmed the fan on/off temps as high as they >>did.
>>
>>Ott
>>
>>
>>
>>At 08:48 PM 10/4/2003, you wrote:
>>>The fan in the PS-430 is temperature controlled. My experience is >>that
>>>it comes one when the supply gets quite warm. When I had one of >>them, I
>>>changed the trip-point so that the fan would come on a little >>sooner.
>>>
>>>r391 wrote:
>>
>> >> >>
>> >> >> >>
>>
>>
Yahoo! Groups >>Sponsor
>>
>>
>>

>>
ADVERTISEMENT
> > > href="http://rd.yahoo.com/M=244522.3707890.4968055.1261774/D=egroupweb/S=170506 > 3108:HM/A=1595053/R=0/SIG=124gf29oe/*http://ashnin.com/clk/muryutaitakenattogyo > ?YH=3707890&yhad=1595053" > >>alt="">> > > src="http://us.a1.yimg.com/us.yimg.com/a/qu/quinstreet/300x250_uofp_green-arrow > s2.gif"

> >>alt="Click Here!" width="300" height="250" border="0">
>>
>>
>>
> > > src="http://us.adserver.yahoo.com/l?M=244522.3707890.4968055.1261774/D=egroupma >
il/S=:HM/A=1595053/rand=669357952">
> >>@unserialize($prefs->getValue('identiti@K8`K8? >>
>> >> >> >> >>
>> >>To unsubscribe from this group, send an email to:
>>kenwoodradio-unsubscribe@egroups.com
>>
>>For polls, files, and other info visit:
>>> > > href="http://www.egroups.com/group/kenwoodradio">http://www.egroups.com/group/k >
enwoodradio
> >> >>
>> >>
>>Your use of Yahoo! Groups is subject to the
>href="http://docs.yahoo.com/info/terms/">Yahoo! Terms of Service. >> >> >> >> >> > > > > >
---------- > This mail sent through the BlastNet
Webmail > > > To unsubscribe from this group, send an email to: >
kenwoodradio-unsubscribe@egroups.com > > For polls, files, and other info visit: >
http://www.egroups.com/group/kenwoodradio > > > Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/ > > > -- Cul8r Martin Campbell kb?hae1@... KB?HAE Want
to help stop Spam? (also known as UNSOLICITED COMMERCIAL E-MAIL) Support the Anti-Spam
Amendment. Join at http://www.cauce.org/

534. Re: [kw-radio] PS-430 Fan not turning...

Yahoo group: kenwoodradio
Date: 2003-10-08 21:43:24 UTC
From: r391
Topic: 527 Message: 534

Hi Martin... Decided to run your "test" and dead key the fm on my 430 as well... its a 1984 vintage 430... not one of the later ones... anyway, 4 1/2 minutes from a cold start was all it took to power on the fan. Even with the fan on, the heat sink area right under the fan blades was hot enough to really get your attention... while this was a "subjective" observation, the fan didn't seem to be able to really keep up with what was going on... and the fan is spinning at a high rate of speed... at least as fast as a computer fan. This above conducted with the rig's final drawing about 13 amperes... as per the 430's alc/s-meter/amp meter... and with 50 watts fm carrier going into the dummy load. Efficiency seems kinda short but maybe its good for a rig from 1984. I don't know as the instruction manual doesn't say just what to expect and this is my first solid state rig hf anyway so I don't know quite what to expect either... until the 430 arrived a few days ago everything else here used tubes... Regarding other modes, I too noticed that the fan takes far longer to come on when running ssb or am but... but it does come on eventually. Seems that running fm will eventually cook the radio without better cooling... or at least a self imposed duty cycle of perhaps 1 in 5... the manual I have doesn't mention a duty cycle but one does seem appropriate... at least for my rig. tnx, Ott At 12:48 PM 10/8/2003, you wrote: >Hi Guys. My TS-430 gets only slightly warm, even during a long SSB qso. >I do not use it for digital operations, nor any mode but SSB voice. The >radio has a large heat sink! My fan has never come on in normal SSB >voiec use. I did key it down into a dummy load at 100 watts FM, and it >took 7 minutes before the fan came on. > > > >w2aew@... wrote: > > Hi Ott, > > > > I'm not sure why Kenwood programmed it so hot, maybe I guess to keep > complaints > > of fan noise to a minimum! > > > > The schematic is pretty simple as I remember, and it wasn't too hard to > simply > > adjust one resistor value to make the fan come on earlier > (cooler). It's been > > a couple of years, so I don't remember specifically what I did, and I > sold that > > station years ago. > > > > 73, > > Alan W2AEW > > > > Quoting r391 : > > > > > >> > >> > >> > >> > >>Hi Al:
> >>
> >>Thanks for the info. Once I was sure as to what was going on I > ran the > >>rig
> >>up into a dummy load. Sure enough, within a few minutes the power > >>supply
> >>fan turned on... about 8 minutes later the one in the ts-430 turned on > >>too.
> >>
> >>Your right about fan power up being secondary to heat level. Both the > >>
> >>power supply and the transceiver get really hot before they cool themselves > >>
> >>down. With heat being the enemy of all things solid state, I > can't help > >>
> >>but wonder why Kenwood programmed the fan on/off temps as high as they > >>did.
> >>
> >>Ott
> >>
> >>
> >>
> >>At 08:48 PM 10/4/2003, you wrote:
> >>>The fan in the PS-430 is temperature controlled. My experience is > >>that
> >>>it comes one when the supply gets quite warm. When I had one of > >>them, I
> >>>changed the trip-point so that the fan would come on a little > >>sooner.
> >>>

> >>>r391 wrote:
> >>
> >> > >> > >>
> >> > >> > >> > >>
> >>
> >>
Yahoo! Groups > >>Sponsor
> >>
> >>
> >>
>
> >>
ADVERTISEMENT
>> > > > > >
href="http://rd.yahoo.com/M=244522.3707890.4968055.1261774/D=egroupweb/S=170506 > > >
3108:HM/A=1595053/R=0/SIG=124gf29oe/*http://ashnin.com/clk/muryutaitakenattogyo > >
?YH=3707890&yhad=1595053" > > > >>alt=""> >> > > > > >
src="http://us.a1.yimg.com/us.yimg.com/a/qu/quinstreet/300x250_uofp_green-arrow > >
s2.gif" > > > >>alt="Click Here!" width="300" height="250" > border="0">
> >>
> >>
> >>
>> > > > > >
src="http://us.adserver.yahoo.com/l?M=244522.3707890.4968055.1261774/D=egroupma > >
il/S=:HM/A=1595053/rand=669357952">
> > > >>@unserialize($prefs->getValue('identiti@K8`K8? > >>
> >> > >> > >> > >> > >>
> >> > >>To unsubscribe from this group, send an email to:
> >>kenwoodradio-unsubscribe@egroups.com
> >>
> >>For polls, files, and other info visit:
> >> >> > > > > >
href="http://www.egroups.com/group/kenwoodradio">http://www.egroups.com/group/k > >
enwoodradio
> > > >> > >>
> >> > >>
> >>Your use of Yahoo! Groups is subject to the
>>href="http://docs.yahoo.com/info/terms/">Yahoo! Terms of Service. > >> > >> > >> > >> >
>> > > > > > > > > > > > ---------- > > This mail sent
through the BlastNet Webmail > > > > > > To unsubscribe from this group, send an email to:
> > kenwoodradio-unsubscribe@egroups.com > > > > For polls, files, and other info visit: >
> http://www.egroups.com/group/kenwoodradio > > > > > > Your use of Yahoo! Groups is
subject to http://docs.yahoo.com/info/terms/ > > > > > > > >-- >Cul8r > >Martin Campbell
kbØhae1@... KBØHAE > >Want to help stop Spam? (also known as UNSOLICITED COMMERCIAL E-MAIL)
>Support the Anti-Spam Amendment. Join at http://www.cauce.org/ > > > > >To unsubscribe
from this group, send an email to: >kenwoodradio-unsubscribe@egroups.com > >For polls,
files, and other info visit: >http://www.egroups.com/group/kenwoodradio > > >Your use of
Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

535. RE: [kw-radio] Digest Number 321

Yahoo group: kenwoodradio
Date: 2003-10-08 22:02:58 UTC
From: Norm & Cathy Beasley
Topic: 535 Message: 535

Dakota,

If the TK-350 is like the TK-250 (VHF) units, the answer is yes. I am pretty sure we have done that here with the -250.

BUT: you will need the software one time to enable front panel programming. There is also a component (resistor?) inside the radio that will need to be removed. A service manual should tell you which one and where it is....

Blessings, and 73,
==========
Norm Beasley, P29NB / KO4CB
SIL PO Box 437
Ukarumpa, EHP 444
PAPUA NEW GUINEA

Telephone: +675 737-4667 (Home)
Telephone: +675 737-4431 (Work)
FAX: +675 737-3507
Mobile/Cell:+675 686-0768 (When traveling)

E-Mail: Norm_Beasley@...
QSL information on www.qrz.ocm
==========

Message: 1
Date: Mon, 6 Oct 2003 16:38:55 -0600
From: "Dakota Summerhawk" <dakotas@...>
Subject: Programming the TK-350?

I have a few UHF TK-350 and can they be programmed without software? I would
like some omore info on these units, what they cover and the like.
Thanks

Dakota Summerhawk
WY ARES/RACES/Skywarn
Am. Red Cross Instructor

536. will the TK-340 or TK-320 Charger work with the TK-240?

Yahoo group: kenwoodradio
Date: 2003-10-09 04:59:17 UTC
From: Dakota Summerhawk
Topic: 536 Message: 536

I have a box of radios that I have been going through, I have a question, does the charger for either of the two radios work or are the batteries compatible with the batteries? I need a way to be able to charge the 240 batteries along with the 340 and the 320.
Any suggestions?

Dakota Summerhawk
WY ARES/RACES/Skywarn
Am. Red Cross Instructor

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.522 / Virus Database: 320 - Release Date: 9/29/2003

537. TS-940/s

Yahoo group: kenwoodradio
Date: 2003-10-14 21:09:44 UTC
From: fish_497072000
Topic: 537 Message: 537

Hi- anyone know if Kenwood has an e-mail adress to the parts dept?
Looking for some parts for my 940 and Shack hasn't anything that
will work.Or an AVR board. TKS,Jerry W8KQ

538. Re: TS-940/s

Yahoo group: kenwoodradio
Date: 2003-10-15 14:33:54 UTC
From: isartw
Topic: 537 Message: 538

--- In kenwoodradio@yahoogroups.com, "fish_497072000" <gsbishop@c...>
wrote:
> Hi- anyone know if Kenwood has an e-mail adress to the parts dept?
> Looking for some parts for my 940 and Shack hasn't anything that
> will work.Or an AVR board. TKS,Jerry W8KQ

Have a look at http://www.kenwoodparts.com
Push on "Kenwood" button and next login as guest
user:guest
password:guest

73,
Arthur
EW1CK

539. Kenwood TK-240 FS

Yahoo group: kenwoodradio
Date: 2003-10-16 05:03:22 UTC
From: Dakota Summerhawk
Topic: 539 Message: 539

I have two Kenwood TK-240 FS both in need of antennas but rebuilt 7.5V 1300Mah batteries. Radios come with extra battery, no charger for them but the radios are in good condition. $75 gets you the radio with battery and a spare. If interested mail me direct at: Dakotas@...

Thanks
Dakota

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.525 / Virus Database: 322 - Release Date: 10/9/2003

540. Re: [kw-radio] Kenwood TK-240 FS

Yahoo group: kenwoodradio
Date: 2003-10-16 13:04:58 UTC
From: kr6g
Topic: 540 Message: 540

I would like both of them. Please e mail direct at kr6g@...

Thanks Alex

----- Original Message -----
From: "Dakota Summerhawk" <dakotas@...>
To: <Kenwood@yahoogroups.com>; <Kenwood2Way@yahoogroups.com>;
<kenwoodradio@yahoogroups.com>; "Radiogear4sale"
<Radiogear4sale@yahoogroups.com>; "RadioSwap" <RadioSwap@yahoogroups.com>;
"radio-swapshop" <radio-swapshop@yahoogroups.com>; "RF-HAMSTUFF"
<RF-HAMSTUFF@yahoogroups.com>; <thehamshack@yahoogroups.com>
Sent: Wednesday, October 15, 2003 10:03 PM
Subject: [kw-radio] Kenwood TK-240 FS

> I have two Kenwood TK-240 FS both in need of antennas but rebuilt 7.5V
> 1300Mah batteries. Radios come with extra battery, no charger for them
> but the radios are in good condition. $75 gets you the radio with
> battery and a spare. If interested mail me direct at: Dakotas@...
>
> Thanks
> Dakota
>
> ---
> Outgoing mail is certified Virus Free.
> Checked by AVG anti-virus system (http://www.grisoft.com).
> Version: 6.0.525 / Virus Database: 322 - Release Date: 10/9/2003
>
>
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

541. Have Kenwood TK-240 to sell

Yahoo group: kenwoodradio
Date: 2003-10-18 21:14:39 UTC
From: Dakota Summerhawk
Topic: 541 Message: 541

I have two TK-240 16ch field programmable radios for sale. They are in good condition and have extra battery. In need of antenna and no chargers. Asking $75 each.
If interested let me know by mail.
Dakotas@...
Dakota

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.525 / Virus Database: 322 - Release Date: 10/9/2003

542. Suggestion for replacement belt clips for TK series radios?

Yahoo group: kenwoodradio
Date: 2003-10-19 02:08:36 UTC
From: Dakota Summerhawk
Topic: 542 Message: 542

I have some of the Kenwood radios that I need belt clips for. Anyone have a suggestion that I might get them from? I need at least 5.
Thanks.
Dakota

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.525 / Virus Database: 322 - Release Date: 10/9/2003

543. TK-350

Yahoo group: kenwoodradio
Date: 2003-10-22 02:30:56 UTC
From: Adam FL-3 DMAT
Topic: 203 Message: 543

good evening,
i have a tk-350 and would like to know if it can be modified in any way. it is configured to have 160 ch, first 32 programmable. it has the 16 key keypad, and within 2 weeks i will have the cable for it as well. i am looking for any mods that might be available for it.

thank you

Adam

544. Re: [kw-radio] TK-350

Yahoo group: kenwoodradio
Date: 2003-10-22 03:41:42 UTC
From: Sarge
Topic: 544 Message: 544

> good evening,
> i have a tk-350 and would like to know if it can be modified in
> any way. it is configured to have 160 ch, first 32 programmable. it
> has the 16 key keypad, and within 2 weeks i will have the cable for
> it as well. i am looking for any mods that might be available for it.

Check here http://www.mods.dk

545. ts-940s

Yahoo group: kenwoodradio
Date: 2003-10-22 04:45:23 UTC
From: t4138
Topic: 361 Message: 545

help..If anyone has a operators manual we would appreciate a download
or any help we can get thanx.

546. REDUCED: H.V. Electrolytic Caps

Yahoo group: kenwoodradio
Date: 2003-10-25 10:16:17 UTC
From: Brian Carling
Topic: 546 Message: 546

REDUCED PRICES:

NEW Electrolytic Hi-voltage Caps

Some can capacitors - new in boxes unless otherwise stated.
Some tubular wire lead capacitors - new in boxes unless otherwise stated.

Great for restoring tube receivers and transmitters, audio amps etc.

12 uFD at 600 WVDC Cornell-Dubilier tubular cap with axial leads
Dimensions 3-1/4" long X 1" diameter. QTY 1 - $3.00

16 uFD at 600 WVDC Aerovox Can new in box.
Dimensions 4-/34" tall X 1-3/8" diameter. QTY 1 - $4.00

20 + 20 uFD at 450 WVDC Cornell-Dubilier can. No Box.
Dimensions 3" tall X 1" diameter. QTY 1 - $3.00

20 uFD at 600 WVDC Cornell-Dubilier w/axial leads
Dimensions 3-3/4" long X 1" diameter. QTY 1 - $6.00

30 uFD at 450 WVDC G.E. Alumalytic tubular cap with axial leads.
Dimensions 3-7/8" long X 1-3/8" diameter. QTY 1 for $3.00

30 UFD at 450VDC Sprague tubular cap with axial leads.
New in box. Dimensions 3-5/8" long X 1-3/8" diameter.
QTY 2 for $8.00 each

40 uFD at 450V DC Mallory tubular, new in box w/axial leads
Dimensions 3" long X 1" diameter. QTY 1 - $4.00

40 uFD + 20 uFD + 10 uFD each at 350 WVDC in a can, used.
Dimensions 2" tall X 1-3/8" diameter. QTY 1 for $2.00

90 uFD at 500 WVDC Cornell-Dubilier FP style can
Dimensions 3-5/8" tall X 1-5/8" diameter. QTY 1 - $6.00

Someone buy them all for $42.00

Shipping additional.

I also have some new 450V Electrolytics 820 uF and 2500 uF
listed on my web page at:
http://home.cfl.rr.com/happysurfer/capacito.htm

73 de AF4K

547. TS - 180

Yahoo group: kenwoodradio
Date: 2003-10-28 14:31:06 UTC
From: Michael Dean
Topic: 547 Message: 547

A TS-180 is for sale, including the outboard VFO and antenna tuner for $300. It appears to be in good shape. However, I know little about TS-180's. Does this seem to be a good price for the three pieces. Comments?

Thanks,
K5MFD

Do you Yahoo!?
Exclusive Video Premiere - Britney Spears

[Non-text portions of this message have been removed]

548. Re: [kw-radio] TS - 180

Yahoo group: kenwoodradio
Date: 2003-10-29 03:58:46 UTC
From: Colburn
Topic: 547 Message: 548

Michael Dean wrote:
> A TS-180 is for sale, including the outboard VFO and antenna
> tuner for $300. It appears to be in good shape. However, I know
> little about TS-180's. Does this seem to be a good price for the
> three pieces. Comments?
> Thanks,
> K5MFD

It is a terrific rig, excellent rx section, higher-than-average output for a ss rig.

The price is reasonable given the presence of the extra devices.

It is a vintage rig, you may want to ask if it includes the WARC mods and the memory accessory.

You may also want to consider the potential difficulty of acquiring parts should repair be necessary (you may wish to consult with AAVID, one of the more highly recommended Kenwood service co's).

Also, you will want a complete op manual and preferably the service manual as well.

73, doc kd4e

549. Re: [kw-radio] TS - 180

Yahoo group: kenwoodradio
Date: 2003-10-29 11:14:27 UTC
From: W1WLS2974@aol.com
Topic: 547 Message: 549

K5MFD;
Yes, this is an excellent price for all the items. I purchased a TS-180 station like that for around the same price. This to me is one of Kenwood's finest rigs. A great startup or back up rig some do come with the WARC kit already installed but hay are rare. and even rarer are the kits themselves. Check E-bay or e-ham ads for the manuals they are fairly easy to find. If I had the chance to get another TS-18o I would but can't at this time.

73' Walt - W1WLS

[Non-text portions of this message have been removed]

550. Program the Kenwood TK-320?

Yahoo group: kenwoodradio
Date: 2003-10-30 06:00:03 UTC
From: Dakota Summerhawk
Topic: 550 Message: 550

How do you program the TK-320? I need to find out if someone on the list
can let me know?
Thanks
Dakota

It is the Marine, not the reporter who has given us freedom of press
It is the Marine, not the poet who has given us freedom of speech
It is the Marine, not the campus organizer who gives us freedom to
demonstrate
It is the Marine who salutes the flag, who serves beneath the flag, and
whose
coffin is draped by the flag, who allows the protester to burn the flag.

-----Original Message-----
From: Bruno Bouliane [mailto:ve2vk@...]
Sent: Wednesday, October 29, 2003 1:44 PM
To: radio-programming@yahoogroups.com
Subject: [radio-prog@yhgrps] M1225 error 13 problem

When I go in the scan function I get an error 13
message.
Any help appreciated,
Bruno Bouliane.

_____
Do you Yahoo!?
Exclusive Video Premiere - Britney Spears
HYPERLINK
"http://launch.yahoo.com/promos/britneyspears/"http://launch.yahoo.com/p
romos/britneyspears/

Yahoo! Groups Sponsor
HYPERLINK
"http://rd.yahoo.com/M=259395.3614674.4902533.1261774/D=egroupweb/S=1705
034690:HM/A=1524963/R=0/SIG=12o885gmo/*http://hits.411web.com/cgi-bin/au
toredir?camp=556&lineid=3614674&prop=egroupweb&pos=HM"
HYPERLINK
"http://us.adserver.yahoo.com/l?M=259395.3614674.4902533.1261774/D=egrou
pmail/S=:HM/A=1524963/rand=527224399"

Community email addresses:
Post message: radio-programming@yahoogroups.com
Subscribe: radio-programming-subscribe@yahoogroups.com
Unsubscribe: radio-programming-unsubscribe@yahoogroups.com
List owner: radio-programming-owner@yahoogroups.com

Shortcut URL to this page:
HYPERLINK
"http://www.yahoogroups.com/community/radio-programming"http://www.yahoo
groups.com/community/radio-programming

Your use of Yahoo! Groups is subject to the HYPERLINK
"http://docs.yahoo.com/info/terms/"Yahoo! Terms of Service.

Incoming mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.530 / Virus Database: 325 - Release Date: 10/22/2003

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.530 / Virus Database: 325 - Release Date: 10/22/2003

[Non-text portions of this message have been removed]

551. F/S Radio Programming Laptop

Yahoo group: kenwoodradio
Date: 2003-10-30 16:53:16 UTC
From: RadioGuy205@aol.com
Topic: 551 Message: 551

75 MHz Compaq laptop for sale. Lots of SW. E-mail off list if interested.
Thanks!

Frederic C.

[Non-text portions of this message have been removed]

552. TK-330 Programming Cable

Yahoo group: kenwoodradio
Date: 2003-11-01 13:07:54 UTC
From: lifesaver729
Topic: 552 Message: 552

Hello Group;

Urgent.
I am looking for a TK-330 programming cable. My employer just got 4 from a closed down operation. I believe I already have the software. This radio has 4 groups of 10 channels each.
The cable is a slide on attachment not like the mic type cable that I already have. Multiple copper contacts. Commercial or a well made aftermarket will be OK.

Thanks Group,
Robin
KC8OEN

553. Kenwood MC-43 hand microphone FS

Yahoo group: kenwoodradio
Date: 2003-11-02 17:24:36 UTC
From: Ken Simpson, W8EK
Topic: 553 Message: 553

For Sale:

Kenwood MC-43 S hand microphone
This is the "standard" microphone that came with many
of the rigs that take the round 8 pin mic connector that this
one has on it. It has "up" and "down" switches, as well
as the normal PTT switch. This particular MC-43 is very
close to new. It is in its plastic bag. I am not sure if the
bag was ever opened or not, so if it is not new, it is very
close. $ 40

Kenwood heavy DC power cord
This is the actual Kenwood cord, and not a third party
make over. It fits all of the Kenwood (and Icom, many
Yaesu, Alinco, and other) rigs that take the standard
6 pin power plug. $ 22

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

554. FS: Kenwood TK-240 VHF (2)

Yahoo group: kenwoodradio
Date: 2003-11-04 04:57:45 UTC
From: Dakota Summerhawk
Topic: 554 Message: 554

I have a set of Kenwood TK-240 for sale one with antenna, one without. The units are field programmable and cover 136-174 MHz. Batteries are rebuilt and are 12VDC for 5W out. Each unit comes with drop in charger plus one extra battery. Looking to trade for Vertex VX-150's or outright for $200.
For pic email me and I will contact you with pic.
Thanks
Dakota

It is the Marine, not the reporter who has given us freedom of press
It is the Marine, not the poet who has given us freedom of speech
It is the Marine, not the campus organizer who gives us freedom to demonstrate
It is the Marine who salutes the flag, who serves beneath the flag, and whose
coffin is draped by the flag, who allows the protester to burn the flag.

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.532 / Virus Database: 326 - Release Date: 10/27/2003

555. Correction FS Kenwood radios TK-240D (2)

Yahoo group: kenwoodradio
Date: 2003-11-04 15:49:29 UTC
From: Dakota Summerhawk
Topic: 555 Message: 555

The units are the TK-240D, 24 ch not the 16. All other features are the same as the list before.
If interested I can be contacted by mail. Dakotas@... Asking new price of $150 per radio.
Or trade for Vertex VX-150's
Dakota

It is the Marine, not the reporter who has given us freedom of press
It is the Marine, not the poet who has given us freedom of speech
It is the Marine, not the campus organizer who gives us freedom to demonstrate
It is the Marine who salutes the flag, who serves beneath the flag, and whose
coffin is draped by the flag, who allows the protester to burn the flag.

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.532 / Virus Database: 326 - Release Date: 10/27/2003

556. Crystal filters for Kenwood

Yahoo group: kenwoodradio
Date: 2003-11-04 19:09:06 UTC
From: Ken Simpson, W8EK
Topic: 556 Message: 556

For Sale:

Crystal filters for Kenwood TS-120, TS-130, TS-180,
TS-430, TS-440 and others

Kenwood YK-88 SN, narrow SSB filter.
1800 Hz bandwidth.
Like new for $ 70.

Kenwood YK-88 C, CW filter.
500 Hz width.
Like new for $70.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

557. Kenwood TS-480 group formed

Yahoo group: kenwoodradio
Date: 2003-11-05 22:16:17 UTC
From: ne4s
Topic: 557 Message: 557

In anticipation of the new Kenwood mobile, there is a new group formed for discussion, software, details, experiences and issues. Try http://groups.yahoo.com/group/KenwoodTS-480 and get ahead of the curve.
The group is by approval, a note to the moderator with a ham call, or a ham call in the ID or profile will get quick approval.

Mike, NE4S

558. TL-922 Resource

Yahoo group: kenwoodradio
Date: 2003-11-06 21:26:11 UTC
From: jim_creasy
Topic: 558 Message: 558

Does anyone know of a Yahoo Group that shares info on the TL-922A Linear Amplifier.

Thanks in advance

Jim

559. TM-251 how do I enable extended Rx?

Yahoo group: kenwoodradio
Date: 2003-11-12 11:38:03 UTC
From: mallisette
Topic: 559 Message: 559

Hi All,

Just bought a TM-251E on eBay. To enable extended Rx is there a key combination or do I have to lift the lid as per the mod on www.mods.dk ?
That mod enables Tx as well but I only need the extended Receive option.

My set currently covers 144-146 Mhz & (Rx only) 430 - 440 Mhz.

Thanks

Mike GU4EON

560. TS 520S main VFO

Yahoo group: kenwoodradio
Date: 2003-11-16 16:06:14 UTC
From: Paul
Topic: 560 Message: 560

My 520S main VFO went out the other day and in researching the transistors the main one 3SK22 is obsolete and no longer available.I checked the ECG cross reference at work and found one transistor that is similiar to the 3SK22 and may be a substitute (my assumption) for it.Has anyone had to replace a 3SK22 and if so what was the replacement used?

I can still use the radio by using the remote VFO but I cannot opeate split for DX work.I would appreciate any information on obtaining a replacement transistor.

Paul WB0CJB

561. Tolliver Meline RE: TK-240 FS

Yahoo group: kenwoodradio
Date: 2003-11-16 23:41:11 UTC
From: Dakota Summerhawk
Topic: 561 Message: 561

Tolliver,
I still have your radios for you if you still want them.
If not they are still for sale:
Kenwood TK-240D
24 Channel
136-174 MHz
5 Watt power out (12 V Battery)
Drop in chargers
Spare Battery each
Both have antennas, in good condition, both working, Can field program, no software needed.

Asking $275 but will go as low as $250 if interested.
dakotas@...

562. Kenwood TM-201B

Yahoo group: kenwoodradio
Date: 2003-11-17 03:12:48 UTC
From: dunvar2002
Topic: 562 Message: 562

Hello,

I just got a Kenwood TM-201B and no manual came with it. I have go out to Kenwoods website and wasn't able to find a manual there. I have also searched on the internet and came up empty there. Does anyone know where I can find one to download, or does anyone now how to program the PL tones on this unit?

Thanks,

"73"
KC8TDW
Ken Allen

563. Re: [kw-radio] Digest Number 339

Yahoo group: kenwoodradio
Date: 2003-11-17 14:24:05 UTC
From: t.kishjr@sbcglobal.net
Topic: 563 Message: 563

> 1. TS 520S main VFO
Paul,

The NTE-2222 is an exact functional replacement for this MOSFET. You can also do a web search on the 3SK22 and there are several places that handle obsolete semiconductors. Happy Hunting!

P.S. Mouser handles a full line of NTE products, as well as several others. You may wish to visit their website at www.mouser.com and use their online cross reference. No minimum order, and a nice, fat catalog every few months!

Tom KC8KZY

> From: "Paul" <lonelyone_64109@...>
> Message: 1
> Date: Sun, 16 Nov 2003 16:06:14 -0000
> From: "Paul" <lonelyone_64109@...>
> Subject: TS 520S main VFO
>
> My 520S main VFO went out the other day and in researching the
> transistors the main one 3SK22 is obsolete and no longer available.I
> checked the ECG cross reference at work and found one transistor that
> is similiar to the 3SK22 and may be a substitute (my assumption) for
> it.Has anyone had to replace a 3SK22 and if so what was the
> replacement used?
>
> I can still use the radio by using the remote VFO but I cannot opeate
> split for DX work.I would appreciate any information on obtaining a
> replacement transistor.
>
> Paul WB0CJB
>

564. Kenwood TM-201B

Yahoo group: kenwoodradio
Date: 2003-11-17 14:59:56 UTC
From: Ken Allen
Topic: 562 Message: 564

Does anyone have a manual for the Kenwood TM-201B?

Thanks,

"73"
KC8TDW
Ken Allen

Do you Yahoo!?
Protect your identity with Yahoo! Mail AddressGuard

[Non-text portions of this message have been removed]

565. TS520 and VFO

Yahoo group: kenwoodradio
Date: 2003-11-17 17:07:23 UTC
From: supergdad
Topic: 565 Message: 565

I recently acquired a TS520 and VFO520. The Transceiver is in excellent condition except for the VOX/MAN switch, the plastic paddle is broken off and missing. Does anyone know of a source for replacement switches? Also, I need the connecting cable from radio to the external VFO. Does anyone have the schematic for the cable, or a source for the cable? A TS 520 manual would be nice too.
73
Don
w0spy

566. Re: [kw-radio] TS520 and VFO

Yahoo group: kenwoodradio
Date: 2003-11-17 19:39:21 UTC
From: M1ARF
Topic: 565 Message: 566

Hi Don

Try www.mods.dk
The manuals site is down at the moment but should be
up later.

=====
73 Derek M1ARF

Want to chat instantly with your online friends? Get the FREE Yahoo!
Messenger http://mail.messenger.yahoo.co.uk

567. Re: [kw-radio] Digest Number 339

Yahoo group: kenwoodradio
Date: 2003-11-17 23:34:09 UTC
From: RUDOLPH KING
Topic: 563 Message: 567

Hello Tom:- in your reply to Paul I do believe there is a typo , that should read NTE222 (not NTE2222) as you printed)
Regards
Rudy King
----- Original Message -----
From: t.kishjr@...
To: kenwoodradio@yahoogroups.com
Sent: Monday, November 17, 2003 6:24 AM
Subject: Re: [kw-radio] Digest Number 339

> 1. TS 520S main VFO
Paul,

The NTE-2222 is an exact functional replacement for this MOSFET. You can also do a web search on the 3SK22 and there are several places that handle obsolete semiconductors. Happy Hunting!

P.S. Mouser handles a full line of NTE products, as well as several others. You may wish to visit their website at www.mouser.com and use their online cross reference. No minimum order, and a nice, fat catalog every few months!

Tom KC8KZY

> From: "Paul" <lonelyone_64109@...>
> Message: 1
> Date: Sun, 16 Nov 2003 16:06:14 -0000
> From: "Paul" <lonelyone_64109@...>
> Subject: TS 520S main VFO
>
> My 520S main VFO went out the other day and in researching the
> transistors the main one 3SK22 is obsolete and no longer available.I
> checked the ECG cross reference at work and found one transistor that
> is similiar to the 3SK22 and may be a substitute (my assumption) for
> it.Has anyone had to replace a 3SK22 and if so what was the
> replacement used?
>
> I can still use the radio by using the remote VFO but I cannot opeate
> split for DX work.I would appreciate any information on obtaining a
> replacement transistor.
>
> Paul WB0CJB
>

Yahoo! Groups Sponsor

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@egroups.com

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

568. Re: [kw-radio] TM-261 Receiver out, well almost

Yahoo group: kenwoodradio
Date: 2003-11-17 21:32:11 UTC
From: J. Rausch
Topic: 524 Message: 568

Hi Bud, sorry, I just saw your response today. I'm almost sure it's a front end FET as well. It takes me close to 60 uV to get the RX'er to respond using my bench Motorola monitor at work. Mine just crapped out one day, it was a dedicated APRS tracker radio in my truck. I want to get a service manual now, since the radio is still in production.

I'm making the same plea for help on the subject.

Jason KE4NYV
www.ke4nyv.com
RPC Electronics
www.ke4nyv.com/rpc

--- In kenwoodradio@yahoogroups.com, "Bud Haynes" <kv7g@t...> wrote:
>
>
>
> I have a 261 that the receive side has crapped out. I can inject
a
> signal at about 50 uV to get it to respond. This is with the
squelch
> open. I think it's a front end FET of some sort, but I have no
idea
> which one and I don't have a service manual. Has anyone else seen
> this?
> Be sure that you have not hit the button to receive I think it is
AM aircraft. It is very easy to do. If this is the case there will be
an icon on the lower right part of the digital display and it will
have the symptoms that you decribed. It is noted in the owners manual.
I can't locate my manual at the moment. I let one of these sit for
almost a year and finally decided to fool with it and found that was
the problem.
>
> Bu - KV7G - Yuma, AZ
>
>
>
>
>
> [Non-text portions of this message have been removed]

569. Re: TS520 and VFO

Yahoo group: kenwoodradio
Date: 2003-11-17 23:46:30 UTC
From: w0spy
Topic: 565 Message: 569

--- In kenwoodradio@yahoogroups.com, M1ARF <m1arf@y...> wrote:
> Hi Don
>
> Try www.mods.dk
> The manuals site is down at the moment but should be
> up later.
>
> =====
> 73 Derek M1ARF
>
> ----------

Thanks Derek, that is a great site! I found service manual for the
TS 520 and VFO and also manual for the Drake MN4.
73 Don W0SPY

> Want to chat instantly with your online friends? Get the FREE
Yahoo!
> Messenger http://mail.messenger.yahoo.co.uk

570. Re: [kw-radio] Digest Number 340

Yahoo group: kenwoodradio
Date: 2003-11-18 14:41:12 UTC
From: t.kishjr@sbcglobal.net
Topic: 570 Message: 570

Hi Rudy,

Yes, you are correct. Those terrible two's :) It was an NTE 222 that I meant to post, apologies for any confusion.

Tom KC8KZY

> Message: 5
> Date: Mon, 17 Nov 2003 15:34:09 -0800
> From: "RUDOLPH KING" <rudyking@...>
> Subject: Re: Digest Number 339
>
> Hello Tom:- in your reply to Paul I do believe there is a typo , that should read NTE222 (not NTE2222) as you printed)
> Regards
> Rudy King

571. TR9000

Yahoo group: kenwoodradio
Date: 2003-11-19 08:18:33 UTC
From: bigtango452002
Topic: 571 Message: 571

Hi, anyone who can help me with the TX/RX expansion modification of the TR9000 or can it be done?

Regards/Carlo

572. Kenwood-TS-820S interface cables for all excessories

Yahoo group: kenwoodradio
Date: 2003-11-25 18:35:38 UTC
From: David A. Echols
Topic: 572 Message: 572

Hello,I need the interface cables for my external vfo,for my Heathkit SB220. Basicly for all excesseries.I am disabled,and can't do any sodering.If anyone has this (or these),or can make one up for me please let me know.Or if someone has it for sale! Thank's David Echols 73's &88's

573. Re: TL-922 Resource

Yahoo group: kenwoodradio
Date: 2003-11-26 00:33:22 UTC
From: robjaw1
Topic: 558 Message: 573

http://groups.yahoo.com/group/kenwoodtl922/

73
Rob
KB3JZG

--- In kenwoodradio@yahoogroups.com, "jim_creasy" <jim_creasy@h...>
wrote:
> Does anyone know of a Yahoo Group that shares info on the TL-922A
> Linear Amplifier.
>
> Thanks in advance
>
> Jim

574. Dakota Summerhawk

Yahoo group: kenwoodradio
Date: 2003-11-26 15:22:37 UTC
From: Lee A Ratcliff
Topic: 574 Message: 574

I am looking for anyone that might have had dealings with Peter E. Summerhawk, AKA Dakota Summerhawk, 920 Russell Ave, P.O. Box 20581, Cheyenne WY, 82007, callsign N0WRE. Please e-mail me off the list, reference possible legal action. Thank you.

Lee Ratcliff
KC4ART

****
Every normal man must be tempted at times to spit on his hands, hoist the black flag, and begin slitting throats.
-- H. L. Mencken
****

[Non-text portions of this message have been removed]

575. Re: [PMR] Dakota Summerhawk

Yahoo group: kenwoodradio
Date: 2003-11-27 01:15:16 UTC
From: Lee A Ratcliff
Topic: 575 Message: 575

I have been contacted by Mr Summerhawk, and I believe it will be worked out. Once it is, I will pass along all information I have.

Lee Ratcliff

On Wed, 26 Nov 2003 10:22:37 -0500 Lee A Ratcliff <kc4art@...> writes:
> I am looking for anyone that might have had dealings with Peter E.
> Summerhawk, AKA Dakota Summerhawk, 920 Russell Ave, P.O. Box 20581,
> Cheyenne WY, 82007, callsign N0WRE. Please e-mail me off the list,
> reference possible legal action. Thank you.
>
> Lee Ratcliff
> KC4ART
>
> **********
> Every normal man must be tempted at times to spit on his
> hands, hoist the black flag, and begin slitting throats.
> -- H. L. Mencken
> **********
>
> [Non-text portions of this message have been removed]
>
>
> ---------- Yahoo! Groups Sponsor
>
> PMR Group.
> The list for exchanging ideas, conversion details, help and a
> marketplace for buying & selling surplus 2 way radio equipment.
>
> To unsubscribe, send an email to PMR-Unsubscribe@yahoogroups.com,
> NOT the list
> itself. You can always review your personal group settings at
> www.groups.yahoo.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>
>
>

****
Every normal man must be tempted at times to spit on his

hands, hoist the black flag, and begin slitting throats.
-- H. L. Mencken
****

_____
The best thing to hit the internet in years - Juno SpeedBand!
Surf the web up to FIVE TIMES FASTER!
Only $14.95/ month - visit www.juno.com to sign up today!

576. Kenwood YK-88 SN, narrow SSB filter FS

Yahoo group: kenwoodradio
Date: 2003-11-27 18:57:04 UTC
From: Ken Simpson, W8EK
Topic: 576 Message: 576

For Sale:

Crystal filter for Kenwood TS-120, TS-130, TS-180,
TS-430, TS-440 and others

Kenwood YK-88 SN, narrow SSB filter.
1800 Hz bandwidth.
Like new for $ 70 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

577. TK-730/830 Dual Band Backlight Question

Yahoo group: kenwoodradio
Date: 2003-11-29 03:36:28 UTC
From: carcomm911
Topic: 577 Message: 577

Has anyone ever modified the backlighting on a TK-730/830 dual band unit w/ full featured control head from the standard Kenwood orange to a standard green backlight? Can it even be done? Know anyone who can do it or has done it? Thanks! Carcomm911@...

578. Re: [kw-radio] TK-730/830 Dual Band Backlight Question

Yahoo group: kenwoodradio
Date: 2003-11-30 06:34:00 UTC
From: Rusty Caufield
Topic: 578 Message: 578

The backlight is actually a special LED, that is part of the LCD display and not LED's w/ a reflector.

- Rusty
----- Original Message -----
From: "carcomm911" <Carcomm911@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Friday, November 28, 2003 9:36 PM
Subject: [kw-radio] TK-730/830 Dual Band Backlight Question

> Has anyone ever modified the backlighting on a TK-730/830 dual band
> unit w/ full featured control head from the standard Kenwood orange
> to a standard green backlight? Can it even be done? Know anyone who
> can do it or has done it? Thanks! Carcomm911@...
>
>
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

579. Re: [kw-radio] Re: [PMR] Dakota Summerhawk

Yahoo group: kenwoodradio
Date: 2003-12-02 02:48:20 UTC
From: Lee A Ratcliff
Topic: 579 Message: 579

The item was accepted for shippment by the USPS on Nov 26, 2004 at
4:02pm. It was received today, Dec 1, 2003. Our transaction is
complete.

Lee Ratcliff

On Wed, 26 Nov 2003 20:15:16 -0500 Lee A Ratcliff <kc4art@...>
writes:
> I have been contacted by Mr Summerhawk, and I believe it will be
> worked
> out. Once it is, I will pass along all information I have.
>
> Lee Ratcliff
>
>
> On Wed, 26 Nov 2003 10:22:37 -0500 Lee A Ratcliff <kc4art@...>
> writes:
> > I am looking for anyone that might have had dealings with Peter
> E.
> > Summerhawk, AKA Dakota Summerhawk, 920 Russell Ave, P.O. Box
> 20581,
> > Cheyenne WY, 82007, callsign N0WRE. Please e-mail me off the
> list,
> > reference possible legal action. Thank you.
> >
> > Lee Ratcliff
> > KC4ART
> >
> > **********
> > Every normal man must be tempted at times to spit on his
> > hands, hoist the black flag, and begin slitting throats.
> > -- H. L. Mencken
> > **********
> >
> > [Non-text portions of this message have been removed]
> >
> >
> > ---------- Yahoo! Groups Sponsor
> >
> > PMR Group.
> > The list for exchanging ideas, conversion details, help and a
> > marketplace for buying & selling surplus 2 way radio equipment.
> >
> > To unsubscribe, send an email to PMR-Unsubscribe@yahoogroups.com,
>

> > NOT the list
> > itself. You can always review your personal group settings at
> > www.groups.yahoo.com
> >
> >
> >
> > Your use of Yahoo! Groups is subject to
> > http://docs.yahoo.com/info/terms/
> >
> >
> >
> >
>
>
> **********
> Every normal man must be tempted at times to spit on his
> hands, hoist the black flag, and begin slitting throats.
> -- H. L. Mencken
> **********
>
> ____
> The best thing to hit the internet in years - Juno SpeedBand!
> Surf the web up to FIVE TIMES FASTER!
> Only $14.95/ month - visit www.juno.com to sign up today!
>
> ------------------------- Yahoo! Groups Sponsor
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@egroups.com
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>
>
>

****
Every normal man must be tempted at times to spit on his
hands, hoist the black flag, and begin slitting throats.
-- H. L. Mencken
****

____
The best thing to hit the internet in years - Juno SpeedBand!
Surf the web up to FIVE TIMES FASTER!
Only $14.95/ month - visit www.juno.com to sign up today!

580. Kenwood-TS-820S interface cables for all excessories

Yahoo group: kenwoodradio
Date: 2003-12-03 08:51:13 UTC
From: David A. Echols
Topic: 580 Message: 580

Hello All. This Bill I Am David Email Manger Since His Computer Is Down Who Ever Is Helping David With His Rig Please Send All Emails To My Email Acount It Is billium140@... Thanks 73 & 88

581. 599A Twins

Yahoo group: kenwoodradio
Date: 2003-12-04 16:27:23 UTC
From: Don
Topic: 581 Message: 581

I have copies of the service manuals for the R599a and the T599a.
Does anyone have the Operators Manual for either one or both? I
would like to buy originals, or good copies.
Thanks
Don

582. Re: 599A Twins

Yahoo group: kenwoodradio
Date: 2003-12-07 16:33:37 UTC
From: Bill
Topic: 581 Message: 582

--- In kenwoodradio@yahoogroups.com, "Don" <supergdad@y...> wrote:
> I have copies of the service manuals for the R599a and the T599a.
> Does anyone have the Operators Manual for either one or both? I
> would like to buy originals, or good copies.
> Thanks
Don, i have copys of both the trasmitter and receiver,, for the cost
of $22.00 shipped to you. please e mail me at wc8i@... if
interested, Bill

583. Kenwood Twins for Sale With Accesories

Yahoo group: kenwoodradio
Date: 2003-12-07 16:39:08 UTC
From: Bill
Topic: 583 Message: 583

HI have a nice set of Kenwood Twins, that work fine, a model t-599 transmitter, a model r-599 receiver, and a model S-599 matching speaker, a kenwood model PC-1 phone patch, and a dd-k1 digital frequency display and a turner super sidekick amplifed desk microphone, with orginal manuals for the transmitter, receiver and display. they are on e bay now idem no. is #3063412046 pictures are posted there also, thanks, Bill

584. Re: [kw-radio] Kenwood Twins for Sale With Accesories

Yahoo group: kenwoodradio
Date: 2003-12-07 18:03:06 UTC
From: Evan Platt
Topic: 583 Message: 584

--On Sunday, December 07, 2003 4:39 PM +0000 Bill <wc8i@...> wrote:

> HI have a nice set of Kenwood Twins, that work fine, a model t-599
> transmitter, a model r-599 receiver, and a model S-599 matching
> speaker, a kenwood model PC-1 phone patch, and a dd-k1 digital
> frequency display and a turner super sidekick amplifed desk
> microphone, with original manuals for the transmitter, receiver and
> display. they are on e bay now idem no. is #

Please use FA or For Auction when posting auction items.

Thanks.

585. New Kenwood TM-271a mars/cap mods???

Yahoo group: kenwoodradio
Date: 2003-12-09 19:00:35 UTC
From: djpaulino
Topic: 585 Message: 585

Does anyone know how to MARS/CAP mod the new tm-271a??? Is this something that Kenwood corperate Techs will tell you?? Any help would be appreciated.

Thanks, Dave

587. FS: Shure 444 Desk Microphone

Yahoo group: kenwoodradio
Date: 2003-12-11 11:38:16 UTC
From: Brian Carling
Topic: 587 Message: 587

FOR SALE:
Shure 444 Desk microphone - in good condition.
Highly rated by most hams. A great communications microphone with
increase in response around 2000-3000 Hz. Great intelligibility, along with
undeniable quality. Best mic for SSB. Top of the pack
for communications grade audio.
See:
http://www.eham.net/reviews/detail/9

Comes with instruction sheets.
Will sell for $40.00 plus shipping

Picture & details at:
http://s88932719.onlinehome.us/mics.htm

588. TK801S

Yahoo group: kenwoodradio
Date: 2003-12-14 15:02:29 UTC
From: Robert
Topic: 588 Message: 588

I have a Kenwood TK801S and am trying to find information on converting it to the 70 cm ham band. Is it programmable and if so what does one need to accomplish this?
BobKB9VSQ@... or BobKB9VSQ in Yahoo messenger.

589. SADDAM CAPTURED

Yahoo group: kenwoodradio
Date: 2003-12-14 15:40:50 UTC
From: aa0potom
Topic: 589 Message: 589

SADDAM HUSSEIN CAPTURED IN A RAT HOLE THIS MORNING

590. RE: [kw-radio] SADDAM CAPTURED

Yahoo group: kenwoodradio
Date: 2003-12-14 16:42:18 UTC
From: WE0H
Topic: 589 Message: 590

Finally they got the SOB.

Mike>WE0H

-----Original Message-----
From: aa0potom [mailto:aa0po@...]
Sent: Sunday, December 14, 2003 9:41 AM
To: kenwoodradio@yahoogroups.com
Subject: [kw-radio] SADDAM CAPTURED

SADDAM HUSSEIN CAPTURED IN A RAT HOLE THIS MORNING

[Non-text portions of this message have been removed]

591. Membership

Yahoo group: kenwoodradio
Date: 2003-12-15 17:54:45 UTC
From: Richard Sherwood
Topic: 591 Message: 591

As requested...

Do you Yahoo!?
New Yahoo! Photos - easier uploading and sharing.
http://photos.yahoo.com/

592. Re: [kw-radio] Membership

Yahoo group: kenwoodradio
Date: 2003-12-16 00:55:02 UTC
From: david paulino
Topic: 591 Message: 592

As requested???
--- Richard Sherwood <qcatguy@...> wrote:
> As requested...
>
> _____
> Do you Yahoo!?
> New Yahoo! Photos - easier uploading and sharing.
> http://photos.yahoo.com/
>

_____
Do you Yahoo!?
New Yahoo! Photos - easier uploading and sharing.
http://photos.yahoo.com/

593. Kenwood Twins T-599 and R-599 for Sale With Accesories

Yahoo group: kenwoodradio
Date: 2003-12-16 01:52:40 UTC
From: Bill
Topic: 593 Message: 593

Nice pair of kenwood twins for sale, they are the T-599 transmitter, and the R-599 receiver, these are very nice and work fine. I would rate them a 8 on the scale. These come with the model S-599 matching speaker, a dd-k1 digital readout display, (does have a short but works) a nice turner super side kick amplifed Desk microphone, and a Kenwood phone patch, all manuals, except for the patch and desk microphone, $325.00 for all plus shipping costs, can send pictures if requested. please e mail me at wc8i@...

594. WANTED: 6 Meter Gear

Yahoo group: kenwoodradio
Date: 2003-12-16 17:02:48 UTC
From: kenton@landmobile.com
Topic: 594 Message: 594

I am interested in getting up on 6-meters and am in the market for some reasonably priced gear. No tubes and No crystals, please. Cosmetic appearance is not important as long as it works properly. Willling to take on something needing minor repairs. I tend to favor Kenwood, but am really not that picky. Does not have to be "all mode." or especially fancy, just fun, functional and reasonably priced.
Thanks
Kenton
N7IXA
kenton@...

595. WTB: KCH-4 Full-Function Remote Head for TK-730

Yahoo group: kenwoodradio
Date: 2003-12-18 01:16:18 UTC
From: ensignjohnson@yahoo.com
Topic: 595 Message: 595

Hello, all! I'm in the market for a KCH-4 Full-Function Remote Head for a TK-730. If you have one you'd like to sell, or know where I might find one, please contact me off-list. Thanks!

Merry Christmas,
-Will

596. RC-20, IF-20, TM-241 and TM-441

Yahoo group: kenwoodradio
Date: 2003-12-21 08:36:34 UTC
From: ka0ies
Topic: 596 Message: 596

Hi.

I have searched the archives for IF-20 and RC-20 and found nothing there.

My setup in my truck consists of the pieces listed in the subject line of this e-mail. I had some problems with the TM-241 and have fixed them. The problem was the disappearing information on the front of the radio. Problem fixed radio works fine by itself now.

Then when I hooked everything up in the truck the one radio would turn on and operate through the IF-20 and RC-20 like it was supposed to but the other one wouldn't. I did some trouble shooting and discovered that a cable that goes from the radio microphone connector to the IF-20 was bad. There were two broken wires in it and I have fixed that cable.

Now what happens is that I will turn on both radios and then turn on the RC-20 and one radio will turn on then the second will turn its front panel lights on and the first one will start motor boating with the front panel display blinking. I will turn off one radio and the other one works fine. Then I will turn on the radio that is turned off and the radio that was on originally will start motor boating and the radio that was just turned on will turn it's front panel lights on but nothing will display in the LCD. On the RC-20 the data from the first radio will stay until one of the radios is turned off. If the first radio is turned off the second one wakes up and acts right and its information is available in the display of the RC-20. I can do this all night long and it will act the same way no matter which one is powered up first.

It almost appears that the communication from the radios to the RC-20 is not getting multiplexed properly or something along these lines. Has anyone had any experience with this or something like it?

I have googled the Internet and found VERY FEW mentions of the IF-20 and RC-20. I have found two locations that have manuals avaiable but I was hoping someone could point me in the correct direction before I started to randomly poke in these boxes after getting the manuals.

Thanks in advance for any help that might be available.

Al Butler
ka0ies

597. TM733A light

Yahoo group: kenwoodradio
Date: 2003-12-21 16:02:24 UTC
From: AlAllum
Topic: 597 Message: 597

Hi,

The backlight on my TM 733A has gone out. First one on the left and now the one on the right. I took the cover off the front section, however, there is a board in front of the display so do not know what type of light they are using and could not find it on the schematic either.

Anyone know what Kenwood uses for backlighting and if it can be repaired in the field. I have gone through the menu items and it is not just shut off.

Thanks for any help.

Al, N8ARO

598. Kenwood TS-820 Display problem

Yahoo group: kenwoodradio
Date: 2003-12-23 01:43:57 UTC
From: wa2afd_1
Topic: 598 Message: 598

Hello to all. I am in need of information on how to repair a Kenwood TS-820 display. I recall seeing a website that had specific info on how to take apart the display and clean the plugs and scape the pcb to make for a better connection.

Now that I have a need for this info, I can't find it!

Forgive me if this has been asked and answered before.

Merry Christmas and Happy Holidays to all.

73 de WA2AFD

599. Fw: 20/20 Story Friday night

Yahoo group: kenwoodradio
Date: 2003-12-24 00:23:05 UTC
From: Rusty Caufield
Topic: 599 Message: 599

> -----Original Message-----
> From: Windisch, Fred [mailto:fwindisch@...]
> Sent: Tuesday, December 23, 2003 10:46 AM
> Subject: 20/20 Story Friday night
>
> This note is forwarded from the NVFC
> Happy Holidays to all of you
> Be safe
>
>
> ABC's 20/20 Story on Hartford Contract Prohibiting Volunteering - Set to
> Air
> Friday (12/26) at 10pm
>
> Barring any breaking national news, the 20/20 segment on career
> firefighters
> being prohibited from serving as volunteers will air Friday, December
> 26th
> at 10pm on ABC (Check your local listings). The piece was originally set
> to
> air November 14.
>
> With close coordination from the NVFC National Office, local
> representatives
> of the NVFC, local town managers and local firefighters conducted
> interviews
> with ABC's 20/20 last month in the Hartford, Connecticut area to discuss
> the
> recent Hartford Firefighters contract with the city. The contract
> forbids
> full-time firefighters to serve as volunteers in their home communities
> during their off-duty hours.
>
> The NVFC has been strongly opposed to this provision in the Hartford
> contract (and many others like it across the country) and has been
> working
> vigorously with area officials to see it removed. The NVFC has also
> strongly
> opposed efforts by some local unions to prevent their members as serving
> as
> volunteer firefighters in their hometowns during their off-duty hours.
>
>
>
>

>
> Fred C. Windisch
> Fire Chief, Ponderosa VFD
> 17061 Rolling Creek
> Houston, Tx 77090
> 281-444-8465
> fwindisch@...

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.554 / Virus Database: 346 - Release Date: 12/20/2003

600. Small Kenwood 2 m HT FS

Yahoo group: kenwoodradio
Date: 2003-12-24 20:15:32 UTC
From: Ken Simpson, W8EK
Topic: 600 Message: 600

For Sale:

Kenwood TH-21 BT 2 meter HT.
Fully synthesized, small HT, about the size of a deck of
cards. Thumbwheel selection of frequency. Very easy
to use. About 1.3 W in high power and 1/3 W in low power.
This model includes the built in PL tone encoder.
This unit is in very nice condition. It includes rubber duck
antenna, good battery (with new insert), charger, and
original manual for $75.

AC adapter for TH-21 / 31 / 41 HTs
Wall wort DC supply plugs into wall, and has adapter
that slides on to the HT to use it off of 115 V AC. $ 25

Kenwood SC-6 protective case.
Fits the TH-21 / 31 / 41 series of HTs.
This will protect the HT in great shape. $ 10

Kenwood BH-2 belt clip for the TH-21 / 31 / 41. $ 5

Kenwood RA-8 A "Stubby duck" antenna for the TH-21,
two meter HT. $ 10

Antenna adapter to fit the connector on the TH -
21 / 31 / 41, and adapt it to standard PL-259
antenna connector. $ 3

Antenna adapter as above, but goes to
BNC connector. $ 3

Kenwood EP-1 ear phone
Used on almost all Kenwood HTs. Like new. $4

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-Mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

601. Touchtone (DTMF) microphones FS

Yahoo group: kenwoodradio
Date: 2003-12-27 21:12:22 UTC
From: Ken Simpson, W8EK
Topic: 601 Message: 601

For Sale:

Touchtone (DTMF) microphones

Kenwood MC-48 touchtone microphone.
Round eight pin connector. 16 digit TT Pad on the
back, with up - down switches on the top.
Often used on the 2 m and 440 MHz rigs that
do not have touchtone built in, but can also be
used on HF rigs for TT on 10 m FM.
This one is close to new condition. $ 55

Icom HM-23 touchtone microphone
This hand mic has the 16 digit touchtone pad on it,
and also has "up-down" switches. It has the round
8 pin connector, and will work with most Icom rigs
that use this connector. The HM-23 is the same as
the HM-14, but has a deeper nut on the connector,
so that it can be used on some of the rigs with recessed
connectors, such as the IC-27.
This particular mic is like new. It came from a rig that
is used for packet, so the mic was never used. $ 50

Yaesu YM-23 touchtone microphone
This Yaesu condenser mic has a 16 digit touchtone
pad on it, and a 4 pin mic connector. Used, but
in nice shape. $ 45

Drake 1525 EM Touchtone Microphone
This is the mic that was used to add a touchtone
pad to a lot of rigs in the 70s and 80s. Normal
hand mic from the front, but has a touchtone pad
on the back. Four pin mic plug.
This particular unit has been used, but is in good
shape and includes paper work. $ 40

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

602. Digital Recording Unit for TS-950SDX

Yahoo group: kenwoodradio
Date: 2003-12-28 18:57:31 UTC
From: n1iv
Topic: 602 Message: 602

Hi Folks,

I'm looking for a working Kenwood DRU-2 for my TS-950SDX. Please email me at n1iv@... if you've got one available.

Happy New Year!

N1IV

603. Kenwood TM-742

Yahoo group: kenwoodradio
Date: 2003-12-29 02:23:41 UTC
From: radiomanr1
Topic: 603 Message: 603

We have a repeater close buy our house and i didn't know it but i
was talking on 2 meters with out an antenna but when i noticed it
was too late i think i burned the finals out it talks but it kickes
out and a loud hum comes through the speaker is it the module that
is out or something in the hole radio
please help me
Dave Wx5atx radiomanr1@...

604. Re: [kw-radio] Digest Number 361

Yahoo group: kenwoodradio
Date: 2003-12-29 19:17:32 UTC
From: t.kishjr@sbcglobal.net
Topic: 604 Message: 604

Dave,

When you say it "kicks out", do you mean it stops transmitting, or the whole radio just shuts down? I'd have to look at a schematic for the TM742 to be sure what kind of protection the finals have (or don't). If you are not sure about output power, or even working on your rig, drop me a private email and we'll talk further. First thing though, don't transmit further, and possibly cause more damage.

Tom KC8KZY

> Message: 2
> Date: Mon, 29 Dec 2003 02:23:41 -0000
> From: "radiomanr1" <radiomanr1@...>
> Subject: Kenwood TM-742
>
> We have a repeater close buy our house and i didn't know it but i
> was talking on 2 meters with out an antenna but when i noticed it
> was too late i think i burned the finals out it talks but it kickes
> out and a loud hum comes through the speaker is it the module that
> is out or something in the hole radio
> please help me
> Dave Wx5atx radiomanr1@...
>

605. Kenwood TK-840 "n" mod?

Yahoo group: kenwoodradio
Date: 2003-12-31 05:09:02 UTC
From: Jim Panos
Topic: 605 Message: 605

I got stuck with a 840 N that is only good for 480 -512mhz is there any mod or something to bring it down to the 440 or even 450mhz

Thanks
Jim

606. 599D TWINS FOR SALE

Yahoo group: kenwoodradio
Date: 2003-12-31 13:51:11 UTC
From: Tobe
Topic: 606 Message: 606

Kenwood T599D/R599D/S599 - gold. All in excellent condition (85-90%).
$300 + shipping costs.

Please email KD7RIZ@... or call 623-210-6163.

Thanks,

Tobe Wheale KD7RIZ
Glendale Arizona

607. Tm-271a low audio output

Yahoo group: kenwoodradio
Date: 2003-12-31 15:09:16 UTC
From: rbhimn
Topic: 607 Message: 607

Just got a new tm-271a yesterday. Got it all installed last night on the home bench and checked into the local two meter net. Got very bad audio reports on the radio. I was told that it sounded like I was in the other room when I was talking into the microphone. I browsed the owners manual but could not find any menus or tips on increasing the mic gain. I took the mic apart and the element looked to be in good shape, not upside down or anything. I did a full reset and tested it agian. Still very low audio. My Radio Shack HT blew the 271 away on audio reports. I tested on simplex and verified this. Any help would be appreciated. Thanks in advance!

KC5IMN
email rbhtxk@...

608. TM-221A Problem

Yahoo group: kenwoodradio
Date: 2004-01-01 14:54:28 UTC
From: Eric Grams
Topic: 608 Message: 608

I have a Kenwood TM-221A with a problem. When I talk into the microphone all I get is a carrier, no audio. When I plug the radio into my rigblaster and send aomething through that it works fine. I have tried another Kenwood mic that I use and still get no audio. Does anyone know what could be the problem?

Thanks
Eric

609. Re: [kw-radio] Digest Number 364

Yahoo group: kenwoodradio
Date: 2004-01-01 18:08:52 UTC
From: t.kishjr@sbcglobal.net
Topic: 609 Message: 609

Do you or anyone you know have another mike to try?

Tom KC8KZY

> Message: 2
> Date: Wed, 31 Dec 2003 15:09:16 -0000
> From: "rbhimn" <rbhtxk@...>
> Subject: Tm-271a low audio output
>
> Just got a new tm-271a yesterday. Got it all installed last night on
> the home bench and checked into the local two meter net. Got very bad
> audio reports on the radio. I was told that it sounded like I was in
> the other room when I was talking into the microphone. I browsed the
> owners manual but could not find any menus or tips on increasing the
> mic gain. I took the mic apart and the element looked to be in good
> shape, not upside down or anything. I did a full reset and tested it
> agian. Still very low audio. My Radio Shack HT blew the 271 away on
> audio reports. I tested on simplex and verified this. Any help would
> be appreciated. Thanks in advance!
>
> KC5IMN
> email rbhtxk@...

610. RE: [kw-radio] Digest Number 364

Yahoo group: kenwoodradio
Date: 2004-01-01 18:44:35 UTC
From: Robert Hayes
Topic: 609 Message: 610

Don't have another tm-271 mic. I tried my old tm261 mic and got no audio
at all.

KC5IMN

-----Original Message-----
From: t.kishjr@... [mailto:t.kishjr@...]
Sent: Thursday, January 01, 2004 12:09 PM
To: kenwoodradio@yahoogroups.com
Subject: Re: [kw-radio] Digest Number 364

Do you or anyone you know have another mike to try?

Tom KC8KZY

> Message: 2
> Date: Wed, 31 Dec 2003 15:09:16 -0000
> From: "rbhimn" <rbhtxk@...>
> Subject: Tm-271a low audio output
>
> Just got a new tm-271a yesterday. Got it all installed last night on
> the home bench and checked into the local two meter net. Got very bad
> audio reports on the radio. I was told that it sounded like I was in
> the other room when I was talking into the microphone. I browsed the
> owners manual but could not find any menus or tips on increasing the
> mic gain. I took the mic apart and the element looked to be in good
> shape, not upside down or anything. I did a full reset and tested it
> agian. Still very low audio. My Radio Shack HT blew the 271 away on
> audio reports. I tested on simplex and verified this. Any help would
> be appreciated. Thanks in advance!
>
> KC5IMN
> email rbhtxk@...

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to:
http://docs.yahoo.com/info/terms/

611. TK-730 Questions

Yahoo group: kenwoodradio
Date: 2004-01-04 06:52:11 UTC
From: ensignjohnson@yahoo.com
Topic: 611 Message: 611

Hello, all! Just two questions from me today:

1) On the rear of the remote-mounting unit (the portion that the KCH-3 or KCH-4 attaches to), there is a hole approximately 1/2" X 3/4" in size. This isn't the hole that the remote cable attaches to, it is next to it. Does anyone know what goes there? It seems a bit odd, being that it doesn't seem to have any fastners/screw holes/etc. with which to attach anything to it, and it doesn't seem likely that it would just be left open...

2) Does anyone know where I might obtain a SERVICE manual for the TK-730? Not a users manual, an actual service manual...

Thanks, and Happy New Years!
-Will

612. fdt file for kenwood tk 759

Yahoo group: kenwoodradio
Date: 2004-01-04 11:44:15 UTC
From: hightechmaniac
Topic: 612 Message: 612

hello iam looking for a fdt file with 2 metresband including
repeaters and 1750 hz calltone i know this file was on the internet
a long long time ago if someone has such a file please send it to
me it is for an old kenwood tk 759
greetz hightechmaniac

613. Kenwood TM-742 Adjust gain on UT-220 Module

Yahoo group: kenwoodradio
Date: 2004-01-04 16:27:49 UTC
From: Ron
Topic: 603 Message: 613

I need to increase the Mic Gain and / or Deviation on the 220 module of a Kenwood tri-band unit. TM-642 -742 -641 -741.....

A few years ago - I saw a full size photo copy of a unit with the adjustment pots labelled / at their location with their function. Are there any MOD sheets for JPG's on the WEB - a place to download this information? It would be nice to have the 2 meter and 440 layout also!

Thanks & 73's

Ron

614. TS-140

Yahoo group: kenwoodradio
Date: 2004-01-04 16:38:40 UTC
From: Fred (VE3FAL)
Topic: 614 Message: 614

Gang:
I have a Kenwood TS-140 radio.
My question to the group is, does it have a cw reverse through one of the menus or switches.
I was looking at checking into a phone net on 80 meters, I wanted to check in with cw, but could not tune the station.
The only way I could do this was to store one frequency in one vfo, then the other in the next vfo..
Are there any hidden menus on this radio.
Thanks
Fred
VE3FAL

615. Kenwood filters FS

Yahoo group: kenwoodradio
Date: 2004-01-05 17:01:41 UTC
From: Ken Simpson, W8EK
Topic: 615 Message: 615

Kenwood Filters For Sale:

Kenwood YK-88-SN-1
1800 Hz, narrow SSB filter for most newer
Kenwood rigs, such as the TS-950, TS-570,
TS-850, TS-450, and others. $ 80

Kenwood YK-88 SN (no -1 on this one)
1800 Hz, narrow SSB filter. This one is
solder in instead of plug in, and for rigs
such as the TS-440, TS-430, TS-180, TS-130,
TS-120, and others. $75

Kenwood YK-88 A
6 KHz AM filter for TS-440, TS-430, TS-180,
TS-130, TS-120, and others. $80

Kenwood YG-455-S-1
This is a "sharp" 2.1 KHz SSB filter. It has about a
1.8 to 1 shape factor, and is used to replace the
standard ceramic filter in rigs such as the TS-950
with a filter that has much better skirts (and therefore
makes pass band tuning, etc. much better) $ 110

All filters above (except YK-88 A) include the paper
work and original box.

Prices do not include shipping form Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

616. 940s

Yahoo group: kenwoodradio
Date: 2004-01-06 10:19:39 UTC
From: sugarbengal
Topic: 616 Message: 616

having a problem with a 940s, can anyone help?

617. Re: [kw-radio] 940s

Yahoo group: kenwoodradio
Date: 2004-01-06 10:58:16 UTC
From: gerald bishop
Topic: 617 Message: 617

Maybe- Like what's the problerm?? ,Jer's
----- Original Message -----
From: sugarbengal
To: kenwoodradio@yahoogroups.com
Sent: Tuesday, January 06, 2004 5:19 AM
Subject: [kw-radio] 940s

having a problem with a 940s, can anyone help?

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

618. TS140

Yahoo group: kenwoodradio
Date: 2004-01-06 18:05:49 UTC
From: Fred (VE3FAL)
Topic: 215 Message: 618

Can anyone tell me if the Kenwood TS140 has a hidden menu.
Also I am wondering if it has a cw reverse for LSB reception instead of using the vfos to check into a cw net on 80/75 meters or 40 meters.
Right now in cw mode I am only able to hear USB comms.
Thanks
Fred
VE3FAL

619. FW: TS-140

Yahoo group: kenwoodradio
Date: 2004-01-06 19:12:22 UTC
From: Fred (VE3FAL)
Topic: 619 Message: 619

-----Original Message-----
From: Fred (VE3FAL) [mailto:flesnick@...]
Sent: January 4, 2004 11:39 AM
To: (kenwoodradio@egroups.com)
Subject: TS-140

Gang:
I have a Kenwood TS-140 radio.
My question to the group is, does it have a cw reverse through one of the menus or switches.
I was looking at checking into a phone net on 80 meters, I wanted to check in with cw, but could not tune the station.
The only way I could do this was to store one frequency in one vfo, then the other in the next vfo..
Are there any hidden menus on this radio.
Thanks
Fred
VE3FAL

620. Re: [kw-radio] Digest Number 368

Yahoo group: kenwoodradio
Date: 2004-01-07 11:13:49 UTC
From: sugar odd
Topic: 620 Message: 620

turn power switch on, swr rf power meter lights up , sub display and vfo do not light up or seem to have power, no rx or tx, worked fine night before,now did not work on turn on next night....tried reset micro process... nothing changed....
any suggestions?

kenwoodradio@yahoogroups.com wrote:
There are 4 messages in this issue.

Topics in this digest:

1. 940s
From: "sugarbengal"
2. Re: 940s
From: "gerald bishop"
3. TS140
From: "Fred \(VE3FAL\)"
4. FW: TS-140
From: "Fred \(VE3FAL\)"

Message: 1
Date: Tue, 06 Jan 2004 10:19:39 -0000
From: "sugarbengal"
Subject: 940s

having a problem with a 940s, can anyone help?

Message: 2
Date: Tue, 6 Jan 2004 05:58:16 -0500
From: "gerald bishop"
Subject: Re: 940s

Maybe- Like what's the problerm?? ,Jer's
----- Original Message -----
From: sugarbengal
To: kenwoodradio@yahoogroups.com
Sent: Tuesday, January 06, 2004 5:19 AM
Subject: [kw-radio] 940s

having a problem with a 940s, can anyone help?

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

Message: 3
Date: Tue, 6 Jan 2004 13:05:49 -0500
From: "Fred \(VE3FAL\)"
Subject: TS140

Can anyone tell me if the Kenwood TS140 has a hidden menu.
Also I am wondering if it has a cw reverse for LSB reception instead of
using the vfos to check into a cw net on 80/75 meters or 40 meters.
Right now in cw mode I am only able to hear USB comms.
Thanks
Fred
VE3FAL

Message: 4
Date: Tue, 6 Jan 2004 14:12:22 -0500
From: "Fred \(VE3FAL\)"
Subject: FW: TS-140

-----Original Message-----
From: Fred (VE3FAL) [mailto:flesnick@...]
Sent: January 4, 2004 11:39 AM
To: (kenwoodradio@egroups.com)
Subject: TS-140

Gang:
I have a Kenwood TS-140 radio.
My question to the group is, does it have a cw reverse through one of
the menus or switches.
I was looking at checking into a phone net on 80 meters, I wanted to
check in with cw, but could not tune the station.
The only way I could do this was to store one frequency in one vfo, then
the other in the next vfo..
Are there any hidden menus on this radio.
Thanks
Fred

VE3FAL

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to:
http://docs.yahoo.com/info/terms/

Do you Yahoo!?
Yahoo! Hotjobs: Enter the "Signing Bonus" Sweepstakes

[Non-text portions of this message have been removed]

621. Kenwood TK-930

Yahoo group: kenwoodradio
Date: 2004-01-07 20:25:28 UTC
From: Jay
Topic: 621 Message: 621

Just a quick question to the group, I have a Kenwood Mobile (TK-930) 800 mhz. I was wondering if it can be programed into the 900 ham band? and if so what program?

622. Kenwood TR-7950 Display problem

Yahoo group: kenwoodradio
Date: 2004-01-08 07:36:02 UTC
From: doloebatavia
Topic: 598 Message: 622

Hi all,

I have old rig kenwood TR-7950, problem in display,the freq.number lost from display, I am in need of information on how to repair a Kenwood TR-7950 display?

thx
73
andy
de YH0

623. Accessories for Kenwood TH-21 / 31 / 41 HTs FS

Yahoo group: kenwoodradio
Date: 2004-01-08 23:27:27 UTC
From: Ken Simpson, W8EK
Topic: 623 Message: 623

Accessories for Kenwood TH-21 / 31 / 41 HTs For Sale:

Kenwood SC-6 protective case.
Fits the TH-21 /31 /41 series of HTs.
This will protect the HT in great shape. $ 10

Kenwood BH-2 belt clip for the TH-21 / 31 / 41. $ 5

Antenna adapter to fit the connector on the TH -
21 / 31 / 41, and adapt it to standard PL-259
antenna connector. $ 3

Antenna adapter as above, but goes to
BNC connector. $ 3

Kenwood EP-1 ear phone
Used on almost all Kenwood HTs. Like new. $4

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-Mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

624. KPG-54D Software

Yahoo group: kenwoodradio
Date: 2004-01-11 03:15:33 UTC
From: Gary Errol
Topic: 624 Message: 624

Can someone send me off list a copy of KPG-54D software? The one copy
I can find online downloads with CRC errors.

garyerrol@...

625. Instruction Mamual

Yahoo group: kenwoodradio
Date: 2004-01-13 17:49:18 UTC
From: ke5yd
Topic: 625 Message: 625

Would anyone have an instruction manual for an OLDER Kenwood 2 meter rig; model # tm-2530 or 2550? I need to know how to enter the frequiencies and put IM the memories. Thanks!

626. FM module FS

Yahoo group: kenwoodradio
Date: 2004-01-13 21:54:34 UTC
From: Ken Simpson, W8EK
Topic: 626 Message: 626

I have not used FM on HF for ages, so the FM modules
might as well go to someone who will use them.

Kenwood FM-430
This module adds FM to the TS-430, TS-670, and
maybe other units. It works fine, and includes
paper work for $75.

TenTec 256 FM module
This module adds FM to the Paragon 585 and the
Omni V 562, and maybe others. It works fine, and
includes all paper work for $75

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

627. What is newest version of Kenwood KPG-56D for TK-270G?

Yahoo group: kenwoodradio
Date: 2004-01-13 22:01:30 UTC
From: RadioGuy205@aol.com
Topic: 627 Message: 627

Anyone know what the latest version is? Mine is 3.00SCN.

Thanks!

Frederic C.

[Non-text portions of this message have been removed]

628. MC-50 Wiring

Yahoo group: kenwoodradio
Date: 2004-01-13 22:13:15 UTC
From: Don
Topic: 628 Message: 628

I just got a MC-50 with no 4-pin connector to use on my 599 twins.
I used the wiring diagram in the T599 manual to connect cable to
connector. Mike keys the TX on, but no audio. Does anyone have the
pin connections for mike and stand? There is a connector on the Mike,
cable to stand. Connector on back of stand to cable to tx. Also,
what is the impedance? I understood it to be low Z, is that correct?
Thanks
Don w0spy

629. Re: [kw-radio] MC-50 Wiring

Yahoo group: kenwoodradio
Date: 2004-01-13 23:37:12 UTC
From: Lee A Ratcliff
Topic: 629 Message: 629

Oddly enough, do you have the switch on the mic itself turned on? Its been a while since I worked with a MC-50, but IIRC, the switch on the mic kills the audio. Dont quote me on it however.

Lee Ratcliff
KC4ART

On Tue, 13 Jan 2004 22:13:15 -0000 "Don" <supergdad@...> writes:
> I just got a MC-50 with no 4-pin connector to use on my 599 twins.
> I used the wiring diagram in the T599 manual to connect cable to
> connector. Mike keys the TX on, but no audio. Does anyone have
> the
> pin connections for mike and stand? There is a connector on the
> Mike,
> cable to stand. Connector on back of stand to cable to tx. Also,
> what is the impedance? I understood it to be low Z, is that
> correct?
> Thanks
> Don w0spy
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/kenwoodradio/
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to:
> http://docs.yahoo.com/info/terms/
>
>
>
>

****
Every normal man must be tempted at times to spit on his
hands, hoist the black flag, and begin slitting throats.
-- H. L. Mencken
****

The best thing to hit the internet in years - Juno SpeedBand!
Surf the web up to FIVE TIMES FASTER!
Only $14.95/ month - visit www.juno.com to sign up today!

630. Re: [kw-radio] MC-50 Wiring

Yahoo group: kenwoodradio
Date: 2004-01-14 00:00:11 UTC
From: W1WLS2974@aol.com
Topic: 629 Message: 630

Hi Don;
i have two MC-50 mikes. there is a cable that fits between the mike and the stand. Depending on how you connect the cable on the back of the mike to the stand determands the Impedance. The MC-50 is both HI and LO impedance. That should be the only thing you need to have work for your 599-T. It should be on the LO impedance connection. Check you connections again it should work. There may be a problem with the transmitter itself. But in closeing the MC-50 works with the following radios with no mods. TS-599/D transmitter, the TS - 511,520/s,820/s,180/s,120/s,130/s series transcivers.

73, Walt W1WLS

[Non-text portions of this message have been removed]

631. Re: Digital Recording Unit for TS-950SDX

Yahoo group: kenwoodradio
Date: 2004-01-15 04:41:37 UTC
From: Jim Duarte
Topic: 602 Message: 631

I found one... Thanks!

--- In kenwoodradio@yahoogroups.com, "n1iv" <n1iv@a...> wrote:
Hi Folks,

I'm looking for a working Kenwood DRU-2 for my TS-950SDX. Please email me at n1iv@a... if you've got one available.

Happy New Year!

N1IV

632. TS820 Repair Questions

Yahoo group: kenwoodradio
Date: 2004-01-17 12:51:18 UTC
From: Brian Carling
Topic: 632 Message: 632

Hi guys,

I have a newly acquired TS820S and the VFO is jumping
around pretty badly most of the time.

I also noticed that the "tumblers" for the 100 kHz positions
on the analog dial are not correct either.
They start coming out at 140 kHz instead of at 100 kHz.

The VFO jumping is a separate issue. At first I thought it was dirt switches - either
the function switch or band switch.
But then I noticed as I get higher up the dial, even the tuning dial
itself will cause it to suddenly jump from say 7160 kHz to 7885 kHz.

Does anyone have any ideas about where I might start looking for the problem so I
can fix it?

The rig was in storage for several years and prior to that had supposedly worked
just fine.

Any tips or pointers would be appreciated.

Thanks - Bry, AF4K

633. kenwood tk-308 uhf radio

Yahoo group: kenwoodradio
Date: 2004-01-17 19:29:42 UTC
From: HONDA_DIO_98
Topic: 633 Message: 633

help! can anybody tell me what is the compatible tone decoder for
the the tk 308 uhf radio and where can i buy this decoder unit.
another thing is the dtp-2 pad for this. would appreciate ur reply!!
thank you!

raffy/manila phils!

634. FS: Shure 444 Microphone

Yahoo group: kenwoodradio
Date: 2004-01-18 15:05:47 UTC
From: Brian Carling
Topic: 634 Message: 634

Shure 444 Desk microphone - in good condition.
Highly rated by most hams.
A great communications microphone with increase in
response around 2000-3000 Hz.
Great intelligibility, along with undeniable quality.
Best mic for SSB. Top of the pack for communications
grade audio.
See: http://www.eham.net/reviews/detail/9

Will sell for $40.00 plus shipping
Picture & details at:
http://s88932719.onlinehome.us/mics.htm

E-mail me at: Radios_R_Me@...
73 - Bry, AF4K

635. UT-220 audio adjustment for TM-742 HELP!

Yahoo group: kenwoodradio
Date: 2004-01-18 15:19:21 UTC
From: Ron
Topic: 634 Message: 635

I need to increase the deviation and / or mic gain on my 220 module that is installed in a Kenwood TM-742 (741,641,642 all the same).

A pictorial of the board or a scan with the "pots" marked with their function would really help!!

Ron

636. RE: [kw-radio] Instruction Manual

Yahoo group: kenwoodradio
Date: 2004-01-22 17:59:54 UTC
From: DW
Topic: 625 Message: 636

Did you ever get the info? If not I can scan in manual for my 2550 and send to you in PDF format..

Don Werkema
1SG, US Army Retired (24+ years)
Current 911 Dispatch Supervisor
Life Member: NRA, DAV, AMVETS, VFW

-----Original Message-----
From: ke5yd [mailto:ke5yd@...]
Sent: Tuesday, January 13, 2004 12:49 PM
To: kenwoodradio@yahoogroups.com
Subject: [kw-radio] Instruction Mamual

Would anyone have an instruction manual for an OLDER Kenwood 2 meter rig; model # tm-2530 or 2550? I need to know how to enter the frequiencies and put IM the memories. Thanks!

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

637. Re: TS820 Repair Questions

Yahoo group: kenwoodradio
Date: 2004-01-22 19:32:26 UTC
From: Tobe
Topic: 632 Message: 637

If you do not have the manuals, here is a link for you...

http://www.kb2ljj.com/

Tobe

--- In kenwoodradio@yahoogroups.com, "Brian Carling" <bcarling@c...>
wrote:
> Hi guys,
>
> I have a newly acquired TS820S and the VFO is jumping
> around pretty badly most of the time.
>
> I also noticed that the "tumblers" for the 100 kHz positions
> on the analog dial are not correct either.
> They start coming out at 140 kHz instead of at 100 kHz.
>
> The VFO jumping is a separate issue. At first I thought it was dirt
switches - either
> the function switch or band switch.
> But then I noticed as I get higher up the dial, even the tuning dial
> itself will cause it to suddenly jump from say 7160 kHz to 7885 kHz.
>
> Does anyone have any ideas about where I might start looking for
the problem so I
> can fix it?
>
> The rig was in storage for several years and prior to that had
supposedly worked
> just fine.
>
> Any tips or pointers would be appreciated.
>
> Thanks - Bry, AF4K

638. Re: [kw-radio] Re: TS820 Repair Questions

Yahoo group: kenwoodradio
Date: 2004-01-22 19:40:43 UTC
From: Per Bekker-Madsen
Topic: 638 Message: 638

Hi Tobe

Take a look here

http://www.mods.dk/mods.php3?radio=kenwood&model=ts-820&selectid=781#781

73 Per OZ1EQC

----- Original Message -----
From: Tobe
To: kenwoodradio@yahoogroups.com
Sent: Thursday, January 22, 2004 8:32 PM
Subject: [kw-radio] Re: TS820 Repair Questions

If you do not have the manuals, here is a link for you...

http://www.kb2ljj.com/

Tobe

--- In kenwoodradio@yahoogroups.com, "Brian Carling" <bcarling@c...>
wrote:
> Hi guys,
>
> I have a newly acquired TS820S and the VFO is jumping
> around pretty badly most of the time.
>
> I also noticed that the "tumblers" for the 100 kHz positions
> on the analog dial are not correct either.
> They start coming out at 140 kHz instead of at 100 kHz.
>
> The VFO jumping is a separate issue. At first I thought it was dirt
switches - either
> the function switch or band switch.
> But then I noticed as I get higher up the dial, even the tuning dial
> itself will cause it to suddenly jump from say 7160 kHz to 7885 kHz.
>
> Does anyone have any ideas about where I might start looking for
the problem so I
> can fix it?
>
> The rig was in storage for several years and prior to that had
supposedly worked
> just fine.
>
> Any tips or pointers would be appreciated.
>

> Thanks - Bry, AF4K

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

639. RE: [kw-radio] Instruction Manual

Yahoo group: kenwoodradio
Date: 2004-01-22 20:49:30 UTC
From: M1ARF
Topic: 625 Message: 639

Hi Group,

Does anyone have a link to a Trio TM210 2metre mobile
rig Schematic?

Thanks in advance.

=====
73 Derek M1ARF

_____
Yahoo! Messenger - Communicate instantly..."Ping"
your friends today! Download Messenger Now
http://uk.messenger.yahoo.com/download/index.html

640. TS140 and reverse cw

Yahoo group: kenwoodradio
Date: 2004-01-22 20:52:06 UTC
From: Fred (VE3FAL)
Topic: 640 Message: 640

Does anyone on the list know if the TS140 has reverse cw, or any hidden menus on it?
Thanks
Fred
VE3FAL

641. Kenwood YG-455-S-1 crystal filter FS

Yahoo group: kenwoodradio
Date: 2004-01-23 16:35:04 UTC
From: Ken Simpson, W8EK
Topic: 641 Message: 641

Kenwood YG-455-S-1 For Sale

This is a "sharp" 2.1 KHz SSB plug in filter. It has about a 1.8 to 1 shape factor, and is used to replace the standard ceramic filter in rigs such as the TS-950 and others, with a filter that has much better skirts (and therefore makes pass band tuning, etc. much better).

With paper work and original box for $110 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

642. New Pictures Uploaded To Members Section

Yahoo group: kenwoodradio
Date: 2004-01-25 02:27:36 UTC
From: salomon Jazanoski
Topic: 642 Message: 642

New Pictures Uploaded To Members Section

Do you Yahoo!?
Yahoo! SiteBuilder - Free web site building tool. Try it!

[Non-text portions of this message have been removed]

643. Photos Updated...

Yahoo group: kenwoodradio
Date: 2004-01-26 20:07:44 UTC
From: salomon Jazanoski
Topic: 643 Message: 643

Pics Uploaded To Member Section

Do you Yahoo!?
Yahoo! SiteBuilder - Free web site building tool. Try it!

[Non-text portions of this message have been removed]

644. Photos Here...

Yahoo group: kenwoodradio
Date: 2004-01-26 20:09:03 UTC
From: salomon Jazanoski
Topic: 644 Message: 644

Pics Uploaded To Member Section

Do you Yahoo!?
Yahoo! SiteBuilder - Free web site building tool. Try it!

[Non-text portions of this message have been removed]

645. Movies Here..

Yahoo group: kenwoodradio
Date: 2004-01-27 18:52:18 UTC
From: salomon Jazanoski
Topic: 645 Message: 645

New Movies In Member Section

Do you Yahoo!?
Yahoo! SiteBuilder - Free web site building tool. Try it!

[Non-text portions of this message have been removed]

646. Check This Out!

Yahoo group: kenwoodradio
Date: 2004-01-29 18:19:50 UTC
From: salomon Jazanoski
Topic: 646 Message: 646

Check This Website out!This Message Has Been Deleted

Do you Yahoo!?
Yahoo! SiteBuilder - Free web site building tool. Try it!

[Non-text portions of this message have been removed]

647. Look At This...

Yahoo group: kenwoodradio
Date: 2004-01-30 15:37:09 UTC
From: salomon Jazanoski
Topic: 647 Message: 647

New Files In The Members Section

Do you Yahoo!?
Yahoo! SiteBuilder - Free web site building tool. Try it!

[Non-text portions of this message have been removed]

648. Re: [kw-radio] Look At This...

Yahoo group: kenwoodradio
Date: 2004-01-31 02:20:10 UTC
From: Rusty Caufield
Topic: 648 Message: 648

Moderator:

Are there rules for Cross Posting when the groups have absolutely nothing in common?

- Rusty Caufield
List Owner:
Kenwood2Way
Kenwood TK-39-90 Series
----- Original Message -----
From: "salomon Jazanoski" <buettgenvam3@...>
To: <impregnationstories@yahoogroups.com>
Sent: Friday, January 30, 2004 9:37 AM
Subject: [kw-radio] Look At This...

> New Files In The Members Section
>

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.573 / Virus Database: 363 - Release Date: 1/28/2004

649. For Sale: Kenwood TH-F6A & TH-G71

Yahoo group: kenwoodradio
Date: 2004-01-31 04:40:59 UTC
From: edoc
Topic: 649 Message: 649

Selling my Kenwood HTs and switching to a Yaesu VX-2R and a VX-7R for specific feature reasons.

Need to sell my Kenwood TH-F6A and my TH-G71. Both are in excellent condition, lightly used and well cared for. Although several feature-enhancing mods are available for these rigs they are original.

Some TH-F6A details are found here:
http://www.kenwood.com/i/products/info/amateur/thf6a.html
http://www.eham.net/reviews/detail/1739?ehamsid=fe8c27b88818f18c296ddca82ba7bd5e

Some TH-G71 details here:
http://www.eham.net/reviews/detail/1767?ehamsid=fe8c27b88818f18c296ddca82ba7bd5e
More details in this guys post:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=3073831087&category=40067

Asking $285. for my TH-F6a and accessories (BT-13 Battery Case, PB-42L Li-ion Battery Pack, Kenwood AC Adapter /Charger, Mini-Manual from www.mrhamradio.com, Original Manual & Original Box,)

Asking $185. for my TH-G71 and accessories (Two PB-39 NiCD packs w/belt clips, BC-17 charger, Original Manual & Original Box).

Asking $25. for Kenwood SMC-32 Speaker mic.
Asking $25. for Kenwood SMC-34 Speaker mic.
Asking $25. for Kenwood PG-3J 12V Auto Accessory Power Adapter,
Asking $25. for Kenwood PG-4P Data Cable & CD.

Asking $500. for everything, including shipping conus.

73, doc kd4e

650. Kenwood Repair Service

Yahoo group: kenwoodradio
Date: 2004-01-31 09:53:19 UTC
From: John
Topic: 650 Message: 650

Hi all

I do repairs specializing on the Kenwood TS-940, TS-930 radios. Complete rebuilds from top to bottom, PLL and Power Supply repairs and updates, I have over 6 + years experience with these radios. I can make your 940 / 930 trouble free and perform as new again !!

Also TS-870, TS-850, TS-450, TS-430, TS-440, TS-820, TS-520

Completely satisfied customers and many references.....Very reasonable rates, fast turn around time. I also do mods for SSB audio and filters... If you need a repair or a custom modification of any type, give me an email

thanks John, KI4NR
hydroaction@...

651. RE: Kenwood TS940S mods

Yahoo group: kenwoodradio
Date: 2004-02-02 06:49:25 UTC
From: v44kf
Topic: 651 Message: 651

Hi All

I am seeking all mods to upgrade my Kenwood TS-940SAT. I already have [a] the original Kenwood bulletins, [b] the original 3-volume IRCI/Fox Tango supplements and [c] all the info on the www.mods.dk website. But there has to be more mods and tweaks for this very popular transceiver, for example, hot carrier diode replacement, curing carrier oscillator drift, etc.

I am also looking for a copy of the "TS-940S Technical Information Book".

Appreciate responses to my email address, unless you know that your reply can benefit the other members of this group.

Have a nice day.

73
Keeth

[Non-text portions of this message have been removed]

652. Kenwood TSU-6, PL encoder wanted

Yahoo group: kenwoodradio
Date: 2004-02-02 17:11:45 UTC
From: Ken Simpson, W8EK
Topic: 652 Message: 652

Wanted:

Kenwood TSU-6 (also known as KQT-8) subaudible tone (PL) unit.
(Fits many Kenwood units such as TM-231, TM-241, etc.)

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

653. Kenwood TK-370

Yahoo group: kenwoodradio
Date: 2004-02-02 23:08:20 UTC
From: sinbad5210
Topic: 653 Message: 653

I am looking at a TK-370 for use on GMRS. I have found one with a band split of 450-470 mHz. Is it possible to use these things on the 440 ham bands?

Steve
KCØJTC
WPZJ278

654. Re: [kw-radio] Kenwood TK-370

Yahoo group: kenwoodradio
Date: 2004-02-03 04:23:07 UTC
From: Rusty Caufield
Topic: 654 Message: 654

The TK-370K and TK-370GK both are split 450 to 470, they work on GMRS (462,467) and will do 443.5 upto 470 without problems.

- Rusty
----- Original Message -----
From: "sinbad5210" <steve4351@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Monday, February 02, 2004 5:08 PM
Subject: [kw-radio] Kenwood TK-370

I am looking at a TK-370 for use on GMRS. I have found one with a band split of 450-470 mHz. Is it possible to use these things on the 440 ham bands?

Steve
KC?JTC
WPZJ278

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to:
http://docs.yahoo.com/info/terms/

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.576 / Virus Database: 365 - Release Date: 1/30/2004

655. Kenwood TS-480HX/SAT

Yahoo group: kenwoodradio
Date: 2004-02-05 04:52:52 UTC
From: Dave Bernstein
Topic: 655 Message: 655

Anyone have this new transceiver, or have access to one? I've added support to Commander -- a freeware transceiver control application -- and am looking for someone to help verify that it works.

73,

Dave, AA6YQ

656. Test Delete

Yahoo group: kenwoodradio
Date: 2004-02-07 09:02:29 UTC
From: David A. Echols
Topic: 656 Message: 656

[Body unavailable in the source archive]

657. Kenwood TK-840 Wireing Info

Yahoo group: kenwoodradio
Date: 2004-02-09 20:55:02 UTC
From: Bob
Topic: 657 Message: 657

I need wire information for the Kenwood TK-840 back molex connector wires.PTT audio in audio out mic ground cor etc.....

Bob/N2BR brradioman@...

658. Re: [kw-radio] Kenwood TK-840 Wireing Info

Yahoo group: kenwoodradio
Date: 2004-02-10 02:53:24 UTC
From: Rusty Caufield
Topic: 658 Message: 658

This is for the 880, but the RX(12), Tx(5), GND(6) and PTT(8) are in the same places. I do not believe there was a COR out on the 840.

- Rusty
----- Original Message -----
From: "Bob" <brradioman@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Monday, February 09, 2004 2:55 PM
Subject: [kw-radio] Kenwood TK-840 Wireing Info

> I need wire information for the Kenwood TK-840 back molex connector
> wires.PTT audio in audio out mic ground cor etc.....
>
> Bob/N2BR brradioman@...
>
>
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
> Yahoo! Groups Links
>
>
>
>
>

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.580 / Virus Database: 367 - Release Date: 2/6/2004

[Non-text portions of this message have been removed]

659. Kenwood Throat Mic FS

Yahoo group: kenwoodradio
Date: 2004-02-11 14:08:32 UTC
From: Dakota Summerhawk
Topic: 659 Message: 659

I have a dual element throat mic for the Kenwood style radios for sale. I am switching to vertex and can't use it. Very low usage and pics on request. Asking $75 for the unit. If interested mail me direct at:
Dakotas@...
Dakota

660. TS-711A/E Service Manual

Yahoo group: kenwoodradio
Date: 2004-02-12 03:13:47 UTC
From: n0nob
Topic: 660 Message: 660

Need a TS-711A/E Service Manual or part numbers for variable controls
on front panel.

TNX
Irv
NØNOB
irvinf@...

662. Files Updated In The Members Section Here..

Yahoo group: kenwoodradio
Date: 2004-02-13 14:56:48 UTC
From: salomon Jazanoski
Topic: 662 Message: 662

Files In The Members Section Have Been Updated

Do you Yahoo!?
Yahoo! Finance: Get your refund fast by filing online

[Non-text portions of this message have been removed]

663. tk-330 mic pinouts

Yahoo group: kenwoodradio
Date: 2004-02-16 12:01:11 UTC
From: hawke63
Topic: 663 Message: 663

hello :
to any one out there that has any info on this nice radio
and can help with the mic pinouts plus the 70-1046 pc
interface...will trade thanks a lot to all: hawke

664. Check This Out

Yahoo group: kenwoodradio
Date: 2004-02-16 16:47:06 UTC
From: salomon Jazanoski
Topic: 664 Message: 664

This Message Has Been Deleted

Do you Yahoo!?
Yahoo! Finance: Get your refund fast by filing online

[Non-text portions of this message have been removed]

665. WTB: Kenwood Radios

Yahoo group: kenwoodradio
Date: 2004-02-17 09:02:59 UTC
From: commquestusa
Topic: 665 Message: 665

Currently looking to buy any quantity of USED (or Reconditioned) or NEW Portable's listed below.

Must come with basic accessories (Antenna, Battery, Charger)

Radio must cover UHF Band (at least 460-470Mhz)

Kenwood TK-3140
Kenwood TK-380

Please e-mail me back with pricing, quality, and quantity available. Thank you very much for your time and dedication and hope to hear from you all soon.

666. TK-2140

Yahoo group: kenwoodradio
Date: 2004-02-18 02:18:39 UTC
From: Ervin Bailey
Topic: 666 Message: 666

Hi Buster here ,
I have a ? about progamming a TK - 2140 radio .

667. TM-2550 Manuals

Yahoo group: kenwoodradio
Date: 2004-02-18 03:40:04 UTC
From: dwerk
Topic: 667 Message: 667

I had a request from a ham on this list that needed the manuals, lost email address as well as all contacts with system crash. Please email me again and I will get pdf files you need sent..

668. Look At This!

Yahoo group: kenwoodradio
Date: 2004-02-18 05:38:11 UTC
From: salomon Jazanoski
Topic: 668 Message: 668

New Pictures Uploaded Into Members Section

Do you Yahoo!?
Yahoo! Mail SpamGuard - Read only the mail you want.

[Non-text portions of this message have been removed]

669. Re: [kw-radio] TM-2550 Manuals

Yahoo group: kenwoodradio
Date: 2004-02-18 16:18:22 UTC
From: NØATH
Topic: 669 Message: 669

I have an original Kenwood manual on the 2550 if some body needs one Dave / n0ath @ ARRL . net
----- Original Message -----
From: dwerk
To: kenwoodradio@yahoogroups.com
Sent: Tuesday, February 17, 2004 9:40 PM
Subject: [kw-radio] TM-2550 Manuals

I had a request from a ham on this list that needed the manuals, lost email address as well as all contacts with system crash. Please email me again and I will get pdf files you need sent..

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

670. TK-350

Yahoo group: kenwoodradio
Date: 2004-02-18 23:46:55 UTC
From: Adam Karsin
Topic: 203 Message: 670

Hello group,
Looking for a manual for the TK-350, 16 key face, 160 ch. I have
it set up for the first 32 ch to be field programmed, and the rest by
computer. There are a series of menu options after the frequency in field
programming mode I know the first (add/delete) is the scan enable, but I do
not know the rest. I also can□t remember how to set DTMF storage using the
keypad. Ok, I admit it□s been a while since I used the radio!!

Please feel free to contact off list or cc reply to me as well as I am set
up for digest mode in the group.

Thanks,

Adam
a.Karsin@... <mailto:a.Karsin@...>

Adam Karsin, Telecomm Specialist
FL-3 DMAT / NDMS / FEMA
Dept. of Homeland Security
Nextel: 813-323-5206
Direct Connect: 161*132067*5
Nationwide Emergency Pager: 800-314-0286

[Non-text portions of this message have been removed]

671. I need the manual for a TM-2550A

Yahoo group: kenwoodradio
Date: 2004-02-19 17:32:47 UTC
From: rumbumble
Topic: 671 Message: 671

.pdf would be just fine. gcronk3@...

TNX
73
George
N2TMC

672. F/S Kenwood Programming Software

Yahoo group: kenwoodradio
Date: 2004-02-20 16:34:52 UTC
From: goodstuff_inhere
Topic: 672 Message: 672

Here's a link to an Ebay Auction for Kenwood Programming Software. Just updated 2-19-2004, Everything listed works, includes reg id numbers. Includes programming help, MSDOS boot disk, Programming cable schematics, Links on where to buy pre built cables, Some Kenwood Owner's manuals and some Amateur Service manuals.
$15.00 includes FREE SHIPPING via USPS Priority mail.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=3079627676

673. IC2100H swapped for CW filter

Yahoo group: kenwoodradio
Date: 2004-02-20 22:13:23 UTC
From: Paul Manuel
Topic: 672 Message: 673

Help!
A few months ago I swapped an ICOM IC-2100H for a CW filter for my Kenwood 850. It now looks like I accidentally sent the wrong mobile mount for the ICOM, and I need to exchange the correct one! Unfortunately, I don't know with whom I dealt, so hopefully he will read this. I will pay postage both ways on the exchange!
73,
Paul K4PDM

_____
Do you Yahoo!?
Yahoo! Mail SpamGuard - Read only the mail you want.
http://antispam.yahoo.com/tools

674. BOX colors

Yahoo group: kenwoodradio
Date: 2004-02-21 01:57:30 UTC
From: w9zro
Topic: 674 Message: 674

guys, I am trying to figure out what if any is the difference
between the White boxes and the brown boxes
I just got a SMC-34 and it was in a white box
my brother in law got one and it was in a brown box

any ideas?????

675. RE: [kw-radio] BOX colors

Yahoo group: kenwoodradio
Date: 2004-02-21 05:01:17 UTC
From: ed
Topic: 674 Message: 675

Probably cuz yr B I L unit was an undercover unit, there had to come in a
plain brown container. hi hi hi
-----Original Message-----
From: w9zro [mailto:tiny2nz@...]
Sent: Friday, February 20, 2004 6:58 PM
To: kenwoodradio@yahoogroups.com
Subject: [kw-radio] BOX colors

guys, I am trying to figure out what if any is the difference
between the White boxes and the brown boxes
I just got a SMC-34 and it was in a white box
my brother in law got one and it was in a brown box

any ideas?????

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

676. Kenwood SP-430 speaker FS

Yahoo group: kenwoodradio
Date: 2004-02-21 14:56:24 UTC
From: Ken Simpson, W8EK
Topic: 676 Message: 676

Kenwood SP-430 For Sale

This is the speaker that matches the TS-430, TS-440, TS-711, TS-811, and many other Kenwood rigs. This one works 100%, and looks the same. There is not a scratch on it. It is still in its box, with the plastic on it, and has the paper work with it, including the warranty card.

$80 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

677. RE: [kw-radio] BOX colors

Yahoo group: kenwoodradio
Date: 2004-02-21 17:36:47 UTC
From: TiNy
Topic: 674 Message: 677

umm no HEHEHEHEH

I think that the white boxes are older stock and the brown ones are newer
here is links to two batteries on ebay
you tell me the diffrence PLEASE

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4671&item=3079452483
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=3079820166&category=48703

I noticed the one with white package says it is a STANDARD battery on the box
and the brown one has HIGH power both are 9.6 volt 600 mah nicads???

Bryan W9ZRO

678. Re: [kw-radio] BOX colors

Yahoo group: kenwoodradio
Date: 2004-02-21 20:01:40 UTC
From: Rusty Caufield
Topic: 674 Message: 678

Yes you are correct, the white boxes are circa pre 1997.

- Rusty
----- Original Message -----
From: "TiNy" <tiny2nz@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Saturday, February 21, 2004 11:36 AM
Subject: RE: [kw-radio] BOX colors

> umm no HEHEHEHEH
>
> I think that the white boxes are older stock and the brown ones are newer
> here is links to two batteries on ebay
> you tell me the diffrence PLEASE
>
>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4671&item=3079452483
>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=3079820166&category=48703
>
> I noticed the one with white package says it is a STANDARD battery on the
box
> and the brown one has HIGH power both are 9.6 volt 600 mah nicads???
>
>
> Bryan W9ZRO
>
>
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
> Yahoo! Groups Links
>
>
>
>
>

679. Re: [kw-radio] BOX colors

Yahoo group: kenwoodradio
Date: 2004-02-21 20:36:01 UTC
From: TiNy
Topic: 674 Message: 679

Thanks Rusty no wonder they are soo cheep
youse guyz r de bestest

Bryan W9ZRO

680. Kenwood TS-60S Service Manual?

Yahoo group: kenwoodradio
Date: 2004-02-22 03:34:40 UTC
From: Alan Aycock
Topic: 680 Message: 680

Does anyone know if and where the service manual for the Kenwood TS-60S can be downloaded?

Thanks,

Alan, KD4CHT

681. Re: [kw-radio] Kenwood TS-60S Service Manual?

Yahoo group: kenwoodradio
Date: 2004-02-22 03:54:01 UTC
From: Tom LeClerc W1TJL
Topic: 680 Message: 681

--- Alan Aycock <kd4cht@...> wrote:----------
>Does anyone know if and where the service manual for the Kenwood TS-60S can be downloaded?

If you find it, please let me know! I need it also... Thanks amnd 73!

Tom W1TJL

_____
Do you Yahoo!?
Yahoo! Mail SpamGuard - Read only the mail you want.
http://antispam.yahoo.com/tools

682. Kenwood TM-2570 for parts

Yahoo group: kenwoodradio
Date: 2004-02-22 17:41:51 UTC
From: Ken Simpson, W8EK
Topic: 682 Message: 682

For Sale:

I have a Kenwood TM-2570 parts radio available.

After I reset the microprocessor, it is in transmit mode all the time. Before I reset the microprocessor, it did not transmit.

The rig puts out about 65 Watts, so I know that the heavy duty amplifier portion is working fine. I am not sure if I have a heavy enough power supply on it, so that may be the reason for only 65 watts (instead of 70 W), or it may be the reading on my wattmeter.

Physically, this unit looks almost like new, so if someone needs cabinet parts, this one would be great.

How does $25 plus shipping from Florida sound? The 70 Watt transmit section should be worth much more than that!

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

683. WTB Kenwood UHF radios

Yahoo group: kenwoodradio
Date: 2004-02-23 02:58:54 UTC
From: Dakota Summerhawk
Topic: 683 Message: 683

I need a few Kenwood radios handhelds, they only need to be two channel, programmable, NOT rockbound. Chargers preferred with antenna and working battery.
If you have more than one let me know.
Dakota@...

Dakota Summerhawk

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.593 / Virus Database: 376 - Release Date: 2/20/2004

684. Kenwood TK-790 254 Channel Modification???

Yahoo group: kenwoodradio
Date: 2004-02-23 21:55:13 UTC
From: RadioGuy205@aol.com
Topic: 684 Message: 684

Ok guy's I know it can be done, the State of California has ordered this option from Kenwood. Any idea how to do it, do you have to edit the software, change an EEPROM or a jumper, resistor maybe? I know someone out there can help! Thanks in advance!

Frederic C.

685. Re: [kw-radio] Kenwood TK-790 254 Channel Modification???

Yahoo group: kenwoodradio
Date: 2004-02-24 00:44:37 UTC
From: Alex-KR6G
Topic: 685 Message: 685

Think what you are wanting is the CDF version and you must tell them labor code L 836 or 846 ??? You will have to look at option menu for radio sales sheet. This must be done at time of order, you can not do it in the field.

Sorry i can not think of labor code.

73 Alex kr6g

[Non-text portions of this message have been removed]

686. Check This Out

Yahoo group: kenwoodradio
Date: 2004-02-24 01:25:43 UTC
From: salomon Jazanoski
Topic: 664 Message: 686

New Files Upped Into Members Section

Do you Yahoo!?
Yahoo! Mail SpamGuard - Read only the mail you want.

[Non-text portions of this message have been removed]

687. Check This Out

Yahoo group: kenwoodradio
Date: 2004-02-24 01:25:46 UTC
From: salomon Jazanoski
Topic: 664 Message: 687

New Files Upped Into Members Section

Do you Yahoo!?
Yahoo! Mail SpamGuard - Read only the mail you want.

[Non-text portions of this message have been removed]

688. Check This Out

Yahoo group: kenwoodradio
Date: 2004-02-24 01:25:47 UTC
From: salomon Jazanoski
Topic: 664 Message: 688

New Files Upped Into Members Section

Do you Yahoo!?
Yahoo! Mail SpamGuard - Read only the mail you want.

[Non-text portions of this message have been removed]

689. Check This Out

Yahoo group: kenwoodradio
Date: 2004-02-24 01:25:53 UTC
From: salomon Jazanoski
Topic: 664 Message: 689

New Files Upped Into Members Section

Do you Yahoo!?
Yahoo! Mail SpamGuard - Read only the mail you want.

[Non-text portions of this message have been removed]

690. Check This Out

Yahoo group: kenwoodradio
Date: 2004-02-24 01:25:54 UTC
From: salomon Jazanoski
Topic: 664 Message: 690

New Files Upped Into Members Section

Do you Yahoo!?
Yahoo! Mail SpamGuard - Read only the mail you want.

[Non-text portions of this message have been removed]

691. Check This Out

Yahoo group: kenwoodradio
Date: 2004-02-24 01:25:49 UTC
From: salomon Jazanoski
Topic: 664 Message: 691

New Files Upped Into Members Section

Do you Yahoo!?
Yahoo! Mail SpamGuard - Read only the mail you want.

[Non-text portions of this message have been removed]

692. salomon banned

Yahoo group: kenwoodradio
Date: 2004-02-24 19:50:08 UTC
From: Mochamail
Topic: 692 Message: 692

sorry about that. This user is now banned.

Fred

693. TS-930 Service Manual

Yahoo group: kenwoodradio
Date: 2004-02-24 23:45:20 UTC
From: k0rfh
Topic: 693 Message: 693

I am looking for a cheap (ie free) service manual for the TS-930, preferably in pdf format. Anyone have one they would like to share?

Thanks
K0RFH

694. Frequently Asked Questions

Yahoo group: kenwoodradio
Date: 2004-02-29 12:13:41 UTC
From: york
Topic: 694 Message: 694

FAQ about Islam
(Frequently Asked Questions)
Who is Allah?
Allah means God. It is a personal name, which Allah calls Himself in the Koran. That is where we get it. It can also be found in an Aramaic copy of the Bible, and even Christian Arabs say Allah.
Who is Jesus to us?
Jesus peace be upon Him is a true prophet. Sent by Allah like Moses, Abraham, Lot, Noah, Jonah, Joseph ?etc.
Who were Jesus's parents?
Jesus is the son of Virgin Mary, and he had no father. Allah created Jesus.
Can Jesus, or Mohammed peace be upon them be worshipped?
No, Allah does not accept that a cow, a person, an angel, a prophet, a stone, or anything be worshipped in place of him, or even along with Him. Worship must be to Allah the creator of them.
Is Allah the same as what Christians call the father?
Allah is the creator who Jesus worshipped. He is the Creator who spoke to Moses, and split the sea for Moses, and his followers. That is Allah. But Allah tells us: "Say Allah is one, He is Perfect, He has never begotten, nor was He begott, and there is no one equal to Him".
Is there a trinity in Islam?
No. Allah is perfect.
Do we believe that Allah created the heavens and earth in 6 days?
Yes, but He did not rest on the seventh day, because He did not get tired. Allah is perfect He does not get tired, nor does He sleep, eat, go to the bathroom, feel pain, or die for that matter.
Can we see Allah?
Allah is not like the sun. Anyone can see the Sun. But Allah is the most beautiful. Nothing is as beautiful as Allah. Actually looking at Allah is the greatest pleasure of the people in Pradise. This pleasure Allah does not give anyone but the believers. So no one will see Allah before he dies.
Does Allah see us?
Allah sees us, and knows everything about us. He knows us better than we know ourselves. There is not a leaf on a tree that blows away, or stays in its place except that He knows it. There is not a dry spot, nor a wet spot, nor a grain in the depths of the earth except that Allah knows it.
Do we have free will?
Yes, of course. Allah does not punish us for something we did not do on our own. But at the same time, our will is not inspire of Allah's will. We cannot do anything if Allah will not allow it. In other words nothing goes on in Allah's kingdom without His will.
Did Allah create Evil?
Yes, Allah created the good, and the bad. Whatever bad happens to us is due to our sins. We sin and Allah pardons much of what we do; however, when something bad happens to us it is our fault, and we are to blame. Bad things that happen to a person are a chance for that person to reflect, and ask: ?Why is this happening to me?? A chance for a person to return from his sin, and obey, and worship Allah.

Do bad things happen to the believers (good people)?
Yes, they do. But they appear bad to the believers cause they are things people don't like. Who likes breaking a leg? However, when a bad thing happens to a believer this believer is patient. He praises Allah in all circumstances. He knows Allah does not decree something unless it is for his own good.
But how can breaking a leg are good for a beleiver?
Because it is a chance for the believer to think about what he did wrong.
Also because Allah forgives much of what we do, but those things we are not forgiven, they are forgiven due to our patience when we are struck by a calamity. Allah gives us better reward when a problem strikes us on earth if we are patient. This reward can be on earth, and it can be in Heaven.
Does Allah hear my prayers?
Yes.
Does Allah answer my prayers?
We know that Allah answers all the prayers of the believers. This can be in 4 ways:
1- Get what we are asking for!
2- Get something as good or better!
3- We get spared something bad that would have happened otherwise.
4- We get rewarded on the day of Judgment with a much greater reward than what we were asking for on earth.
When does Allah not answer our prayers?
* When it is bad for us!
* When we ask, but not from our heart!
* When we say: I asked and asked and He did not answer.
* When we eat, drink, and wear unlawful, food, and clothes, and property that wa earned either through interest from the bank, or that was stolen, or if the food was pork, or the like.
What can I ask of Allah?
Any thing but don't ask Him to do things like make you a prophet. Cause He has already said that there will be no more prophets.
You can ask Allah for guidance. Meaning you can ask Him to show you the correct religion.
Who are my best friends?
Your best friends are the ones that care where you go after you are dead. This is like the prophets. They cared that we go to heaven, even if it meant some hardship on earth.
Who is my worst enemy?
That would be the devils, whether they are human devils (evil people), or Jinn devils (like Iblis) The Arabic word for a devil is Shaytan (similar to Satan). Satan wants us all to go to hell. He wants us to be bad on earth, even if we get rich, or do lots of wrong things that we appear to enjoy, he does not mind that. But he wants to make sure we don't go to heaven.
What is it that keeps us from entering Heaven?
Worship of anyone other than Allah is the greatest sin. It is called shirk, and this is not forgiven except through repentance.
Where is Allah?
Allah is the highest. He is high above ALL of His creation. He is ascended upon a Throne, which is greater than the heavens, and the Earth. Much much much greater than the heavens and the earth. So much greater that the heavens and the earth could fit in the footstool of the throne, and they would be like a ring thrown into an open desert. Allah is certainly the greatest.
Does Allah look like us?

No Allah is perfect. He is not like any of His creation. He has told us that He has Hands, Eyes, a Face, and Foot. But all of these attributes are befitting to His might and Glory. A Muslim does not say a single thing about Allah other than what Allah says about Himself. We don't say He is like a clover, He got tired, He is Jealous!
Allah is Perfect, and Unique.
What does it mean to believe in Allah?
It means to believe in Allah in total perfection, and uniqueness.
It means to believe in His prophets cause they are His, and He sent them. We cannot pick and choose. A Muslim must believe in all the prophets of Allah.
It means to believe in the Angles! We must love them all, we cannot hate an Angel say, for example, to hate Michael who is charged with rain, and the vegetation of the Earth, or Gabriel who is charged with revelation (brings down the scriptures to the prophets).
It means to believe in Allah's predestination of good, and bad (relative to us, but to Allah everything Allah does is good).
It means to believe in the last day: The day of Judgment.
When is the Day of Judgment?
Only Allah knows.
Are there signs for the day of Judgment?
Plenty, plenty, plenty. Many have already occurred.
To name a few,
Objects will begin to talk.
There will be much killing. The killer won't know why he killed, and the guy that was killed won't know why he was killed.
The Antichrist will come.
Prophet Jesus son of Mary will return.
Gog and Magog will be set free.
The sun will rise from the west (after this one there can be no more repentance)
What about non-Muslims do they go to heaven?
Allah only accepts Islam. He says in the Koran: "Whoever seeks a religion other than Islam it won't be accepted of him, and he will be one of the loosers in the hereafter". I would rather loose anywhere, but not loose in the hereafter. This is because Hellfire is eternal. It never ends, and we never die when we go there, if we go there.
What about someone who never heard of Islam?
Allah is the most just. Don't even think that we can be nicer than Allah. Allah is the Most Just, and He said in the Koran "We were not to punish till having sent a warner". The "We" here is the majestic we used in Arabic. So if a person never heard about Islam, and was never warned clearly Allah would have a special test for that person that He knows is equal to the chance that person would have had on earth.
How do we know Islam is the truth?
It is the only religion that:
1- Hold Allah as One, Unique, and Perfect.
2- A lonly worship of Allah, not Jesus, not an idol, and not an angel only Allah.
3- The Koran does not contain contradictions.
4- The Koran contains scientific facts, which are 1300 years ahead of their time. The Koran while revealed 1400 years ago contains scientific facts, which are only now being discovered. It is not in contradiction to science.
5- Allah challenges the world to produce the like of the Koran. And He says they won't be able to.
6- Prophet Mohammed was the most influential man in History. Even a non-Muslim wrote a book called the 100 most influential men in History, and Prophet Mohammed was #1. Prophet Jesus

was #3. Note even Prophet Jesus was a prophet sent by Allah. Would Allah allow a false prophet to be so successful? No. Even the Bible says this in Deuteronomy 18:19. A false prophet would die!!! Yet Prophet Mohammed did not die till he completely conveyed, and taught Allah's religion.
7- He had many prophecies, and all of his prophecies have come true, or are still coming true.
Most importantly is this:
Allah created us, and we know that we should only worship Him. This is an instinct Allah has created us with. He did not just leave us, rather He sent prophets for us. These prophets had miracles as proof. The miracle for us today is the Koran. There is no other religion that worships only Allah, and believes in Him as totally perfect, and believes in all of His prophets, and scriptures.
Can anyone become a Muslim?
Yes anyone can. There are two declarations, which are necessary:
1- To bear witness that no one deserves to be worship except Allah
2- To bear witness that Prophet Mohammed is the Messenger of Allah.
This makes a person Muslim. But it should be said in Arabic. Next a person takes a shower, and He/She is a Muslim.
Then What?
After a person becomes Muslim he/she is taught about Prayers, Fasting, the Poor due, Pilgrimage. These are pillars of Islam.
Then What?
Muslims are brothers. A Muslim should love for his brother what he loves for himself. Allah's wealth does not run out, and Allah can provide for us all. We pray for each other, and love each other, and love for our brothers and sisters what we love for ourselves.

For more Information contact me at
imanway@...

or visit our group
http://groups.yahoo.com/group/truth-zone
http://www.geocities.com/toislamways/new3.html

695. Re: [kw-radio] Frequently Asked Questions

Yahoo group: kenwoodradio
Date: 2004-02-29 14:50:54 UTC
From: Sarge
Topic: 695 Message: 695

```
york wrote:
> FAQ about Islam

WHY IS THIS CRAP IN HERE ?!?!?!
```

696. Re: [kw-radio] Frequently Asked Questions

Yahoo group: kenwoodradio
Date: 2004-03-01 02:30:39 UTC
From: Bill Tarkington
Topic: 695 Message: 696

What is this baloney doing on this reflector?
----- Original Message -----
From: "york" <york@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Sunday, February 29, 2004 6:13 AM
Subject: [kw-radio] Frequently Asked Questions

> FAQ about Islam
> (Frequently Asked Questions)
> Who is Allah?
> Allah means God. It is a personal name, which Allah calls Himself in the Koran. That is where we get it. It can also be found in an Aramaic copy of the Bible, and even Christian Arabs say Allah.
> Who is Jesus to us?
> Jesus peace be upon Him is a true prophet. Sent by Allah like Moses, Abraham, Lot, Noah, Jonah, Joseph .etc.
> Who were Jesus's parents?
> Jesus is the son of Virgin Mary, and he had no father. Allah created Jesus.
> Can Jesus, or Mohammed peace be upon them be worshipped?
> No, Allah does not accept that a cow, a person, an angel, a prophet, a stone, or anything be worshipped in place of him, or even along with Him. Worship must be to Allah the creator of them.
> Is Allah the same as what Christians call the father?
> Allah is the creator who Jesus worshipped. He is the Creator who spoke to Moses, and split the sea for Moses, and his followers. That is Allah. But Allah tells us: "Say Allah is one, He is Perfect, He has never begotten, nor was He begott, and there is no one equal to Him".
> Is there a trinity in Islam?
> No. Allah is perfect.
> Do we believe that Allah created the heavens and earth in 6 days?
> Yes, but He did not rest on the seventh day, because He did not get tired. Allah is perfect He does not get tired, nor does He sleep, eat, go to the bathroom, feel pain, or die for that matter.
> Can we see Allah?
> Allah is not like the sun. Anyone can see the Sun. But Allah is the most beautiful. Nothing is as beautiful as Allah. Actually looking at Allah is the greatest pleasure of the people in Pradise. This pleasure Allah does not give anyone but the believers. So no one will see Allah before he dies.
> Does Allah see us?
> Allah sees us, and knows everything about us. He knows us better than we know ourselves. There is not a leaf on a tree that blows away, or stays in its place except that He knows it. There is not a dry spot, nor a wet spot, nor a grain in the depths of the earth except that Allah knows it.
> Do we have free will?

> Yes, of course. Allah does not punish us for something we did not do on our own. But at the same time, our will is not inspire of Allah's will. We cannot do anything if Allah will not allow it. In other words nothing goes on in Allah's kingdom without His will.
> Did Allah create Evil?
> Yes, Allah created the good, and the bad. Whatever bad happens to us is due to our sins. We sin and Allah pardons much of what we do; however, when something bad happens to us it is our fault, and we are to blame. Bad things that happen to a person are a chance for that person to reflect, and ask: "Why is this happening to me?" A chance for a person to return from his sin, and obey, and worship Allah.
> Do bad things happen to the believers (good people)?
> Yes, they do. But they appear bad to the believers cause they are things people don't like. Who likes breaking a leg? However, when a bad thing happens to a believer this believer is patient. He praises Allah in all circumstances. He knows Allah does not decree something unless it is for his own good.
> But how can breaking a leg are good for a beleiver?
> Because it is a chance for the believer to think about what he did wrong.
> Also because Allah forgives much of what we do, but those things we are not forgiven, they are forgiven due to our patience when we are struck by a calamity. Allah gives us better reward when a problem strikes us on earth if we are patient. This reward can be on earth, and it can be in Heaven.
> Does Allah hear my prayers?
> Yes.
> Does Allah answer my prayers?
> We know that Allah answers all the prayers of the believers. This can be in 4 ways:
> 1- Get what we are asking for!
> 2- Get something as good or better!
> 3- We get spared something bad that would have happened otherwise.
> 4- We get rewarded on the day of Judgment with a much greater reward than what we were asking for on earth.
> When does Allah not answer our prayers?
> * When it is bad for us!
> * When we ask, but not from our heart!
> * When we say: I asked and asked and He did not answer.
> * When we eat, drink, and wear unlawful, food, and clothes, and property that wa earned either through interest from the bank, or that was stolen, or if the food was pork, or the like.
> What can I ask of Allah?
> Any thing but don't ask Him to do things like make you a prophet. Cause He has already said that there will be no more prophets.
> You can ask Allah for guidance. Meaning you can ask Him to show you the correct religion.
> Who are my best friends?
> Your best friends are the ones that care where you go after you are dead. This is like the prophets. They cared that we go to heaven, even if it meant some hardship on earth.
> Who is my worst enemy?

> That would be the devils, whether they are human devils (evil people), or Jinn devils (like Iblis) The Arabic word for a devil is Shaytan (similar to Satan). Satan wants us all to go to hell. He wants us to be bad on earth, even if we get rich, or do lots of wrong things that we appear to enjoy, he does not mind that. But he wants to make sure we don't go to heaven.
> What is it that keeps us from entering Heaven?
> Worship of anyone other than Allah is the greatest sin. It is called shirk, and this is not forgiven except through repentance.
> Where is Allah?
> Allah is the highest. He is high above ALL of His creation. He is ascended upon a Throne, which is greater than the heavens, and the Earth. Much much much greater than the heavens and the earth. So much greater that the heavens and the earth could fit in the footstool of the throne, and they would be like a ring thrown into an open desert. Allah is certainly the greatest.
> Does Allah look like us?
> No Allah is perfect. He is not like any of His creation. He has told us that He has Hands, Eyes, a Face, and Foot. But all of these attributes are befitting to His might and Glory.
> A Muslim does not say a single thing about Allah other than what Allah says about Himself. We don't say He is like a clover, He got tired, He is Jealous!
> Allah is Perfect, and Unique.
> What does it mean to believe in Allah?
> It means to believe in Allah in total perfection, and uniqueness.
> It means to believe in His prophets cause they are His, and He sent them. We cannot pick and choose. A Muslim must believe in all the prophets of Allah.
> It means to believe in the Angles! We must love them all, we cannot hate an Angel say, for example, to hate Michael who is charged with rain, and the vegetation of the Earth, or Gabriel who is charged with revelation (brings down the scriptures to the prophets).
> It means to believe in Allah's predestination of good, and bad (relative to us, but to Allah everything Allah does is good).
> It means to believe in the last day: The day of Judgment.
> When is the Day of Judgment?
> Only Allah knows.
> Are there signs for the day of Judgment?
> Plenty, plenty, plenty. Many have already occurred.
> To name a few,
> Objects will begin to talk.
> There will be much killing. The killer won't know why he killed, and the guy that was killed won't know why he was killed.
> The Antichrist will come.
> Prophet Jesus son of Mary will return.
> Gog and Magog will be set free.
> The sun will rise from the west (after this one there can be no more repentance)
> What about non-Muslims do they go to heaven?
> Allah only accepts Islam. He says in the Koran: "Whoever seeks a religion

other than Islam it won't be accepted of him, and he will be one of the loosers in the hereafter". I would rather loose anywhere, but not loose in the hereafter. This is because Hellfire is eternal. It never ends, and we never die when we go there, if we go there.
> What about someone who never heard of Islam?
> Allah is the most just. Don't even think that we can be nicer than Allah. Allah is the Most Just, and He said in the Koran "We were not to punish till having sent a warner". The "We" here is the majestic we used in Arabic. So if a person never heard about Islam, and was never warned clearly Allah would have a special test for that person that He knows is equal to the chance that person would have had on earth.
> How do we know Islam is the truth?
> It is the only religion that:
> 1- Hold Allah as One, Unique, and Perfect.
> 2- A lonly worship of Allah, not Jesus, not an idol, and not an angel only Allah.
> 3- The Koran does not contain contradictions.
> 4- The Koran contains scientific facts, which are 1300 years ahead of their time. The Koran while revealed 1400 years ago contains scientific facts, which are only now being discovered. It is not in contradiction to science.
> 5- Allah challenges the world to produce the like of the Koran. And He says they won't be able to.
> 6- Prophet Mohammed was the most influential man in History. Even a non-Muslim wrote a book called the 100 most influential men in History, and Prophet Mohammed was #1. Prophet Jesus was #3. Note even Prophet Jesus was a prophet sent by Allah. Would Allah allow a false prophet to be so successful? No. Even the Bible says this in Deuteronomy 18:19. A false prophet would die!!! Yet Prophet Mohammed did not die till he completely conveyed, and taught Allah's religion.
> 7- He had many prophecies, and all of his prophecies have come true, or are still coming true.
> Most importantly is this:
> Allah created us, and we know that we should only worship Him. This is an instinct Allah has created us with. He did not just leave us, rather He sent prophets for us. These prophets had miracles as proof. The miracle for us today is the Koran. There is no other religion that worships only Allah, and believes in Him as totally perfect, and believes in all of His prophets, and scriptures.
> Can anyone become a Muslim?
> Yes anyone can. There are two declarations, which are necessary:
> 1- To bear witness that no one deserves to be worship except Allah
> 2- To bear witness that Prophet Mohammed is the Messenger of Allah.
> This makes a person Muslim. But it should be said in Arabic. Next a person takes a shower, and He/She is a Muslim.
> Then What?
> After a person becomes Muslim he/she is taught about Prayers, Fasting, the Poor due, Pilgrimage. These are pillars of Islam.
> Then What?
> Muslims are brothers. A Muslim should love for his brother what he loves

for himself. Allah's wealth does not run out, and Allah can provide for us all. We pray for each other, and love each other, and love for our brothers and sisters what we love for ourselves.
>
> For more Information contact me at
> imanway@...
>
> or visit our group
> http://groups.yahoo.com/group/truth-zone
> http://www.geocities.com/toislamways/new3.html
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
> Yahoo! Groups Links
>
>
>
>
>

697. RE: [kw-radio] Frequently Asked Questions

Yahoo group: kenwoodradio
Date: 2004-03-01 03:02:43 UTC
From: Ed Cifelli
Topic: 695 Message: 697

This is definitely OFF TOPIC, caps intentional

ed
-----Original Message-----
From: york [mailto:york@...]
Sent: Sunday, February 29, 2004 5:14 AM
To: kenwoodradio@yahoogroups.com
Subject: [kw-radio] Frequently Asked Questions

FAQ about Islam
(Frequently Asked Questions)
Who is Allah?

698. Kenwood TK380 Questions

Yahoo group: kenwoodradio
Date: 2004-03-03 02:01:59 UTC
From: commquestusa
Topic: 698 Message: 698

I have questions regarding Kenwood's FleetSync features on a TK-380 radio unit.

Does anyone know where I can find an instruction manual or a guide as far as what features I can use with FleetSync. Also how to program different options using FleetSync. What is the difference between the "ID" and "CID" that pops-up on the upper left corner of the display screen of a radio when the radio unit is receiving?

Does anyone know where I can download version 3.02 or the newest release of the programming software for the TK-380?

Does anyone know if I can upgrade my radio version to version 2.0 of the TK-380 series?

Thanks for your time.

699. Re: [kw-radio] Kenwood TK380 Questions

Yahoo group: kenwoodradio
Date: 2004-03-03 02:21:31 UTC
From: Rusty Caufield
Topic: 699 Message: 699

1. Ask your dealer for the Fleetsync Programming and Application guide.
2. ID is displayed when another unit sent a message or status to you, and the radio is displaying their ID
CID is displayed when a version 2 radio has decoded and displayed an ANI of another unit.
3. Check the net (Google Search) it's out there. V3.02 is the last DOS version, V4.01 is the first and current windows version.
4. NO, you cannot upgrade your version 1 to a Version 2, Too many hardware changes to make it economical.

Hope this helps!

- Rusty
----- Original Message -----
From: "commquestusa" <commquestusa@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Tuesday, March 02, 2004 8:01 PM
Subject: [kw-radio] Kenwood TK380 Questions

> I have questions regarding Kenwood's FleetSync features on a TK-380
> radio unit.
>
> Does anyone know where I can find an instruction manual or a guide
> as far as what features I can use with FleetSync. Also how to
> program different options using FleetSync. What is the difference
> between the "ID" and "CID" that pops-up on the upper left corner of
> the display screen of a radio when the radio unit is receiving?
>
> Does anyone know where I can download version 3.02 or the newest
> release of the programming software for the TK-380?
>
> Does anyone know if I can upgrade my radio version to version 2.0 of
> the TK-380 series?
>
> Thanks for your time.
>
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
> Yahoo! Groups Links
>
>
>

>
>

700. Re: Kenwood TK380 Questions

Yahoo group: kenwoodradio
Date: 2004-03-03 02:29:50 UTC
From: Rusty Caufield
Topic: 698 Message: 700

Also check the files sections of the groups as well!

- Rusty

Re: Kenwood TK380 Questions

> 1. Ask your dealer for the Fleetsync Programming and Application guide.
> 2. ID is displayed when another unit sent a message or status to you, and
> the radio is displaying their ID
> CID is displayed when a version 2 radio has decoded and displayed an
ANI
> of another unit.
> 3. Check the net (Google Search) it's out there. V3.02 is the last DOS
> version, V4.01 is the first and current windows version.
> 4. NO, you cannot upgrade your version 1 to a Version 2, Too many hardware
> changes to make it economical.
>
> Hope this helps!
>
> - Rusty
> ----- Original Message -----
> From: "commquestusa" <commquestusa@...>
> To: <kenwoodradio@yahoogroups.com>
> Sent: Tuesday, March 02, 2004 8:01 PM
> Subject: [kw-radio] Kenwood TK380 Questions
>
>
> > I have questions regarding Kenwood's FleetSync features on a TK-380
> > radio unit.
> >
> > Does anyone know where I can find an instruction manual or a guide
> > as far as what features I can use with FleetSync. Also how to
> > program different options using FleetSync. What is the difference
> > between the "ID" and "CID" that pops-up on the upper left corner of
> > the display screen of a radio when the radio unit is receiving?
> >
> > Does anyone know where I can download version 3.02 or the newest
> > release of the programming software for the TK-380?
> >
> > Does anyone know if I can upgrade my radio version to version 2.0 of
> > the TK-380 series?
> >
> > Thanks for your time.
> >
> >
> >

> >
> > For polls, files, and other info visit:
> > http://www.egroups.com/group/kenwoodradio
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
> Yahoo! Groups Links
>
>
>
>
>

701. KW TM221A - 12.5Khz

Yahoo group: kenwoodradio
Date: 2004-03-04 20:59:33 UTC
From: Edward
Topic: 701 Message: 701

Greetings All,
Has anyone any info regarding changes that may be able to be made to this radio to allow a 12.5Khz step to be enabled as in the TM 221E. Or is there a site that may contain such mods? It may be that the radio has to be turned into the 'E' model so this can be done? Or it may not be able to be done. Would appreciate any info on this please - Thanks
Brian ZL2ADL

702. need a ts-430 user or service manual for a used rig i bought

Yahoo group: kenwoodradio
Date: 2004-03-04 23:25:58 UTC
From: michaelpbb2002
Topic: 702 Message: 702

hi ! has anyone have a user manual or service manuel for a ts-430 kenwood....pdf file

mike
kc2igr@...

703. Re: [kw-radio] need a ts-430 user or service manual for a used rig i bought

Yahoo group: kenwoodradio
Date: 2004-03-05 02:46:39 UTC
From: Alan Wolke
Topic: 703 Message: 703

Both of these manuals are available for download at www.mods.dk. Select Kenwood on the left, the manuals from the list on the right. However, the files are large (the service manual is 22MB), and the quality is so-so. Very high quality reproductions are available from www.manualman.com for less than $20 each.

73,
Alan W2AEW

michaelpbb2002 wrote:

>
> hi ! has anyone have a user manual or service manuel for a ts-430
> kenwood....pdf file
>
> mike
> kc2igr@...
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
>
> ----------
> Yahoo! Groups Links
>
> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/kenwoodradio/
>
> * To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@yahoogroups.com
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service.
>
--
Alan Wolke, W2AEW
"i usta cuDn't speL enjinere, noW i ar wuN"

704. Re: [kw-radio] need a ts-430 user or service manual for a used rig i bought

Yahoo group: kenwoodradio
Date: 2004-03-04 16:06:53 UTC
From: kc2igr
Topic: 703 Message: 704

Hello alan,
Thanks for the info.
When I go to the uk site and try to download , The pdf file starts to download in adobe and stops with a message
that i have exceeded the 3 file limit ,,, note: i was very careful to only click once because of this ...however the site server
will not allow me to get the pdf file ...!
thanks for your effort!
73's
mike
kc2igr
kc2igr@...
----- Original Message -----
From: Alan Wolke
To: kenwoodradio@yahoogroups.com ; kc2igr@...
Sent: Thursday, March 04, 2004 6:46 PM
Subject: Re: [kw-radio] need a ts-430 user or service manual for a used rig i bought

Both of these manuals are available for download at www.mods.dk. Select
Kenwood on the left, the manuals from the list on the right. However,
the files are large (the service manual is 22MB), and the quality is
so-so. Very high quality reproductions are available from
www.manualman.com for less than $20 each.

73,
Alan W2AEW

michaelpbb2002 wrote:

>
> hi ! has anyone have a user manual or service manuel for a ts-430
> kenwood....pdf file
>
> mike
> kc2igr@...
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
>
> ----------
> Yahoo! Groups Links
>

> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/kenwoodradio/
>
> * To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@yahoogroups.com
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service.
>
--
Alan Wolke, W2AEW
"i usta cuDn't speL enjinere, noW i ar wuN"

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

705. Re: [kw-radio] need a ts-430 user or service manual for a used rig i bought

Yahoo group: kenwoodradio
Date: 2004-03-05 15:11:31 UTC
From: john
Topic: 703 Message: 705

Hi
Have got the TS-430S PDF for service manual and user manual as they are over 20Meg each do you need both, let me no and I will email direct.
john.hibbert4@...

Regards
John
G6UMX
----- Original Message -----
From: kc2igr
To: kenwoodradio@yahoogroups.com
Sent: Thursday, March 04, 2004 16:06
Subject: Re: [kw-radio] need a ts-430 user or service manual for a used rig i bought

Hello alan,
Thanks for the info.
When I go to the uk site and try to download , The pdf file starts to download in adobe and stops with a message
that i have exceeded the 3 file limit ,,, note: i was very careful to only click once because of this ...however the site server
will not allow me to get the pdf file ...!
thanks for your effort!
73's
mike
kc2igr
kc2igr@...
----- Original Message -----
From: Alan Wolke
To: kenwoodradio@yahoogroups.com ; kc2igr@...
Sent: Thursday, March 04, 2004 6:46 PM
Subject: Re: [kw-radio] need a ts-430 user or service manual for a used rig i bought

Both of these manuals are available for download at www.mods.dk. Select
Kenwood on the left, the manuals from the list on the right. However,
the files are large (the service manual is 22MB), and the quality is
so-so. Very high quality reproductions are available from
www.manualman.com for less than $20 each.

73,
Alan W2AEW

michaelpbb2002 wrote:

>
> hi ! has anyone have a user manual or service manuel for a ts-430
> kenwood....pdf file

>
> mike
> kc2igr@...
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
>
> ----------
> Yahoo! Groups Links
>
> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/kenwoodradio/
>
> * To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@yahoogroups.com
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service.
>
--
Alan Wolke, W2AEW
"i usta cuDn't speL enjinere, noW i ar wuN"

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

706. Re: [kw-radio] need a ts-430 user or service manual for a used rig i bought

Yahoo group: kenwoodradio
Date: 2004-03-04 23:04:07 UTC
From: kc2igr
Topic: 703 Message: 706

hello john,

that's great!! been trying to find it for a while.....

can use both the service and user ....have a few problems with the rig ....have not been able to work out

without the manuals....!

thank you very much!

have a lot of pdf manuels for my own equipment if you need anything just ask.....

thanks again .....!
73's
kc2igr
kc2igr@...
----- Original Message -----
From: john
To: kenwoodradio@yahoogroups.com
Sent: Friday, March 05, 2004 7:11 AM
Subject: Re: [kw-radio] need a ts-430 user or service manual for a used rig i bought

Hi
Have got the TS-430S PDF for service manual and user manual as they are over 20Meg each do you need both, let me no and I will email direct.
john.hibbert4@...

Regards
John
G6UMX
----- Original Message -----
From: kc2igr
To: kenwoodradio@yahoogroups.com
Sent: Thursday, March 04, 2004 16:06
Subject: Re: [kw-radio] need a ts-430 user or service manual for a used rig i bought

Hello alan,
Thanks for the info.
When I go to the uk site and try to download , The pdf file starts to download in adobe and stops with a message
that i have exceeded the 3 file limit ,,, note: i was very careful to only click once because of this ...however the site server
will not allow me to get the pdf file ...!
thanks for your effort!
73's
mike

kc2igr
kc2igr@...
----- Original Message -----
From: Alan Wolke
To: kenwoodradio@yahoogroups.com ; kc2igr@...
Sent: Thursday, March 04, 2004 6:46 PM
Subject: Re: [kw-radio] need a ts-430 user or service manual for a used rig i bought

Both of these manuals are available for download at www.mods.dk. Select
Kenwood on the left, the manuals from the list on the right. However,
the files are large (the service manual is 22MB), and the quality is
so-so. Very high quality reproductions are available from
www.manualman.com for less than $20 each.

73,
Alan W2AEW

michaelpbb2002 wrote:

>
> hi ! has anyone have a user manual or service manuel for a ts-430
> kenwood....pdf file
>
> mike
> kc2igr@...
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
>
> ----------
> Yahoo! Groups Links
>
> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/kenwoodradio/
>
> * To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@yahoogroups.com
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service.
>
--
Alan Wolke, W2AEW
"i usta cuDn't speL enjinere, noW i ar wuN"

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

707. Dear Recipient

Yahoo group: kenwoodradio
Date: 2004-03-06 03:22:05 UTC
From: york
Topic: 707 Message: 707

Dear Recipient

We kindly request you to spend a few moments of your time reading this letter because it just might be possible that this letter will open before you a new dimension of your role as a human being in this universe. We hope that you are a free thinking, broadminded, and prejudice-free human being whose goal is to find the truth. Before we continue, let us state to you the purpose of this letter- that this is an introduction and invitation to the way of life known as Islam.

SOME FACTS

Islam has approximately 1 billion followers known as Muslims who follow the final revelation to mankind, known as the "Qur'an", revealed to Prophet Muhammad about 1400 years ago. Contrary to the common misconception, only about 20% of all Muslims are Arabs, the rest are Indians, Indonesians, Bosnians and so on.

WHAT IS ISLAM

Islam, unlike most other religions, is not named after any man. Instead Islam means the submission of one's will to the only true god worthy of worship "Allah" and anyone who does so is termed a "Muslim". The word also implies "peace" which is the natural consequence of total submission to the will of Allah. Islam is the religion that was given to Adam, the first man and the first prophet of Allah, and it was the religion of all the prophets sent by Allah to mankind like Jesus and Moses.

THE MESSAGE OF ISLAM

The most important message of Islam is the absolute Unity of God-that there is only One Supreme Being who has no partners and is not dependent on anyone or anything. He is the creator of everything and the whole universe is under His control. Since the total submission of one's will to Allah represents the essence of worship, Islam is the worship of Allah alone and the avoidance of worship directed to any person, place or thing other than Allah. In essence, Islam calls man away from the worship of creation and invites him to worship only its Creator. Allah is the only one deserving man's worship as it is only by His will that prayers are answered. Hence prayers to the non-living such as the sun, fire, and to humans whether they be Jesus, Moses or even Muhammad are rejected, as Allah informs us in the opening chapter of the Qur'an, known as Soorah Al-Faatihah, verse 4:

"You alone do we worship and from you alone do we seek help."

A Muslim believes that Allah and His creation are distinctly different entities. Neither is Allah His creation or a part of it, nor is His creation Him or a part of Him. Ultimately, it is the belief that the essence of Allah is everywhere in His creation or that His divine being is or was present in some aspects of His creation, which has provided justification for the worship of creation. Islam, hence, is a clear call to the worship of the Creator and the rejection of creation-worship in any form.

THE MIRACLE OF QUR'AN

"And if you are in doubt as to what We [Allah] have revealed?then produce a Soorah (chapter) like thereunto"(Soorah Baqarah 2:23)
This was the challenge put forth by Allah in the Qur'an 1400 years ago. As of yet, none has or will ever come close to meeting this challenge. Hence, as a result, multitudes throughout the centuries have believed and continue to believe in the Qur'an as a revelation beyond any human capacity. Modern scientists, for instance, have been amazed by the accuracy of scientific information presented in the Qur'an. Here are just a few examples:

In his book of embryology-'The Developing Human' [W.B. Saunders Publishing, 1982], Dr. Keith Moore added a whole chapter to discuss the scientific accuracy of the Quranic discussion of this science. Another eminent scientist, Dr. Maurice Bucaille wrote in his book-'The Bible, the Qur'an and Science':

"I could not find a single error in the Qur'an?if a man was the author of the Qur'an how could he have written facts in the 7th century A.D. that today are shown to be in keeping with modern scientific knowledge"
Facts about astronomy, the animal world and other natural phenomenon, that were alien to modern science not long ago, are scattered among the messages of Allah's Unity and His Attributes throughout the miracle that is known as al-Qur'an.

WHAT ABOUT ALL THE OTHER RELIGIONS

There are so many sects, cults, religions, philosophies, and movements in the world, all of which claim to be the right way or the only true path to Allah. How can one determine which one is correct or if, in fact, all are correct? The method by which the answer can be found is to clear away the superficial differences in the teachings of the various religions, and identify the central object of worship to which they call, directly or indirectly. False religions all have in common one basic concept concerning Allah: they either claim that all human beings are gods or that specific individuals were Allah or that nature is Allah or that Allah is a figment of man's imagination. For example, Prophet Jesus invited his followers to worship Allah but those who claim to be his followers today call people to worship Jesus, claiming that he was Allah while Jesus himself would deny this as Allah says in the Qur'an:

"And behold Allah will say: "O Jesus the son of Mary Did you say to men, Worship me and my mother as gods besides Allah; He [Jesus] will say-"Glory to You I could never say what I had no right (to say')" (Soorah Al-Maa'idah- 5:116)

Even though false religions might teach some good things, they all, however, teach the greatest evil- the worship of creation. Creation-worship is the greatest sin that man can commit because it contradicts the very purpose of his creation, which is the worship of Allah as explained in the following verses:

"Verily Allah will not forgive the joining of partners with Him, but He may forgive (sins) less than that for whom so ever He wishes" (Soorah An- Nisaa 4:48 and 116)
"I have only created Jinns and men, that they may worship me" (Soorah Zaareeyaat 51:56)

WHY SHOULD I BE A MUSLIM

Since the consequences of false religion are so grave, the true religion of Allah must be universally understandable and attainable, not confined to any people, place or time.

Within the central principle of Islam and in its definition, lies the roots of lslam's universality. Whenever man comes to the realization that Allah is one and distinct from His creation, and submits himself to Allah, he becomes a Muslim and is eligible for paradise. This is the essence and the corner-stone of Islam:
"Laa Elaaha lllallaah" (There is no god worthy of worship except Allah)

Its repetition and the sincere belief in it automatically brings one within the fold of Islam and guarantees one Paradise. Thus, the final prophet of Islam is reported to have said, "Any one who says: there is no god but Allah and dies holding that (belief) will enter paradise." (Reported by Abu Dharr and collected by Al-Bukhaaree and Muslim).

THE BOTTOM-LINE

Islam is the universal message of Allah to mankind, and Muhammad is the final and last messenger of Allah. Allah will not accept any other way of life as He Himself asserts:

"If anyone desires a religion other than Islam (submission to Allah (God) never will It be accepted of Him" (Soorah Aal'imraan 3:85

Please consider Islam as the only savior from all of society's evils and most importantly the savior from hell-fire and make the most important choice of your life. Please submit yourself to the Will of Allah before it is too late. I thank you for your time. May Allah guide all of us to the truth.

For more information about Islam:
http://www.geocities.com/aboossama1863/1.html

To visit our group on the web:
http://groups.yahoo.com/group/truth-zone/

To contact us:
imanway@...

To Request Free Islamic Books & Resources:
imanwayibaw@...

708. Re: [kw-radio] Dear Recipient

Yahoo group: kenwoodradio
Date: 2004-03-06 03:50:53 UTC
From: edoc
Topic: 708 Message: 708

```
york wrote:
> Dear Recipient
>
> Islam has
> snip! ...

I don't know if this is virus-generated spam, spambot-generated spam, or
what but if a person deliberately posted this then I feel it is
necessary to share the following heartfelt reaction, partly to encourage
others to not follow his/her poor example.

Dear promoter-of-islam,

It was very disrespectful and dishonorable of you to post this to the
kw-radio list.

You gave your word of honor that you would obey the rules of the list
when you subscribed and now you have violated them to preach at the
membership.

All we have learned from the witness of your life in this incident is
that your word has no trust-based value, thus your faith-talk cannot
speak to our hearts.

Your actions have brought disgrace upon the faith you claim to support.

Please at least do the right thing, unsubscribe. Then a second, invest
some time in discovering how people of integrity conduct themselves.

I apologize to the list for responding to the OT post, I just felt that
this needed to be said else everyone else might start doing the same.

73, doc kd4e
```

709. Re: [kw-radio] Dear Recipient

Yahoo group: kenwoodradio
Date: 2004-03-06 06:46:43 UTC
From: Sarge
Topic: 708 Message: 709

<snip of misleading babble>

Lets keep this crap out of the reflector.. I've seen it on a lot of reflectors lately.

710. Re: [kw-radio] Dear Recipient

Yahoo group: kenwoodradio
Date: 2004-03-06 18:02:12 UTC
From: Robert Ower
Topic: 708 Message: 710

At 08:22 PM 3/5/2004, you wrote:
>Dear Recipient
>
>We kindly request you to spend a few moments of your time reading this
>letter because it just might be possible that this letter will open before
>you a new dimension of your role as a human being in this universe. We
>hope that you are a free thinking, broadminded, and prejudice-free human
>being whose goal is to find the truth. Before we continue, let us state to
>you the purpose of this letter- that this is an introduction and
>invitation to the way of life known as Islam.

How did this get on the list? I thought it was a Kenwood radio list. Was I
wrong?

Bob Ower
Prescott, AZ
All outgoing email virus-checked by Norton Anti-Virus.

Leather Craftsman
dba The Leather Horseshoe
http://owerr.tripod.com
Member: International Internet Leathercrafters Guild
http://iilg.org

Amateur Radio Operator: WA7YUL (Advanced class license)
Life Member: ARRL
http://www.arrl.org
Member: Yavapai Amateur Radio Club
http://www.w7yrc.org
Lat: 34 35 58
Lon: -112 27 43
Grid Square: DM34so

Arizona real estate broker
Associate Broker with Professional Education Services, Inc., Sedona, Arizona

---

[Non-text portions of this message have been removed]

711. Re: [kw-radio] Dear Recipient

Yahoo group: kenwoodradio
Date: 2004-03-07 15:36:28 UTC
From: Evan Platt
Topic: 708 Message: 711

At 10:02 AM 3/6/2004, you wrote:

>How did this get on the list? I thought it was a Kenwood radio list. Was I
>wrong?

Just like all the other 'spams' ("New pictures uploaded!") get on. Someone
joins using a throw away e-mail account, and posts.

Evan

712. Kenwood TM-231, 2 m FM xcvr FS

Yahoo group: kenwoodradio
Date: 2004-03-07 20:25:37 UTC
From: Ken Simpson, W8EK
Topic: 712 Message: 712

For Sale:

Kenwood TM-231 A, 2 meter FM xcvr

This 2 m FM rig will receive from about 120 to
170 MHz, while transmitting on the entire 2 meter
band. It has 20 memories, as well as VFO and
"Call" channel. Subaudible tone (PL) encoder is
built in.

The microphone is an MC-44 DM, which includes
a touchtone pad, VFO and memory call, up-down
switch, and a programmable button.

Output power is up to 50 Watts, and is variable in
three steps.

This particular unit works 100%, and looks the same.
Not a scratch or defect of any sort on it. It is still in
its original box, and includes all of the things that
came with it new. It is a really nice unit.

$135 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

713. Computer control of TS-440

Yahoo group: kenwoodradio
Date: 2004-03-09 04:29:50 UTC
From: ddpipes
Topic: 713 Message: 713

I have started to get back into the HF portion of ham radio. I have a TS-440 that works great. In setting things back up I cannot find some of the better computer control programs that I once had and used on the TS-440.

Any chance someone in this group either has one that works well or can guide me to a internet site that has some. I have check out a few ie Kentrol.. src440.. but sure are as good as those I remember.

Any help or URLs would be appreciated much..
Thanks
Dan

714. Re: Computer control of TS-440

Yahoo group: kenwoodradio
Date: 2004-03-09 06:26:33 UTC
From: Dave Bernstein
Topic: 713 Message: 714

Try Commander. Its free, and available via www.qsl.net/dxlab .

73,

Dave, AA6YQ

--- In kenwoodradio@yahoogroups.com, "ddpipes" <lists@e...> wrote:
> I have started to get back into the HF portion of ham radio. I have
> a TS-440 that works great. In setting things back up I cannot find
> some of the better computer control programs that I once had and
> used on the TS-440.
>
> Any chance someone in this group either has one that works well or
> can guide me to a internet site that has some. I have check out a
> few ie Kentrol.. src440.. but sure are as good as those I remember.
>
> Any help or URLs would be appreciated much..
> Thanks
> Dan

715. Re: [kw-radio] Re: Computer control of TS-440

Yahoo group: kenwoodradio
Date: 2004-03-09 06:35:16 UTC
From: Dan
Topic: 713 Message: 715

Dave,
Tnx.. I did happen to try Commander in my XP OS and it overwrote some files that caused XP to not reboot.. I had a freash ghost backup image and was able to recover but it got my attention.. Has anyone been succesful running commander in XP??
********** REPLY SEPARATOR **********

On 03/09/2004 at 6:26 AM Dave Bernstein wrote:
Try Commander. Its free, and available via www.qsl.net/dxlab .

73,

Dave, AA6YQ

--- In kenwoodradio@yahoogroups.com, "ddpipes" <lists@e...> wrote:
> I have started to get back into the HF portion of ham radio. I have
> a TS-440 that works great. In setting things back up I cannot find
> some of the better computer control programs that I once had and
> used on the TS-440.
>
> Any chance someone in this group either has one that works well or
> can guide me to a internet site that has some. I have check out a
> few ie Kentrol.. src440.. but sure are as good as those I remember.
>
> Any help or URLs would be appreciated much..
> Thanks
> Dan

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Links

To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

716. kenwoodts120_130 Yahoo Group

Yahoo group: kenwoodradio
Date: 2004-03-09 14:37:06 UTC
From: Tom
Topic: 716 Message: 716

Does anyone know what happened with the kenwoodts120_130 group? I submitted my subscription request early this year, but have had no response. I should have seen this earlier, but the last post was in August 2003.

Tom KG4WRQ

717. TS-520 Paddle Switches

Yahoo group: kenwoodradio
Date: 2004-03-09 14:38:00 UTC
From: w0spy
Topic: 717 Message: 717

The Heater switch and the Noise Blanker switch paddles are messed up on my TS-520. I pulled the plastic paddles out and flipped the switch up or down with a small screwdriver and am just leaving them alone now. Has anyone replaced them? Can you just replace the paddle and get the switch engaged OK? Where is a source of switches?
Don

718. Re: [kw-radio] kenwoodts120_130 Yahoo Group

Yahoo group: kenwoodradio
Date: 2004-03-09 14:57:22 UTC
From: Bill Stephens
Topic: 718 Message: 718

this is the first one i seen here in awhile i thought it was not working it says i am pending since last year in june

73 & 88, Have A Great Day, Your Friend Bill

_____
The best thing to hit the Internet in years - Juno SpeedBand!
Surf the Web up to FIVE TIMES FASTER!
Only $14.95/ month - visit www.juno.com to sign up today!

719. kenwoodts120_130 Yahoo Group

Yahoo group: kenwoodradio
Date: 2004-03-09 17:03:26 UTC
From: w4cdf@aol.com
Topic: 716 Message: 719

Hello
I too am wondering. I just tried to join with no luck.

[Non-text portions of this message have been removed]

720. [kw-radio] Re: Computer control of TS-440

Yahoo group: kenwoodradio
Date: 2004-03-09 22:06:54 UTC
From: Dave Bernstein
Topic: 713 Message: 720

Yes, I'm running it on XP as we speak; many other users do so as well. Commander is built by a Microsoft toolset, and installed by the standard Setup.exe. The included DLLs are all supplied by Microsoft, but during installation you can decline to overwrite existing files if you like.

73,

Dave, AA6YQ

--- In kenwoodradio@yahoogroups.com, "Dan" <lists@e...> wrote:
> Dave,
> Tnx.. I did happen to try Commander in my XP OS and it overwrote some files that caused XP to not reboot.. I had a freash ghost backup image and was able to recover but it got my attention.. Has anyone been succesful running commander in XP??
> ********** REPLY SEPARATOR **********
>
> On 03/09/2004 at 6:26 AM Dave Bernstein wrote:
> Try Commander. Its free, and available via www.qsl.net/dxlab .
>
> 73,
>
> Dave, AA6YQ
>
> --- In kenwoodradio@yahoogroups.com, "ddpipes" <lists@e...> wrote:
> > I have started to get back into the HF portion of ham radio. I have
> > a TS-440 that works great. In setting things back up I cannot find
> > some of the better computer control programs that I once had and
> > used on the TS-440.
> >
> > Any chance someone in this group either has one that works well or
> > can guide me to a internet site that has some. I have check out a
> > few ie Kentrol.. src440.. but sure are as good as those I remember.
> >
> > Any help or URLs would be appreciated much..
> > Thanks
> > Dan
>
>
>
> For polls, files, and other info visit:

> http://www.egroups.com/group/kenwoodradio
>
>
>
>
>
> Yahoo! Groups Links
>
> To visit your group on the web, go to:
> http://groups.yahoo.com/group/kenwoodradio/
>
> To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@yahoogroups.com
>
> Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.
>
>
>
> [Non-text portions of this message have been removed]

721. Re: [kw-radio] Digest Number 408

Yahoo group: kenwoodradio
Date: 2004-03-10 01:23:55 UTC
From: sugar odd
Topic: 721 Message: 721

looking for parts for a 940 anyone have some please email me at aklizard@ptialaska.net

diane

Do you Yahoo!?
Yahoo! Search - Find what you?re looking for faster.

[Non-text portions of this message have been removed]

722. For Trade

Yahoo group: kenwoodradio
Date: 2004-03-10 12:46:34 UTC
From: w4cdf@aol.com
Topic: 722 Message: 722

Hello,
I have a Kenwood TS-120 I would like to trade for a Kenwood TS-520SE.
It has a non kenwood hand mic, power cord, op. manual, and service manual.
Case is a 7.5 to 8, operation is 100%.
I am only looking for the SE version and it must be 100% operational.
If interested please send email with discription.
Thank You,
Charlie W4CDF

[Non-text portions of this message have been removed]

723. Tk 701s

Yahoo group: kenwoodradio
Date: 2004-03-13 23:29:09 UTC
From: Rocky Christie
Topic: 723 Message: 723

Hi, can anyone help. I have some TK701s radios to program. I don't have the programmer, but have seen the hard wire mod done to one of these radios. I know that hard wired you can only have a single channel and that's fine

Thanks Rocky.

[Non-text portions of this message have been removed]

724. TH-77A's - What are they worth

Yahoo group: kenwoodradio
Date: 2004-03-18 06:32:40 UTC
From: k6hk
Topic: 724 Message: 724

I am thinking about selling off 2 Th-77A's with extra batteries, upgraded rubber ducks and getting F6A's. Any idea what they are worth, I do not see many out there for sale or trade, so I was just wondering if anyone had any idea? email me Harvey K6HK-at-arrl-dot-net. Thanks.

725. Dead RX on TM-261

Yahoo group: kenwoodradio
Date: 2004-03-19 18:43:56 UTC
From: J. Rausch
Topic: 725 Message: 725

I posted about this a while back. The Rx ha gone out in my TM-261 I know its a front end FET. Does anyone have the part number, service manual, schematic or anything? Is Kenwood known for using the same typical RX scheme in most of the mobiles from that line? So far all of the searches online has turned up nothing.

Thanks,
Jason KE4NYV
www.ke4nyv.com
RPC Electronics
www.ke4nyv.com/rpc

726. Re: [kw-radio] Frequently Asked Questions

Yahoo group: kenwoodradio
Date: 2004-03-19 18:46:48 UTC
From: J. Rausch
Topic: 695 Message: 726

Do me a favor and give this message to Allah for me...

We're comming for him too :o)

This message has been brought to you by a proud American!

Jason KE4NYV
www.ke4nyv.com

--- In kenwoodradio@yahoogroups.com, "Ed Cifelli" <ecifelli@c...>
wrote:
>
> This is definitely OFF TOPIC, caps intentional
>
> ed
> -----Original Message-----
> From: york [mailto:york@g...]
> Sent: Sunday, February 29, 2004 5:14 AM
> To: kenwoodradio@yahoogroups.com
> Subject: [kw-radio] Frequently Asked Questions
>
>
> FAQ about Islam
> (Frequently Asked Questions)
> Who is Allah?

727. Re: [kw-radio] Frequently Asked Questions

Yahoo group: kenwoodradio
Date: 2004-03-19 21:37:17 UTC
From: Robert Ower
Topic: 695 Message: 727

At 11:46 AM 3/19/2004, you wrote:
>FAQ about Islam
> > (Frequently Asked Questions)
> > Who is Allah?

Surely this type of post is a violation of group rules.

Bob Ower
Prescott, AZ
All outgoing email virus-checked by Norton Anti-Virus.

Leather Craftsman
dba The Leather Horseshoe
http://owerr.tripod.com
Member: International Internet Leathercrafters Guild
http://iilg.org

Amateur Radio Operator: WA7YUL (Advanced class license)
Life Member: ARRL
http://www.arrl.org
Member: Yavapai Amateur Radio Club
http://www.w7yrc.org
Lat: 34 35 58
Lon: -112 27 43
Grid Square: DM34so

Arizona real estate broker
Associate Broker with Professional Education Services, Inc., Sedona, Arizona

---

[Non-text portions of this message have been removed]

728. re: kenwood tm-321a 220 radio....need service manual

Yahoo group: kenwoodradio
Date: 2004-03-23 22:33:27 UTC
From: michaelpbb2002
Topic: 728 Message: 728

Hello from mike kc2igr,

Does anyone have a service manual pdf file for the tm-321a 220
radio...!
having some intermitent problems...! with it

mike

729. Kenwood YG-455-S-1 crystal filter FS

Yahoo group: kenwoodradio
Date: 2004-03-27 12:23:28 UTC
From: Ken Simpson, W8EK
Topic: 641 Message: 729

Kenwood Crystal filter For Sale:

Kenwood YG-455-S-1 For Sale
This is a "sharp" 2.4 KHz SSB plug in filter. It has about a 1.3 to 1 shape factor, and is used to replace the standard ceramic filter in rigs such as the TS-950 and others, with a filter that has much better skirts (and therefore makes pass band tuning, etc. much better).

Actual specs on it are
2.4 kHz at 6dB
3.0 kHz at 20dB
3.1 kHz at 60dB

With paper work and original box for $100
plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

730. SW-2000

Yahoo group: kenwoodradio
Date: 2004-03-30 16:02:29 UTC
From: cymoler
Topic: 730 Message: 730

I just purchased a used SW-2000 with modules. Kenwood does not have the manual online so I'd like to find a copy of the manual for this meter. I was hoping I could find some kind ham who could scan it and send the electrons to moler@.... I would greatly appreciate it!
Thanks & 73,
Cy Moler, WT3F

731. Drake TR-72 / Kenwood TR-7200, 2 m FM xcvr FS

Yahoo group: kenwoodradio
Date: 2004-03-30 23:16:10 UTC
From: Ken Simpson, W8EK
Topic: 731 Message: 731

For Sale:

Drake TR-72 (same as Kenwood TR-7200) 2 meter
FM transceiver

This is supposed to be a 10 Watt rig, but the transmitter
portion is not working. Since it uses discrete transistors,
instead of a "brick", it should be easier to repair. Or, it
can be used for parts. Cosmetically, it looks nice.

Being sold as is, as a parts unit, even though it might
be easily repairable.

$15 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

732. Kenwood lmr group

Yahoo group: kenwoodradio
Date: 2004-04-01 06:05:57 UTC
From: Bill Alexander
Topic: 732 Message: 732

Anyone know how I join the Kenwood_LMR group. I am a kenwood dealer, but can not figure out how to apply for group. I can go no where, it says for members only.

Thanks Alex kr6g
Kenwood-2 way radios
Plumas,Lassen,Sierra counties

733. Re: [kw-radio] Kenwood lmr group

Yahoo group: kenwoodradio
Date: 2004-04-01 06:19:48 UTC
From: Evan Platt
Topic: 732 Message: 733

At 10:05 PM 3/31/2004, you wrote:
>Anyone know how I join the Kenwood_LMR group. I am a kenwood dealer,
>but can not figure out how to apply for group. I can go no where, it
>says for members only.

kenwood_LMR-subscribe@yahoogroups.com ?

Evan

734. Re: [kw-radio] Kenwood lmr group

Yahoo group: kenwoodradio
Date: 2004-04-01 12:32:10 UTC
From: Rusty Caufield
Topic: 732 Message: 734

Bill, send an email to:

Kenwood_LMR-owner@yahoogroups.com

Let him know you full name, shop / dealership name location and numbers.
Also give them you Rep's name and numbers.

- Rusty

----- Original Message -----
From: "Bill Alexander" <kr6g@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Thursday, April 01, 2004 12:05 AM
Subject: [kw-radio] Kenwood lmr group

> Anyone know how I join the Kenwood_LMR group. I am a kenwood dealer,
> but can not figure out how to apply for group. I can go no where, it
> says for members only.
>
> Thanks Alex kr6g
> Kenwood-2 way radios
> Plumas,Lassen,Sierra counties
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
> Yahoo! Groups Links
>
>
>
>
>

735. tk430

Yahoo group: kenwoodradio
Date: 2004-04-04 09:29:23 UTC
From: ROGER WOOLLEY
Topic: 735 Message: 735

hi has anyone info on kenwood tk430 800 mhz programing cable thank you 73 roger

736. TS 530s Instruction manual

Yahoo group: kenwoodradio
Date: 2004-04-04 17:08:56 UTC
From: ft920yaesu1997
Topic: 736 Message: 736

I am looking for a TS 530s Instruction manual?
Does anyone have this file??
My original book has pages missing.
Thanks

737. Re: [kw-radio] TS 530s Instruction manual

Yahoo group: kenwoodradio
Date: 2004-04-04 17:35:31 UTC
From: OZ1EQC
Topic: 736 Message: 737

ft920yaesu1997 skrev:

> I am looking for a TS 530s Instruction manual?
> Does anyone have this file??
> My original book has pages missing.
> Thanks
>
http://www.cqham.ru/ftp2/dw.php?ts-530sp.pdf

73 Per OZ1EQC

738. Re: [kw-radio] TS 530s Instruction manual

Yahoo group: kenwoodradio
Date: 2004-04-06 21:34:12 UTC
From: ft920yaesu1997
Topic: 736 Message: 738

Is the 530sp just like the 530s?

--- In kenwoodradio@yahoogroups.com, OZ1EQC <per@o...> wrote:
> ft920yaesu1997 skrev:
>
> > I am looking for a TS 530s Instruction manual?
> > Does anyone have this file??
> > My original book has pages missing.
> > Thanks
> >
> http://www.cqham.ru/ftp2/dw.php?ts-530sp.pdf
>
> 73 Per OZ1EQC

739. Re: [kw-radio] TS 530s Instruction manual

Yahoo group: kenwoodradio
Date: 2004-04-07 15:51:11 UTC
From: OZ1EQC
Topic: 736 Message: 739

ft920yaesu1997 skrev:

> Is the 530sp just like the 530s?
>
>
>

Hi

The only difference is, that the 530SP has all WARC bands and a improved
Notch filter, the Service manual handles both versions.
You can modify the 530S for the WARC bands (can only receive on 10/18
and 24.5) you can find the mod on www.mods.dk

73 Per OZ1EQC

740. WANTED: Any FT243 Crystals

Yahoo group: kenwoodradio
Date: 2004-04-08 15:26:52 UTC
From: Brian Carling
Topic: 740 Message: 740

WANTED TO BUY:
ANY FT243 CRYSTALS or EMPTY FT243 HOLDERS.
i NEED A LARGE QUANTITY OF FT243 HOLDERS.
ANY QUANTITY WELCOME. PLEASE CONTACT ME WITH
DESCRIPTION OF WHAT YOU CAN SEND - QUANTITY ETC., AND WHAT
YOU HAVE IN MIND FOR A PRICE. THANKS FOR READING.

BEST REGARDS - BRIAN CARLING, AF4K

741. Re: [kw-radio] TS 530s Instruction manual

Yahoo group: kenwoodradio
Date: 2004-04-08 11:45:28 UTC
From: Meade
Topic: 736 Message: 741

> The only difference is, that the 530SP has all WARC bands and a
improved
> Notch filter, the Service manual handles both versions.
> You can modify the 530S for the WARC bands (can only receive on
10/18
> and 24.5) you can find the mod on www.mods.dk
>
> 73 Per OZ1EQC

There's another difference. The TS-530SP added a "calibrate" pushbutton on the front panel, between the meter and the display. On the 530S there's just a plugged hole there.

The WARC bands modification is a simple one involving cutting one wire. The rig came on the market in late 1982/early 1983 after WARC had approved the new bands but none were approved for use in the U.S. yet. So Kenwood sold the radios WARC-ready but installed a wire you had to cut to make the final TX capability.

I bought a TS-530SP new in 1983 and owned it until 1988. It was a nice radio. If I can answer any questions about it, please let me know. But it might be easier to find me over on the group TS-570 that I own and manage.

Meade K4CMD

742. FS: Turner Microphones

Yahoo group: kenwoodradio
Date: 2004-04-09 13:17:58 UTC
From: Brian Carling
Topic: 742 Message: 742

FOR SALE:

Turner SR785 Gooseneck microphone, NEW IN THE BOX.
Just like at K Mart! Has PTT bar and cable attached.
This is a rugged, low impedance communications microphone, 150 ohms.
Designed for crystal clear voice communications by radio or P.A.
If you know Turner mics, you know that they all sound great.
Satin-chrome finish with rugged, durable metal construction that
will give you many years of good performance in any communications
environment. Comes new in the box with data sheet.
QTY 4 available for $35.00 each plus shipping
A lot of guys really like these for an out-of-the-way solution to the cluttered desk
syndrome!

See picture and details at:
http://www.af4k.com/mics.htm

or e-mail me to buy:

743. Crimes in Iraq

Yahoo group: kenwoodradio
Date: 2004-04-10 10:48:39 UTC
From: york
Topic: 743 Message: 743

Crimes in Iraq

Will Fallujah Be Leveled?

By Firas Al-Atraqchi
Freelance Columnist
06/04/2004

US forces seal off Fallujah, Monday, April 5, in preparation for a major operation.

The men of the restive city of Fallujah are not afraid. Speaking to reporters, they egg the US soldiers on. "Come into our city and we will show them what we are made of," they say. "They have tanks and planes but are cowards, we will fight till there are none of us left," others say.

The people of Fallujah are expecting the worst. They know the US military will not allow itself to be humiliated in the manner of last week's mutilation and hanging of four killed US mercenaries working for the private security firm Blackwater. They know the US military will not allow the daily attacks on convoys to go unpunished. A few hours before the horrific mutilations and lynching, five US soldiers died when a powerful improvised explosive device ripped their armored personnel carrier apart.

And the US military is edging for a fight. On Monday morning, US forces closed off the Iraq-Amman highway which leads through Fallujah. Reporters attempting to enter the city have told this writer that they were told by US officers that the area surrounding Fallujah - and the city itself - is off-limits to reporters, a restrictive zone, expected to be closed down for anywhere between two to 10 days.

Iraq analysts fear that the US is about to commit a war-crime by laying siege to Fallujah and punishing its citizens by disallowing shipments of food and water.

With no independent reports from Fallujah, Iraq analysts warn the world could be kept in the dark about scores of civilians likely to be caught in military confrontation between US forces and Iraqi resistance.

Coalition authorities have promised a swift and precise response to last week's mutilations of four contract servicemen who were ambushed in central Fallujah. However, in media reports filed before the city was cordoned off, angry Iraqis claimed that it was US policy in the area that fueled their anger. Among their complaints:

Mounting of the foot over the neck of Iraqis - an affront in Iraqi society

The detaining of Iraqi women and teenage girls

The house searches well into the dead of night, using shock bombs, threats, and verbal abuse

The returning of detained women, often barely clothed

The killing of civilians by US forces with no assumption of responsibility or guilt

Iraq is entering a perilous phase as Iraqis begin to realize that the freedom they were promised was a thinly-veiled farce aimed at extorting the country of its mineral and oil wealth. There is open revolt in the south of Iraq where the young cleric Muqtada Sadr has declared that negotiating and/or exercising democratic tools like protests and demonstrations has not worked with the Coalition. His Mahdi Army has seized several police stations throughout the south of Iraq. US forces retaliated by seizing a Sadr office in Kirkuk.

As the first anniversary of the fall of Baghdad arrives, the fall of Iraq into absolute anarchy seems imminent.

A Year in Numbers
http://www.islamonline.net/english/media/2...ter/index.shtml
<http://www.islamonline.net/english/media/2004/03/yearlater/index.shtml>

<http://www.iraqvictims.com/en_home.asp>
http://groups.yahoo.com/group/da3wat_elisl...lam/message/561
<http://groups.yahoo.com/group/da3wat_elislam/message/561>
http://groups.yahoo.com/group/da3wat_elisl...lam/message/392
<http://groups.yahoo.com/group/da3wat_elislam/message/392>
http://groups.yahoo.com/group/da3wat_elisl...lam/message/351
<http://groups.yahoo.com/group/da3wat_elislam/message/351>
<http://www.truthuncovered.com>

For more information about Islam:
http://www.geocities.com/fares457/1.html

Contact me at
islamq_a@...

744. Re: [kw-radio] Crimes in Iraq

Yahoo group: kenwoodradio
Date: 2004-04-10 12:10:43 UTC
From: Per Bekker-Madsen
Topic: 744 Message: 744

What a bulshit, this has nothing to do wih KW radio keep your lies out of here.
The only thing you want is all power to the priests, just like in Iran.
They are even more cruel than Sadam was.
Why dont you wait untill the election has taken place and see who the ordinary Irakian will wote for ?
Belive me they wont wote on the Priests.

EOD

Per

>
> Crimes in Iraq
>
> Will Fallujah Be Leveled?
>
> By Firas Al-Atraqchi
> Freelance Columnist
> 06/04/2004
>
> US forces seal off Fallujah, Monday, April 5, in preparation for a
> major operation.
>
> The men of the restive city of Fallujah are not afraid. Speaking to
> reporters, they egg the US soldiers on. "Come into our city and we
> will show them what we are made of," they say. "They have tanks and
> planes but are cowards, we will fight till there are none of us left,"
> others say.
>
> The people of Fallujah are expecting the worst. They know the US
> military will not allow itself to be humiliated in the manner of last
> week's mutilation and hanging of four killed US mercenaries working
> for the private security firm Blackwater. They know the US military
> will not allow the daily attacks on convoys to go unpunished. A few
> hours before the horrific mutilations and lynching, five US soldiers
> died when a powerful improvised explosive device ripped their armored
> personnel carrier apart.
>
> And the US military is edging for a fight. On Monday morning, US
> forces closed off the Iraq-Amman highway which leads through Fallujah.
> Reporters attempting to enter the city have told this writer that they
> were told by US officers that the area surrounding Fallujah - and the
> city itself - is off-limits to reporters, a restrictive zone, expected
> to be closed down for anywhere between two to 10 days.
>

> Iraq analysts fear that the US is about to commit a war-crime by
> laying siege to Fallujah and punishing its citizens by disallowing
> shipments of food and water.
>
> With no independent reports from Fallujah, Iraq analysts warn the
> world could be kept in the dark about scores of civilians likely to be
> caught in military confrontation between US forces and Iraqi resistance.
>
> Coalition authorities have promised a swift and precise response to
> last week's mutilations of four contract servicemen who were ambushed
> in central Fallujah. However, in media reports filed before the city
> was cordoned off, angry Iraqis claimed that it was US policy in the
> area that fueled their anger. Among their complaints:
>
> Mounting of the foot over the neck of Iraqis - an affront in Iraqi
> society
>
> The detaining of Iraqi women and teenage girls
>
> The house searches well into the dead of night, using shock bombs,
> threats, and verbal abuse
>
> The returning of detained women, often barely clothed
>
> The killing of civilians by US forces with no assumption of
> responsibility or guilt
>
> Iraq is entering a perilous phase as Iraqis begin to realize that the
> freedom they were promised was a thinly-veiled farce aimed at
> extorting the country of its mineral and oil wealth. There is open
> revolt in the south of Iraq where the young cleric Muqtada Sadr has
> declared that negotiating and/or exercising democratic tools like
> protests and demonstrations has not worked with the Coalition. His
> Mahdi Army has seized several police stations throughout the south of
> Iraq. US forces retaliated by seizing a Sadr office in Kirkuk.
>
> As the first anniversary of the fall of Baghdad arrives, the fall of
> Iraq into absolute anarchy seems imminent.

745. TM-742A

Yahoo group: kenwoodradio
Date: 2004-04-11 15:26:36 UTC
From: Robert R. Smith
Topic: 745 Message: 745

I just got this TM-742A that is set up on 2m/70cm and thought I would look for the 220mhz module. Then I got to thinking (dangerous for me) does this radio program via software?? I don't see anything about it in the manual, what little bit I have read so far. Does anyone know off the top of there head if I am expecting to much from an older radio? Can I find or does it program with software? Thanks, Bob WB6ODR

746. TM-742A

Yahoo group: kenwoodradio
Date: 2004-04-11 15:32:13 UTC
From: Robert & Linda Smith
Topic: 745 Message: 746

Just picked up the Kenwood TM-742A multi band radio. Did not notice and can not find reference to software programing. Does anyone know, off the top of your head, if this radio can be programed via software??
Thanks, Bob WB6ODR

747. Re: [kw-radio] TM-742A

Yahoo group: kenwoodradio
Date: 2004-04-11 16:40:52 UTC
From: Ron
Topic: 745 Message: 747

Nope -- no software and no "clone" functions that I know of --
I have 4 of them.... If the memories got wiped out - it would take
me two weeks to re-program them again....!

Ron

On 11 Apr 2004 at 8:32, Robert & Linda Smith wrote:

> Just picked up the Kenwood TM-742A multi band radio. Did not notice
> and can not find reference to software programing. Does anyone know,
> off the top of your head, if this radio can be programed via
> software?? Thanks, Bob WB6ODR
>
>
>
>
> ---------- Yahoo! Groups Sponsor
> ----------~--> Buy Ink Cartridges or Refill Kits for your
> HP, Epson, Canon or Lexmark Printer at MyInks.com. Free s/h on orders
> $50 or more to the US & Canada.
> http://www.c1tracking.com/l.asp?cid=5511
> http://us.click.yahoo.com/mOAaAA/3exGAA/qnsNAA/ELTolB/TM
> ---~
> ->
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
> Yahoo! Groups Links
>
>
>
>
>

748. Re: [kw-radio] TM-742A

Yahoo group: kenwoodradio
Date: 2004-04-11 16:00:58 UTC
From: Steven L. Zielke
Topic: 745 Message: 748

> ...TM-742A...does this radio program via software?

Sorry, no. It's too old.

> Does anyone know off the top of there head if I am expecting
> too much from an older radio?

Depends on what you want to do with it. It's a good radio, you just can't alter the programming by plugging your laptop into the radio. If you take the time to program it once, and then leave it alone, you'll do fine. If you need a radio that has every Seattle repeater in the summer, every Phoenix repeater in the winter, and every repeater in between for the drive back and forth, you'll need a newer radio.

> Can I find or does it program with software?

Not that I've ever seen. If you find one, let me know as I've got a TM-642, a TM-742, & a TM-942 in a Mobile Command Post I maintain, plus a TM-642 & a TM-742 in my POV.

Steve/N7JLF

749. Wanted UT220S

Yahoo group: kenwoodradio
Date: 2004-04-12 16:37:45 UTC
From: Robert R. Smith
Topic: 749 Message: 749

Thanks for the answers to my question about programing my TM-742A. I spent the morning keying in 40 of 50 frequencies that I am interested in. Now I think I want to add the 220mhz module if I can find one that will not set me back an arm and a leg. I see them listed at AES for $330 and that is more than I paid for the radio. Any help?? Bob Smith WB6ODR

750. pl tone board for the kenwood tr 9000

Yahoo group: kenwoodradio
Date: 2004-04-14 02:39:36 UTC
From: kb2ykq2000
Topic: 750 Message: 750

i was just wondering if there was some kind of pl deck that i can get to use with this radio? the radio is the tr9000 all mode 2 meter radio

any information would be a help

thanks
bill kb2ykq

751. TK-390 Firmware

Yahoo group: kenwoodradio
Date: 2004-04-17 18:31:28 UTC
From: GaryErrol
Topic: 749 Message: 751

Will someone please send me off list the latest firmware hex file that is suitable for a TK-390 with serial number of 911001**. I have a original copy of the KPG-38D software, version 1.31, that I want to use to program this radio but the firmware in it now won't work with this software.

752. kgp-1a / 1b

Yahoo group: kenwoodradio
Date: 2004-04-19 03:47:59 UTC
From: wayneorack
Topic: 752 Message: 752

I am looking for any documentation on the use or instilation of the Kenwood kgp-1a and 1b units. I am intrested in integrating them into my fleet of TK-860G radios. Any information would be greatly appreciated.

Thanks,
Wayne

753. TR-7950 Schematic

Yahoo group: kenwoodradio
Date: 2004-04-21 13:04:53 UTC
From: antaru_adun
Topic: 753 Message: 753

Hi,

I bought an old TR-7950, the Mic/PTT isn't working properly. Does anybody has the Schematic diagram? do you know where I can download it?

tnx and 73

Santiago

754. TM-733 Encode

Yahoo group: kenwoodradio
Date: 2004-04-24 16:14:33 UTC
From: Glen T. Langer
Topic: 754 Message: 754

I have a Kenwood TM-733. It's been a great radio for many years.
Recently it has stopped generating PL tone. I can only operate
simplex and repeaters that don't require PL. Decode still works fine.
Does anyone know if this is a board that can be changed or am I
looking at spending more than a new radio is worth??
Thanks in advance.
Glen W6GTL

755. Women

Yahoo group: kenwoodradio
Date: 2004-04-25 05:15:12 UTC
From: greg
Topic: 755 Message: 755

Women in Islam
Sexual Politics
Imagine this scenario, for it is real: two antagonists locked in a grim power struggle. And another: two or more other competitors, rivals in a race for high stakes, a race to determine the course of their entire life. At race's end, the prizes for winning include compliments, telling glances, and First Prize, a wedding ring. Unwanted "prizes" along the way may include physical assault, countless violations of body and soul. The protagonists of these scenarios are all around us; they are modern man and modern woman, and woman vs. woman. From time immemorial, against this harsh horizon of human relations, the "battle of the sexes" has raged. But never has "Sexual Politics been so virulent as today. Feminism becomes polarization along gender barriers. To offset increased competition for a mate, extreme nudity splashes itself unchecked. Fear and suspicion on both sides lurk; commitments are tepid, or all too fragile.
Sexual Balance
Now conjure this, from the Qur'an, the Book of the Revelation sent to guide the affairs of mankind; It comes from Allah (SWT - the Deity; One, Only) to us, His creatures: "Your wives are a garment to you, and you to them. " (Surah 2:187). As close as the skin to a garment, as essential as the covering layer which envelops andd protects us from heat and cold, man and wife are the two halves of humanity coming together in balanced, mutual protection and care. This is the other veil, the deeper veil, the real covering and garment of ISLAM.

In days remarkably similar to ours, a new path was taught: the path of enduring partnership and cooperation in human affairs, to level the exhausting shifting sands of competition and suspicion. This path was AL-ISLAM. Islam means the deep submission to God alone, Allah (SWT - The One, The Deity, "Eloh" of the Hebrews). Fittingly, the name of this grace-filled, all-encompassing path of balance and harmony for mankind was derived from "Salaam," the Arabic word for peace.

Peace
"For Islam is the religion before Allah" (Surah 3:19) ISLAM was not a new religion, "another" religion; it is the same universal truth that God has enjoined upon humanity throughout the ages, in its final, most comprehensive exposition. 1400 years after its Revelation, it stands as pristine, and as beneficial, as it was on the day Allah (SWT) first granted it: in a time of upheaval, in a world of unraveling values, in a society confused and chaotic much like ours.

There Allah (SWT) chose His last Prophet, the Seal of the Messengers, the Mercy for all mankind. He was an upright, kind and honorable man living in seventh-century Arabia, at the very fringes of the civilized world. And when first Muhammad, in his fortieth year, peace be upon him, heard the Word of Allah (SWT), he was shaken and he was stunned. And he turned to a woman, his wife Khadija, for counsel: am I mad? he asked. This true companion knew better. Go, she said, and serve Allah (SWT). The Revelation of Islam was gathered over 23 often perilous years, in the Book of Recitation, the Qur'an.

Today, 1/5th of humanity is Muslim, (those who surrender to Allah's, SWT, Will) and millions more (women in the forefront) are heeding its voice. For this Voice speaks with

irresistible appeal, of the equitable design for living for all human beings, beyond race, beyond gender: the sheltering peace.

Freedom
Islam is freedom; it upholds free will and encourages rational thought; it recognizes only that virtue or sin which an individual earns through free action and choice. Within its parameters is a code of behavior, a complete social pattern for man and for woman, that looks out to the whole of life through the harmony of a balanced scale. In this system, based on natural law and innate reason, (the Knowing System of the Creator Himself - SWT), cooperation is the standard criterion.

Muslims are brothers and sisters in the family of mankind brethren all under Islam, in the sweet surrender of obedience and worship to Allah (SWT), Unique and One (Tawhid). Each Muslim, man or woman, chooses to be a Muslim. Each Muslim is ultimately accountable for his and her actions to Allah (SWT) alone. Allah (SWT) will call us all to account on the Day of Reckoning. How easy it becomes, then, to be truly free. For the vain idols of stone, the enslaving tyrants of greed, of lust, of ambition, of public opinion crumble to naught. Freedom from the tyranny of man and man-made conceits: Islam liberates

Parity
Not one verse in the whole of the Qur'an speaks injustice Not one word says, men and women are not equal. Everywhere, the Book of Nature and Creation tells us: equality under God is the only criterion. Under God in sincere worship, man and woman stand in parity. But this Book is truth; truth does not shy away from our most basic, indisputable biological differences. Male and female, quite simply, have distinct and complementary roles to fill, equally vital for the sustenance of life.

Everywhere, the Qur'an reminds us of the mutual rights humans owe to one another, in the balance of our relations. "O men! Fear your Lord Who created you from a single being and out of it created its mate; and out of the two spread many men and women. Fear Allah in Whose name you demand your rights (of one another) and heed the ties of relationships. " (Surah 4:1)

In a time when most women were common chattel, the teachings of the Qur'an and the practices (Sunnah) of Muhammad, the Messenger(pbuh), firmly restored to them status, both legal and social; and dignity as individuals; cemented their right to wealth and property, to inheritance, to education. In Muhammad (pbuh), women found the champion to uphold their rights, merciful, sympathetic, unwavering in his support: women flocked to his call. Budding Islam grew strong on the depth of their staunch belief.

In a day of social anarchy, Islam reintroduced structure end the natural order. For it is the stable bond of the family unit that elevates man from beast. It is its strong foundation, built on understanding and collaboration, which ripples outward in concentric circles to the vast social network. It is here that peace and freedom begin. Islam elevates.

Natural Humanism
Your body has rights upon you, said the Prophet of Islam. By this was meant a healthy, clean, Intelligent respect for the body and its needs. Personal hygiene is one of Islam's most basic requirements Pleasing and discrete elegance is smiled upon in Islam, the world's great Civilization of Refinement, in body and soul. And the Prophet said: "God Himself is graceful and elegance pleases Him."

The Islamic way does not want mankind shut up unnaturally in towers of ivory, to ruminate endlessly in ascetic withdrawal from fellow begins. Islam is inclusive dynamism; Useful and graceful action; Improvement and betterment. Nor does it deny or demean the natural sex drive. On the contrary, it elevates and liberates it, channeling it for a peaceful, healthy society: the hectic waves of seduction, rivalry, the "theft" of physical or mental integrity are banished.

Within the REAL partnership of matrimony, the joining of husband and wife is legitimized: here sex is no sin, but a form of natural worship. The Qur'an itself speaks of sexual relations between man and wife, simple and direct; it teaches the striving toward harmony, the need for trust and confidence between husband and wife, between life partners, as it does between all human beings (Surah 66).

Does the nurturer not need nurturing too? The biological imperatives, Islam meets squarely, head-on, with no coyness; for indeed Allah (SWT) created us so. Islam addresses the differing needs of man and woman comprehensively.

The need of woman, in child bearing years, feminism not withstanding, is sustenance and security. A pregnant woman requires care; a nursing mother and infant require protection; a wife, mother, sister require respect: these are their rights. Equal rights, in proportioned measure: the way of Islam is honest and clear-sighted. To safeguard the one from the oversights of the other; to remind the one of the requirements of the other the balanced checks of Islam work in supreme rationality:

"Men are the protectors and maintainers of women, because Allah has made one of them stronger than the other, and because they spend out of their possessions (to support them)." (Surah 4: 34) Women have the same rights as the husbands have on them. But man is the burden-carrying partner; with the weight of duty and responsibility, comes a measure of fair recognition "But men are a degree above them (women)." (Surah 2:228)

These are the basic injunctions of Islam concerning women. They revolve around the rights of women, not their restrictions. Injunctions placing restrictions on women in the Qur'an, emerge chiefly in connection to the greater curbs placed on men. For male lust, that primary, but blindest of drives, is not allowed to become the driving force of society. Thus the Qur'anic injunctions recommend modesty, for both men and women. (24:31; 33:35)

Where the parade of enticement and seduction prevails, Islam upholds the standard of straight forward human dealings, inner mettle to inner mettle. Sex and beauty stay at home; neither commodity nor potential incentive in wider social relations, their power is curtailed to strangers, enhanced to the bonded partner. Where promiscuity runs rampant, Islam builds a society where children know their fathers, and fathers are responsible for their wives and children. By severing the loose ties of lust, Islam restores the lasting ties of partnership. Where the sexual society objectifies, Islam humanizes.

Hijab, Veil of Pride
"Let them wear their head-coverings over their bosoms" (Surah 24:31; 33:59). It is the minimum standard of decency. No mention of face covering, in fact; sexual politics of individual men have seen to that. A Muslim woman is told: cover your nakedness, do not play with femininity as a commodity. Be proud and save your intimate best for the one who stands by you in times good and bad. Speak loud and clear, the game-and-promise bedroom voice does not belong on the streets, (Surah 33:32); Walk firm and tall: the swaying, jingling advertisement of body carries a "for sale" sign on it (Surah 24:31).

The Qur'an seeks clarity of heart and intention; Its injunctions address the deception inherent in teasing and seduction, their signal or their unintentional message. Hijab is first a reminder far the soul, an inner code and standard, and only second a physical statement.

Indeed the head-to-toe cloak (chador) is by no means unique to Islam; but a universal, spontaneous woman's choice throughout time, the dress of high-born Roman and Byzantine ladies for centuries to indicate their elevated social status, set apart, "protected" from the laboring throng.

In the Qur'an, verses referring to the veil come in the context of the early struggles of nascent Islam, when false believers were infiltrating the infant Muslim community: Muslim ladies would be recognized at once, wearing a pragmatic veil of conduct affirming their belief in the Creator's (SWT) laws. Modesty of dress externalizes moderation of behavior: the inner hijab, the moral affirmation of the bounds of decency, honesty, self-respect, honor, made visible. The veil continues to offer recognition and freedom to woman in many ways: it is a signal sent out which demands respect, and receives it in return. Thus did Allah (SWT) intend (Surah 33:59).

The Harem
"Swathed in their veil, locked away": yet this popular image of extremes has no place in Islam. It is born under specific skies, in cultural imposition, solidified in misconception, perpetuated in the rigidity of the narrow-minded or the misguided.

The severe segregation of the sexes is not a Qur'anic injunction. A Muslim woman is given freedom of thought at all times. And that same intrinsic freedom of action which does not lead to disharmony, in exactly the same manner as a Muslim man. Islam does favor the inherent, the natural division of life-spheres. A woman's familial duty is foremost, her natural environment is the home.

To those who cry, "Sexism," a word of reminder, and some facts. A woman will know different spans in one single month; medical science has only now begun to concede the often drastic influence of very real hormonal fluctuations in a woman's biology.

The interplay of hormones and emotions is no Sexist Myth. It is Fact.

By the same token, throughout Islamic history, women who, through their talent must rise in the larger society, have risen. In the time of Ignorance (Jahiliyah), the Message of Islam came to rectify rampant polygamy. The criterion, as always, balance and fairness. In cases a man took more than one partner, it should be done legitimately, within the norms of fair dealing. No "Second class" categories of relationships. No one-night stand: a real commitment in marriage. Islam never overlooks the greater social stability and justice. It will regulate, in its omniscience, all potential forces at work in the social In point of fact, the lifelong and monogamous bond of marriage is the actual Muslim . The partnership endures.

Divorce
Where it does not, despite the best intentions, here too, naturalness reigns. Divorce is the most disliked of all lawful things, the Prophet said. Prevention is the priority. But when the life of the couple has grown destructive and counterproductive the Qur'an sets strict guidelines, to forestall haste and whim; terms of transition (Iddat) and reasonable waiting periods - usually of four months - have been enjoined, long enough for tempers to cool, for a pregnancy to reveal itself, for circumstances to change or solidify.

Divorce can be instigated by husband or wife (Talaq and Khula), and by mutual consent (Mubara'ah). No Muslim girl can be forced to marry against her will. When estrangement and alienation set in (Ila; Surah 2:226), the partners are directed to bridge their gap within a reasonable period of time, before that point of no return. For Allah (SWT) understands and eases the frailty of humans.

Within The Sheltering Peace
This, then, is the religion of reason, the religion of balance, the religion of fairness, the religion of peace. This is Islam.

Look around you, across the street, around the world: you will see Muslim women choosing the veil of their own free will. For they recognize it for what it was enjoined, an emancipation and a liberation. The merchandising of the human being profits only that ever-voracious corporate bottom line. Hijab is a woman's statement, of transcending the often-abused power of men over their lives. It is a statement of understanding the real meaning within the Qur'an. It is intrinsic dignity, unadorned and straightforward, for all: and that is the Islamic way.

Today, women are tired of selling themselves short. Selling their "assets" on a false stage, where plastic bodies and fashion kings may dictate the shape of a life and appearances have taken on the functions of one's very soul. Hail the freedom of the "liberated woman," unhinged from the trusting partnership: free to face man-the-enemy, rape, spouse abuse, abandonment, free to starve herself in the mating game - Starve in the rat race. Her hard-won rights; her pyrrhic victory.

Now imagine a world where women are the corer of men and men, their garment and covering. Imagine a world where merit and strength of character replace the transient, the doomed race after fading beauty; where the good become beautiful and the beautiful, good. The Prophet once said, "God does not judge according to your bodies and appearances but scans your hearts and looks into your deeds." "And on of [Allah's] signs is that He created mates you from yourselves, that you may find rest them, and between you He put love and compassion." (Surah 30:21)

Imagine this world where companionship , this sheltering cloak for man and for woman. Imagine such a world, and you can enter it. This is the world of Islam.

http://www.geocities.com/fares457/1.html

Contact me at
islamq_a@...

To Request Free Islamic Books & Resources:
imanwayibaw@...

Towards a better understanding of Islam
ImanWay Formus is your Way....Join Now...

http://en.imanway.com/index.php

756. Re: [kw-radio] Women

Yahoo group: kenwoodradio
Date: 2004-04-25 05:21:29 UTC
From: Rusty Caufield
Topic: 756 Message: 756

Here we go again!

----- Original Message -----
From: "greg" <greg78@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Sunday, April 25, 2004 12:15 AM
Subject: [kw-radio] Women

> Women in Islam
> Sexual Politics
> Imagine this scenario, for it is real: two antagonists locked in a grim power struggle. And another: two or more other competitors, rivals in a race for high stakes, a race to determine the course of their entire life. At race's end, the prizes for winning include compliments, telling glances, and First Prize, a wedding ring. Unwanted "prizes" along the way may include physical assault, countless violations of body and soul. The protagonists of these scenarios are all around us; they are modern man and modern woman, and woman vs. woman. From time immemorial, against this harsh horizon of human relations, the "battle of the sexes" has raged. But never has "Sexual Politics been so virulent as today. Feminism becomes polarization along gender barriers. To offset increased competition for a mate, extreme nudity splashes itself unchecked. Fear and suspicion on both sides lurk; commitments are tepid, or all too fragile.
> Sexual Balance

<SNIP>.....

757. spammer banned

Yahoo group: kenwoodradio
Date: 2004-04-25 15:28:24 UTC
From: Fred Decker
Topic: 757 Message: 757

The political/religous spammer has been banned and the group now again requires moderator approval to join.

Fred
N4IXL

758. Re: [kw-radio] spammer banned

Yahoo group: kenwoodradio
Date: 2004-04-25 16:12:20 UTC
From: OZ1EQC
Topic: 757 Message: 758

Fred Decker skrev:

> The political/religous spammer has been banned and the group now again
> requires moderator approval to join.
>
> Fred
> N4IXL
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
>
> ---
> *Yahoo! Groups Links*
>
> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/kenwoodradio/
>
> * To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@yahoogroups.com
> <mailto:kenwoodradio-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service <http://docs.yahoo.com/info/terms/>.
>
>
Tnx Fred

73 Per OZ1EQC

759. Re: [kw-radio] spammer banned

Yahoo group: kenwoodradio
Date: 2004-04-25 18:17:41 UTC
From: Jim Panos
Topic: 757 Message: 759

Thanks
----- Original Message -----
From: "Fred Decker" <fdecker@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Sunday, April 25, 2004 10:28 AM
Subject: [kw-radio] spammer banned

> The political/religous spammer has been banned and the group now again
> requires moderator approval to join.
>
> Fred
> N4IXL
>
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
> Yahoo! Groups Links
>
>
>
>
>

760. Re: [kw-radio] spammer banned

Yahoo group: kenwoodradio
Date: 2004-04-26 00:18:42 UTC
From: Robert Ower
Topic: 757 Message: 760

At 08:28 AM 4/25/2004, you wrote:
>The political/religous spammer has been banned and the group now again
>requires moderator approval to join.

Thanks.

Bob Ower
Prescott, AZ
All outgoing email virus-checked by Norton Anti-Virus.

Leather Craftsman
dba The Leather Horseshoe
http://owerr.tripod.com
Member: International Internet Leathercrafters Guild
http://iilg.org

Amateur Radio Operator: WA7YUL (Advanced class license)
Life Member: ARRL
http://www.arrl.org
Member: Yavapai Amateur Radio Club
http://www.w7yrc.org
Lat: 34 35 58
Lon: -112 27 43
Grid Square: DM34so

Arizona real estate broker
Associate Broker with Professional Education Services, Inc., Sedona, Arizona

---

[Non-text portions of this message have been removed]

761. Re: [kw-radio] spammer banned

Yahoo group: kenwoodradio
Date: 2004-04-27 02:27:56 UTC
From: Sarge
Topic: 757 Message: 761

Thank you very much, Fred!

> The political/religous spammer has been banned and the group now again
> requires moderator approval to join.
>
> Fred
> N4IXL

762. Spammers

Yahoo group: kenwoodradio
Date: 2004-04-27 09:28:22 UTC
From: Rick
Topic: 762 Message: 762

Why does everyone in every group respond to the spammer being removed? It causes more messages that if the person was just ignored. To the moderators of all groups, just ban them and go on your marry old way. No need to report that you are doing a good job housekeeping the list. We will know in the long run.

Cheers,

Rick
KC9DBD

Proud owner of the following:
TMV7a
THD7a (g)
TMD700

763. Re: [kw-radio] Spammers

Yahoo group: kenwoodradio
Date: 2004-04-27 10:59:55 UTC
From: Brian Carling
Topic: 762 Message: 763

<SOAPBOX>
Then why is THIS response in the group too?

You are just adding to the annoying din of off-topic garbage
(as I am doing too.) I wish everyone would just ignore it or
do the right thing and e-mail the moderator OFF the list
if they have something to say about it!

</SOAPBOX>

Obligatory on-topic remark:
The TS820s repair is coming along well.

On 27 Apr 2004 at 9:28, Rick wrote:

> Why does everyone in every group respond to the spammer being
> removed? It causes more messages that if the person was just
> ignored. To the moderators of all groups, just ban them and go on
> your marry old way. No need to report that you are doing a good job
> housekeeping the list. We will know in the long run.
>
> Cheers,
>
> Rick
> KC9DBD
>
> Proud owner of the following:
> TMV7a
> THD7a (g)
> TMD700
>
>
>
>
> ---------- Yahoo! Groups Sponsor
> ----------~--> Buy Ink Cartridges or Refill Kits for your
> HP, Epson, Canon or Lexmark Printer at MyInks.com. Free s/h on orders
> $50 or more to the US & Canada.
> http://www.c1tracking.com/l.asp?cid=5511
> http://us.click.yahoo.com/mOAaAA/3exGAA/qnsNAA/ELTolB/TM
> ---~
> ->
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>

> Yahoo! Groups Links
>
>
>
>
>

764. What is latest Firmware for TK-790

Yahoo group: kenwoodradio
Date: 2004-04-29 00:53:04 UTC
From: RadioGuy205@aol.com
Topic: 764 Message: 764

When the checksum is displayed it indicates version: 39EE. Is this the newest version or is BEA9 the newest version. Thanks in advance!!

Frederic C.

[Non-text portions of this message have been removed]

765. Any Gotchas?

Yahoo group: kenwoodradio
Date: 2004-04-29 23:02:12 UTC
From: w0spy
Topic: 765 Message: 765

I have had TS-520 and the 599 Twins for several years. Have been looking at some of the rigs with digital readout on EBay. Does anyone know of any problems or gotchas with the following Kenwood rigs?
TS-130S
TS-430S
TS-530 SP
TS-690S with Tuner
TS-830
TS-830S

Thanks
Don

766. Re: [kw-radio] Any Gotchas?

Yahoo group: kenwoodradio
Date: 2004-04-29 23:54:18 UTC
From: doc kd4e
Topic: 765 Message: 766

w0spy wrote:
> I have had TS-520 and the 599 Twins for several years. Have been
> looking at some of the rigs with digital readout on EBay. Does anyone
> know of any problems or gotchas with the following Kenwood rigs?
> TS-130S
> TS-430S
> TS-530 SP
> TS-690S with Tuner
> TS-830
> TS-830S
>
> Thanks
> Don

I have owned the 430S, 690SAT, and 830S. My favorite
by far was the 690SAT.

The 690SAT includes 6M and the tuner but is otherwise
the same as the 450S.

The only gotcha for any of them is the question of
parts and service. I am unaware of any problems
there yet, you may wish to ask Clif at AAVID.

The 830S is a favorite for its exceptional receive
section (sensitive and quiet), a friend uses them
as IF's for VHF/UHF/SHF contesting.

I believe that the 690SAT is the only 100% solid
state rig in the collection.

IMHO, YMMV, etc.

--
73, doc kd4e
West Central Florida

767. Re: [kw-radio] Any Gotchas?

Yahoo group: kenwoodradio
Date: 2004-04-30 06:04:41 UTC
From: Martin
Topic: 765 Message: 767

hi. the 130, and 430 are solid state too. i like my 430 vert much.

doc kd4e wrote:
>
> w0spy wrote:
> > I have had TS-520 and the 599 Twins for several years. Have been
> > looking at some of the rigs with digital readout on EBay. Does anyone
> > know of any problems or gotchas with the following Kenwood rigs?
> > TS-130S
> > TS-430S
> > TS-530 SP
> > TS-690S with Tuner
> > TS-830
> > TS-830S
> >
> > Thanks
> > Don
>
> I have owned the 430S, 690SAT, and 830S. My favorite
> by far was the 690SAT.
>
> The 690SAT includes 6M and the tuner but is otherwise
> the same as the 450S.
>
> The only gotcha for any of them is the question of
> parts and service. I am unaware of any problems
> there yet, you may wish to ask Clif at AAVID.
>
> The 830S is a favorite for its exceptional receive
> section (sensitive and quiet), a friend uses them
> as IF's for VHF/UHF/SHF contesting.
>
> I believe that the 690SAT is the only 100% solid
> state rig in the collection.
>
> IMHO, YMMV, etc.
>
> --
> 73, doc kd4e
> West Central Florida
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
> Yahoo! Groups Links

>
>
>
>

--
Cul8r

Martin Campbell kb?hae1@... KB?HAE

Want to help stop Spam? (also known as UNSOLICITED COMMERCIAL E-MAIL)
Support the Anti-Spam Amendment. Join at http://www.cauce.org/

768. Re: [kw-radio] Any Gotchas?

Yahoo group: kenwoodradio
Date: 2004-04-30 11:33:59 UTC
From: doc kd4e
Topic: 765 Message: 768

Martin wrote:
> hi. the 130, and 430 are solid state too. i like my 430 vert much.

My memory is fading ....

The 430S is getting a bit long in the tooth. Any
rumblings about losing access to specific components
should repairs be required? That may impact his
decision.

--
73, doc kd4e
West Central Florida

769. Amateur Radio Pickup Truck Yahoo group

Yahoo group: kenwoodradio
Date: 2004-05-04 18:28:09 UTC
From: J. Rausch
Topic: 769 Message: 769

Hi, just wanted to let youins know I have a new group for anyone who is a pickup truck ham and has amateur radio equipment installed in it. You don't have to have somthing yet, even if you're just thinking about it, need ideas or need that extra little push to do it :o)

Join up at:

http://groups.yahoo.com/group/amateurradiopickuptrucks/

Thanks,
Jason KE4NYV (PICPAC Group Owner)
www.ke4nyv.com
RPC Electronics
www.ke4nyv.com/rpc

770. WTB the Equiv in a TK-240 in UHF

Yahoo group: kenwoodradio
Date: 2004-05-06 12:29:45 UTC
From: Dakota Summerhawk
Topic: 770 Message: 770

Would like to have the radio in question. Just need the radio and anttenna. Can do without the charger or battery as I have them for my TK-240 email me with prices please.
Thanks
Dakota

771. For Sale: New PS-40 Power Supply

Yahoo group: kenwoodradio
Date: 2004-05-21 15:22:21 UTC
From: Joe N9VX
Topic: 771 Message: 771

Kenwood PS-40 power supply, new in box, unused. Will also work on 230 volts. $115 shipped in CONUS.
Thanks, Joe N9VX joe_word@...

772. Kenwood & Yaesu Repair Service

Yahoo group: kenwoodradio
Date: 2004-05-22 14:34:21 UTC
From: John
Topic: 772 Message: 772

Hi All

Professional repairs/restoration specializing on the Kenwood TS-940, TS-930 radios. Complete rebuilds from top to bottom, PLL and Power Supply repairs , Replacement RF Drivers. I have over 6 + years experience with these radios. I can make your 940 / 930 trouble free and perform as new again !! Parts in stock.

Repairs on TS-440 with PLL problems

Kenwood TS-870, TS-850, TS-830, TS-450, TS-430, TS-140, TS-820, TS-520

Yaesu FT-1000D, FT-1000MP, FT-102, FT-990, FT-890, FT-840 FT-767, FT-757,

FT-1000MP key click mods

Completely satisfied customers and long list of references.....Very reasonable rates, fast turn around time. I also do modifications for SSB audio and filters

73 John, KI4NR

LPC Wireless
lpcwireless@...
Phone 386-774-9921

774. W32.Bagle Virus / Worm

Yahoo group: kenwoodradio
Date: 2004-05-25 04:01:48 UTC
From: Rusty Caufield
Topic: 774 Message: 774

Sorry for the cross post, just a quick word.

Can everyone please check your virus software to make sure it is up to date. Also check your computers for the different strains of the W32.Bagle or W32.Beagle virus using the removal tools that are available out there on the net.

I have been receiving numerous emails from someone or someone's that have been infected by it. I know because the email I use is used only for the Yahoo List's I belong too.

Thanks!

Rusty Caufield, Cypress Texas
List Owner:
Kenwood2Way
Kenwood-TK-30-90-Series-Mobiles

775. FS: Parts, Accessories, Test Gear

Yahoo group: kenwoodradio
Date: 2004-05-25 12:29:33 UTC
From: Brian Carling
Topic: 775 Message: 775

FOR SALE:

Heathkit Mobile Bracket
Made for HF rigs like the HW-101, HW-22, HW-32, etc.
Available for $15.00 plus shipping.

(PICTURES SEE BELOW)

Heathkit V-7A VTVM
Complete and in good condition. Untested.
Has no probes, but otherwise is complete and ready to use.
Available for $15.00 plus shipping.

Heathkit AA-18 Audio amplifier.
Unit is in very good condition.
Available for $35.00 plus shipping.

Turner 350 Ceramic Hi-Impedance Microphone.
HEATHKIT used these on the HW and SB series rigs.
Wih data sheet.
Available for $35.00 plus shipping.

Kenwood WO-9 Charger
Intended for use with handie-talkies.
Available for $5.00 plus shipping.

Torotel Low Pass Filter - Audio 400 cps.
Z-in and Z-out is 10,000 ohms.
QTY 1 only, available for $12.00 plus shipping

UTC BTI-60 Bandpass Filter
FR6RX22YYI = Passband Fc +/- 3%
Stop Bands = 2 X Fc and higher
Fc/2 and lower.
QTY 1 only, available for $12.00 plus shipping

Crystal i.f. Filters
Ideal for homebrew SSB and CW applications.
2.35 kHz bandwidth Center frequency is 1.4 MHz
Made for Racal and Redifon in the U.K.
Price reduced to $30.00 for the pair!

MARS SWR Meter. Switchable 52 ohms and 75 ohms
Uses standard SO-239 connectors.
Reduced to $15.00 plus shipping

Pictures & details at:
http://www.af4k.com/miscpart.htm

776. Kenwood TS-940 & TS-930 Repair Service

Yahoo group: kenwoodradio
Date: 2004-06-03 22:27:34 UTC
From: John
Topic: 776 Message: 776

Hi all

Professional Repairs/Restoration specializing on the Kenwood TS-940, TS-930 radios. Complete rebuilds from top to bottom, PLL and Power Supply repairs & updates, Replacement RF Drivers. Performance upgrades. I have over 6 + years experience with these radios. I can make your 940 / 930 trouble free and perform as new again !! Extra hard to get parts in stock

Repairs on TS-440 with PLL problems

Kenwood TS-870, TS-850, TS-830, TS-450, TS-430, TS-140, TS-820, TS-520

Yaesu FT-1000D, FT-1000MP, FT-102, FT-990, FT-890, FT-840 FT-767, FT-757,

FT-1000MP key click mods

Completely satisfied customers and long list of references.....Very reasonable rates, personal service with fast turn around time. I also do modifications for SSB audio and filters

73 John, KI4NR

LPC Wireless
lpcwireless@...
Phone 386-774-9921

778. FS: TS-820S HF Transceiver

Yahoo group: kenwoodradio
Date: 2004-06-08 21:46:33 UTC
From: Brian Carling
Topic: 778 Message: 778

FOR SALE:

Kenwood TS-820S HF transceiver with the original manual and AC power cord. A real beauty - It's hard to tell from a new one. The digital dial works great. Of course the knobs are all original. If anyone is seriously interested in buying this rig, e-mail me and I will send you some pictures and we can talk aabout a selling price or a trade.

73s - AF4K, Brian

779. FS: VOMAX SPEECH PROCESSOR

Yahoo group: kenwoodradio
Date: 2004-06-09 01:07:20 UTC
From: Brian Carling
Topic: 779 Message: 779

FOR SALE:
VOMAX RF Speech Processor - by Maximilian Associates.
A much-coveted outboard device that will give any transmitter
far greater transmitted talk power. Unit is in excellent shape.
Front panel has a 1/4" jack (3 circuit) for Mic/PTT.
There is also a GAIN control, IN/OUT switch and two LEDs
to show POWER and Transmit.
Connections on rear are marked for PTT, mic out etc.
Needs power supply and comes with the 6 pin Jones plug
for cabling connections.
Available for $59.00 plus shipping

Picture and details at:
http://www.af4k.com/miscpart.htm

780. FS: TS-820 HF Transceiver

Yahoo group: kenwoodradio
Date: 2004-06-09 11:01:17 UTC
From: Brian Carling
Topic: 780 Message: 780

FOR SALE:
Kenwood TS-820S HF transceiver with the original manual
and AC power cord. A real beauty - It's hard to tell from a
new one. The digital dial works great. Of course the knobs are all original. Front
panel is immaculate.
Covers 160m thru 10m bands on USB, LSB, FSK and CW.
Many extra features: Compressor, VOX, noise blanker,
I.F. shift, fixed crystal channels, noise blanker, signal monitor etc.
AGC OFF, FAST, SLOW. Great for CW. Analog metering of
five functions. The receiver sensitivity is .25 uV which puts it equal to many radios
of today, and there is no digital noise to contend with. Complete with a hand mic
(non-kw) and the manual.

Available for $350.00 plus shipping

73s - AF4K, Brian

Picture and details at:
http://www.af4k.com/radios.htm

781. 950SDX Commad Set

Yahoo group: kenwoodradio
Date: 2004-06-12 02:48:34 UTC
From: Steve
Topic: 781 Message: 781

Hello,
I have a Kenwood 950sdx and I would like to know the command set for serial control. Does anyone know where I can find this? I would settle for an opensource control program that is compatible with the 950. I can dig the commands out of there.

Thanks,
Steve N3PU

782. VS-1 Question

Yahoo group: kenwoodradio
Date: 2004-06-17 00:55:46 UTC
From: Harry
Topic: 782 Message: 782

Will the VS-1 work with the TR-751? Has anyone heard of
the Kenwood XC310 Voice synthesizer ?
TIA
Harry

783. Can a kenwood commercial mic work on a kenwood amateur radio?

Yahoo group: kenwoodradio
Date: 2004-06-22 18:27:50 UTC
From: Evan Platt
Topic: 783 Message: 783

My mike broke for my Kenwood TMG-707 ham radio. A replacement mike is about $20 on ebay, as well as is a commercial palm mike. I much prefer the look of the commercial hand mike - I don't need all the buttons or functions.

Does anyone know if the commercial 8 pin modular mike will work on an amateur radio? Kenwood didn't have an answer either way...

Thanks.

Evan

784. Re: [kw-radio] Can a kenwood commercial mic work on a kenwood amateur radio?

Yahoo group: kenwoodradio
Date: 2004-06-23 03:40:21 UTC
From: Rusty Caufield
Topic: 784 Message: 784

The pin outs are different I believe.

- Rusty
----- Original Message -----
From: "Evan Platt" <evanyahoo@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Tuesday, June 22, 2004 1:27 PM
Subject: [kw-radio] Can a kenwood commercial mic work on a kenwood amateur radio?

> My mike broke for my Kenwood TMG-707 ham radio. A replacement mike is about
> $20 on ebay, as well as is a commercial palm mike. I much prefer the look
> of the commercial hand mike - I don't need all the buttons or functions.
>
> Does anyone know if the commercial 8 pin modular mike will work on an
> amateur radio? Kenwood didn't have an answer either way...
>
> Thanks.
>
> Evan
>
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
> Yahoo! Groups Links
>
>
>
>
>

785. WTB: Kenwood modular mic cable

Yahoo group: kenwoodradio
Date: 2004-06-25 16:02:27 UTC
From: Evan Platt
Topic: 785 Message: 785

I have a Kenwood commercial hand mike, I just need the modular cable.....

Close to California (for quicker shipping) preferred. :)

Thanks.

Evan

786. Re: [kw-radio] WTB: Kenwood modular mic cable

Yahoo group: kenwoodradio
Date: 2004-06-25 22:24:58 UTC
From: Rusty Caufield
Topic: 786 Message: 786

East Coast Transistor: (800) 637-0388
Web site: www.kenwoodparts.com

Pacific Coast Parts: (800) 262-1312
Web site: www.pacparts.com

----- Original Message -----
From: "Evan Platt" <evanyahoo@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Friday, June 25, 2004 11:02 AM
Subject: [kw-radio] WTB: Kenwood modular mic cable

> I have a Kenwood commercial hand mike, I just need the modular cable.....
>
> Close to California (for quicker shipping) preferred. :)
>
> Thanks.
>
> Evan
>
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
> Yahoo! Groups Links
>
>
>
>
>

787. kenwood TS-180S with P/S and Kenwood Desk microphone

Yahoo group: kenwoodradio
Date: 2004-06-26 18:21:09 UTC
From: Bill
Topic: 787 Message: 787

Have a nice kenwood model ts-180s transceiver with the kenwood model ps-30 power supply and the kenwood model mc-50 desk microphone, this is 10 throught 160 meters and has a ssb filter and a cw filter installed, i was told. It comes with all manuals on every thing, and looks and works very nice. $350.00 plus shipping costs, also i have a nice kenwood model sm-220 scope this is very nice and works excllent for $200.00 plus shipping costs, and a kenwood model 180vfo for $175.00 plus shipping costs, can send pictures of these if interested, also have a nice tentec scout 555 hf mobile, with the 20,40,10 meter modules selling for $350.00 plus shipping costs. please e mail me at wc8i@... thanks, Bill

788. Re: [kw-radio] kenwood TS-180S with P/S and Kenwood Desk microphone

Yahoo group: kenwoodradio
Date: 2004-06-28 21:14:38 UTC
From: dr7zyq
Topic: 788 Message: 788

I would like to see pictures of the TS-180S.

Thanks,

David, WA7ZYQ
----- Original Message -----
From: Bill
To: kenwoodradio@yahoogroups.com
Sent: Saturday, June 26, 2004 11:21 AM
Subject: [kw-radio] kenwood TS-180S with P/S and Kenwood Desk microphone

Have a nice kenwood model ts-180s transceiver with the kenwood model ps-30 power supply and the kenwood model mc-50 desk microphone, this is 10 throught 160 meters and has a ssb filter and a cw filter installed, i was told. It comes with all manuals on every thing, and looks and works very nice. $350.00 plus shipping costs, also i have a nice kenwood model sm-220 scope this is very nice and works excllent for $200.00 plus shipping costs, and a kenwood model 180vfo for $175.00 plus shipping costs, can send pictures of these if interested, also have a nice tentec scout 555 hf mobile, with the 20,40,10 meter modules selling for $350.00 plus shipping costs. please e mail me at wc8i@... thanks, Bill

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

789. Re: [kw-radio] kenwood TS-180S with P/S and Kenwood Desk microphone

Yahoo group: kenwoodradio
Date: 2004-06-29 16:40:56 UTC
From: Martin
Topic: 788 Message: 789

Hi David. There is a picture here

http://www.rigpix.com/kenwood/ts180s.htm

TTYL

dr7zyq wrote:

>I would like to see pictures of the TS-180S.
>
>Thanks,
>
>David, WA7ZYQ
> ----- Original Message -----
> From: Bill
> To: kenwoodradio@yahoogroups.com
> Sent: Saturday, June 26, 2004 11:21 AM
> Subject: [kw-radio] kenwood TS-180S with P/S and Kenwood Desk microphone
>
>
> Have a nice kenwood model ts-180s transceiver with the kenwood model
> ps-30 power supply and the kenwood model mc-50 desk microphone, this
> is 10 throught 160 meters and has a ssb filter and a cw filter
> installed, i was told. It comes with all manuals on every thing, and
> looks and works very nice. $350.00 plus shipping costs, also i have a
> nice kenwood model sm-220 scope this is very nice and works excllent
> for $200.00 plus shipping costs, and a kenwood model 180vfo for
> $175.00 plus shipping costs, can send pictures of these if
> interested, also have a nice tentec scout 555 hf mobile, with the
> 20,40,10 meter modules selling for $350.00 plus shipping costs.
> please e mail me at wc8i@... thanks, Bill
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
>

>----------
> Yahoo! Groups Links
>
> a.. To visit your group on the web, go to:
> http://groups.yahoo.com/group/kenwoodradio/
>
> b.. To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.
>
>
>
>[Non-text portions of this message have been removed]
>
>
>
>
>For polls, files, and other info visit:
>http://www.egroups.com/group/kenwoodradio
>
>Yahoo! Groups Links
>
>
>
>
>
>
>
>

--
Cul8r

Martin Campbell kb?hae@... KB?HAE

Want to help stop Spam? (also known as UNSOLICITED COMMERCIAL E-MAIL)
Support the Anti-Spam Amendment. Join at http://www.cauce.org/

790. Vfo 820 -external

Yahoo group: kenwoodradio
Date: 2004-06-29 18:40:36 UTC
From: David A. Echols
Topic: 790 Message: 790

Hello,Everyone! I have a Kenwood TS-820S,and am trying to gather al the accessories for it.This was my first radio.I have had it for almost 10 yrs.It had the factory origina installed tubes.I've never run ,more than 60 ma,on this rig.Has been a really good one ,for a Boatanchor!NO major problems,It probly could use a compleat alignment.But here in Edgewater,FLA. There is no one to work on it.Was concidering sending it to HRO,they tell they have a 2 week turn around.What do you all think? Or is there any one else?(NO AES)I have had bad dealings with them in Orlando....Any help is deaply appreciated...73's to all.....David

791. Tm733 problems..

Yahoo group: kenwoodradio
Date: 2004-07-03 17:27:11 UTC
From: ddpipes
Topic: 791 Message: 791

I think I have lost my 8 volts coming out to the microphone. The mike does not work in the circuit and a new same type mike does not work. However, I can short the PTT and grd manually and it works. i know the mike needs 8 volts to function any ideas what I have done or what has happened to the rig??
thanks

792. FS: Several Handy Ham Shack Accessories

Yahoo group: kenwoodradio
Date: 2004-07-06 17:36:16 UTC
From: Brian Carling
Topic: 792 Message: 792

FOR SALE:

Heath HM-102 HF SWR meter $39.00
Heath HM-2102 VHF SWR meter $39.00
VJ Products 144 MHz Preamp for Xcvr $16.00
SIGNAL ONE PTO $15.00
MFJ-900 Antenna Tuner $36.00
Clipper Heavy Duty Foot Switch $15.00
KNIGHT Impedance Bridge $29.00
Katsumi Microphone Compressor $45.00
DYNACO PAS and PAS-3 PRE-AMP BOARDS $25-35 each
Kenwood WO-9 Charger $5.00
Low Pass Filter - Audio 400 Hz $12.00
Radio Shack 12V DC power supply $12.00
Bliley Crystal Oven $15.00
Braided nylon wire lacing cord 250 yards $9.00

Pictures and details at:
http://www.af4k.com/miscpart.htm
Shipping additional

793. Power output adjust, TK-730 w/o watt meter?

Yahoo group: kenwoodradio
Date: 2004-07-18 22:43:11 UTC
From: RadioGuy205@aol.com
Topic: 793 Message: 793

Hello all, trying to turn down a 45 watt Kenwood TK-730(G) from 45 watts to 35 do drive a 100 watt PA that I have. I know it would be best if I had a watt meter, but I do not have access to one. Can anyone specify which resistor or bot to tweak and about how much? Thanks in advance!!

Frederic C.

[Non-text portions of this message have been removed]

794. re:kenwood tm732a

Yahoo group: kenwoodradio
Date: 2004-07-20 23:28:06 UTC
From: Wayne VK4TWD
Topic: 794 Message: 794

Hi all,
just new to the group.i have a tm732a kenwood dual bander.i am chasing a manual ans schematics as well for it.as the manual i recieved with the radio is in german or something like that.also i am having a problem with it sometimes i can have the radio in memory on 146.700 2 metres and 438.525 on 70 cms .and all of a sudden my 2 metre memory will read 438.025 with 70 cms staying the same.

cheers and thanks 73's wayne vk4twd

795. Re: [kw-radio] re:kenwood tm732a

Yahoo group: kenwoodradio
Date: 2004-07-21 01:17:22 UTC
From: Sarge
Topic: 795 Message: 795

You seriously need to check into http://www.mods.dk

> Hi all,
> just new to the group.i have a tm732a kenwood dual bander.i am chasing a
> manual ans schematics as well for it.as the manual i recieved with the
radio
> is in german or something like that.also i am having a problem with it
> sometimes i can have the radio in memory on 146.700 2 metres and 438.525
on
> 70 cms .and all of a sudden my 2 metre memory will read 438.025 with 70
cms
> staying the same.
>
> cheers and thanks 73's wayne vk4twd
>
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
> Yahoo! Groups Links
>
>
>
>
>
>

796. FS: LOW-PRICED HAM ACCESSORIES

Yahoo group: kenwoodradio
Date: 2004-07-21 02:08:58 UTC
From: Brian Carling
Topic: 796 Message: 796

FOR SALE - SOME REDUCED!

TELEX PRO COMMUNICATIONS HEADSET $49.00

WATERS 'Protax' 376 Rotary Antenna Switch (5 posn.) $22.00

Swan 22B Switchover Accessory $32.00

V.J. Products 144 MHz Preamp REDUCED to $16.00

KNIGHT Antenna Impedance Bridge REDUCED to $25.00

Kenwood WO-9 Charger REDUCED to $4.00 !!

DYNACO PRE-AMPS - TUBE TYPE REDUCED to $19.00 each.

Radio Shack 12V DC 2.5A power supply $12.00

Flexible shaft coupling - 8" long $4.00 each.

Make your own coils - 1" X 1/4" - $1.25 each

Pictures and details at:

http://www.af4k.com/miscpart.htm

797. FREE

Yahoo group: kenwoodradio
Date: 2004-07-21 02:35:02 UTC
From: Scott Millick
Topic: 797 Message: 797

I have a TM721A manual that I am going to pitch unless someone needs it

Scott K9SM
'God please save us from the Good People'

If you don't understand this you're part of the problem.

Remember other sayings

'You can't fix stupid'

'If you don't your know history you are doomed to repeat it'

798. Re: [kw-radio] FS: LOW-PRICED HAM ACCESSORIES

Yahoo group: kenwoodradio
Date: 2004-07-21 02:41:33 UTC
From: Evan Platt
Topic: 796 Message: 798

At 07:08 PM 7/20/2004, you wrote:
>FOR SALE - SOME REDUCED!
>
>TELEX PRO COMMUNICATIONS HEADSET $49.00
>
>WATERS 'Protax' 376 Rotary Antenna Switch (5 posn.) $22.00
>
>Swan 22B Switchover Accessory $32.00

<SNIP>

And this has WHAT to do with Kenwood??

799. th-f6

Yahoo group: kenwoodradio
Date: 2004-07-21 14:50:56 UTC
From: rbhimn
Topic: 799 Message: 799

I need help figuring out if the f6 can scan just a single group or just what is the group scan thing. I cannot get the group/linking thing figured out or maybe I have hardware trouble. Any help would be appreciated.

rbhtxk@...
KC5IMN

800. RE: [kw-radio] Digest Number 456

Yahoo group: kenwoodradio
Date: 2004-07-21 16:15:57 UTC
From: Dennis
Topic: 800 Message: 800

I have a 732 manual I can copy if you cant find one. Let me know

73 Dennis

801. WTB: UT-28 Module

Yahoo group: kenwoodradio
Date: 2004-07-21 16:18:04 UTC
From: Dennis
Topic: 801 Message: 801

Loking to buy a 10 meter module for the TM-731 series of tribanders

wa1hog@...

802. Re: [kw-radio] re:kenwood tm732a

Yahoo group: kenwoodradio
Date: 2004-07-22 01:00:37 UTC
From: tuscola
Topic: 795 Message: 802

Hi Wayne.
I have the schematic for the 732a/e.
If you still need it, let me know and I will get a copy of it made at one of the Office Supplys when I get into the city and send it out to you, ah heck if you have means of copying a rather large sheet you can do it and then just send the schematic back to me after you are done..
Also will try and locate the Manual for it, not sure where it is at, but will give a good look-see for it, be patient things are hectic at qth and I work long hours, in any event will let you know if I locate it.
73 jim heath/w8ngo

----- Original Message -----
From: "Wayne VK4TWD" <vk4twdbris@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Tuesday, July 20, 2004 7:28 PM
Subject: [kw-radio] re:kenwood tm732a

Hi all,
just new to the group.i have a tm732a kenwood dual bander.i am chasing a manual ans schematics as well for it.as the manual i recieved with the radio is in german or something like that.also i am having a problem with it sometimes i can have the radio in memory on 146.700 2 metres and 438.525 on 70 cms .and all of a sudden my 2 metre memory will read 438.025 with 70 cms staying the same.

cheers and thanks 73's wayne vk4twd

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Links

803. Re: [kw-radio] re:kenwood tm732a

Yahoo group: kenwoodradio
Date: 2004-07-22 01:05:29 UTC
From: Wayne
Topic: 795 Message: 803

Hi Jim ,
thanks for that would like that very much

wayne vk4twd
----- Original Message -----
From: tuscola
To: kenwoodradio@yahoogroups.com
Sent: Thursday, July 22, 2004 11:00 AM
Subject: Re: [kw-radio] re:kenwood tm732a

Hi Wayne.
I have the schematic for the 732a/e.
If you still need it, let me know and I will get a copy of it made at one of the Office Supplys when I get into the city and send it out to you, ah heck if you have means of copying a rather large sheet you can do it and then just send the schematic back to me after you are done..
Also will try and locate the Manual for it, not sure where it is at, but will give a good look-see for it, be patient things are hectic at qth and I work long hours, in any event will let you know if I locate it.
73 jim heath/w8ngo

----- Original Message -----
From: "Wayne VK4TWD" <vk4twdbris@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Tuesday, July 20, 2004 7:28 PM
Subject: [kw-radio] re:kenwood tm732a

Hi all,
just new to the group.i have a tm732a kenwood dual bander.i am chasing a manual ans schematics as well for it.as the manual i recieved with the radio is in german or something like that.also i am having a problem with it sometimes i can have the radio in memory on 146.700 2 metres and 438.525 on 70 cms .and all of a sudden my 2 metre memory will read 438.025 with 70 cms staying the same.

cheers and thanks 73's wayne vk4twd

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Links

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

804. Re: [kw-radio] Digest Number 456

Yahoo group: kenwoodradio
Date: 2004-07-22 01:08:19 UTC
From: Wayne
Topic: 800 Message: 804

thanks dennis will let you know

wayne vk4twd
----- Original Message -----
From: Dennis
To: kenwoodradio@yahoogroups.com
Sent: Thursday, July 22, 2004 2:15 AM
Subject: RE: [kw-radio] Digest Number 456

I have a 732 manual I can copy if you cant find one. Let me know

73 Dennis

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

805. Misc Kenwood items FS

Yahoo group: kenwoodradio
Date: 2004-07-24 21:17:58 UTC
From: Ken Simpson, W8EK
Topic: 805 Message: 805

Misc Kenwood items For Sale:

Kenwood TSU-6 (also known as KQT-8) subaudible tone (PL) unit.
(Fits many Kenwood units such as TM-231, TM-241, etc.) $30

Service manual for TR-2600 $10

Kenwood SC-6 protective case.
Fits the TH-21 /31 /41 series of HTs.
This will protect the HT in great shape. $ 10

Kenwood BH-2 belt clip for the TH-21 / 31 / 41. $ 5

Antenna adapter to fit the connector on the TH -
21 / 31 / 41, and adapt it to standard PL-259
antenna connector. $ 3

Antenna adapter as above, but goes to
BNC connector. $ 3

Kenwood EP-1 ear phone
Used on almost all Kenwood HTs. Like new. $4

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-Mail to KenW8EK@... or W8EK@...
Voice Phone (352) 732-8400

806. Re: [kw-radio] re:kenwood tm732a

Yahoo group: kenwoodradio
Date: 2004-07-24 22:59:35 UTC
From: tuscola
Topic: 795 Message: 806

Hi Wayne, can not even find the schematic now on the 732, I am so sorry
73 jim
----- Original Message -----
From: "Wayne" <vk4twdbris@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Wednesday, July 21, 2004 9:05 PM
Subject: Re: [kw-radio] re:kenwood tm732a

Hi Jim ,
thanks for that would like that very much

wayne vk4twd
----- Original Message -----
From: tuscola
To: kenwoodradio@yahoogroups.com
Sent: Thursday, July 22, 2004 11:00 AM
Subject: Re: [kw-radio] re:kenwood tm732a

Hi Wayne.
I have the schematic for the 732a/e.
If you still need it, let me know and I will get a copy of it made at one
of
the Office Supplys when I get into the city and send it out to you, ah
heck
if you have means of copying a rather large sheet you can do it and then
just send the schematic back to me after you are done..
Also will try and locate the Manual for it, not sure where it is at, but
will give a good look-see for it, be patient things are hectic at qth and
I
work long hours, in any event will let you know if I locate it.
73 jim heath/w8ngo

----- Original Message -----
From: "Wayne VK4TWD" <vk4twdbris@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Tuesday, July 20, 2004 7:28 PM
Subject: [kw-radio] re:kenwood tm732a

Hi all,
just new to the group.i have a tm732a kenwood dual bander.i am chasing a
manual ans schematics as well for it.as the manual i recieved with the
radio
is in german or something like that.also i am having a problem with it
sometimes i can have the radio in memory on 146.700 2 metres and 438.525
on
70 cms .and all of a sudden my 2 metre memory will read 438.025 with 70

cms
staying the same.

cheers and thanks 73's wayne vk4twd

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Links

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Links

807. TM241A Mike gain INFO.

Yahoo group: kenwoodradio
Date: 2004-07-28 01:03:10 UTC
From: tuscola
Topic: 807 Message: 807

HI, hope that someone can help me.
I have a ham buddy that has a very soft spoken voice and
to hear him I have to crank my audio gain all the way up. I have swapped
known good mikes with no improvement, plenty of audio when I get on the rig,
so I would like to increase the mike gain in his TM 241A 2 meter rig for
him.
I have no schematic or owners manual for this rig to identify the mike gain
pot.
I popped the covers off and see only 4 pots and what looks like a trim cap
next to a crystal in the middle of the top side board.
The numbers by the pots are; VR1, VR4, VR5, VR4
Thanks for any help.
jim heath/w8ngo

808. Kenwood TSU-6 tone squelch unit and TR-2600 service manual FS

Yahoo group: kenwoodradio
Date: 2004-07-30 18:54:03 UTC
From: Ken Simpson, W8EK
Topic: 808 Message: 808

```
For Sale:
-
Kenwood TSU-6 (also known as KQT-8) subaudible tone (PL) squelch
unit.
(Fits many Kenwood units such as TM-231, TM-241, etc.) $35
-
Service manual for TR-2600 2 meter HT $10
-
Prices do not include shipping from Florida.
-
Thanks. 73,
Ken Simpson, W8EK
E-Mail to KenW8EK@... or W8EK@...
Voice Phone (352) 732-8400
```

809. Re: [kw-radio] Kenwood TSU-6 tone squelch unit and TR-2600 service manual FS

Yahoo group: kenwoodradio
Date: 2004-08-01 04:57:09 UTC
From: r391
Topic: 808 Message: 809

Hi:

I'd like to buy your TSU-6...

Please let me know particulars.

tnx, Ott KA3OTT

At 02:54 PM 7/30/2004, you wrote:

>For Sale:
>-
>Kenwood TSU-6 (also known as KQT-8) subaudible tone (PL) squelch
>unit.
>(Fits many Kenwood units such as TM-231, TM-241, etc.) $35
>-
>Service manual for TR-2600 2 meter HT $10
>-
>Prices do not include shipping from Florida.
>-
>Thanks. 73,
>Ken Simpson, W8EK
>E-Mail to KenW8EK@... or W8EK@...
>Voice Phone (352) 732-8400
>
>
>
>
>
>For polls, files, and other info visit:
>http://www.egroups.com/group/kenwoodradio
>
>Yahoo! Groups Links
>
>
>
>
>
>
>
>---
>Incoming mail is certified Virus Free.
>Checked by AVG anti-virus system (http://www.grisoft.com).
>Version: 6.0.729 / Virus Database: 484 - Release Date: 7/27/2004

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.729 / Virus Database: 484 - Release Date: 7/27/2004

[Non-text portions of this message have been removed]

810. tk 805d schematic

Yahoo group: kenwoodradio
Date: 2004-08-02 03:04:49 UTC
From: suw_tech_1
Topic: 810 Message: 810

need a schematic and or service manual for a tk805d. not getting any power output.

thanks

duwane

811. For Sale

Yahoo group: kenwoodradio
Date: 2004-08-05 15:53:55 UTC
From: Charles D. Feigley Sr
Topic: 811 Message: 811

Hello,
I have the folowing I would like to sell:
1:- Kenwood TS-520S transceiver.Comes with a
Shure 444 desk mic, 2 extra sets of finals, 1 extra
driver,and the operaters and service manual. Allso
comes with the VFO shorting plug and the octal
accesery plug set up to key a external amp.
$250.00 plus shipping
2:- Kenwood VFO-520S
$75.00 plus shipping
3:- Kenwood SP-520
$55.00 plus shipping
4:- Almost All Digital Electronics C-520 Digital Display
for the TS-520S. Reads to 5 places past the dot.
Example 14.300.00 And shows what mode you are
in. Cost on this was $150.00. Will only sell after radio
has been sold.
$100.00 plus shipping
5:- 3 spare dial/s meter lamps. These are the direct replacement for
the
factory bulbs.
$10.00 plus shipping
6:- 5 sets of 2 riser feet and screws
$3.00 a set plus shipping
7:- Autek Reasearch QF-1A SSB/AM/CW
audio filter with instructions.
$25.00 plus shipping
This is my present working station and everything
is working 100%.
I want to Buy a new new radio so this setup has to go.
Please reply offline.
Thank You,
Charlie W4CDF

812. RE: For sale

Yahoo group: kenwoodradio
Date: 2004-08-05 19:40:28 UTC
From: Charles D. Feigley Sr
Topic: 812 Message: 812

All Of the riser feet have been spoken for.
Thanks,
Charlie

813. RE: For Sale

Yahoo group: kenwoodradio
Date: 2004-08-05 22:04:54 UTC
From: Charles D. Feigley Sr
Topic: 811 Message: 813

Hello All,
The VFO-520S, The Autek QF-1A, and all of the riser feet
have been spoken for.
Thank You,
Charlie

814. TM-642 can somebody explain this.....

Yahoo group: kenwoodradio
Date: 2004-08-18 18:59:37 UTC
From: xe2si
Topic: 814 Message: 814

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=5715155829&ssPageName=STRK:MEWA:IT

815. TS440 Power on mike plug

Yahoo group: kenwoodradio
Date: 2004-08-19 19:48:14 UTC
From: wa2afd_1
Topic: 815 Message: 815

Hello to all and thanks for reading.

I am looking for direct information for the amount of power available on the 8 pin mike plug of a TS-440.

The operating manual says it can deliver 10ma of current, and I have seen on the net where it can offer 100ma.

My problem is that I have built a simple equalizer that draws 25ma and I would like to take the power from the mike plug for a neat installation.

Is there someone with experience that can tell me the correct amount of current available on the mike plug?

Thanks de WA2AFD

816. TM-V7 memory problem.

Yahoo group: kenwoodradio
Date: 2004-08-21 23:59:09 UTC
From: xe2si
Topic: 816 Message: 816

Does anybody has seen this problem:

The radio clears all memories when turned off, even
if it still conected to a supply???
Thanks in advance,
Juan

817. tk 290?

Yahoo group: kenwoodradio
Date: 2004-08-26 03:03:44 UTC
From: fire_master_21
Topic: 817 Message: 817

programming a kenwood tk 290. Do you have to put this thing into
program mode and if so how?
Thanks

818. Re: [kw-radio] tk 290?

Yahoo group: kenwoodradio
Date: 2004-08-26 11:13:02 UTC
From: GaryErrol
Topic: 817 Message: 818

>programming a kenwood tk 290. Do you have to put this thing into
>program mode and if so how?

Hook cable to computer and radio. Start the computer and programming software, turn the radio on. Enable read from or write to the radio from the software. Radio automatically goes into programming mode without pressing any keys.

I have a copy of the service manual in .pdf format if you would like a copy. It explains programming, including how to modify the radio for field programming without the software.

819. Memory backup TM-V7

Yahoo group: kenwoodradio
Date: 2004-09-08 20:01:41 UTC
From: xe2si
Topic: 819 Message: 819

Have this problem, hope somebodyy can help:
The memories in my TM-V7 reset every time I remove
power, think this radio does not use battery for
memory; thanks in advance...
Juan

820. Help with a deaf Kenwood TH-F6A

Yahoo group: kenwoodradio
Date: 2004-09-08 22:39:15 UTC
From: Dakota Summerhawk
Topic: 819 Message: 820

I have a problem with the DCS decode on my F6, it will not decode the DCS from other radios most of the time. Squelch is set to just above the noise level and I can hear fine with DCS turned off. SO is it the decode time or something else that has to be changed? I saw the service menu web page but really dont want to mess with that if I dont know what I am doing? any help?

Thanks

Dakota

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.752 / Virus Database: 503 - Release Date: 9/3/2004

[Non-text portions of this message have been removed]

821. Kenwood Programming Software

Yahoo group: kenwoodradio
Date: 2004-09-11 16:15:58 UTC
From: goodstuff_inhere
Topic: 821 Message: 821

I've got a New Auction on Ebay, just updated this month Sept. 2004,
Includes newer Windows KPG programs $10.00 delivered. List of KPG on
CD
<KPG-5D>
<KPG-6D>
<KPG-7D>
<KPG-9D>
<KPG-11D>
<KPG-15D>
<KPG-16D>
<KPG-20D>
<KPG-21D>
<KPG-23D>
<KPG-25D>
<KPG-26D>
<KPG-27D>
<KPG-28D>
<KPG-29D>
<KPG-32D>
<KPG-34D>
<KPG-34D_LAB>
<KPG-35D>
<KPG-38D>
<KPG-44D>
<KPG-47D>
<KPG-48D>
<KPG-48D_LAB>
<KPG49D>
<KPG-52D>
<KPG-54D_LAB>
<KPG-55D>
<KPG-56D>
<KPG-59D>
<KPG-62D>
<KPG-65ED>
<KPG-66ND>
<KPG-69D>
<KPG-70D>
<KPG-71D>
<KPG-73D>
<KPG-74D>
<KPG-75D>
<KPG-76D>
<KPG-77D>
<KPG-79D>

<KPG-80D>
<KPG-82D>
<KPG-87D>
<KPG-89D>
For version number, go to the link provided below.
Link to Auction;

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=5719599941

822. Misc Kenwood HT accessories FS

Yahoo group: kenwoodradio
Date: 2004-09-18 12:56:38 UTC
From: Ken Simpson, W8EK
Topic: 822 Message: 822

For Sale:

Service Manual for TR-2600, two meter HT
Like new condition. $ 10

Kenwood EP-1 ear phone
Used on almost all Kenwood HTs. Like new. $4

Accessory items for TH-21/31/41 series HTs:

PB-21 battery pack
Pack does not hold a charge well. It basically needs
a new "insert" in it. $10

RA-8 Stubby Rubber duck antenna
This is for a TH-21 series HT, with the threaded connector. $ 10

Kenwood BH-2 belt clip for the TH-21 / 31 / 41. $ 5

Antenna adapter to fit the connector on the TH -
21 / 31 / 41, and adapt it to standard PL-259
antenna connector. $ 3

Antenna adapter as above, but goes to
BNC connector. $ 3

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to KenW8EK@... or W8EK@...
Voice Phone (352) 732-8400

823. module for kenwood tm732a treansciever

Yahoo group: kenwoodradio
Date: 2004-09-20 11:09:10 UTC
From: Wayne
Topic: 823 Message: 823

Used on almost all Kenwood HTs. Like new. $4

Accessory items for TH-21/31/41 series HTs:

PB-21 battery pack
Pack does not hold a charge well. It basically needs
a new "insert" in it. $10

RA-8 Stubby Rubber duck antenna
This is for a TH-21 series HT, with the threaded connector. $ 10

hello to all the group,
i'm in need of a toshiba s-av17 module for my kenwood tm732a dualband radio.looks like that module has died a natural death.hoping someone can helpme.

wayne vk4twd

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

824. Fw: module for kenwood tm732a treansciever

Yahoo group: kenwoodradio
Date: 2004-09-20 11:13:23 UTC
From: Wayne
Topic: 824 Message: 824

----- Original Message -----
From: Wayne
To: kenwoodradio@yahoogroups.com
Sent: Monday, September 20, 2004 9:09 PM
Subject: module for kenwood tm732a treansciever

sending this email again as i didn't clear all of the previous email correctly before posting the note sorry .
wayne vk4twd

hello to all the group,
i'm in need of a toshiba s-av17 module for my kenwood tm732a dualband radio.looks like that module has died a natural death.hoping someone can helpme.

wayne vk4twd

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

825. Re: [kw-radio] Fw: module for kenwood tm732a treansciever

Yahoo group: kenwoodradio
Date: 2004-09-20 15:20:34 UTC
From: NØATH
Topic: 825 Message: 825

Wayne - I sent your e-mail to a friend of mine that has a 732 with bad microprocessor - maybe you to can get together. Dave // NØATH
----- Original Message -----
From: Wayne
To: kenwoodradio@yahoogroups.com
Sent: Monday, September 20, 2004 6:13 AM
Subject: [kw-radio] Fw: module for kenwood tm732a treansciever

----- Original Message -----
From: Wayne
To: kenwoodradio@yahoogroups.com
Sent: Monday, September 20, 2004 9:09 PM
Subject: module for kenwood tm732a treansciever

sending this email again as i didn't clear all of the previous email correctly before posting the note sorry .
wayne vk4twd

hello to all the group,
i'm in need of a toshiba s-av17 module for my kenwood tm732a dualband radio.looks like that module has died a natural death.hoping someone can helpme.

wayne vk4twd

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

826. Re: [kw-radio] Fw: module for kenwood tm732a treansciever

Yahoo group: kenwoodradio
Date: 2004-09-22 00:25:37 UTC
From: Wayne
Topic: 825 Message: 826

ok thanks dave that would be great if i hear from him

wayne vk4twd
----- Original Message -----
From: NØATH
To: kenwoodradio@...m
Sent: Tuesday, September 21, 2004 1:20 AM
Subject: Re: [kw-radio] Fw: module for kenwood tm732a treansciever

Wayne - I sent your e-mail to a friend of mine that has a 732 with bad microprocessor - maybe you to can get together. Dave // NØATH
----- Original Message -----
From: Wayne
To: kenwoodradio@yahoogroups.com
Sent: Monday, September 20, 2004 6:13 AM
Subject: [kw-radio] Fw: module for kenwood tm732a treansciever

----- Original Message -----
From: Wayne
To: kenwoodradio@yahoogroups.com
Sent: Monday, September 20, 2004 9:09 PM
Subject: module for kenwood tm732a treansciever

sending this email again as i didn't clear all of the previous email correctly before posting the note sorry .
wayne vk4twd

hello to all the group,
i'm in need of a toshiba s-av17 module for my kenwood tm732a dualband radio.looks like that module has died a natural death.hoping someone can helpme.

wayne vk4twd

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

827. Nice Kenwood AT-120 Antenna tuner works excellent

Yahoo group: kenwoodradio
Date: 2004-10-09 23:37:09 UTC
From: Bill
Topic: 827 Message: 827

Nice Kenwood AT-120 Antenna tuner, this is a very nice little tuner and it works excellent, it has a lighted meter and is 10-80 meters. $100.00 plus shipping costs, can send pictures if requested. please e mail me at wc8i@... thanks , Bill

828. Kenwood TW-4000 dual band mobile xcvr FS

Yahoo group: kenwoodradio
Date: 2004-10-10 13:11:04 UTC
From: Ken Simpson, W8EK
Topic: 828 Message: 828

For Sale:

Kenwood TW-4000 dual band mobile FM transceiver

Covers 2 m and 440 MHz FM. 25 Watts output, or 5 W
in low power. Of course it has memories, scan, etc.
It has a GASFET front end, giving it a really great
receiver. This would make a great packet rig,
which is what it has been used for. All solid state
switching makes silent packet operation. Since it has
been used on packet, it does not have a mic or mobile
bracket with it, although it takes a standard 8 pin
round mic connector, like most Kenwood rigs. It
needs 13 V DC at 7 or 8 amps to operate. It works
fine, and is good cosmetically, although there are a
few scratches. Manual is included for $125 plus
shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to KenW8EK@... or W8EK@...
Voice Phone (352) 732-8400

829. Kenwood TS-820 & TV-506 patch cord?

Yahoo group: kenwoodradio
Date: 2004-10-22 23:57:12 UTC
From: emporiaars
Topic: 829 Message: 829

Hello group, I am interested in finding the patch cord for a TV-506 to TS-820 or any info that will get them hooked up. The 820 was built in the late 70's to early 80's. I know it's old but on a shoestring budget it will do till I win the lottery. Yea right! Any and all help is welcome. I have seen that most of the rigs you discus are a lot newer. I also joined the 520-820-530-830 group. I'm picking all the brains I can. I am also new to your group. Thank you, Mike KCØNFG

830. Tk 730 help needed

Yahoo group: kenwoodradio
Date: 2004-10-23 04:05:47 UTC
From: fire_master_21
Topic: 830 Message: 830

I have a tk 730H that I not long ago with the full feature head with 32 ch. I also bought the upgrade kit to make it 160 ch. I put the chips in and try to read the radio and get a error across the head and the computer will not read it. I put the original kit back in the radio and it reads and writes with that. Before someone asks I did put the radio into program mode and everything is hooked up right. Anyone have any ideas of what to do now?

831. PG4K separation kit for TM741A

Yahoo group: kenwoodradio
Date: 2004-10-27 23:05:13 UTC
From: trex604
Topic: 831 Message: 831

Does anyone here know where to find this kit or the components to make one up? Dealers and Kenwood were no help. Thank you.

Dave
KB7QWZ

832. Microphone for TM-2550A

Yahoo group: kenwoodradio
Date: 2004-11-09 14:54:29 UTC
From: n2tmc
Topic: 832 Message: 832

I have a 2550A that works great but the microphone is a bit crappy. I want to change it but haven't an idea how to proceed. I don't need the up and down controls on the mic since I use this a a base radio. Any suggestions on a replacement? Does the mic need all 8 pins to operate or could a 4 wire after market mic be connected with an 8 pin connector.

Thanks for the help!

N2TMC
George

833. Service manual for a Kenwood TS-700

Yahoo group: kenwoodradio
Date: 2004-11-23 00:08:10 UTC
From: tkcalaino
Topic: 833 Message: 833

Does anyone have a copy of a service manual for a Kenwood TS-700?
Thanks Tony

834. Kenwood SMC-25 speaker microphone FS

Yahoo group: kenwoodradio
Date: 2004-11-30 14:55:17 UTC
From: Ken Simpson, W8EK
Topic: 834 Message: 834

For Sale:

Kenwood SMC-25 speaker microphone

This is the speaker mic that is made to be used with the
TR-2500 HT, and maybe others as well.

This particular one works fine, and is in its original box,
with the paper work. It has been used, and the cord has
been stretched.

$20 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to KenW8EK@... or W8EK@...
Voice Phone (352) 732-8400

835. Kenwood TS-850, soundcard interface & FSK

Yahoo group: kenwoodradio
Date: 2004-12-07 18:36:28 UTC
From: Zack
Topic: 835 Message: 835

Is anyone out there using a TS-850 and a soundcard interface for FSK? I would like to get on RTTY but am confused as to how to hook up everything together.

As near as I can tell all I have to do is use the following on the ACC2 13 pin Din plug; pin 3 fixed audio and pin 4 audio ground for audio to the interface. On the back of the rig there is a RCA connector for FSK in. Can I just use that and the fixed audio from the ACC2 plug?

I am referencing pages 20 and 27 28 of the TS-850 manual for the FSK wiring.

BTW, my interface is a Rigblaster PRO.

Any info on this will be greatly appreciated.

73
Zack
N8FNR

836. Re: [kw-radio] Digest Number 480

Yahoo group: kenwoodradio
Date: 2004-12-08 18:38:03 UTC
From: Bill Evans
Topic: 836 Message: 836

Go to www.qsl.net/k0bx/ . Terrific resource for TS-850S.

Bill Evans VE4UD

----- Original Message -----
From: <kenwoodradio@yahoogroups.com>
To: <kenwoodradio@yahoogroups.com>
Sent: Wednesday, December 08, 2004 1:38 AM
Subject: [kw-radio] Digest Number 480

>
>
> There is 1 message in this issue.
>
> Topics in this digest:
>
> 1. Kenwood TS-850, soundcard interface & FSK
> From: "Zack" <vtnn43e@...>
>
>
> _____
> _____
>
> Message: 1
> Date: Tue, 07 Dec 2004 18:36:28 -0000
> From: "Zack" <vtnn43e@...>
> Subject: Kenwood TS-850, soundcard interface & FSK
>
>
> Is anyone out there using a TS-850 and a soundcard interface for FSK?
> I would like to get on RTTY but am confused as to how to hook up
> everything together.
>
> As near as I can tell all I have to do is use the following on the
> ACC2 13 pin Din plug; pin 3 fixed audio and pin 4 audio ground for
> audio to the interface. On the back of the rig there is a RCA
> connector for FSK in. Can I just use that and the fixed audio from
> the ACC2 plug?
>
> I am referencing pages 20 and 27 28 of the TS-850 manual for the FSK
> wiring.
>
> BTW, my interface is a Rigblaster PRO.
>
> Any info on this will be greatly appreciated.
>

> 73
> Zack
> N8FNR
>
>
>
>
>
>
> _____
> _____
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
> ---
> Yahoo! Groups Links
>
>
>
>
> ---
>
>
>
>
>

837. Kenwood accessories FS

Yahoo group: kenwoodradio
Date: 2004-12-12 12:40:06 UTC
From: Ken Simpson, W8EK
Topic: 837 Message: 837

For Sale:

Kenwood SP-180 speaker
This speaker features switching for 2 sources (use
it with 2 different rigs), and also has filtering built into
the speaker. It is made to match the TS-180 and
that series of transceivers, but can be used with any.
It is an 8 ohm speaker.
This particular one works fine and looks like new.
No scratches on it that I can find. $ 80

Kenwood MC-50 desk microphone
This is the desk microphone that was used on many
different rigs. It has both high and low impedance
output, so will match most any rig. It has a 4 pin
plug wired for Kenwood, but of course that can be
changed.
This one works fine and looks close to new. It
includes paper work for $65.

Kenwood SW-200 wattmeter / SWR bridge
This is the extremely nice wattmeter that has two
meters on it, with one reading forward power, and
the other reading either reflected power, or SWR,
with a nice back lighting. It will read either peak
or average power, and has provision for 3 different
"sensors". This one has the sensor for 150 thru
450 MHz with it. You can add two more, if you want.
This one works fine, and looks great also, except
for a spot on the top where a previous owner had
tape on it, and the tape pulled a couple specs of
paint off. It would not normally be seen. The face
is great. $100

Kenwood MC-43 hand microphone
This is the Kenwood hand microphone with the round
8 pin connector, and up-down switches. It was the
original mic with many rigs such as the TS-430, 440,
930, 940, 950, etc.
This one works fine and looks close to new. $40

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to KenW8EK@... or W8EK@...
Voice Phone (352) 732-8400

838. RE: [kw-radio] Kenwood accessories FS

Yahoo group: kenwoodradio
Date: 2004-12-12 16:51:55 UTC
From: Tod Sudmeier
Topic: 837 Message: 838

Do you still have the watt meter? Could you send a pic?

Thanks.....Tod
K6SUD
-----Original Message-----
From: Ken Simpson, W8EK [mailto:W8EK@...]
Sent: Sunday, December 12, 2004 4:40 AM
To: Kenwood at Yahoo (Kenwood at Yahoo); KenwoodRadio (KenwoodRadio);
Kenwoodts120_130@Yahoogroups. Com
Subject: [kw-radio] Kenwood accessories FS

For Sale:

Kenwood SP-180 speaker
This speaker features switching for 2 sources (use
it with 2 different rigs), and also has filtering built into
the speaker. It is made to match the TS-180 and
that series of transceivers, but can be used with any.
It is an 8 ohm speaker.
This particular one works fine and looks like new.
No scratches on it that I can find. $ 80

Kenwood MC-50 desk microphone
This is the desk microphone that was used on many
different rigs. It has both high and low impedance
output, so will match most any rig. It has a 4 pin
plug wired for Kenwood, but of course that can be
changed.
This one works fine and looks close to new. It
includes paper work for $65.

Kenwood SW-200 wattmeter / SWR bridge
This is the extremely nice wattmeter that has two
meters on it, with one reading forward power, and
the other reading either reflected power, or SWR,
with a nice back lighting. It will read either peak
or average power, and has provision for 3 different
"sensors". This one has the sensor for 150 thru
450 MHz with it. You can add two more, if you want.
This one works fine, and looks great also, except
for a spot on the top where a previous owner had
tape on it, and the tape pulled a couple specs of
paint off. It would not normally be seen. The face
is great. $100

Kenwood MC-43 hand microphone
This is the Kenwood hand microphone with the round
8 pin connector, and up-down switches. It was the
original mic with many rigs such as the TS-430, 440,
930, 940, 950, etc.
This one works fine and looks close to new. $40

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to KenW8EK@... or W8EK@...
Voice Phone (352) 732-8400

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

839. FS: TS-930S / SM-220

Yahoo group: kenwoodradio
Date: 2004-12-12 19:40:00 UTC
From: Kevin Brown - KC0CZI
Topic: 837 Message: 839

Kenwood TS-930S and matching SM-220 for sale.

TS-930s is in great condition, includes manual and original packaging.
Price: $550.00

SM-220 is in good condition (scratches to external paint - otherwise great).
Includes manual. Price $280.00

Shipping is responsibility of buyer. Prefer payment via paypal. Can
provide pics upon request.

840. tk 280 problem

Yahoo group: kenwoodradio
Date: 2004-12-13 18:19:55 UTC
From: fire_master_21
Topic: 840 Message: 840

Here's the deal. My chief always cuts him self off on the radio (this is not a problem with me) How ever he brought me his radio to take a look at it. The radio has a new battery that is about 1 month old and a few that are about 8 months old. When I key up the radio about 1-2 sec. into the tx the radio cuts out and the led starts to flash red. This make me think the battery is dead, however the batt has a full charge and does this right off the charger. So I go into the RSS and read the radio and everything looks fine. So I then go into the " test mode " and then to F10 "tuning mode" then "battery waring level" but it will not allow me to adjust anything there. Is there away to just the batt warning level? or is there something else it could be?

841. Re: [kw-radio] tk 280 problem

Yahoo group: kenwoodradio
Date: 2004-12-16 15:16:18 UTC
From: Gugy
Topic: 840 Message: 841

Hello, check the programation in the software, there is the problem, check the TOT.

Regards

Do You Yahoo!?
Yahoo! Net: La mejor conexión a internet y 2GB en tu buzón de Correo Yahoo! por $100 al mes.

[Non-text portions of this message have been removed]

842. Re: [kw-radio] tk 280 problem

Yahoo group: kenwoodradio
Date: 2004-12-16 15:49:35 UTC
From: Evan Platt
Topic: 840 Message: 842

At 07:16 AM 12/16/2004, you wrote:
>Hello, check the programation in the software, there is the problem, check
>the TOT.

I don't think TOT wouldn't cause the LED to flash, nor would the
programming allow for such a short TOT. Shortest I've seen is 30 seconds?

Evan

843. Nice Kenwood TS-520S HF Transceiver

Yahoo group: kenwoodradio
Date: 2004-12-16 15:55:33 UTC
From: Bill
Topic: 843 Message: 843

Very nice Kenwood TS-520S HF transceiver, this works and looks excellent, and comes with a nice swan hand microphone and copy of the manaul, it is 10 through 160 meters and has very good output, if you want a nice HF station this is it. $275.00 plus shipping costs, can send pictures if requested, please e mail me at wc8i@...

844. Misc Kenwood Items FS

Yahoo group: kenwoodradio
Date: 2004-12-18 12:26:42 UTC
From: Ken Simpson, W8EK
Topic: 844 Message: 844

Misc Kenwood items for sale:

Kenwood SP-40 mobile speaker
This is a small (about 3 inch) speaker designed for communications use, and ideal for mobile. It has a magnet in the base, so it will stick to a metallic dashboard. This one works fine, and looks like it just came out of the box. $20

Kenwood MC-85 desk microphone
This desk mic is similar to the MC-80, but has provisions for 3 separate cables, so that it can be used with 3 different radios. It also has a speech compressor built in. This one works 100% and looks very close to new. With paper work, for $110.

Kenwood MC-48, touch tone (DTMF) microphone.
Round, 8 pin connector, will go with any Kenwood rig taking this kind of connector. Has UP and DOWN switches, along with 16 digit touchtone pad. It is often used on the 2 m and 440 MHz rigs that do not have touchtone built in, but can also be used on HF rigs for TT on 10 m FM. It works fine and looks great also. $ 55

Kenwood PC-1 A phone patch.
This is the model with the 8 pin connectors, although they can be changed, if needed. It includes a nice meter for adjusting the null so VOX will work OK. This particular unit works fine, and looks very close to new, with original paperwork, for $ 55.

Small Kenwood hand microphone
This is like the small hand mic that came with the Kenwood TR-7400. It has the standard 4 pin plug wired for Kenwood. It is a 500 ohm dynamic mic. No model number on it, but it looks close to new, and works fine. If you like a smaller mic, compared to the MC-35 or MC-30, this is it. $30

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

845. Re: [kw-radio] tk 280 problem

Yahoo group: kenwoodradio
Date: 2004-12-23 04:08:55 UTC
From: Rusty Caufield
Topic: 840 Message: 845

You have to use a Variable power source and set the voltage according to
Spec in the Service Manual.
It sounds like the "Battery Warning Level" has been improperly set and is
"Warning" you at too high of a level.

- Rusty
----- Original Message -----
From: "fire_master_21" <fire_master_21@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Monday, December 13, 2004 12:19 PM
Subject: [kw-radio] tk 280 problem

>
>
> Here's the deal. My chief always cuts him self off on the radio (
> this is not a problem with me) How ever he brought me his radio to
> take a look at it. The radio has a new battery that is about 1 month
> old and a few that are about 8 months old. When I key up the radio
> about 1-2 sec. into the tx the radio cuts out and the led starts to
> flash red. This make me think the battery is dead, however the batt
> has a full charge and does this right off the charger. So I go into
> the RSS and read the radio and everything looks fine. So I then go
> into the " test mode " and then to F10 "tuning mode" then "battery
> waring level" but it will not allow me to adjust anything there. Is
> there away to just the batt warning level? or is there something
> else it could be?
>
>
>
>
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

846. TS140S

Yahoo group: kenwoodradio
Date: 2004-12-29 00:24:04 UTC
From: Rtnmi
Topic: 846 Message: 846

I posted an ad on one of the bulletin boards yesterday looking to trade a Laptop for a computer controllable transceiver - because I want to be able to use my Dell Desktop with Logger32, N1MM, and MIXW, ect - in order to control the radio for DX spotting, Telnet, Contesting, ect.

Someone replied with an offer of a TS140S sn#0030212.

Two questions:
1) Does anyone know where I can download a PDF manual for it so I can see if it will do what I need?
2) Someone on another group just told me this radio is not computer controllable at all (is that true?)

TNX,
BOB
KE5CTY
http://www.qsl.net/ke5cty

847. RE: [kw-radio] TS140S

Yahoo group: kenwoodradio
Date: 2004-12-29 03:44:33 UTC
From: Rtnmi
Topic: 846 Message: 847

Hello:

I am looking for a good picture or a manual so I can help someone determine
if an option has been installed into a Kenwood TS140S.
The mod is for the an IF-10C.

TNX,
BOB
KE5CTY
http://www.qsl.net/ke5cty

-----Original Message-----
From: Rtnmi [mailto:rtnmi@...]
Sent: Tuesday, December 28, 2004 6:24 PM
To: kenwoodradio@yahoogroups.com
Subject: [kw-radio] TS140S

I posted an ad on one of the bulletin boards yesterday looking to trade a
Laptop for a computer controllable transceiver - because I want to be able
to use my Dell Desktop with Logger32, N1MM, and MIXW, ect - in order to
control the radio for DX spotting, Telnet, Contesting, ect.

Someone replied with an offer of a TS140S sn#0030212.

Two questions:
1) Does anyone know where I can download a PDF manual for it so I can see if
it will do what I need?
2) Someone on another group just told me this radio is not computer
controllable at all (is that true?)

TNX,
BOB
KE5CTY
http://www.qsl.net/ke5cty

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Links

848. Re: [kw-radio] TS140S

Yahoo group: kenwoodradio
Date: 2004-12-29 07:45:37 UTC
From: Bob Warriner
Topic: 846 Message: 848

Hi, If the construction is similar to the R-5000, all you need to do is carefully dismantle the front panel, so that the interface chips are visible, if you have 2 spare IC sockets unoccupied then the chip-set is not installed, if there are no unoccupied sockets then it is.
You won't be able to see the part of the receiver I am referring to without dismantling the front panel, but this is a fairly easy job, but take care over the connecting leads.
Rgds Bob
----- Original Message -----
From: "Rtnmi" <rtnmi@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Wednesday, December 29, 2004 3:44 AM
Subject: RE: [kw-radio] TS140S

>
> Hello:
>
> I am looking for a good picture or a manual so I can help someone
> determine
> if an option has been installed into a Kenwood TS140S.
> The mod is for the an IF-10C.
>
> TNX,
> BOB
> KE5CTY
> http://www.qsl.net/ke5cty
>
>
>
> -----Original Message-----
> From: Rtnmi [mailto:rtnmi@...]
> Sent: Tuesday, December 28, 2004 6:24 PM
> To: kenwoodradio@yahoogroups.com
> Subject: [kw-radio] TS140S
>
>
>
> I posted an ad on one of the bulletin boards yesterday looking to trade a
> Laptop for a computer controllable transceiver - because I want to be able
> to use my Dell Desktop with Logger32, N1MM, and MIXW, ect - in order to
> control the radio for DX spotting, Telnet, Contesting, ect.
>
> Someone replied with an offer of a TS140S sn#0030212.
>
> Two questions:

> 1) Does anyone know where I can download a PDF manual for it so I can see
> if
> it will do what I need?
> 2) Someone on another group just told me this radio is not computer
> controllable at all (is that true?)
>
> TNX,
> BOB
> KE5CTY
> http://www.qsl.net/ke5cty
>
>
>
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>

849. [Kenwood] TH-G71 Handheld Antenna Post

Yahoo group: kenwoodradio
Date: 2004-12-31 19:12:08 UTC
From: w1dfu
Topic: 849 Message: 849

The antenna post has loosened up and separated from my TH-G71 Handheld.

It slides back on the white stem, but doesn't seem very secure. Is there
a special way it is supposed to be attached?

Thanks and 73,

Bert W1DFU

Happy New Year

850. HT-21

Yahoo group: kenwoodradio
Date: 2005-01-01 10:24:51 UTC
From: Demetre Koumanakos
Topic: 850 Message: 850

Merry Christmas and a Happy New Year to all,

I've been trying to put back together a canibalized
TH-21 without a schematic, so far so good, but I'm
unable to locate the power in of the unit, the cables
leading to battery compartment have been removed...
Can anyone help ??

73
Demetre - SV1ENS

=====
- . - . - - . - - . . - - - - - . . .
. . . . . - . - - - - . - . . . .
Visit my URL at: http://sv1ens.myftp.org

_____
Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam
protection around
http://mail.yahoo.com

=====
- . - . - - . - - . . - - - - - . . . . . - . - - - - . - . . . .
Visit my URL at: http://sv1ens.myftp.org

_____
Do you Yahoo!?
Jazz up your holiday email with celebrity designs. Learn more.
http://celebrity.mail.yahoo.com

851. Kenwood TH-21/31/41 HT accessories FS

Yahoo group: kenwoodradio
Date: 2005-01-02 19:49:28 UTC
From: Ken Simpson, W8EK
Topic: 851 Message: 851

For Sale:

Accessory items for TH-21 / 31 / 41 series HTs:

PB-21 battery pack
Pack does not hold a charge well. It basically needs
a new "insert" in it. $10

PB-21 battery pack
This one does seem to hold a charge and work fine. $22

W09-0334 Wall charger for TH-21 / 31 / 41 series HTs
Like about 95% of these chargers, this one has the "ear"
on it broken, but can be used fine with a rubber band. $12

Wrist strap for TH-21 / 31 / 41 and likely other HTs $ 2

RA-8 Stubby Rubber duck antenna
This is for a TH-21 series HT, with the threaded connector. $10

Antenna adapter to fit the connector on the TH -
21 / 31 / 41, and adapt it to standard PL-259
antenna connector. $ 3

Antenna adapter as above, but goes to
BNC connector. $ 3

Kenwood EP-1 ear phone
Used on almost all Kenwood HTs. Like new. $4

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

852. Looking for DTMF chips

Yahoo group: kenwoodradio
Date: 2005-01-07 20:25:24 UTC
From: Craig Kielhofer
Topic: 852 Message: 852

I am looking to purchase approx. 30 DTMF decoder IC's for the Kenwood
TK-860.

The Part number is LC73881M and is a 10 pin IC with gull wing leads.

If you can help you out here, please contact me off list at

kec <at> ync <dot> net.

Thanks

Craig Kielhofer
KEC Communications

[This E-mail has been scanned for viruses by the YourNet Connection Virus system]
[For more information, please go to http://www.ync.net/YourMAIL]

853. Kenwood dual band xcvr FS

Yahoo group: kenwoodradio
Date: 2005-01-29 17:33:46 UTC
From: Ken Simpson, W8EK
Topic: 853 Message: 853

For Sale:

Kenwood TW-4000 dual band mobile FM transceiver

Covers 2 m and 440 MHz FM. 25 Watts output, or 5 W
in low power. Of course it has memories, scan, etc.
It has a GASFET front end, giving it a really great
receiver. This would make a great packet rig, which
is what it has been used for. All solid state switching
makes silent packet operation. Since it has been
used on packet, it does not have a mic with it, although
it takes a standard 8 pin round mic connector, like
most Kenwood rigs. Mobile bracket is included. It
needs 13 V DC at 7 or 8 amps to operate. It works
fine, and is good cosmetically, although there is
some wear. Manual is included for $135 plus
shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

854. Kenwood SP-120 speaker FS

Yahoo group: kenwoodradio
Date: 2005-02-05 13:42:49 UTC
From: Ken Simpson, W8EK
Topic: 854 Message: 854

For Sale:

Kenwood SP-120 speaker

This is the speaker that matches the Kenwood TS-120,
TS-130, and others.

This particular speaker is in very nice shape. It works fine,
and looks great also. It is in its original box, and includes
the paper work. $50 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

855. Dual Band Info Needed for TK-X30 Series

Yahoo group: kenwoodradio
Date: 2005-02-11 04:28:24 UTC
From: RadioGuy205@aol.com
Topic: 855 Message: 855

Does anyone have any info on the setting up of a dual band TK-X30 series radios. PDF or any document file would be a big help. Thanks!!

Frederic C. Wiggins

[Non-text portions of this message have been removed]

856. For sale Kenwood TK-2140

Yahoo group: kenwoodradio
Date: 2005-02-18 16:02:05 UTC
From: Kyle Shook
Topic: 856 Message: 856

I have a kenwood tk-2140 with 2 knb-26n batteries, ksc-25 and ksc-30 chargers, and a leather case. All are a year and a half old and in
great condition. Asking $500.00 plus shipping, email me for pics of all of the items.

Thanks,
Kyle

Do you Yahoo!?
Yahoo! Search presents - Jib Jab's 'Second Term'

[Non-text portions of this message have been removed]

857. Kenwood dual band xcvr FS

Yahoo group: kenwoodradio
Date: 2005-03-05 12:23:07 UTC
From: Ken Simpson, W8EK
Topic: 853 Message: 857

For Sale:
-
Kenwood TW-4000 dual band mobile FM transceiver
-
Covers 2 m and 440 MHz FM. 25 Watts output, or 5 W
in low power. Of course it has memories, scan, etc.
It has a GASFET front end, giving it a really great
receiver. This would make a great packet rig, which
is what it has been used for. All solid state switching
makes silent packet operation. Since it has been
used on packet, it does not have a mic with it, although
it takes a standard 8 pin round mic connector, like
most Kenwood rigs. Mobile bracket is included. It
needs 13 V DC at 7 or 8 amps to operate. It works
fine, and is good cosmetically, although there is
some wear. Manual is included for $135 plus
shipping from Florida.
-
Thanks. 73,
Ken Simpson, W8EK
E-mail to W8EK at speakeasy.net or W8EK at arrl.net
Voice Phone (352) 732-8400

858. New battery

Yahoo group: kenwoodradio
Date: 2005-03-11 12:19:41 UTC
From: Demetre Koumanakos
Topic: 858 Message: 858

Hi All,

Does anyone know of a good source for cheap battery replacements for
the TH-F6 ?

73
Demetre - SV1ENS

859. Re: [kw-radio] New battery

Yahoo group: kenwoodradio
Date: 2005-03-11 12:37:45 UTC
From: Fred
Topic: 859 Message: 859

PB-42L 7.4v 1550mAh 5-watt Lithium ION battery pack $39.95

PB-42XL 7.4v 3100mAh NEW 5-watt Lithium ION battery pack. $59.95

http://www.batteriesamerica.com/kenwood1.htm

----- Original Message -----
From: "Demetre Koumanakos" <sv1ens@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Friday, March 11, 2005 7:19 AM
Subject: [kw-radio] New battery

>
>
> Hi All,
>
> Does anyone know of a good source for cheap battery replacements for
> the TH-F6 ?
>
> 73
> Demetre - SV1ENS
>
>
>
>
>

860. RE: [kw-radio] New battery

Yahoo group: kenwoodradio
Date: 2005-03-11 16:55:26 UTC
From: kc7mwp
Topic: 858 Message: 860

check out a company called W&W Associates in NY. Good batteries that arent
spensive

Ed
-----Original Message-----
From: Demetre Koumanakos [mailto:sv1ens@...]
Sent: Friday, March 11, 2005 5:20 AM
To: kenwoodradio@yahoogroups.com
Subject: [kw-radio] New battery

Hi All,

Does anyone know of a good source for cheap battery replacements for
the TH-F6 ?

73
Demetre - SV1ENS

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Sponsor
ADVERTISEMENT

--
Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/kenwoodradio/

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

861. Rig to linear amp cables for Kenwood FS

Yahoo group: kenwoodradio
Date: 2005-03-12 15:29:44 UTC
From: Ken Simpson, W8EK
Topic: 861 Message: 861

For Sale:

I have a couple of cables that are used to go between
a Kenwood transceiver, and a linear amplifier, to switch
the amp from transmit to receive. One end has an 8 pin
DIN connector on it, as is used with most Kenwood rigs.
The other end has an RCA phone plug on it, as used by
most linear amplifiers. Before using this cable, please
check to be certain that the voltages and currents needed
by your amplifier match the switching capabilities of your
transceiver.

One cable has two separate cables -- one for the relay
function, and one for the ALC function. This is used on
most amplifiers. Of course it has been tested, and
works fine. $ 18

This cable has only one coax between the rig and amp.
It provides only the relay control, and NOT the ALC control.
Many amps do not need the ALC, so this cable would
work fine. $ 12

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

862. TK-790 Mic Gain

Yahoo group: kenwoodradio
Date: 2005-03-20 00:27:21 UTC
From: Kevin Brown - KC0CZI
Topic: 853 Message: 862

All -

I have a need to adjust the mic gain on several TK-790 radios, but cannot locate my service manual. Would anyone care to send the relevant pages via email?

863. FS: Carry handle for TS50/TS60

Yahoo group: kenwoodradio
Date: 2005-03-28 05:33:18 UTC
From: John Geiger
Topic: 863 Message: 863

I have for sale an extra carrying handle that mounts on the TS50 or TS60. Makes it nice for carrying the rig while portable. Asking $15 plus $2 shipping in CONUS.

73s John NE0P

John Geiger
Associate Professor of Psychology, Cameron University

Ham Call NE0P, active 160m-70cm

Radios: Kenwood TS2000 (HF/6/2/70cm), Kenwood TS60 (6M base and mobile work), Yaesu VX7R 6m/2m/222mhz/70cm)

Antennas: 2 element Mini Quad, Cushcraft A14810S, Cushcraft 719B Homebrew G5RV

3 VUCCs on 50mhz: from EN41, EN51, EM04, #1014, #1015, #1290
2 meter VUCC #615
Satellite VUCC #129
County Hunters award (500): #3301, all 6 meters

_____
Do you Yahoo!?
Make Yahoo! your home page
http://www.yahoo.com/r/hs

864. FS: Astron RS70M

Yahoo group: kenwoodradio
Date: 2005-03-29 15:17:20 UTC
From: John Geiger
Topic: 864 Message: 864

I have for sale an Astron RS70M70amp power supply in great condition, that has the voltage and current meters. This is the biggest one Astron makes and will handle almost any rig or amp you throw at it. It would work great as a base station power supply for the Kenwood TS480HX. 13.8 volts at 70amps intermittant and 57amps continuous. I am asking $195 for it. I am located in Lawton, OK and would prefer to work out an in-person deal in the Oklahoma City, Southwest OK, or Dallas/Fort Worth area due to weight of the supply, but could ship for the right deal.

73s John NE0P

Do you Yahoo!?
Make Yahoo! your home page
http://www.yahoo.com/r/hs

865. TS2000 service bulletin numbers

Yahoo group: kenwoodradio
Date: 2005-03-30 17:54:30 UTC
From: John Geiger
Topic: 865 Message: 865

Does anyone know the service bulletin number for fixing the PLL unlock problem in the TS2000? I have the problem where the PLL unlocks when change frequency while transmitting on 70cm (mode B on the sats). I bought the radio used from Burghardt's and they said they would fix it under their used warranty, but I would like to have the service bulletin reference for them.

73s John NE0P

John Geiger
Associate Professor of Psychology, Cameron University

Ham Call NE0P, active 160m-70cm

Radios: Kenwood TS2000 (HF/6/2/70cm), Kenwood TS60 (6M base and mobile work), Yaesu VX7R 6m/2m/222mhz/70cm)

Antennas: 2 element Mini Quad, Cushcraft A14810S, Cushcraft 719B Homebrew G5RV

3 VUCCs on 50mhz: from EN41, EN51, EM04, #1014, #1015, #1290
2 meter VUCC #615
Satellite VUCC #129
County Hunters award (500): #3301, all 6 meters

_____
Do you Yahoo!?
Yahoo! Small Business - Try our new resources site!
http://smallbusiness.yahoo.com/resources/

866. OT... Manual wanted

Yahoo group: kenwoodradio
Date: 2005-03-31 22:29:12 UTC
From: Bob M.
Topic: 866 Message: 866

sorry about the OT cross manufacture.

I'm trying to locate an operators Manual
for a Yaesu FT-720R

Just thought Id expand the area of search
as it seems to be really rare.

Advance Amateur Radio Around the World.
Seek your Local Radio Club and enjoy a lifetime of fun.
Regards
Bob M.
VK4HAY

Remove the Spam Gaurd for replies Thanks.

Credit card. Apply now. 60 sec response. Must be over 18. AU only:
http://ad.au.doubleclick.net/clk;11046970;10638934;f?http://www.anz.com/aus/promo/first0105ninemsn/default.asp

867. Kenwood dual band xcvr FS

Yahoo group: kenwoodradio
Date: 2005-04-02 11:57:44 UTC
From: Ken Simpson, W8EK
Topic: 853 Message: 867

For Sale:
-
Kenwood TW-4000 dual band mobile FM transceiver
-
Covers 2 m and 440 MHz FM. 25 Watts output, or 5 W
in low power. Of course it has memories, scan, etc.
It has a GASFET front end, giving it a really great
receiver. This would make a great packet rig, which
is what it has been used for. All solid state switching
makes silent packet operation. Since it has been
used on packet, it does not have a mic with it, although
it takes a standard 8 pin round mic connector, like
most Kenwood rigs. Mobile bracket is included. It
needs 13 V DC at 7 or 8 amps to operate. It works
fine, and is good cosmetically, although there is
some wear. Manual is included for $135 plus
shipping from Florida.
-
Thanks. 73,
Ken Simpson, W8EK
E-mail to W8EK at speakeasy.net or W8EK at arrl.net
Voice Phone (352) 732-8400

868. Kenwood SP-230 speaker and xtal filters FS

Yahoo group: kenwoodradio
Date: 2005-04-03 12:27:38 UTC
From: Ken Simpson, W8EK
Topic: 868 Message: 868

Kenwood For Sale:

Kenwood SP-230 speaker
This speaker has a switch so that it can be used with two rigs.
It also has filtering built in to it to help clear QRM, noise, etc.
It matches the TS-830 and TS-530, as well as other rigs.
This one works 100%, and looks about as close to new as
one can find. It is in its original box, with paper work for $100.

Crystal filters for Kenwood TS-120, TS-130, TS-180,
TS-430, TS-440 and others

Kenwood YK-88 SN, narrow SSB filter.
1800 Hz bandwidth. Almost like new for $ 70.

Kenwood YK-88 C, CW filter
500 Hz bandwidth. Close to new condition for $70.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

869. all kenwood hf models

Yahoo group: kenwoodradio
Date: 2005-04-06 19:21:02 UTC
From: Kenneth Bradford
Topic: 869 Message: 869

can anyone tell me if any hf rig can be used with a computer Besides the 2k. older rigs preferably.

870. Re: [kw-radio] all kenwood hf models

Yahoo group: kenwoodradio
Date: 2005-04-06 19:37:50 UTC
From: Bob Mason
Topic: 869 Message: 870

On this day, 06/04/2005 20:21, Kenneth Bradford said the following:

>can anyone tell me if any hf rig can be used with a computer Besides
>the 2k. older rigs preferably.
>
>
>
>
Can you be more specific Kenneth?

73

--
Bob Mason
http://www.bob-mason.me.uk

"Many people quit looking for work when they find a job."

871. Re: [kw-radio] all kenwood hf models

Yahoo group: kenwoodradio
Date: 2005-04-06 20:05:34 UTC
From: Harry
Topic: 869 Message: 871

The TS-440 can

Kenneth Bradford wrote:
>
> can anyone tell me if any hf rig can be used with a computer Besides
> the 2k. older rigs preferably.
>
>
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>

872. Re: [kw-radio] all kenwood hf models

Yahoo group: kenwoodradio
Date: 2005-04-12 18:15:02 UTC
From: John Graves
Topic: 869 Message: 872

I believe that the TS-140 and the TS-440 were among the first if nt the first models that used a computer interface for control.

If you question is what Kenwood rig can be used with a soundcard interface. then the answer is any but the interface has to be correctly wired (use 4 pin or 8 pin on the mike and PTT and pick up the sound from the remote speaker jack. Later rigs, such as the TS-140 had a 13 pin din jack in the pack that supplied all these functions.

John / WB1EHL

Bob Mason wrote:

> On this day, 06/04/2005 20:21, Kenneth Bradford said the following:
>
> >can anyone tell me if any hf rig can be used with a computer Besides
> >the 2k. older rigs preferably.
> >
> >
> >
> >
> Can you be more specific Kenneth?
>
> 73
>
> --
> Bob Mason
> http://www.bob-mason.me.uk
>
>
> "Many people quit looking for work when they find a job."
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
>
>
> ---
> *Yahoo! Groups Links*
>
> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/kenwoodradio/
>
> * To unsubscribe from this group, send an email to:
> kenwoodradio-unsubscribe@yahoogroups.com

> <mailto:kenwoodradio-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo! Terms of
> Service <http://docs.yahoo.com/info/terms/>.
>
>

873. Accessories for Kenwood HF xcvrs FS

Yahoo group: kenwoodradio
Date: 2005-04-23 00:17:51 UTC
From: Ken Simpson, W8EK
Topic: 873 Message: 873

Accessories for Kenwood TS-120/130 and other
Kenwood HF transceivers For Sale:

Kenwood VFO-120 remote VFO
This adds split operation to the TS-120 or TS-130
transceivers. It is in nice shape, works fine, and
includes the cable to plug in to the rig, and the paper
work for $95.

Kenwood AT-120 antenna tuner
Matches the TS-120 or TS-130 cosmetically, but could
be used with any HF transceiver in the 100 Watt class.
It has provisions for "straight thru" operation, and includes
a nice lighted meter. With paper work for $80.

Kenwood MC-50 desk microphone
This is the desk microphone that was used on many
different rigs. It has both high and low impedance
output, so will match most any rig. It has a 4 pin
plug wired for Kenwood, but of course that can be
changed. This one works fine and looks fine.
It includes paper work for $55.

Kenwood MC-35 S hand microphone
This hand microphone is used with most all of the
older Kenwood rigs - TS-120, TS-180, TS-520, TS-820,
etc. It has a four pin plug on it to match these rigs.
Good shape for $40

Small Kenwood hand microphone
This is like the small hand mic that came with the
Kenwood TR-7400. It has the standard 4 pin plug
wired for Kenwood. It is a 500 ohm dynamic mic.
No model number on it, but it looks close to new,
and works fine. If you like a smaller mic, compared
to the MC-35 or MC-30, this is it. $35

YK-88 C, CW filter for Kenwood TS-120/130/430/440, and
many others.
This is a 500 hertz CW filter for the 8.8 MHz IF used in many
of the Kenwood rigs. Actual center frequency is 8830.7 MHz.
It is the solder in type filter, with steep skirts. $70

Kenwood YK-88 SN, narrow SSB filter.
Crystal filter for Kenwood TS-120, TS-130, TS-180,
TS-430, TS-440 and others. 1800 Hz bandwidth. $ 70

Kenwood SP-230 speaker
This speaker has a switch so that it can be used with two rigs.
It also has filtering built in to it to help clear QRM, noise, etc.
It matches the TS-830 and TS-530, as well as other rigs.
This one works 100%, and looks about as close to new as
one can find. It is in its original box, with paper work for $100.

Kenwood heavy DC power cord
This is the actual Kenwood cord, and not a third party
make over. It fits all of the Kenwood (and Icom) rigs
that take the standard 6 pin power plug. $ 20

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

874. Kenwood HT accessories FS

Yahoo group: kenwoodradio
Date: 2005-04-24 11:17:24 UTC
From: Ken Simpson, W8EK
Topic: 874 Message: 874

Kenwood HT accessories For Sale:

SMC-25 speaker microphone
This fits the TR-2500, TR-3500, and probably others as
well. It is in nice shape, and works fine. $20

PB-26 battery pack
This fits the TR-2600 series, and color matches it. It can
also be used with the TR-2500 series, although the color
is off a bit. This one works fine and looks fine. $25

Kenwood BH belt clip
Used on TR-2500 and TR-2600 series of HTs. Large
metal clip, with mounting screws. Nice shape for $8

440 MHz rubber duck antenna with BNC connector
This is the real Kenwood antenna, and can be used on
any of the HTs that use a BNC connector, and are
440 MHz. $12

W09-0334 Wall charger for TH-21 / 31 / 41 series HTs
Like about 95% of these chargers, this one has the "ear"
on it broken, but can be used fine with a rubber band. $12

Wrist strap for TH-21 / 31 / 41 and likely other HTs $ 2

RA-8 Stubby Rubber duck antenna
This is for a TH-21 series 2 meter HT, with the threaded
connector. Good condition for $10

Antenna adapter to fit the connector on the TH -
21 / 31 / 41, and adapt it to standard PL-259
antenna connector. $ 3

Antenna adapter as above, but goes to
BNC connector. $ 3

Antenna adapter to fit the BNC connector on the HT
and provide an SO-239 connector that will permit
a PL-259 to be attached. $6

Kenwood EP-1 ear phone
Used on almost all Kenwood HTs. Like new. $4

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

875. Kenwood HT accessories FS

Yahoo group: kenwoodradio
Date: 2005-05-07 13:49:56 UTC
From: Ken Simpson, W8EK
Topic: 874 Message: 875

Kenwood HT accessories For Sale:

SMC-25 speaker microphone
This fits the TR-2500, TR-3500, and probably others as
well. It is in nice shape, and works fine. $20

PB-26 battery pack
This fits the TR-2600 series, and color matches it. It can
also be used with the TR-2500 series, although the color
is off a bit. This one works fine and looks fine. $25

Kenwood BH belt clip
Used on TR-2500 and TR-2600 series of HTs. Large
metal clip, with mounting screws. Nice shape for $8

440 MHz rubber duck antenna with BNC connector
This is the real Kenwood antenna, and can be used on
any of the HTs that use a BNC connector, and are
440 MHz. $12

W09-0334 Wall charger for TH-21 / 31 / 41 series HTs
Like about 95% of these chargers, this one has the "ear"
on it broken, but can be used fine with a rubber band. $12

Wrist strap for TH-21 / 31 / 41 and likely other HTs $ 2

RA-8 Stubby Rubber duck antenna
This is for a TH-21 series 2 meter HT, with the threaded
connector. Good condition for $10

Antenna adapter to fit the connector on the TH -
21 / 31 / 41, and adapt it to standard PL-259
antenna connector. $ 3

Antenna adapter as above, but goes to
BNC connector. $ 3

Antenna adapter to fit the BNC connector on the HT
and provide an SO-239 connector that will permit
a PL-259 to be attached. $6

Kenwood EP-1 ear phone
Used on almost all Kenwood HTs. Like new. $4

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

876. Kenwood accessory items FS

Yahoo group: kenwoodradio
Date: 2005-05-07 22:26:08 UTC
From: Ken Simpson, W8EK
Topic: 876 Message: 876

Accessories for Kenwood transceivers For Sale:

Kenwood MC-35 S hand microphone
This hand microphone is used with most all of the
older Kenwood rigs - TS-120, TS-180, TS-520, TS-820,
etc. It has a four pin plug on it to match these rigs.
Good shape for $40

Small Kenwood hand microphone
This is like the small hand mic that came with the
Kenwood TR-7400. It has the standard 4 pin plug
wired for Kenwood. It is a 500 ohm dynamic mic.
No model number on it, but it looks close to new,
and works fine. If you like a smaller mic, compared
to the MC-35 or MC-30, this is it. $35

YK-88 C, CW filter for Kenwood TS-120/130/430/440, and
many others.
This is a 500 hertz CW filter for the 8.8 MHz IF used in many
of the Kenwood rigs. Actual center frequency is 8830.7 MHz.
It is the solder in type filter, with steep skirts. $70

Kenwood heavy DC power cord for HF rigs
This is the actual Kenwood cord, and not a third party
make over. It fits all of the Kenwood (and Icom and Yaesu
and Alinco) rigs that take the standard 6 pin "Molex"
power plug. $ 20

I have a cable that is used to go between a Kenwood
transceiver, and a linear amplifier, to switch the amp
from transmit to receive. One end has a DIN connector
on it, as is used with most Kenwood rigs. The other end
has an RCA phono plug on it, as used by most linear
amplifiers. Before using this cable, please check to be
certain that the voltages and currents needed by your
amplifier match the switching capabilities of your transceiver.
This cable has only one coax between the rig and amp.
It provides only the relay control, and NOT the ALC control.
Many amps do not need the ALC, so this cable would
work fine. $ 12

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

877. Misc Kenwood items FS

Yahoo group: kenwoodradio
Date: 2005-05-14 10:51:09 UTC
From: Ken Simpson, W8EK
Topic: 805 Message: 877

Accessories for Kenwood transceivers For Sale:

Kenwood MC-43 hand microphone
This is the Kenwood hand microphone with the round
8 pin connector, and up-down switches. It was the
original mic with many rigs such as the TS-430, 440,
930, 940, 950, etc.
This one works fine and looks close to new. $40

Small Kenwood hand microphone
This is like the small hand mic that came with the
Kenwood TR-7400. It has the standard 4 pin plug
wired for Kenwood., and is a 500 ohm dynamic mic.
It can be used on an HF rig, or a VHF or UHF rig.
No model number on it, but it looks close to new,
and works fine. If you like a smaller mic, compared
to the MC-35 or MC-30, this is it. $30

Kenwood heavy DC power cord for HF rigs
This is the actual Kenwood cord, and not a third party
make over. It fits all of the Kenwood (and Icom and Yaesu
and Alinco) rigs that take the standard 6 pin "Molex"
power plug. $ 20

I have a cable that is used to go between a Kenwood
transceiver, and a linear amplifier, to switch the amp
from transmit to receive. One end has a DIN connector
on it, as is used with most Kenwood rigs. The other end
has an RCA phono plug on it, as used by most linear
amplifiers. Before using this cable, please check to be
certain that the voltages and currents needed by your
amplifier match the switching capabilities of your transceiver.
This cable has a coax between the rig and amp to provide
the relay control. $12

"Extender feet"
These are the extra feet that can be used on the front of
most Kenwood rigs to tilt the unit so that it is raised in the
front. They screw in to the standard feet. These are in
very nice shape. $15

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

878. Extender feet

Yahoo group: kenwoodradio
Date: 2005-05-16 00:50:54 UTC
From: robolt
Topic: 878 Message: 878

Ken mentions "extender feet" for Kenwood rigs. I didn't know they existed. Anyone know where I can get a pair? Ken had sold his by the time I saw the post. I've got an 870 with a couple of PVC end caps under the front feet and I'd like a better "look".

Ralph Bolt K0HML

879. Kenwood HF xcvrs FS

Yahoo group: kenwoodradio
Date: 2005-05-21 11:00:50 UTC
From: Ken Simpson, W8EK
Topic: 879 Message: 879

Kenwood HF transceivers for sale:

Kenwood TS-180 HF transceiver
This rig covers 160 thru 10 meters. It can include the
WARC bands with a "kit", but this one does not. It is
all solid state, with digital readout, and is a terrific rig.
This one has the DFC in it, and works great. It includes
the extra SSB filter which does two things. It improves
the receive with sharper bandwidth, but it also enables
use of an extremely effective RF speech processor that
is much better than the processor in most of the newer
rigs. The added "punch" is almost like adding a linear
amplifier. This one looks almost like new. It includes
the power cord, and the paper work for $275.

Kenwood TS-120 HF transceiver
This is an 80 thru 10 meter rig solid state CW and SSB
rig with digital readout. It is relatively small, so can be
used mobile. It is your basic "work horse" rig. It works
well, and does a nice job, but does not have a lot of extra
bells and whistles on it to complicate its use. This one is
in nice shape, and includes the power cord and paper
work for $195.

Small Kenwood hand microphone
This is like the small hand mic that came with the
Kenwood TR-7400. It has the standard 4 pin plug
wired for Kenwood., and is a 500 ohm dynamic mic.
It can be used on an HF rig, or a VHF or UHF rig.
No model number on it, but it looks close to new,
and works fine. If you like a smaller mic, compared
to the MC-35 or MC-30, this is it. $30

I have a cable that is used to go between a Kenwood
transceiver, and a linear amplifier, to switch the amp
from transmit to receive. One end has a DIN connector
on it, as is used with most Kenwood rigs. The other end
has an RCA phono plug on it, as used by most linear
amplifiers. Before using this cable, please check to be
certain that the voltages and currents needed by your
amplifier match the switching capabilities of your transceiver.
This cable has a coax between the rig and amp to provide
the relay control. $12

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

880. Kenwood shipping boxes FS

Yahoo group: kenwoodradio
Date: 2005-05-21 12:20:49 UTC
From: Ken Simpson, W8EK
Topic: 880 Message: 880

For Sale:

I have found some shipping cartons for Kenwood items
that I have no need for.

Shipping carton for Kenwood PS-30 power supply
This includes both the inner and outer boxes, and the styrofoam
inserts that protect the power supply. $17

Box for Kenwood SM-220 scope
This is the inner box only, and includes the cardboard protectors
that are used inside. $10

Box for Kenwood MC-60 desk microphone
This is the box, plus the special cardboard pieces that pack the
microphone, plus the plastic bubble pack that is used with it. $10

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

881. Kenwood TM-321A Manual

Yahoo group: kenwoodradio
Date: 2005-05-26 22:05:37 UTC
From: Ron
Topic: 881 Message: 881

I have a Kenwood TM-321A --220 Mhz -- Yes -- got it from EBAY --- but ---

I need a manual.... I guess I need a PL TONE board to get the Tone
function to work... Is that a TU-5?? Does it have PL ENCODE without
the extra CTCSS board? I can not get the PL code selection.
Any help out there??
Anywhere on line to get a PDF file?
I would like to know what are some of the options for the radio
like a DTMF mic....The CTCSS board? etc....

Ron

882. TV-502 Transverter - Tech specs + service manual

Yahoo group: kenwoodradio
Date: 2005-05-29 23:01:05 UTC
From: Bruce Sawtelle
Topic: 882 Message: 882

Hello!

I have a TV-502 that I've interfaced to my TS-850 & I would like to know if anyone has the technical specs (e.g. noise figures, gain, etc) for it. I have the user guide, but it doesn't include this info.

If someone has the service manual, I'd be glad to pay copying costs.

Also, QST did a review of the 502 in August 1977. If someone has this review, I'd be glad to pay copying costs as well

tnx es 73

Bruce -W3NJ

883. New HF/Antenna Group

Yahoo group: kenwoodradio
Date: 2005-06-02 00:54:35 UTC
From: J. Rausch
Topic: 883 Message: 883

For those interested, I have a new group I started for Tarheel Screwdriver HF Antennas. I did a search for a group to join to find zero, so I started one. Here is the direct link:

<http://groups.yahoo.com/group/tarheelscrewdriver/>

Jason KE4NYV
www.ke4nyv.com
RPC Electronics
www.rpc-electronics.com

884. FM receive in aircraft band

Yahoo group: kenwoodradio
Date: 2005-06-07 15:21:39 UTC
From: Gene Floyd
Topic: 884 Message: 884

Is there any way to disable the automatic switch to AM when tuning below 136 Mhz on the TM241A or any other Kenwood (or other brand) that covers airband? I want to use one of my radios with a doppler unit for tracking ELTs (122.5), but the receiver has to be in FM mode in order for the doppler unit to recognize the phase shift and point me in the right direction. Any help or information would be greatly appreciated.

Gene
AI4KK
FL CAP 1019

885. TKR-850K interfaced to an LTR controller

Yahoo group: kenwoodradio
Date: 2005-06-07 15:47:46 UTC
From: Gary LaForce
Topic: 885 Message: 885

Has Anyone interfaced an tkr-850k with a trident raider LTR controller before? I'm trying to do this but have handshaking problems. I'm looking for all the info on this that i can find. BTW this is going to a commerical system and not amatuer

Thanks Gary LaForce

886. ts 870s used with linear

Yahoo group: kenwoodradio
Date: 2005-06-11 00:26:27 UTC
From: John Irwin
Topic: 886 Message: 886

Hi dudes

This is my first posting
I have a Kenwood TS870S
and do not have a linear but am building one. My question is about the remote jack on the back. I am planning to use a 12vdc coaxial relay to switch antenna around the amplifier. The manual shows this jack on page 5 having a internal switch using pins 2, 4and 5 and pin 7 which has source 12vdc at 10 amps.

Can I use the pin 7 output to ground to power the 12vdc relay ?

john kb9tc

[Non-text portions of this message have been removed]

887. TM-721a power output problem.

Yahoo group: kenwoodradio
Date: 2005-06-12 01:54:58 UTC
From: Bob M
Topic: 887 Message: 887

G'day all,

I've just picked up a G'day all,

I've just picked up a TM-721a that appears to be transmitting 25-30 watts on VHF High and Low range. On UHF I get 20=25watts on both High and low range also. I know that the Total High output level may have been turned down that could be the reason I still need to look into that option.

But does anyone have a suggestion as to why both Low Ranges are producing the same as High . The switch is ok as the low light turns on/off with the switch. Maybe the low output on high is related with the high output on low if you know what I mean.

The Radio work well in all other reasons so It's something I can live with but really would like to Fix. BTW there have been no other mods done as far as I an see. I have Both the users and service manuals with circuits.

Thanks in advance for any help.
Bob M VK4HAY
baysideq@... appears to be transmitting 25-30 watts on VHF High and Low range. On UHF I get 20=25watts on both High and low range also. I know that the Total High output level may have been turned down that could be the reason I still need to look into that option.

But does anyone have a suggestion as to why both Low Ranges are producing the same as High . The switch is ok as the low light turns on/off with the switch. Maybe the low output on high is related with the high output on low if you know what I mean.

The Radio work well in all other reasons so It's something I can live with but really would like to Fix. BTW there have been no other mods done as far as I an see. I have Both the users and service manuals with circuits.

Thanks in advance for any help.
Bob M VK4HAY
baysideq@...

888. Re: [kw-radio] TM-721a power output problem.

Yahoo group: kenwoodradio
Date: 2005-06-12 04:27:39 UTC
From: Sarge
Topic: 888 Message: 888

Weird. what's the SWR?

> G'day all,
>
> I've just picked up a G'day all,
>
> I've just picked up a TM-721a that appears to be transmitting 25-30
> watts on VHF High and Low range. On UHF I get 20=25watts on both
> High and low range also. I know that the Total High output level may
> have been turned down that could be the reason I still need to look
> into that option.
>
> But does anyone have a suggestion as to why both Low Ranges are
> producing the same as High . The switch is ok as the low light
> turns on/off with the switch. Maybe the low output on high is
> related with the high output on low if you know what I mean.
>
> The Radio work well in all other reasons so It's something I can
> live with but really would like to Fix. BTW there have been no other
> mods done as far as I an see. I have Both the users and service
> manuals with circuits.
>
>
> Thanks in advance for any help.
> Bob M VK4HAY

889. ts 870s used with linear

Yahoo group: kenwoodradio
Date: 2005-06-12 13:39:25 UTC
From: John Irwin
Topic: 886 Message: 889

Hi dudes

This is my first posting
I have a Kenwood TS870S
and do not have a linear but am building one. My question is about the remote jack on the back. I am planning to use a 12vdc coaxial relay to switch antenna around the amplifier. The manual shows this jack on page 5 having a internal switch using pins 2, 4and 5 and pin 7 which has source 12vdc at 10 amps.

Can I use the pin 7 output to ground to power the 12vdc relay ?

john kb9tc

[Non-text portions of this message have been removed]

890. Kenwood dual band xcvr FS

Yahoo group: kenwoodradio
Date: 2005-06-19 12:41:57 UTC
From: Ken Simpson, W8EK
Topic: 853 Message: 890

For Sale:

Kenwood TW-4000 dual band mobile FM transceiver

It covers 2 m and 440 MHz FM. 25 Watts output, or 5 W
in low power. Of course it has memories, scan, etc.
It has a GASFET front end, giving it a really great
receiver. This would make a great packet rig, which
is what it has been used for. All solid state switching
makes silent packet operation. Since it has been
used on packet, it does not have a mic with it, although
it takes a standard 8 pin round mic connector, like
most Kenwood rigs. Mobile bracket is included. It
needs 13 V DC at 7 or 8 amps to operate. It works
fine, and is good cosmetically. Manual is included
for $130 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

891. Scrambler cable needed for the TK-7150 and the Tk-790

Yahoo group: kenwoodradio
Date: 2005-07-01 13:37:32 UTC
From: Gary LaForce
Topic: 891 Message: 891

Kenwood LMR dealer and would normally order these from Kenwood Parts but they are out of stock and on back order for at least 4 weeks. We have a customer that needs there new radios installed ASAP and can't wait for Kenwood to get more cables instock. If you have cables that you are welling to sell or trade please email me at glaforce at cvalley dot com.

Also if anyone have the type and part number of the connector and the pins and a place where we could order they that would be ok as well.

Thanks for youre help
Gary LaForce
Chariton Valley TriStar Comm.
Columbia Service Department Manger
573.442.1147 Main line
573.449.8310 fax
glaforce at cvalley dot com

892. TS-120s microphone jack

Yahoo group: kenwoodradio
Date: 2005-07-06 00:55:56 UTC
From: doctor_zim
Topic: 892 Message: 892

I bought a TS-120s from another ham who had changed the 4 pin mike connector to an 8-pin. I would like to go back to a 4 pin. I took off the cover and realized that a few of the wires were broken free from the connector. There appears to be 7 different wires. I can solder with the best but as a technical expert, I am sadly lacking. Is there anyone out there who would be kind enough to pull the bottom cover and let me know what color wires go to which pins on the 4 pin connector? I would be so grateful for any help you might offer. Thanks.

893. Kenwood TS-950SDX Battery Replacement

Yahoo group: kenwoodradio
Date: 2005-07-07 18:59:01 UTC
From: Tom LeClerc
Topic: 893 Message: 893

Hi All,

I'm upgrading bios on my TS-950SDX to alleviate a contesting problem and the lithium battery is on the same board. So I might as well replace it at the same time. Any suggestions on where to get a replacement?? Can it be socketed like it is on many PC motherboards??

Any help would be appreciated.

73, Tom W1TJL

894. Kenwood TS-950SDX Battery Replacement

Yahoo group: kenwoodradio
Date: 2005-07-07 19:06:43 UTC
From: Tom LeClerc
Topic: 893 Message: 894

Hi All,

I'm upgrading bios on my TS-950SDX to alleviate a contesting problem and the lithium battery is on the same board. So I might as well replace it at the same time. Any suggestions on where to get a replacement?? Can it be socketed like it is on many PC motherboards??

Any help would be appreciated.

73, Tom W1TJL

895. AT-250

Yahoo group: kenwoodradio
Date: 2005-07-11 12:05:43 UTC
From: tomkalhr
Topic: 895 Message: 895

Is there any Kenwood AT-250 50 Mhz mod?

9A2TK, Tom

896. Dual band 30 steady tone during TX no TX out

Yahoo group: kenwoodradio
Date: 2005-07-20 17:17:49 UTC
From: RadioGuy205@aol.com
Topic: 896 Message: 896

Ok this is crazy..... The display was flashing when I would change the channel, well it doesn't flash anymore but when I go to TX on UHF or VHF (VHF is radio #1, UHF is radio #2), I get a steady tone once I key the PTT button and it remains a steady tone until I cycle power to the unit. Any ideas?? Thanks in advance!!

[Non-text portions of this message have been removed]

897. Re: [kw-radio] Dual band 30 steady tone during TX no TX out

Yahoo group: kenwoodradio
Date: 2005-07-20 17:42:20 UTC
From: Roger
Topic: 896 Message: 897

Have you checked the VSWR ? Roger / N8BCP

RadioGuy205@... wrote:Ok this is crazy..... The display was flashing when I would change the
channel, well it doesn't flash anymore but when I go to TX on UHF or VHF (VHF is
radio #1, UHF is radio #2), I get a steady tone once I key the PTT button and it
remains a steady tone until I cycle power to the unit. Any ideas?? Thanks in
advance!!

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

[Non-text portions of this message have been removed]

898. TK-350 32 to 160CH

Yahoo group: kenwoodradio
Date: 2005-07-26 20:42:19 UTC
From: RadioGuy205@aol.com
Topic: 898 Message: 898

What mods need to be made to make a TK-350 a 160 channel radio instead of a 32. Thanks!!

Clay

[Non-text portions of this message have been removed]

899. Kenwood HT accessories FS

Yahoo group: kenwoodradio
Date: 2005-08-20 13:56:05 UTC
From: Ken Simpson, W8EK
Topic: 874 Message: 899

Kenwood HT accessories For Sale:

Kenwood BT-5
This is the "empty" battery pack that you can add your
own alkaline or NiCad batteries to. I think it fits the
TH-215, TH-225, and likely others as well. This one is
still in its original box, and appears to be unused. $18

440 MHz rubber duck antenna with BNC connector
This is the real Kenwood antenna, and can be used on
any of the HTs that use a BNC connector, and are
440 MHz. $10

W09-0334 Wall charger for TH-21 / 31 / 41 series HTs
Like about 95% of these chargers, this one has the "ear"
on it broken, but can be used fine with a rubber band. $12

Wrist strap for TH-21 / 31 / 41 and likely other HTs $ 2

RA-8 Stubby Rubber duck antenna
This is for a TH-21 series 2 meter HT, with the threaded
connector. Good condition for $10

Antenna adapter to fit the connector on the TH -
21 / 31 / 41, and adapt it to standard PL-259
antenna connector. $ 3

Antenna adapter as above, but goes to
BNC connector. $ 3

Antenna adapter to fit the BNC connector on the HT
and provide an SO-239 connector that will permit
a PL-259 to be attached. $6

Kenwood EP-1 ear phone
Used on almost all Kenwood HTs. Like new. $4

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

900. STOLEN "lost" KENWOOD TS-570SG VIA FEDEX GROUND

Yahoo group: kenwoodradio
Date: 2005-08-23 18:33:55 UTC
From: w4dg.geo
Topic: 900 Message: 900

WIDEST DISTRIBUTION OF THIS EMAIL IS REUQESTED

Hello to all:

I THINK SOMEONE STOLE MY KENWOOD TS-570SG SERIAL# 10300037 (0=ZERO)

On August 1, 2005, I sent my like new KENWOOD TS-570SG transceiver, via FEDEX GROUND, to my step-son's residence in Western New York. I had intended to operate portable from his QTH for the approximate month's planned vacation stay.

FEDEX records show it left the FEDEX KINKO's store in St. Pete on August 1, 2005, for Tampa and from Tampa it made it to their transfer facility at ORLANDO, FL on August 2, 2005.

In ORLANDO, FL, it was "scanned" being loaded onto a FEDEX trailer #43185 @1:23AM that was bound for their hub in Syracuse, NY. Their records also show that it never made it off that trailer, in Syracuse, NY! It was a direct run!

You don't have to be a rocket scientist to figure out that it either was removed from the trailer "after it was scanned" in ORLANDO, FL, or removed in SYRACUSE NY, before it was scanned, as being received!

IMHO, FEDEX has been less than forthcoming, as I asked if anyone contacted anyone at either of their FEDEX terminals in ORLANDO, FL and SYRACUSE, NY, and their response is yes, we have sent several "emails" regarding your parcel.

From WNY I called and spoke with the Buffalo, NY terminal manager, who gave me the above specific "movement information". He was most helpful!

Having to cut short my WNY vacation and returning back to Redington Beach yesterday, I called FEDEX, and they simply told me to file a claim for the loss ☐ that the matter is closed!

I don't think so!

I shipped three (3) identical BLACK Hard-Case containers measuring 24" x 18" x 11" and each weighing approximately 50# (they also had solid plastic wheels and a SS pull-up handle) and two (2) of the three (3) made their way to my step-son's residence. The others contained an SB-200 linear amp and wattmeter, and next contained the ASTRON 12v 35A PS for the TS-570SG as well as my YAESU 4700RH dual-band VHF/UHF transceiver. The final container held the TS-570SG, a Heil headset speaker/microphone and a G5RV HF antenna system.

These cases were "covered" with red 4"x5" "Fragile ☐ Handle with care" labels that even covered the case opening clips, to prevent any tampering! Each also had a "miniature" lock as well as a black cable tie installed in its metal lock frames built into the case!

To complicate matters, I adequately insured each of these three (3) containers for what their contents were indeed worth! The SB-200 container was insured for $400, the PS / dual band transceiver container, for $400, and the TS-570SG container for $1000. Other than having the optional voice recording module (DRU-3) installed, and the MARS frequency modification done, this transceiver is otherwise stock. I just replaced its lithium battery before shipping it.

I used my FEDEX computer account using their shipmaster software to print out pre-paid shipping labels. I then inserted these three (3) shipping labels, ONE AT A TIME, into the plastic label holder, which had an adhesive rear surface so as to firmly stick to the containers flat front surface. One at a time, I completed this task making sure all was correct.

I then loaded the three (3) containers into my car and took them to FEDEX KINKO's, to ship. My wife held the door open so I could pull each container into their store, one at a time. As I brought in the last container the "young small frame girl clerk" behind the FEDEX counter stated that she needed to scan each container. I said fine, they are all pre-paid and pre-weighed but I was not going to lift three (3) 50# containers up to her and suggested she use her hand scanner. It was at this time that another "young male employee" pulled open each of the sealed flaps of the shipping label envelopes and handed them to the girl to scan. He then took them back from her and pushed them back into the plastic envelopes, on the front of the container!

As I saw this happening, I remarked to my wife that he better get those shipping labels on the right containers! I advised this "young man" that there was a difference in insured values between the containers and to make sure he got them onto the correct container. He replied, "Oh ☐ OK"

As Murphy would have it, he must have switched shipping labels as the one "STOLEN or lost" has the value label of the $400 container!

In all fairness to FEDEX, I explained this entire sequence of events in their "Claims resolution" package of paperwork, which included my sending photocopies of the original HRO invoice for the TS-570SG. I am giving FEDEX the benefit of my doubts that I am reimbursed the value of the TS-570SG ☐ notwithstanding the nearly $100 freight charges for "date Certain delivery"!!!

I will be keeping a close eye on the usual trader's newsgroups, as well as on eBay.

I would appreciate it very much that if you see or hear of a near pristine looking KENWOOD TS-570SG for sale, and it has serial # 10300037, you call your local law enforcement agency and report this, as STOLEN property.

I hate to think that another Amateur would end up with this stolen TS-570SG. But rather think it will show up on the CB band!

Because FEDEX has considered this piece of freight "LOST or STOLEN", they stated they were contacting law enforcement but I can't believe they convinced me that they report every parcel that is "lost or stolen".

Therefore, I am contacting my local law enforcement, to report the items STOLEN (and the TS-570SG serial number), so that at least the TS-570SG may some day, be located.

Again, any help with getting the word out about the TS-570SG is appreciated!

73....de....Dennis Griffin - W4DG
ASM, OOC & Webmaster
ARRL WCF Section: WWW.ARRLWCF.ORG
Homepage: http://web.tampabay.rr.com/dgriffi9

901. Re: [kw-radio] STOLEN "lost" KENWOOD TS-570SG VIA FEDEX GROUND

Yahoo group: kenwoodradio
Date: 2005-08-23 18:41:57 UTC
From: Evan Platt
Topic: 900 Message: 901

At 11:33 AM 8/23/2005, you wrote:
>I would appreciate it very much that if you see or hear of a near
>pristine looking KENWOOD TS-570SG for sale, and it has serial #
>10300037, you call your local law enforcement agency and report this,
>as STOLEN property.

FYI, someone other than the 'owner' of the radio cannot report it as stolen. As a matter of fact, YOU need to contact YOUR police and report it as believed stolen, which may be difficult under the circumstances, however the report needs to come from the owner, not a 3rd party.

Evan

902. RE: [kw-radio] STOLEN "lost" KENWOOD TS-570SG VIA FEDEX GROUND

Yahoo group: kenwoodradio
Date: 2005-08-23 18:46:24 UTC
From: Dennis Griffin
Topic: 900 Message: 902

TNX Evan for the reply. Yes, I have reported it stolen at my level (owner). My message meant that if someone else sees the unit with this serial # to call the police- AS IT IS INDEED, Stolen!

Dennis Griffin -W4DG

From: kenwoodradio@yahoogroups.com [mailto:kenwoodradio@yahoogroups.com] On Behalf Of Evan Platt
Sent: Tuesday, August 23, 2005 2:42 PM
To: kenwoodradio@yahoogroups.com
Subject: Re: [kw-radio] STOLEN "lost" KENWOOD TS-570SG VIA FEDEX GROUND

At 11:33 AM 8/23/2005, you wrote:
>I would appreciate it very much that if you see or hear of a near
>pristine looking KENWOOD TS-570SG for sale, and it has serial #
>10300037, you call your local law enforcement agency and report this,
>as STOLEN property.

FYI, someone other than the 'owner' of the radio cannot report it as stolen. As a matter of fact, YOU need to contact YOUR police and report it as believed stolen, which may be difficult under the circumstances, however the report needs to come from the owner, not a 3rd party.

Evan

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

SPONSORED LINKS

Craft
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Craft+hobby&w2=Hobby+and+craft+supply&w3=Ham+radio&w4=Hobby+supply&w5=Ham+radio+sales&c=5&s=99&.sig=Fb--6uKYrnxN8aPJhXk11w> hobby

Hobby
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Craft+hobby&w2=Hobby+and+craft+supply&w3=Ham+radio&w4=Hobby+supply&w5=Ham+radio+sales&c=5&s=99&.sig=cf2wyrAczj5kq5bGOn7nEA> and craft supply

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Craft+hobby&w2=Hobby+and+craft+supply&w3=Ham+radio&w4=Hobby+supply&w5=Ham+radio+sales&c=5&s=99&.sig=j4

CULZ9_6o6SU4POwS44jw> radio

Hobby
<http://groups.yahoo.com/gads?t=ms&k=Hobby+supply&w1=Craft+hobby&w2=Hobby+and+craft+supply&w3=Ham+radio&w4=Hobby+supply&w5=Ham+radio+sales&c=5&s=99&.sig=irX8SeR9WGeZ8WxnUBTiqQ> supply

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio+sales&w1=Craft+hobby&w2=Hobby+and+craft+supply&w3=Ham+radio&w4=Hobby+supply&w5=Ham+radio+sales&c=5&s=99&.sig=YqVqZzt3gcdUs5bqijHnkQ> radio sales

---

YAHOO! GROUPS LINKS

* Visit your group "kenwoodradio
<http://groups.yahoo.com/group/kenwoodradio> " on the web.

* To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com
<mailto:kenwoodradio-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

[Non-text portions of this message have been removed]

903. Re: [kw-radio] STOLEN "lost" KENWOOD TS-570SG VIA FEDEX GROUND

Yahoo group: kenwoodradio
Date: 2005-08-23 21:05:58 UTC
From: Sarge
Topic: 900 Message: 903

I lost one to FedEx about a year ago.

904. Re: [kw-radio] STOLEN "lost" KENWOOD TS-570SG VIA FEDEX GROUND

Yahoo group: kenwoodradio
Date: 2005-08-24 06:22:23 UTC
From: Ed Cifelli
Topic: 900 Message: 904

However, I do believe that if the original owner of
the radio made a lost/stolen report. and you come
across it, you can contact your local police and
inform them that you have reason to believe that the
item is stolen property. They can check the national
database to see if it is entered and handle it from
thre.

EdC

--- Evan Platt <evan@...> wrote:

> At 11:33 AM 8/23/2005, you wrote:
> >I would appreciate it very much that if you see or
> hear of a near
> >pristine looking KENWOOD TS-570SG for sale, and it
> has serial #
> >10300037, you call your local law enforcement
> agency and report this,
> >as STOLEN property.
>
> FYI, someone other than the 'owner' of the radio
> cannot report it as
> stolen. As a matter of fact, YOU need to contact
> YOUR police and
> report it as believed stolen, which may be difficult
> under the
> circumstances, however the report needs to come from
> the owner, not a
> 3rd party.
>
> Evan
>
>

EdC
Concho AZ

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

905. Phone Patches FS

Yahoo group: kenwoodradio
Date: 2005-08-27 10:59:18 UTC
From: Ken Simpson, W8EK
Topic: 905 Message: 905

Phone Patches for sale:

Kenwood PC-1 A phone patch.
This is the model with the 8 pin connectors, although they can be changed, if needed. It includes a nice meter for adjusting the null so VOX will work OK. This particular unit looks like new. With paperwork for $ 50.

Heath HD-15 phone patch
This is the unit with the VU meter on the left and 3 knobs that match the SB series to the middle and right. Low or high Z output to the transmitter. It can be used as a phone patch, or as an audio interface between your rig and the sound card on your computer. It is in very nice shape. Paper work included for $ 20.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

906. Kenwood LF-30 A, and other TVI filters FS

Yahoo group: kenwoodradio
Date: 2005-08-27 14:51:10 UTC
From: Ken Simpson, W8EK
Topic: 906 Message: 906

TVI filters For Sale:

Low Pass filters for the transmitter:

Kenwood LF-30 A
This is Kenwood's low pass filter, with a cut off of
about 30 MHz, and more than 90 db of attenuation
between 90 and 300 MHz. It will handle 1000 watts,
and has an SO-239 connector on each end. It is in
extremely nice condition, with paper work for $35.

Johnson 250-20 Low Pass Filter
This is a 52 ohm cylindrical low pass filter with a cut
off frequency of 45 MHz and 75 db of attenuation.
It is rated to take 1000 Watts of AM, or 5000 Watts
PEP SSB. It has SO-239 connectors on each end.
$30.

Drake TV-1000-LP Low pass filter
This is the filter that is in the copper case, and may also
be used on the low end of six meters, as well as HF. It is
a 50 ohm filter and is good for 1000 W below 30 MHz, and
about 200 W up to 52 MHz. With paper work for $ 30

Drake TV-5240-LP low pass filter
This number is correct; it is not a TV-5200. This filter is
different than the typical low pass filter. It has an SO-239
connector on each end, but instead of being long and skinny,
the enclosure is about 5 inches square. I think this is a
fairly old filter. It has brownish/gray paint over the copper
colored case. I have not been able to find any specs on
this filter. It does say "For use in 52 ohm line of transmitters
operating below 30 Mc." printed on it. $30

Drake TV-100-LP low pass filter
This is for lower power -- up to 100 watts.
It has the copper case. It is approaching antique status,
as I would guess it must be 30 years old, but still works
fine. Basically it is the same as the TV-1000-LP above,
but with one tenth of the power ratings. $ 15

Alinco ELP-60 D LX low pass filter
For 50 ohm systems, with up to 500 watts of power.
This one has an SO-239 on one end, and about a 2 foot
Length of coax and PL-259 on the other end. $30

Drake TV-300-HP
High Pass filter for the TV for 300 ohm twin lead.
This filter is collectable, and is unused as best I can
determine. It is still in its original box (not the newer
blister pack), with an "RLD" logo on it, and says
"NEW TV-300 HP High Pass Filter, Attenuates
0-52 MHz". A grounding strap is also attached.
$ 15

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

907. Kenwood dual band xcvr FS

Yahoo group: kenwoodradio
Date: 2005-09-03 13:47:34 UTC
From: Ken Simpson, W8EK
Topic: 853 Message: 907

For sale:

Kenwood TW-4000 dual band mobile FM transceiver

It covers 2 m and 440 MHz FM.
It has about 25 Watts output, or 5 W in low power.
Of course it has memories, scan, etc.
It has a GASFET front end, giving it a really great
receiver. This would make a great packet rig, which
is what it has been used for. All solid state switching
makes silent packet operation. Since it has been
used on packet, it does not have a mic with it, although
it takes a standard 8 pin round mic connector, like
most Kenwood rigs. Mobile bracket is included. It
needs 13 V DC at 7 or 8 amps to operate. It works
fine. Manual is included for $110 plus shipping from
Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

908. kenwood tr-7950 no tx no rx

Yahoo group: kenwoodradio
Date: 2005-09-06 00:33:58 UTC
From: antaru_adun
Topic: 908 Message: 908

it was working fine when it started to work intermittently and then
went dead. I have no idea were to begin, but I tested the PIN diodes
near the antenna connector but it was good. what should I check next?
Thanks in advance.

909. Kenwood HT accessories FS

Yahoo group: kenwoodradio
Date: 2005-09-10 22:26:29 UTC
From: Ken Simpson, W8EK
Topic: 874 Message: 909

Kenwood HT accessories For Sale:

W09-0334 Wall charger for TH-21 / 31 / 41 series HTs
Like about 95% of these chargers, this one has the "ear"
on it broken, but can be used fine with a rubber band. $12

Wrist strap for TH-21 / 31 / 41 and likely other HTs $ 2

RA-8 Stubby Rubber duck antenna
This is for a TH-21 series 2 meter HT, with the threaded
connector. Good condition for $10

Antenna adapter to fit the connector on the TH -
21 / 31 / 41, and adapt it to standard PL-259
antenna connector. $ 3

Antenna adapter as above, but goes to
BNC connector. $ 3

Antenna adapter to fit the BNC connector on the HT
and provide an SO-239 connector that will permit
a PL-259 to be attached. $6

Kenwood EP-1 ear phone
Used on almost all Kenwood HTs. Like new. $4

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

910. Mic Adapter

Yahoo group: kenwoodradio
Date: 2005-09-15 00:51:45 UTC
From: Don
Topic: 910 Message: 910

Can anyone tell me if anyone makes a 8 Pin to 8 Pin Mike adapter, I don't want to Hardwire it, I have a MC60A Stand, and I would like to use My Heil Goldline Mic to take advantage of the Nice Stand and Push to talk lever with the Lock function, I bet I am not the only one who has accidentally not held the little button on the Heil down all the way.

Thanks Don KA9QJG

911. TK-805 (no "d")

Yahoo group: kenwoodradio
Date: 2005-09-18 02:15:22 UTC
From: Doris DeBoer DeBoer
Topic: 911 Message: 911

Group:

I have just recieved a pair of TK-805 mobiles paired
as a repeater.

These are not the "D" models. In checking the FCC ID,
they are 25 channel (450-470) mobiles.

Here's what makes them different then my other 805's.

The three switches/buttons below the display are not
their. It is not that they have been removed, it is
that they appear as they though they were never there.

The S/N are below 100000 and i can not locate any
literature on these models. My 805D material does not
cover them nor does my other pre-d 805 manuals.

All that these radios have is the channel selector (up
to 16), the monitor and aux buttons.

I did find out online that pressing the aux button
while powering up wipes the memory.

Lucky I did not experiment.

Any info or directions to info on this apparent
antique 805's would be appreciated.

ddb

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

912. Re: [kw-radio] TK-805 (no "d")

Yahoo group: kenwoodradio
Date: 2005-09-18 03:07:47 UTC
From: GaryErrol
Topic: 911 Message: 912

>
>These are not the "D" models. In checking the FCC ID,
>they are 25 channel (450-470) mobiles.

Not 25 channel, they are 16 channel 25 watt radio's

>Here's what makes them different then my other 805's.
>
>The three switches/buttons below the display are not
>their. It is not that they have been removed, it is
>that they appear as they though they were never there.

The non "D" models do not have those three buttons, nor do they the ability
to scan as the 805D's do.

>I did find out online that pressing the aux button
>while powering up wipes the memory.
>
>Lucky I did not experiment.
>
>Any info or directions to info on this apparent
>antique 805's would be appreciated.

Take a look at this link, it will tell you how to program your non "D"
model's.

http://mods.dk/view.php?ArticleId=2373

This radio does not program via computer and software.

913. Need in help of KPG-49D v.4 users

Yahoo group: kenwoodradio
Date: 2005-09-18 20:55:16 UTC
From: rk3aag
Topic: 913 Message: 913

Hi folks!

I loose my distributive of KPG-49D v.4.01 :(

Anybody may help me & e-mail it directly (e-mail is eika@...) or
share it for e.g. on www.rapidshare.de?

License (serial number) is NOT REQUIRED, because it was kept!

I hope on you help! Please help me!

P.S.
Version 4.0 or 4.01 is OK for me.

P.P.S.
Privacy of sender & non-distribution is guaranteed!

--
Regards,
Art / eika@...

914. Re: [kw-radio] TK-805 (no "d")

Yahoo group: kenwoodradio
Date: 2005-09-18 21:32:17 UTC
From: Doris DeBoer DeBoer
Topic: 911 Message: 914

Yes, that is why I called them "non d", and I was
mistaken on the channel verses wattage. Sorry for
thinking faster then I type.

Do you have any literature on these?

I have other tk-805's with the three buttons. Those
805's do not have the "d" as a suffix, do scan but do
not have dpl, on ctcss. My local Kenwood dealer said
that he has not seen any version of the 805 without
the button configuration. He wondered if they were
imports, or factory moded.

that is why these seemed so strange.

--- GaryErrol <GaryErrol@...> wrote:

>
> >
> >These are not the "D" models. In checking the FCC
> ID,
> >they are 25 channel (450-470) mobiles.
>
> Not 25 channel, they are 16 channel 25 watt radio's
>
> >Here's what makes them different then my other
> 805's.
> >
> >The three switches/buttons below the display are
> not
> >their. It is not that they have been removed, it
> is
> >that they appear as they though they were never
> there.
>
> The non "D" models do not have those three buttons,
> nor do they the ability
> to scan as the 805D's do.
>
> >I did find out online that pressing the aux button
> >while powering up wipes the memory.
> >
> >Lucky I did not experiment.
> >
> >Any info or directions to info on this apparent
> >antique 805's would be appreciated.

>
> Take a look at this link, it will tell you how to
> program your non "D"
> model's.
>
> http://mods.dk/view.php?ArticleId=2373
>
> This radio does not program via computer and
> software.
>
>
>

_____
Yahoo! Mail - PC Magazine Editors' Choice 2005
http://mail.yahoo.com

915. Re: [kw-radio] TK-805 (no "d")

Yahoo group: kenwoodradio
Date: 2005-09-18 22:06:18 UTC
From: Doris DeBoer DeBoer
Topic: 911 Message: 915

Gary: I did the jumper option and the program mode
openned right up. Someone, (probably whoever made
this a repeater pair) installed DCS inside, nice find.

Thanks for the link and info...

Now, I don't care if the radio has the three buttons
and I have a functional repeater.

Thanks again and thanks to the group for being there!

ddb

--- GaryErrol <GaryErrol@...> wrote:

>
> >
> >These are not the "D" models. In checking the FCC
> ID,
> >they are 25 channel (450-470) mobiles.
>
> Not 25 channel, they are 16 channel 25 watt radio's
>
> >Here's what makes them different then my other
> 805's.
> >
> >The three switches/buttons below the display are
> not
> >their. It is not that they have been removed, it
> is
> >that they appear as they though they were never
> there.
>
> The non "D" models do not have those three buttons,
> nor do they the ability
> to scan as the 805D's do.
>
> >I did find out online that pressing the aux button
> >while powering up wipes the memory.
> >
> >Lucky I did not experiment.
> >
> >Any info or directions to info on this apparent
> >antique 805's would be appreciated.
>
> Take a look at this link, it will tell you how to

> program your non "D"
> model's.
>
> http://mods.dk/view.php?ArticleId=2373
>
> This radio does not program via computer and
> software.
>
>
>

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

916. New group started for discussions about Kenwood TK-930 / TK-931 Mobile Radios

Yahoo group: kenwoodradio
Date: 2005-10-07 13:55:59 UTC
From: just_a_radio_guy
Topic: 916 Message: 916

Hello!

New Kenwood group started. For discussions about Kenwood TK-930 / TK-931 Mobile Radios.

You can access your group using the link
http://groups.yahoo.com/group/Kenwood_TK-930_931

Other group information:

Group name: Kenwood_TK-930_931
Group home page: http://groups.yahoo.com/group/Kenwood_TK-930_931
Group email address: Kenwood_TK-930_931@yahoogroups.com

You are welcome!

Thanks!

917. Kenwood PC-1 A phone patch FS

Yahoo group: kenwoodradio
Date: 2005-10-08 12:26:08 UTC
From: Ken Simpson, W8EK
Topic: 917 Message: 917

Phone Patch for sale:

Kenwood PC-1 A phone patch.

This is the model with the 8 pin connectors, although they can be changed, if needed. It includes a nice meter for adjusting the null so VOX will work OK. This particular unit looks like new. With paperwork for $ 50 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

918. TS-570 and new computer

Yahoo group: kenwoodradio
Date: 2005-10-22 11:17:15 UTC
From: Bert Morton
Topic: 918 Message: 918

Hello All,

My new computer has no serial port so I'll have to use a USB to serial device to control my 570.

I'm told some work better than others and would appreciate hearing any recommendations and success stories.

Thanks and 73,

Bert W1DFU

919. Re: [kw-radio] TS-570 and new computer

Yahoo group: kenwoodradio
Date: 2005-10-22 13:28:00 UTC
From: Bud Haynes
Topic: 918 Message: 919

Bert Morton wrote:

>Hello All,
>
>My new computer has no serial port so I'll have to use a USB to serial
>device to control my 570.
>
>I'm told some work better than others and would appreciate hearing any
>recommendations and success stories.
>
>Thanks and 73,
>
>Bert W1DFU
>
>
>
I use one of those converters but not for radio. It works very good, I
got it at Wal-Mart for $24.xx in the computer department. One thing
about buying there is that if It don't work you can return it.
Bud - KV7G - Glenrock, WY

920. Kenwood 2 meter HT FS

Yahoo group: kenwoodradio
Date: 2005-10-29 15:40:43 UTC
From: Ken Simpson, W8EK
Topic: 920 Message: 920

Kenwood TH-21 AT Two meter HT For Sale:

The TH-21 is a fully synthesized 2 meter HT. It has
thumbwheel switches on the top to select the frequency.
The + or - offset is selected by a switch on the back, as
is high and low power.

This particular HT produces about 1/3 W on low power and
about 1.5 watts on high power. It does have a problem, however.
It transmits fine, has good transmit audio, including the DTMF
touchtone pad, but does not have receive audio. This could be
a simple problem, or it might be more involved. The HT is being
sold "as is". Repair it, or use it for parts. It might be a good
candidate for a transmitter for "Fox hunts."

This is the HT only, but does include a copy of the manual
for $20 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

921. DD-1K

Yahoo group: kenwoodradio
Date: 2005-11-01 23:15:24 UTC
From: lewis l orcutt
Topic: 921 Message: 921

Group,
I am New to the Kenwood group and am looking for a manual, users and or service for the Spectronics DD-1K Digital frequency display. I believe it was maybe a Kenwood product but not sure. Can't seem to find it on Ebay, Bama, or other manual sites except manualman and have ordered it there but it is only an operators one no schematic Etc. If you see this I am interested in where and how to connect it to my Swan gear if it is usable there as I believe it does not go on the vfo as does the Swan DD76. I have been told most Kenwood radios uses the same frequency swing on all bands and them compensate the difference in the DD-1K and as you know, the Swans change bands by switching the VFO tank circuits so this may not be possible. I purchased it on Ebay with the claim it worked well and read the exact freq. from the sellars signal generator but is dead in the water and the input wire was even broke from the circuit board when I got it so can't guess how it read anything. No change when I hooked it up unless I am injecting the wrong signal to check it. This may be my first bad Ebay buy and if I won't work with my Swan may have project piece for sale.I guess by now you Know I am an avid Swan collector and love the old glow in the dark tube radios so please don't block me because of that. Hi Hi. It looks like a really great display and would like to get it going so thanks for any help with the manual or info anyone in the group may have.
73's
Lew/N0CXY

[Non-text portions of this message have been removed]

922. Re: [kw-radio] DD-1K

Yahoo group: kenwoodradio
Date: 2005-11-03 11:19:41 UTC
From: tony wanklin
Topic: 922 Message: 922

Hi Lou sorry I cannot help with your problem, I am also quite new to the group, also sorry to hear you seem to have been, shall we say duped. I hope you can solve your problem so you may be able to use your equipment as you wish, all the best and good luck in your search.
73 ..M0-DHD Tony
----- Original Message -----
From: lewis l orcutt
To: kenwoodradio@yahoogroups.com
Sent: Tuesday, November 01, 2005 11:15 PM
Subject: [kw-radio] DD-1K

Group,
I am New to the Kenwood group and am looking for a manual, users and or service for the Spectronics DD-1K Digital frequency display. I believe it was maybe a Kenwood product but not sure. Can't seem to find it on Ebay, Bama, or other manual sites except manualman and have ordered it there but it is only an operators one no schematic Etc. If you see this I am interested in where and how to connect it to my Swan gear if it is usable there as I believe it does not go on the vfo as does the Swan DD76. I have been told most Kenwood radios uses the same frequency swing on all bands and them compensate the difference in the DD-1K and as you know, the Swans change bands by switching the VFO tank circuits so this may not be possible. I purchased it on Ebay with the claim it worked well and read the exact freq. from the sellars signal generator but is dead in the water and the input wire was even broke from the circuit board when I got it so can't guess how it read anything. No change when I hooked it up unless I am injecting the wrong signal to check it. This may be my first bad Ebay buy and if I won't work with my Swan may have project piece for sale.I guess by now you Know I am an avid Swan collector and love the old glow in the dark tube radios so please don't block me because of that. Hi Hi. It looks like a really great display and would like to get it going so thanks for any help with the manual or info anyone in the group may have.
73's
Lew/N0CXY

[Non-text portions of this message have been removed]

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio Ham radio sales

YAHOO! GROUPS LINKS

a.. Visit your group "kenwoodradio" on the web.

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

923. Re: [kw-radio] DD-1K

Yahoo group: kenwoodradio
Date: 2005-11-03 11:38:31 UTC
From: tony wanklin
Topic: 922 Message: 923

----- Original Message -----
From: tony wanklin
To: kenwoodradio@yahoogroups.com
Sent: Thursday, November 03, 2005 11:19 AM
Subject: Re: [kw-radio] DD-1K

Hi Lou sorry I cannot help with your problem, I am also quite new to the group, also sorry to hear you seem to have been, shall we say duped. I hope you can solve your problem so you may be able to use your equipment as you wish, all the best and good luck in your search.
73 ..M0-DHD Tony
----- Original Message -----
From: lewis l orcutt
To: kenwoodradio@yahoogroups.com
Sent: Tuesday, November 01, 2005 11:15 PM
Subject: [kw-radio] DD-1K

Group,
I am New to the Kenwood group and am looking for a manual, users and or service for the Spectronics DD-1K Digital frequency display. I believe it was maybe a Kenwood product but not sure. Can't seem to find it on Ebay, Bama, or other manual sites except manualman and have ordered it there but it is only an operators one no schematic Etc. If you see this I am interested in where and how to connect it to my Swan gear if it is usable there as I believe it does not go on the vfo as does the Swan DD76. I have been told most Kenwood radios uses the same frequency swing on all bands and them compensate the difference in the DD-1K and as you know, the Swans change bands by switching the VFO tank circuits so this may not be possible. I purchased it on Ebay with the claim it worked well and read the exact freq. from the sellars signal generator but is dead in the water and the input wire was even broke from the circuit board when I got it so can't guess how it read anything. No change when I hooked it up unless I am injecting the wrong signal to check it. This may be my first bad Ebay buy and if I won't work with my Swan may have project piece for sale.I guess by now you Know I am an avid Swan collector and love the old glow in the dark tube radios so please don't block me because of that. Hi Hi. It looks like a really great display and would like to get it going so thanks for any help with the manual or info anyone in the group may have.
73's
Lew/N0CXY

[Non-text portions of this message have been removed]

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

SPONSORED LINKS Hobby and craft supply Craft hobby Hobbies and crafts
Ham radio Ham radio sales

YAHOO! GROUPS LINKS

a.. Visit your group "kenwoodradio" on the web.

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

YAHOO! GROUPS LINKS

a.. Visit your group "kenwoodradio" on the web.

b.. To unsubscribe from this group, send an email to:
kenwoodradio-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

924. Fan Relay

Yahoo group: kenwoodradio
Date: 2005-11-07 17:59:01 UTC
From: Don
Topic: 924 Message: 924

I have a Kenwood TM-631A And Sometimes I do Croosband around the house, at 5 Watts, I have a little Muffin Fan on the heat sink the radio runs nice and cold , But what I would like to do is find a point inside the Radio on Transmit, I would get 5 to 12 Volts to Key up a External little relay to activate the Fan only on Transmit , I do Not have a Service Manual if anyone has this Radio and the Manual I would really appreciate a tap off point , before I get the Meter out and start poking around

Thanks Don KA9QJG

925. Kenwood hand microphones FS

Yahoo group: kenwoodradio
Date: 2005-11-27 13:42:02 UTC
From: Ken Simpson, W8EK
Topic: 925 Message: 925

Kenwood Hand Microphones For Sale:

Kenwood MC-43 S hand microphone
This is the "standard" microphone that came with many
of the rigs that take the 8 pin mic connector that this
one has on it. It has "up" and "down" switches, as well
as the normal PTT switch. This particular MC-43 is very
nice condition. $ 35

Kenwood MC-42 S hand microphone
This mic is similar to the MC-43 S (above). In fact I have
never been able to figure out the difference between them,
other than the label applied. $35

Kenwood MC-35 S hand microphone
This hand microphone is used with most all of the older
Kenwood rigs - TS-120, TS-180, TS-520, TS-820,
etc. It has a four pin plug on it to match these rigs.
It is in good shape, still in its original box, for $35.

Small hand mic that came with the Drake TR-72
and TR-2200 A. It has the standard 4 pin plug wired
for Drake/Kenwood, and is a 500 ohm mic. This one says
Drake on it, but it is the same as the Kenwood microphone.
No model number on it, but it looks close to new, and
works fine. $30

Kenwood MC-48, touch tone (DTMF) microphone.
Round, 8 pin connector, will go with any Kenwood rig
taking this kind of connector. Has UP and DOWN
switches, along with 16 digit touchtone pad. It is often used
on the 2 m and 440 MHz rigs that do not have touchtone
built in, but can also be used on HF rigs for TT on 10 m
FM. It works fine and looks great also. $ 50

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

926. Kenwood HTs FS

Yahoo group: kenwoodradio
Date: 2005-11-28 17:03:41 UTC
From: Ken Simpson, W8EK
Topic: 926 Message: 926

I have two Kenwood HTs for sale.

Both are dead, and are being sold for parts only.
You may be able to get them to work with out much
effort, or they may not be repairable at all. I don't know.

The first is a Kenwood TR-2500, Two meter HT. Some
of the time, it will display 5.000 when it comes on. Other
times it will display nothing, and at other times it displays
garbage. The red transmit LED comes on when I push the
PTT, but no power out.

The second is a Kenwood TH-31 AT, 220 MHz HT.
Audio noise comes out when I open the squelch, but that is it.
No signs of any RF on transmit.

I am selling the HT only, with no accessories. They are $10
each, plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

927. Kenwood BC-1 memory back up and other items FS

Yahoo group: kenwoodradio
Date: 2005-12-07 14:22:25 UTC
From: Ken Simpson, W8EK
Topic: 927 Message: 927

Kenwood items for sale:

Kenwood BC-1 AC adapter
My memory says that this is the adapter that is used with the TR-9000 and TR-9130 multimode 2 meter rigs, and also maybe other rigs like the TR-7730 and TR-7800, and rigs of that era, to provide memory back up when the main power supply was turned off. I think it might also have been used as a charger for some rigs. It has the strange 3 conductor plug on it that is about 3/8 inch, and five sided, with the 3 contacts arranged like a triangle. Output is 14 V DC at 150 ma. This one works fine, and looks like it is new, although it obviously has a few years on it. $20

Kenwood SMC-25 speaker mic
Fits TR-2500 and that series of HTs, and maybe others. $20

Kenwood DC-21
This unit is used on the TH-21 / 31 / 41 series of HTs. It has an adapter that slides on in place of the battery, plus a conversion unit that plugs into the cigarette lighter on one end and the battery adapter on the other. $25

Kenwood MC-42 S hand microphone
This is the "standard" microphone that came with many of the rigs that take the round 8 pin mic connector. It has "up" and "down" switches, as well as the normal PTT switch. This particular MC-42 is in very nice condition. $ 35

Small hand mic that came with the Drake TR-72 and TR-2200 A. It has the standard 4 pin plug wired for Drake/Kenwood, and is a 500 ohm mic. This one says Drake on it, but it is the same as the Kenwood microphone. No model number on it, but it looks close to new, and works fine. $30

Kenwood MC-48, touch tone (DTMF) microphone.
Round, 8 pin connector, will go with any Kenwood rig taking this kind of connector. Has UP and DOWN switches, along with 16 digit touchtone pad. It is often used on the 2 m and 440 MHz rigs that do not have touchtone built in, but can also be used on HF rigs for TT on 10 m FM. It works fine and looks great also. $ 50

W09-0334 Wall charger for TH-21 / 31 / 41 series HTs
Like about 95% of these chargers, this one has the "ear" on it broken, but can be used fine with a rubber band. $12

Wrist strap for TH-21 / 31 / 41 and likely other HTs $ 2

RA-8 Stubby Rubber duck antenna
This is for a TH-21 series 2 meter HT, with the threaded connector. Good condition for $10

Kenwood full size 2 meter rubber duck antenna
BNC connector $10

Antenna adapter to fit the BNC connector on the HT and provide an SO-239 connector that will permit a PL-259 to be attached. $5

Kenwood EP-1 ear phone
Used on almost all Kenwood HTs. Like new. $4

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

928. Kenwood SP-820 speaker, plus other Kenwood items FS

Yahoo group: kenwoodradio
Date: 2005-12-10 21:11:09 UTC
From: Ken Simpson, W8EK
Topic: 928 Message: 928

Kenwood Items For Sale:

Kenwood SP-820 speaker with filters
This speaker will take an input from up to two rigs,
and has a built in filter in it. It can be set for low, high,
High 2, or combinations. If desired, the bandpass of
the speaker can be narrowed to about 500 to 1000 hz,
which means that it is in effect a CW filter. Of course
it can be broader, if desired.
Although this speaker was designed to physically match
the TS-820, it can be used any place an 8 ohm speaker
is desired. Electrically, it is the same as the SP-230,
SP-930, SP-950, and others with the filters built in.
This particular speaker is in excellent shape. It works
fine, and I can not find a scratch on it. $ 75

Kenwood Hand Microphone
I can not find a number on this mic, but it is the one that
came with the TS-50. It has a round 8 pin connector, has
up and down buttons, plus 4 "extra" buttons on the front.
It basically is like an MC-42 or MC-43, with the 4 "extra"
buttons added to it.
This one works fine, and is very nice shape for $45.

Kenwood MC-30 S hand microphone
This hand microphone is used with most all of the
older Kenwood rigs - TS-120, TS-180, TS-520, TS-820,
etc. This is a noise canceling mic. It has a four pin
plug on it to match these rigs. Good shape for $35

Small hand mic that came with the Drake TR-72
and TR-2200 A. It has the standard 4 pin plug wired
for Drake/Kenwood, and is a 500 ohm mic. This one says
Drake on it, but it is the same as the Kenwood microphone.
No model number on it, but it looks close to new, and
works fine. $30

Kenwood SMC-25 speaker mic
Fits TR-2500 series of HTs, and maybe others. $20

Kenwood DC-21
This unit is used on the TH-21 / 31 / 41 series of HTs. It has
an adapter that slides on in place of the battery, plus a
conversion unit that plugs into the cigarette lighter on one end
and the battery adapter on the other. $25

W09-0334 Wall charger for TH-21 / 31 / 41 series HTs
Like about 95% of these chargers, this one has the "ear"
on it broken, but can be used fine with a rubber band. $12

Wrist strap for TH-21 / 31 / 41 and likely other HTs $ 2

RA-8 Stubby Rubber duck antenna
This is for a TH-21 series 2 meter HT, with the threaded
connector. Good condition for $10

Kenwood full size 2 meter rubber duck antenna
BNC connector $10

Antenna adapter to fit the BNC connector on the HT
and provide an SO-239 connector that will permit
a PL-259 to be attached. $5

Kenwood EP-1 ear phone
Used on almost all Kenwood HTs. Like new. $4

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

929. TH-45 Service Manual?

Yahoo group: kenwoodradio
Date: 2005-12-12 03:03:25 UTC
From: Budd Turner
Topic: 929 Message: 929

Please respond to the email addy below
==========
Anybody have a service manual for a TH-45?
kf
--
Kurt A. Freiberger Austin, TX kurt@...
Amateur Radio Callsign WB5BBW AIM Handle: WB5BBW
"Reputation is what other people know about you.
Honor is what you know about yourself."
- Lois McMaster Bujold - "A Civil Campaign"

930. TM 732a

Yahoo group: kenwoodradio
Date: 2005-12-19 21:53:42 UTC
From: lngnmn2002
Topic: 930 Message: 930

My 732 will not power up but the display reads 44. Is this a trouble code?
Can someone tell what is wrong?

Thanks,
Sarge

931. 570D for sale

Yahoo group: kenwoodradio
Date: 2005-12-30 20:13:24 UTC
From: Mark Fielden
Topic: 931 Message: 931

I am preparing to retire and move from my house into a condominium. Since the majority of my radio time is spent on 2 meters, I have decided to sell my HF gear.

Gently used, purchased new early 2005 from Ham Radio Express ☐ Kenwood TS-570D in mint condition (still have original boxes and packing foam for shipment) all instructions included $745.00

WestMountain RigBlaster Plus - mint condition (still have original box and instructions) $85.00

Heil Sound Proset 5 headset with boom microphone, phase reversal switch, HC-5 element, mint condition, purchased new about the same time that I purchased the radio (still have original box and instructions) and complete with the adaptor for the Kenwood TS-570 $100

Kenwood MC-60 desk microphone. I purchased this off E-Bay from a seller with extensive positive feedback. It is in excellent condition, no scratches, lettering in new condition, appears to have been only slightly used. I have not used this microphone, but I guarantee your satisfaction or a full refund $75.00

The above prices include shipping by first class mail (US only). I live in Hendersonville TN (just outside of Nashville), and will offer the appropriate discount if someone lives close enough to pick up any of the above.

mfielden@...
kg4kwe

932. Kenwood TR-3500, 440 MHz HT and many other Kenwood items FS

Yahoo group: kenwoodradio
Date: 2005-12-31 15:25:34 UTC
From: Ken Simpson, W8EK
Topic: 932 Message: 932

Kenwood items for sale:

Kenwood TR-3500, 440 MHz HT
This HT has the normal memories, scan, etc. that most HTs have these days. It also has a built in PL subaudible encoder. The battery has been replaced with a PB-26, instead of the PB-25 that was used originally. The PB-26 is electrically and mechanically compatible, but is a darker color. It seems to hold a charge OK, but does have a couple years on it, so it might need to be replaced soon. Charger and rubber duck are included. I do not have paper work on this HT, but do have the schematic and PC board layout, plus the TR-2500 operating manual (which is the 2 meter version of this 440 MHz HT) on a CD. $50

Kenwood MC-47 Hand Microphone
This is the microphone that came with the TS-50, but can be used on other rigs.. It has a round 8 pin connector, has up and down buttons, plus 4 "extra" buttons on the front. This one works fine, and is very nice shape for $45.

Kenwood MB-13 mobile bracket
This is the "quick disconnect" mobile bracket used for the TS-50 transceiver and also the AT-50 antenna tuner. Maybe others. This one is in nice shape for $35.

Kenwood Extender feet
These are the extra feet that can be used on the front of most Kenwood rigs to tilt the unit so that it is raised in the front. They screw in to the standard feet. These are in very nice shape. $15

I found an assortment of Kenwood items that are unused, still in their original packaging. I would call them new, but really they have a few years on them, but have not been used. I would think NOS might be the correct term.

Kenwood DC-1
This is the unit that slides on to the HT in place of a battery. It permits one to operate off of 12 Volt DC, such as from a car. It is used with the TH-75, TH-77, TH-25, TH-26 and maybe others. $20

Kenwood PG-2 V
This is a cable that is used with many Kenwood HTs to charge, operate off of 12 V DC, etc. $ 12

Other Kenwood items:

Small hand mic that came with the Drake TR-72
and TR-2200 A. It has the standard 4 pin plug wired
for Drake/Kenwood, and is a 500 ohm mic. This one says
Drake on it, but it is the same as the Kenwood microphone.
No model number on it, but it looks close to new, and
works fine. $30

Wrist strap for TH-21 / 31 / 41 and likely other HTs $ 2

Full size 220 MHz rubber duck for TH-31 series HTs
Threaded connector. $10

RA-8 Stubby Rubber duck antenna
This is for a TH-21 series 2 meter HT, with the threaded
connector. Good condition for $10

Kenwood full size 2 meter rubber duck antenna
BNC connector $10

Antenna adapter to fit the BNC connector on the HT
and provide an SO-239 connector that will permit
a PL-259 to be attached. $5

Kenwood EP-1 ear phone
Used on almost all Kenwood HTs. Like new. $4

Service manual for Kenwood TR-2600 HT - $10

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

933. Kenwood items FS

Yahoo group: kenwoodradio
Date: 2006-01-07 00:54:12 UTC
From: Ken Simpson, W8EK
Topic: 933 Message: 933

Kenwood items for sale:

Kenwood MC-47 Hand Microphone
This is the microphone that came with the TS-50, but can
be used on other rigs.. It has a round 8 pin connector, has
up and down buttons, plus 4 "extra" buttons on the front.
This one works fine, and is very nice shape for $45.

Kenwood Extender feet
These are the extra feet that can be used on the front of
most Kenwood rigs to tilt the unit so that it is raised in the
front. They screw in to the standard feet. These are in
very nice shape. $15

Small hand mic that came with the Kenwood TR-7200
and TR-2200 A. It has the standard 4 pin plug wired
for Drake/Kenwood, and is a 500 ohm mic. This one says
Drake on it, but it is the same as the Kenwood microphone.
No model number on it, but it looks close to new, and
works fine. $30

Kenwood DC-1
This is the unit that slides on to the HT in place of a battery.
It permits one to operate off of 12 Volt DC, such as from a
car. It is used with the TH-75, TH-77, TH-25, TH-26 and
maybe others. Still in its original box with paper work, NOS $20

Kenwood PG-2 V
This is a cable that is used with many Kenwood HTs to charge,
operate off of 12 V DC, etc. Still sealed in its bag, NOS $ 12

Special Rubber Duck antennas for Kenwood TH-21 / 31 / 41
series HTs with the threaded connector
Aftermarket stubby, 3.3 inches long $10
Kenwood RA-8 Stubby, 4 inches long $10
Kenwood regular, 6.6 inches long $10

Kenwood full size 2 meter rubber duck antenna
BNC connector $10

Antenna adapter to fit the BNC connector on the HT
and provide an SO-239 connector that will permit
a PL-259 to be attached. $5

Antenna adapter to fit the connector on the TH -
21 / 31 / 41, and adapt it to standard PL-259
antenna connector. $ 3

Antenna adapter as above, but goes to
BNC connector. $ 3

Service manual for Kenwood TR-2600 HT - $10

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

934. site for radio techs

Yahoo group: kenwoodradio
Date: 2006-01-12 21:54:42 UTC
From: Craig Kielhofer
Topic: 934 Message: 934

For all of those radio techs out there that have horror stories
that they would like to share, I have started a new group at:
http://groups.yahoo.com/group/techstories .

This site is for the benefit of us tech that have had to deal with the
customers from hell. The "know-it-all" customers, the customers
that want to do their own installs and then wonder why a week later
the bring in their 100 watt radio with the finals burnt to a crisp and then
wonder why it won't be covered under warranty.

Admit it, you know exactly which customer I'm talking about and you
are just dying to tell someone else about it.

At present the group is non moderated, both for membership and
postings, HOWEVER if we start getting spam I will have to moderate.

Craig

KEC Communications

[Non-text portions of this message have been removed]

935. Kenwood HTs FS

Yahoo group: kenwoodradio
Date: 2006-01-14 14:46:15 UTC
From: Ken Simpson, W8EK
Topic: 926 Message: 935

I have two Kenwood HTs for sale.
Earlier buyer did not follow thru, so they are available again.

Both are dead, and are being sold for parts only.
You may be able to get them to work with out much
effort, or they may not be repairable at all. I don't know.

The first is a Kenwood TR-2500, Two meter HT. Some
of the time, it will display 5.000 when it comes on. Other
times it will display nothing, and at other times it displays
garbage. The red transmit LED comes on when I push the
PTT, but no power out.

The second is a Kenwood TH-31 AT, 220 MHz HT.
Audio noise comes out when I open the squelch, but that is it.
No signs of any RF on transmit.

I am selling the HT only, with no accessories. They are $10
each, plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

936. Straight Key with a TS-570

Yahoo group: kenwoodradio
Date: 2006-01-19 14:46:12 UTC
From: Bert Morton
Topic: 936 Message: 936

I am attempting to use a straight key with my TS-570.

Per the instructions I plugged the key into the designated jack.

When I do this I get a continous note and I am unable to key the rig.

What am I missing here ?

Thanks and 73,

Bert W1DFU

937. Kenwood TS-570 for sale

Yahoo group: kenwoodradio
Date: 2006-01-28 01:13:57 UTC
From: Mark Fielden
Topic: 937 Message: 937

I am preparing to retire and move from my house into a condominium. Since the majority of my radio time is spent on 2 meters, I have decided to sell my HF gear.

Gently used, purchased new early 2005 from Ham Radio Express ☐ Kenwood TS-570D in mint condition (still have original boxes and packing foam for shipment) all instructions included $745.00

WestMountain RigBlaster Plus - mint condition (still have original box and instructions) $85.00 SOLD

Heil Sound Proset 5 headset with boom microphone, phase reversal switch, HC-5 element, mint condition, purchased new about the same time that I purchased the radio (still have original box and instructions) and complete with the adaptor for the Kenwood TS-570 $100 SOLD

Kenwood MC-60 desk microphone. I purchased this off E-Bay from a seller with extensive positive feedback. It is in excellent condition, no scratches, lettering in new condition, appears to have been only slightly used. I have not used this microphone, but I guarantee your satisfaction or a full refund $75.00

The above prices include shipping by first class mail (US only). I live in Hendersonville TN (just outside of Nashville), and will offer the appropriate discount if someone lives close enough to pick up any of the above.

mfielden@comcast.net
kg4kwe

938. Kenwood TS-520

Yahoo group: kenwoodradio
Date: 2006-02-04 06:06:28 UTC
From: Don
Topic: 938 Message: 938

Hello all I have an Elderly Ham Friend who is looking for some assistance in Finding

A Kenwood TS-520 Oscillator Board Part # X40-0019-01

Any Help will be Greatly Appreciated

Thanks 73 De Don KA9QJG

939. Misc Kenwood items FS

Yahoo group: kenwoodradio
Date: 2006-02-04 16:04:31 UTC
From: Ken Simpson, W8EK
Topic: 805 Message: 939

Kenwood items for sale:

Kenwood MB-13 mobile bracket
This is the "quick disconnect" mobile bracket used for the
TS-50 transceiver and also the AT-50 antenna tuner.
Maybe others. This one is in nice shape for $35.

Kenwood PB-15
This is the battery pack for the TR-2200 A, 2 meter rig.
Actually, it is two battery packs, that pop in to the rig.
It is still in its original box, unused. $20

Small hand mic that came with the Kenwood TR-7200
and TR-2200 A. It has the standard 4 pin plug wired
for Drake/Kenwood, and is a 500 ohm mic. This one says
Drake on it, but it is the same as the Kenwood microphone.
No model number on it, but it looks close to new, and
works fine. $30

Special Rubber Duck antennas for Kenwood TH-21 / 31 / 41
series HTs with the threaded connector
Aftermarket stubby, 3.3 inches long $10
Kenwood RA-8 Stubby, 4 inches long $10
Kenwood regular, 6.6 inches long $10

Antenna adapter to fit the BNC connector on the HT
and provide an SO-239 connector that will permit
a PL-259 to be attached. $5

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

940. ts-2000 menu 62a and 62b

Yahoo group: kenwoodradio
Date: 2006-02-05 04:14:52 UTC
From: reggie mackey
Topic: 940 Message: 940

When setting up skycommand menu 62a and b contain the callsign. It is default with "nocall". When I change nocall to k6xr I finish with k6xrLL and cannot get rid of the LL'S. Is there a delete key or space key that I am missing?

Thanks for you help

Reggie k6xr in Southwest Bakersfield, CA.

941. RE: [kw-radio] ts-2000 menu 62a and 62b

Yahoo group: kenwoodradio
Date: 2006-02-06 05:45:41 UTC
From: reggie mackey
Topic: 941 Message: 941

I figured it all out right after sending the post! Please disregard.

Reggie k6xr in Southwest Bakersfield, CA.

>From: "reggie mackey" <reggie1938@...>
>Reply-To: kenwoodradio@yahoogroups.com
>To: kenwoodradio@yahoogroups.com
>Subject: [kw-radio] ts-2000 menu 62a and 62b
>Date: Sat, 04 Feb 2006 20:14:52 -0800
>
>When setting up skycommand menu 62a and b contain the callsign. It is
>default with "nocall". When I change nocall to k6xr I finish with k6xrLL
>and
>cannot get rid of the LL'S. Is there a delete key or space key that I am
>missing?
>
>Thanks for you help
>
>
>
>
>Reggie k6xr in Southwest Bakersfield, CA.
>
>
>
>
>For polls, files, and other info visit:
>http://www.egroups.com/group/kenwoodradio
>
>Yahoo! Groups Links
>
>
>
>
>
>

942. Kenwood MB-13 and other Kenwood items FS

Yahoo group: kenwoodradio
Date: 2006-03-04 16:10:43 UTC
From: Ken Simpson, W8EK
Topic: 942 Message: 942

Kenwood items for sale:

Kenwood MB-13 mobile bracket
This is the "quick disconnect" mobile bracket used for the
TS-50 transceiver and also the AT-50 antenna tuner.
Maybe others. This one is in nice shape for $35.

Small hand mic that came with the Kenwood TR-7200
and TR-2200 A. It has the standard 4 pin plug wired
for Drake/Kenwood, and is a 500 ohm mic. This one says
Drake on it, but it is the same as the Kenwood microphone.
No model number on it, but it looks close to new, and
works fine. $30

Special Rubber Duck antennas for Kenwood TH-21
series HTs with the threaded connector
Aftermarket stubby, 3.3 inches long $10
Kenwood RA-8 Stubby, 4 inches long $10
Kenwood regular, 6.6 inches long $10

Antenna adapter to fit the BNC connector on the HT
and provide an SO-239 connector that will permit
a PL-259 to be attached. $5

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

943. new kenwood??

Yahoo group: kenwoodradio
Date: 2006-03-22 13:51:07 UTC
From: photo2000a
Topic: 943 Message: 943

hi

I was wondering if anyone might have a link to some preview photos of the new kenwood??

944. new kenwood??

Yahoo group: kenwoodradio
Date: 2006-03-22 13:51:44 UTC
From: photo2000a
Topic: 943 Message: 944

hi

I was wondering if anyone might have a link to some preview photos of the new kenwood??

thanks

n2ehg

945. Re: new kenwood??

Yahoo group: kenwoodradio
Date: 2006-03-22 14:11:05 UTC
From: Budd Turner
Topic: 943 Message: 945

new kenwood??

Yahoo! Mail
Bring photos to life! New PhotoMail makes sharing a breeze.

[Non-text portions of this message have been removed]

946. Re: [kw-radio] Re: new kenwood??

Yahoo group: kenwoodradio
Date: 2006-03-22 14:21:18 UTC
From: D. J.
Topic: 943 Message: 946

What new kenwood?

On 22, Mar 2006, at 8:11, Budd Turner wrote:

> new kenwood??
>
> ---
> Yahoo! Mail
> Bring photos to life! New PhotoMail makes sharing a breeze.
>
> [Non-text portions of this message have been removed]
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

947. Re: [kw-radio] Re: new kenwood??

Yahoo group: kenwoodradio
Date: 2006-03-22 17:05:24 UTC
From: Tom LeClerc W1TJL
Topic: 943 Message: 947

On 3/22/06, D. J. <dalej2@...> wrote:
>
> What new kenwood?
>
Last year at Dayton Kenwood was talking about a new radio to replae the 870. No 950SDX replacement - thy seemed to think there was no market for that. All they had to do was look over at the crwds around the FT-9000 series...

You'll have to pry my 950SDX from my cold, dead fingers... ;-)

73, Tom W1TJL

--
Tom LeClerc, Amateur Radio Station W1TJL
(past calls WB1CBY, /VE8, /VE1, /VO8)

LeClerc Consulting
eBay ID Fangers
email: w1tjl@...
PC/Network Consulting

[Non-text portions of this message have been removed]

948. Re: [kw-radio] Re: new kenwood??

Yahoo group: kenwoodradio
Date: 2006-03-22 17:20:05 UTC
From: Budd Turner
Topic: 943 Message: 948

Oh...OK....
I was hoping there might be a replacement/upgrade to the TM-742A

Tom LeClerc W1TJL <w1tjl@...> wrote:
On 3/22/06, D. J. wrote:
>
> What new kenwood?
>
Last year at Dayton Kenwood was talking about a new radio to replae the
870. No 950SDX replacement - thy seemed to think there was no market for
that. All they had to do was look over at the crwds around the FT-9000
series...

You'll have to pry my 950SDX from my cold, dead fingers... ;-)

73, Tom W1TJL

--
Tom LeClerc, Amateur Radio Station W1TJL
(past calls WB1CBY, /VE8, /VE1, /VO8)

LeClerc Consulting
eBay ID Fangers
email: w1tjl@...
PC/Network Consulting

Yahoo! Mail
Use Photomail to share photos without annoying attachments.

[Non-text portions of this message have been removed]

949. [kw-radio] Re: new kenwood??

Yahoo group: kenwoodradio
Date: 2006-03-23 00:49:33 UTC
From: photo2000a
Topic: 943 Message: 949

someone mentioned that a new vhf and or uhf rig was going to have d star compatability dunno how acurate it was but thought there is sometimes some web site that ends up posting a sneak peek and thought maybe somone had it i dunno

--- In kenwoodradio@yahoogroups.com, Budd Turner <n7eoj@...> wrote:
>
> Oh...OK....
> I was hoping there might be a replacement/upgrade to the TM-742A
>
> Tom LeClerc W1TJL <w1tjl@...> wrote:
> On 3/22/06, D. J. wrote:
> >
> > What new kenwood?
> >
> Last year at Dayton Kenwood was talking about a new radio to replae the
> 870. No 950SDX replacement - thy seemed to think there was no market for
> that. All they had to do was look over at the crwds around the FT-9000
> series...
>
> You'll have to pry my 950SDX from my cold, dead fingers... ;-)
>
> 73, Tom W1TJL
>
> --
> Tom LeClerc, Amateur Radio Station W1TJL
> (past calls WB1CBY, /VE8, /VE1, /VO8)
>
> LeClerc Consulting
> eBay ID Fangers
> email: w1tjl@...
> PC/Network Consulting
>
>
> ---
> Yahoo! Mail
> Use Photomail to share photos without annoying attachments.
>
> [Non-text portions of this message have been removed]
>

950. RE: [kw-radio] new kenwood??

Yahoo group: kenwoodradio
Date: 2006-03-23 03:48:47 UTC
From: Tim Durnford
Topic: 943 Message: 950

here is the pictures of the "NEW" Kenwood.....
,73 Tim R Durnford VE3DRT

ve3drt@...

timmyd277@...

>From: "photo2000a" >Reply-To: kenwoodradio@yahoogroups.com >To: kenwoodradio@yahoogroups.com >Subject: [kw-radio] new kenwood?? >Date: Wed, 22 Mar 2006 13:51:44 -0000 > >hi > >I was wondering if anyone might have a link to some preview photos of the >new kenwood?? > > >thanks > >n2ehg > > > > > > >For polls, files, and other info visit: >http://www.egroups.com/group/kenwoodradio > >Yahoo! Groups Links > > > > > >

951. RE: [kw-radio] new kenwood??

Yahoo group: kenwoodradio
Date: 2006-03-23 04:18:37 UTC
From: Commander John
Topic: 943 Message: 951

I do not see any link to pictures john Tim Durnford wrote: here is the pictures of the "NEW" Kenwood.....
,73 Tim R Durnford VE3DRT

ve3drt@...

timmyd277@...

>From: "photo2000a" >Reply-To: kenwoodradio@yahoogroups.com >To: kenwoodradio@yahoogroups.com >Subject: [kw-radio] new kenwood?? >Date: Wed, 22 Mar 2006 13:51:44 -0000 > >hi > >I was wondering if anyone might have a link to some preview photos of the >new kenwood?? > > >thanks > >n2ehg > > > > > > >For polls, files, and other info visit: >http://www.egroups.com/group/kenwoodradio > >Yahoo! Groups Links > > > > > > For polls, files, and other info visit: http://www.egroups.com/group/kenwoodradio ---------- YAHOO! GROUPS LINKS Visit your group "kenwoodradio" on the web. To unsubscribe from this group, send an email to: kenwoodradio-unsubscribe@yahoogroups.com Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service. ---------- [Non-text portions of this message have been removed]

952. Re: [kw-radio] new kenwood??

Yahoo group: kenwoodradio
Date: 2006-03-25 11:49:16 UTC
From: Radios R. Me
Topic: 943 Message: 952

Hi Kenwood enthusiasts!

Wishing everyone on the group a happy weekend with some great
DX on the ham bands with your Kenwoods. I am signing off now.
I tried toi change to my regular e-mail address and then found out I
was banned! LOL - must have been a REALLY naughty boy!

See you all on the air, and God bless. 73 de AF4K

photo2000a <photo2000a@...> wrote: hi

I was wondering if anyone might have a link to some preview photos of the new kenwood??

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Links

Please use my main e-mail address:
af4k@...
I don't check this one very often any more.
Home Page is at:
http://www.af4k.com

New Yahoo! Messenger with Voice. Call regular phones from your PC for low, low rates.

[Non-text portions of this message have been removed]

953. New Kenwood Replacement for TM-742A

Yahoo group: kenwoodradio
Date: 2006-03-25 16:26:54 UTC
From: Rich Hanna
Topic: 953 Message: 953

IF anyone is interested in helping convince Kenwood to release a replacement for the TM-742A Tri-bander, you are invited to supply your inputs on a replacement rig directly to Kenwood.

Here is the message I received back from Kenwood when I supplied input to them:

Original Message -----
From: KCC-Amateur
To: WA8NPR
Sent: Monday, March 06, 2006 11:32 AM
Subject: RE: Request for Kenwood TM-742A Replacement, the TM-743A!

Kenwood Amateur Radio Customer Support

Dear Kenwood Customer:

Thanks for your input I will pass it on. PLEASE pass this message to all your HAM friends put it on all the amateur radio reflectors and ask them to REQUEST for a new tribander to be made in the future from Kenwood.

73, Kenwood

If you need further assistance, please e-mail us again
@ kcc-amateur@...

Sincerely,

Kenwood Amateur Radio Customer Support

954. Looking for KPG-101D software (for TK-x170)

Yahoo group: kenwoodradio
Date: 2006-04-03 22:16:25 UTC
From: just_a_radio_guy
Topic: 954 Message: 954

Hi all!

I am looking for KPG-101D software (for TK-x170).

If you have it, please send it to wireless.friendly@...

Beforehand thanks!

P.S.
Ready to exchange it on other Kenwood or Motorola software.

955. TS930 Incremental Factory updates???

Yahoo group: kenwoodradio
Date: 2006-04-09 23:47:23 UTC
From: Greg
Topic: 955 Message: 955

Having been the proud owner of a TS-930S for a couple of years now, when the chance to purchase another at a good price came up, I thought I would indulge myself. At first glance it looked complete and clean so I took the chance and grabbed it with both hands. BUT as they say first appearance is not everything and they also say something about hindsight. It seems that someone had been into the signal board in a big way, 455khz IF cans missing, 100khz if cans had no cores and a couple of others had broken cores. After an order to East Coast Transistor and a wait while the parts came from Japan to USA then to Oz I feel pretty confident that I can revive this old beauty. There you have the real background to my plight,now I get to the problem. I have gleaned the net, (I also actually purchased a service manual) and now I find that I have 3 different circuits and board layouts for the signal unit (these are all for 208xxx-309xxx units) also there are differences (about 10 to date) between the 2 units that I have.(one is sn 303xxx the other is sn 305xxx) Most of these changes involve the small components mounted on the solder side and some cut tracks associated with each change, but a few are just component value changes and components that are not installed .Now for my question, is there catalogued anywhere, the series of updates that Kenwood made during this period so that I can bring each of these up to the same stage Thanks for battling through my ramblings.. and sorry about the crossposting but the TS-930 group seems all but dead these days.
Regards
Greg H VK5XGH

956. tk-290 fireware

Yahoo group: kenwoodradio
Date: 2006-05-01 20:02:41 UTC
From: fire_master_21
Topic: 956 Message: 956

I am looking for the operating firmware for the tk-290. This radio in front of me says "no sys" and is in the firmware programming mode. Can anyone help out?

957. Re: tk-290 firmware

Yahoo group: kenwoodradio
Date: 2006-05-01 20:08:46 UTC
From: fire_master_21
Topic: 956 Message: 957

--- In kenwoodradio@yahoogroups.com, "fire_master_21"
<fire_master_21@...> wrote:
>
> I am looking for the operating firmware for the tk-290. This radio in
> front of me says "no sys" and is in the firmware programming mode.
Can
> anyone help out?
>

edited 1 time for topic

958. Tune Rite Mudule for Kenwood

Yahoo group: kenwoodradio
Date: 2006-05-10 14:31:53 UTC
From: Bert Morton
Topic: 958 Message: 958

New...never used.

$12 shipped Conus..

Thanks for looking.

73 de Bert W1DFU

For TS-50, 450, 850, 950, 570, 2000, 480, etc. Plugs into the tuner jack.
Switches the radio to 10W CW and puts out a carrier for up to 30 seconds,
then returns to previous setting. No more button-pushing, no more tuning up
into a bad load at full power. Save time, trouble, and your finals!
NOTE: With the TuneRiteT installed, both models of the TS-480 will put out
100W maximum

959. Re: [ForSale-Swap] Tune Rite Mudule for Kenwood

Yahoo group: kenwoodradio
Date: 2006-05-10 15:22:25 UTC
From: Bert Morton
Topic: 959 Message: 959

Module has been sold.
----- Original Message -----
From: "Bert Morton" <hamradioguy@...>
To: <ForSale-Swap@...>
Cc: <kenwood@...>; "Kenwood at Yahoo (Kenwood at Yahoo)"
<Kenwood@yahoogroups.com>; <Kenwood570@yahoogroups.com>;
<kenwoodradio@yahoogroups.com>
Sent: Wednesday, May 10, 2006 10:31 AM
Subject: [ForSale-Swap] Tune Rite Mudule for Kenwood

>
> _____
>
> Hello... Celebrating 100 Years Of Voice Over Radio Worldwide
> http://www.hello-radio.org/
> _____
>
> New...never used.
>
> $12 shipped Conus..
>
> Thanks for looking.
>
> 73 de Bert W1DFU
>
>
> For TS-50, 450, 850, 950, 570, 2000, 480, etc. Plugs into the tuner jack.
> Switches the radio to 10W CW and puts out a carrier for up to 30 seconds,
> then returns to previous setting. No more button-pushing, no more tuning
> up into a bad load at full power. Save time, trouble, and your finals!
> NOTE: With the TuneRiteT installed, both models of the TS-480 will put
> out 100W maximum
>
>

960. Kenwood TS_570D(G) for sale

Yahoo group: kenwoodradio
Date: 2006-05-10 18:50:45 UTC
From: Mark Fielden
Topic: 960 Message: 960

Excellent condition, purchased new early 2005 from Ham Radio Express ☐

Kenwood TS-570D (G) in mint condition (still have original boxes
and packing foam for shipment) all instructions included
$745.00

The above price includes shipping by first class mail (US only). I
live in Hendersonville, TN (just outside of Nashville), and will
offer the appropriate discount if someone lives close enough to pick
it up.

mfielden@comcast.net
kg4kwe

961. Kenwood TS-130 S HF xcvr FS

Yahoo group: kenwoodradio
Date: 2006-05-13 12:43:35 UTC
From: Ken Simpson, W8EK
Topic: 961 Message: 961

For Sale:

Kenwood TS-130 S, HF transceiver.
Operates SSB and CW, and includes the WARC
bands. Effective speech processor is also built in,
as is the fan on the solid state finals. It is a fairly
small unit that would work great for mobile use.
Nominal 100 Watts out, with digital readout. This
one is as close to 100% electrically as I can tell,
and looks OK also.

Manual included for $325 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

962. Fwd: [Kenwood2Way] FS 2 TK-430 800mhz with KSC-8A charger

Yahoo group: kenwoodradio
Date: 2006-05-21 16:03:59 UTC
From: david paulino
Topic: 962 Message: 962

--- David Paulino <djpaulino@...> wrote:

> To: Kenwood2Way@yahoogroups.com
> From: "David Paulino" <djpaulino@...>
> Date: Sun, 21 May 2006 15:56:02 -0000
> Subject: [Kenwood2Way] FS 2 TK-430 800mhz with
> KSC-8A charger
>
> I have 2 TK-430 800mhz radios for sale with
> chargers..great shape.
> Asking $79.00ea. I have one on EBAY right now. I
> accept paypal also..
>
>
>
>

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

963. Kenwood HF xcvr and other items FS

Yahoo group: kenwoodradio
Date: 2006-05-27 16:37:50 UTC
From: Ken Simpson, W8EK
Topic: 963 Message: 963

Kenwood items for sale:

Kenwood TS-130 S, HF transceiver.
Operates SSB and CW, on 80 thru 10 meters and includes
the WARC bands. Effective speech processor is also built
in, as is the fan on the solid state finals. It is a fairly small
unit that would work great for mobile use. Nominal 100 Watts
out, with digital readout. This one is as close to 100%
electrically as I can tell, and looks fine also.
Manual included for $325.

Small hand mic that came with the Kenwood TR-7200
and TR-2200 A. It has the standard 4 pin plug wired
for Drake/Kenwood, and is a 500 ohm mic. This one says
Drake on it, but it is the same as the Kenwood microphone.
No model number on it, but it looks close to new, and
works fine. $30

Antenna adapter to fit the BNC connector on the HT and
provide an SO-239 connector that will permit a PL-259
to be attached. $5

Special Rubber Duck antennas for Kenwood TH-21 series
HTs with the threaded connector
Aftermarket stubby, 3.3 inches long $10
Kenwood RA-8 Stubby, 4 inches long $10
Kenwood regular, 6.6 inches long $10

Service manual for Kenwood TR-2600 HT - $10

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

964. Need info on repeater interface cable

Yahoo group: kenwoodradio
Date: 2006-05-29 16:12:13 UTC
From: Scott
Topic: 964 Message: 964

Please forgive me if this message is out of subject. I am trying everything to locate this info and apologize if this message is out of subject.
Scott

Hi All,
Well I finnally did it ! I have rid myself of most of my Motorola eqpt ! I am now in the process of stocking up on Icom and I am in need of some info about Icom mobil's.

I am looking for the part number (or cable pinout) of the cable used to connect 2 Icom mobils together for repeater operation. The old Moto name would be a rick cable. I have searched hi and lo looking for the cable or the pinout and can only find references to it.

I am trying to connect 2 F121 mobils and 2 F222 mobils for repeater use . I have found a company that does offer a cable for 150.00 but can find no other info on this or the factory cable . Can anyone help with this problem.

Thanks to all,
Scott

965. Kenwood TS-820S - Comments Anyone??

Yahoo group: kenwoodradio
Date: 2006-05-29 16:21:59 UTC
From: Pete Theer
Topic: 965 Message: 965

I am in the process of trading (an R-392 military mobile (28vDC) HF Receiver) for a Kenwood TS-820S DIGITAL DISPLAY HF Transceiver. Since eHam.net is down I can't go look at the reviewws of this rig. Anyone have any good or bad things to say about the TS-820S....aside from the fact that it doesn't have the WARC Bands??

Thanks much,
Pete
WB5RPU

966. Kenwood MC 50 Mic with TS 570

Yahoo group: kenwoodradio
Date: 2006-06-20 14:31:37 UTC
From: Bert Morton
Topic: 966 Message: 966

I'm told it is possible to use a MC 50 Mic with a TS-570.

If true is there an adapter available to this?

I would also be interested in any wiring info etc.

Thanks and 73,

Bert W1DFU

967. Heil Goldline GM-4 Microphone and accessories.

Yahoo group: kenwoodradio
Date: 2006-06-20 18:28:43 UTC
From: Bert Morton
Topic: 967 Message: 967

I have for sale a Heil Goldline dual element microphone Model GM-4

It is in like new condition and has had very little use.

Includes:

GM-4 Microphone with zipper case.

Cable for Kenwood TS-570,870,2000 etc.

Black crinkle finish Heil desk stand base.

New price $210 plus.

Asking $150 plus actual shipping from 05773.

I also have the adapter cable to allow using it with a TS-520, TS-820 seies.

Asking $15 plus actual shipping from 05773.

$160 for all plus shipping.

Thanks for looking.

73,

Bert W1DFU

968. Heil Goldline GM-4 Microphone***REVISED***

Yahoo group: kenwoodradio
Date: 2006-06-21 10:59:32 UTC
From: Bert Morton
Topic: 968 Message: 968

I have for sale a Heil Goldline dual element microphone Model GM-4 and accessories.

All are in like new condition and have had very little use.
;
GM-4 Microphone with zipper case. Asking $95 plus actual shipping from 05773

Cable for Kenwood TS-570,870,2000 etc. Asking $15 plus actual shipping from 05773

Cable for Kenwood TS-520, TS-820 etc. Asking $15 plus actual shipping from 05773

Black crinkle finish Heil desk stand base. Asking $25 plus actual shipping from 05773

Thanks for looking.

73,

Bert W1DFU

969. TS-180 tips needed

Yahoo group: kenwoodradio
Date: 2006-06-21 19:31:27 UTC
From: Mike Hinds
Topic: 969 Message: 969

Hi, all!

I'm coming out of ham retirement (my last rig was a HW-12). I have purchased a TS-180, and a PS-30, through EBay. Any warnings, tips, etc. for using this nice looking transceiver?

It appears the MC-50 is an OK mic, but aside from the different pin-count, would there be a problem with using a newer MC-60a if I were to buy one of those instead?

What antenna tuner(s) would be preferable? Which ones would I need to avoid?

All opinions are valid and appreciated!

TNX, 73
Mike - W9PRA

970. Heil Goldline GM-4 Microphone***REVISED***

Yahoo group: kenwoodradio
Date: 2006-06-22 14:27:16 UTC
From: Bert Morton
Topic: 968 Message: 970

I have for sale a Heil Goldline dual element microphone Model GM-4 and accessories.

All are in like new condition and have had very little use.

GM-4 Microphone with zipper case. Asking $95 plus actual shipping from 05773 ***SOLD***

Cable for Kenwood TS-570,870,2000 etc. Asking $15 plus actual shipping from

05773 ***Still Available***

Cable for Kenwood TS-520, TS-820 etc. Asking $15 plus actual shipping from

05773***Still Available***

Black crinkle finish Heil desk stand base. Asking $25 plus actual shipping from 05773 ***SOLD***

Thanks for looking.

73,

Bert W1DFU

971. ID

Yahoo group: kenwoodradio
Date: 2006-06-23 01:30:20 UTC
From: djpoll1
Topic: 971 Message: 971

On my TK-380 I started hearing what sounds like a 3 digit ID number being diled when the party keys up. Is there anyway for me to decode that ID on my radio and see what it is on the display?

Thanks,
David

972. Re: [kw-radio] ID

Yahoo group: kenwoodradio
Date: 2006-06-23 01:57:37 UTC
From: Evan Platt
Topic: 971 Message: 972

At 06:30 PM 6/22/2006, you wrote:

>On my TK-380 I started hearing what sounds like a 3 digit ID number
>being diled when the party keys up. Is there anyway for me to decode
>that ID on my radio and see what it is on the display?

Does it sound like DTMF (touch tones on a telephone?) or something
else? Regardless, I don't believe the tk-380 can 'decode' and display it.

973. Re: ID

Yahoo group: kenwoodradio
Date: 2006-06-23 02:01:55 UTC
From: djpoll1
Topic: 971 Message: 973

DTMF

--- In kenwoodradio@yahoogroups.com, Evan Platt <evan@...> wrote:
>
> At 06:30 PM 6/22/2006, you wrote:
>
> >On my TK-380 I started hearing what sounds like a 3 digit ID number
> >being diled when the party keys up. Is there anyway for me to decode
> >that ID on my radio and see what it is on the display?
>
> Does it sound like DTMF (touch tones on a telephone?) or something
> else? Regardless, I don't believe the tk-380 can 'decode' and
display it.
>

974. Re: [kw-radio] Re: ID

Yahoo group: kenwoodradio
Date: 2006-06-23 02:16:14 UTC
From: Evan Platt
Topic: 971 Message: 974

At 07:01 PM 6/22/2006, you wrote:

>DTMF

I'm pretty confident the 380 - nor can most radios that I've seen.
Someone I'm sure will correct me if I'm wrong.

975. Many misc small accessories for Kenwood rigs FS

Yahoo group: kenwoodradio
Date: 2006-06-24 23:16:41 UTC
From: Ken Simpson, W8EK
Topic: 975 Message: 975

For Sale:

Misc. small accessory items for Kenwood rigs

Kenwood TU-4 C
Subaudible (PL) encoder for Kenwood TW-4000
This unit provides separate tones for the VHF (2 m) portion
and the UHF (440 MHz) portion. It plugs in to the TW-4000
to provide the tones. No adjustments are normally needed.
This one is in its original box with paper work, hardware, etc.
$65

Small audio plug - round 4 pin with " Y " shaped pin arrangement
This plug was used on many of the Kenwood rigs in the 1970's
to feed auxiliary audio (touchtone pads, etc.) into the rig. It is
about 1/4 inch in diameter and has the 4 pins arranged so they
look like a " Y ". As I recall, this was used on many of the multi
mode rigs (TR-9000, TR-9130, etc.), dual banders (TW-4000,
TW-4100, etc.), and maybe other rigs like the TR-2200. I was
once told that this was "unobtanium", but I found one. $10

Pack of accessory plugs for HF rigs
This is an original packet of accessory plugs, as found with many
of the Kenwood HF rigs. I think this one came from a TS-440, but
it could have been any number of other HF rigs. It consists of a 7
pin DIIN plug, an 8 pin DIN plug, a fuse, a speaker plug, and a
"Calibrator cable." This is original Kenwood in the original bag,
and has never been used. I don't think it was even opened. $12

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the
Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually,
one must have the battery inside the HT, but this lets you charge
a second battery outside of the HT. The original charger is used.
It is in good shape, and works fine. $3

Kenwood PB-21 battery pack for TH-21 / 31 / 41 series HTs
This battery pack does not hold a charge well. Physically it is fine,
but it needs a new "insert" in it. $15

Wrist strap for TH-21 / 31 / 41 and likely other HTs $ 2

Antenna adapter for Kenwood TH-21 / 31 / 41 HTs
This adapts the antenna connector found on these HTs to a standard
BNC connector. $3

Special Rubber Duck antennas for Kenwood TH-21 series
HTs with the threaded connector
Aftermarket stubby, 3.3 inches long $10
Kenwood RA-8 Stubby, 4 inches long $12
Kenwood regular, 6.6 inches long $10

440 MHz stubby rubber duck antenna with BNC connector
This stubby 3 inch long antenna can be used on any of the 440 MHz
HTs that use a BNC connector. $10

Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached. $5

Kenwood EP-1 ear phone
Used on many Kenwood HTs. Like new. $4

Service manual for Kenwood TR-2600 HT - $10

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

976. cw filters

Yahoo group: kenwoodradio
Date: 2006-06-28 02:30:56 UTC
From: Fred
Topic: 976 Message: 976

Looking for more info or advice on the following Kenwood filters

I have a TS-680S and the manual shows location for one cw filter. The question is which one to use.

Universal raido lists the following
YG-455C1 CW Filter 500 Hz [455 kHz IF]
YK-455C1 500 Hz CW Filter [8.83 MHz IF]
The manual also shows attenuation bandwidth 820 hz for the YG and 2khz for the YK filter but center freq and pass bandwidth the same for both filters, 455khz & 500 hz.

Thanks, 73

Fred
K C Ø V I V

977. Kenwood International User's Club back issues (way back)

Yahoo group: kenwoodradio
Date: 2006-07-03 15:06:52 UTC
From: Budd
Topic: 977 Message: 977

Doing some cleaning. Found issues of the Kenwood International User's Club Newsletter from #1 (2/80) -> 60 (1/86). Looking for a new reference home.
They cover service notes, hints, mods & reviews from MC-50, 60, 80, TR-50, TS-120, 130, 180, 221, 441, 430, 520, 530, 599, 660, 711, 811, 820, 830, 930, 940, TR-2400, 2500, 2600, R-1000, 7400, 7500, 7730, 7800, 7850, 7950, 9000, 9130
Please contact me off list
73
Budd : N7EOJ@...

978. Seeking info on Kenwood TK-240 models

Yahoo group: kenwoodradio
Date: 2006-07-05 22:59:29 UTC
From: Joseph Hayes
Topic: 978 Message: 978

I recently bought four Kenwood TK-240-series radios.

Three are labeled TK-240. I know how to short the back to field program them, but I'm finding conflicting info about their ability to be computer programmed. Can someone provide info?

The other one is labeled TK-240D. I've tried shorting the back of this one, but can't seem to get it to go into programming mode. Can it be programmed this way? From what I've read this one can be computer programmed, so I've bought a cable. Can someone recommend some free or inexpensive software to do it? Also, this radio has 24 channels instead of 16. I've looked all over the 'net and can't find any mention of a 24 channel model. Is this a factory configuration or a user mod? Lastly, the four buttons under the LCD are chewed up. It looks like the previous owner pressed them with his fingernail. Does anyone have any experience with getting them replaced?

Thanks,
Joe
KD8DBJ

_____
Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

979. Kenwood PL encoder and other misc FS

Yahoo group: kenwoodradio
Date: 2006-07-08 12:37:57 UTC
From: Ken Simpson, W8EK
Topic: 979 Message: 979

For Sale:

Kenwood Subaudible tone (PL) encoder

Kenwood TU-4 C
Subaudible (PL) encoder for Kenwood TW-4000
This unit provides separate tones for the VHF (2 m) portion
and the UHF (440 MHz) portion. It plugs in to the TW-4000
to provide the tones. No adjustments are normally needed.
This one is in its original box with paper work, hardware, etc.
$65

Misc. small accessory items for Kenwood rigs:

Kenwood PB-21 battery pack for TH-21 / 31 / 41 series HTs
This battery pack does not hold a charge well. Physically it is fine,
but it needs a new "insert" in it. $15

Antenna adapter for Kenwood TH-21 / 31 / 41 HTs
This adapts the antenna connector found on these HTs to a standard
BNC connector. $3

Special Rubber Duck antennas for Kenwood TH-21 series
HTs with the threaded connector
Aftermarket stubby, 3.3 inches long $10
Kenwood RA-8 Stubby, 4 inches long $12
Kenwood regular, 6.6 inches long $10

440 MHz stubby rubber duck antenna with BNC connector
This stubby 3 inch long antenna can be used on any of the 440 MHz
HTs that use a BNC connector. $10

Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached. $5

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the
Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually,
one must have the battery inside the HT, but this lets you charge
a second battery outside of the HT. The original charger is used.
It is in good shape, and works fine. $3

Service manual for Kenwood TR-2600 HT - $10

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

980. TH-28A help needed

Yahoo group: kenwoodradio
Date: 2006-07-09 19:13:04 UTC
From: texasexpediter
Topic: 980 Message: 980

I just picked one up at a hamfest today. It appears to have been modded for extended frequencies but I'm not positive. It has no sound. I've checked everything I can think of. I'd like to find someone familiar with this model that can help me out.

981. 8 Pin Mic

Yahoo group: kenwoodradio
Date: 2006-07-16 01:21:36 UTC
From: Billie Erin Walsh
Topic: 981 Message: 981

Where would be a good place to buy an 8 wire/pin mike for a TM-241A. All the places I have bookmarked don't sell mic's.

--

(o:]>*HUGGLES*<[:o)
Billie Walsh
The three best words in the English Language:
"I LOVE YOU"
Pass then on!

982. TS-930 Signal boards

Yahoo group: kenwoodradio
Date: 2006-08-01 01:07:27 UTC
From: Greg
Topic: 982 Message: 982

Can anyone tell me if it is just a matter of swapping early and late version signal boards ie pre 310xxx for post 310xxx or there pitfalls for the unwary. From looking at the circuits I would surmise that they can be swapped but I have been known to be wrong.----(MANY TIMES)
Regards Greg vk5xgh

983. ts-700 mic pinouts

Yahoo group: kenwoodradio
Date: 2006-08-06 14:54:30 UTC
From: t4138
Topic: 983 Message: 983

anyone have the 4 pin diagram for the 700s? tia, ke7hgc/larry

984. pl tone board

Yahoo group: kenwoodradio
Date: 2006-08-07 06:02:15 UTC
From: t4138
Topic: 984 Message: 984

did someone make a pl tone board that would make a 700s work on a repeater requiring pl's??? TIA ke7hgc/larry

985. KPT-20 Cables

Yahoo group: kenwoodradio
Date: 2006-08-11 00:56:47 UTC
From: Billie Erin Walsh
Topic: 985 Message: 985

Sorry if some receive this on different lists.

I'm looking for a source for cables for different Kenwood radios for the KPT-20.

--

(o:]>*HUGGLES*<[:o)
Billie Walsh

The three best words in the English Language:
"I LOVE YOU"
Pass them on!

986. Kenwood TH-21 / 31 / 41 series HT accessory items FS

Yahoo group: kenwoodradio
Date: 2006-08-12 13:07:26 UTC
From: Ken Simpson, W8EK
Topic: 986 Message: 986

For Sale:

Misc. small accessory items for Kenwood TH-21 / 31 / 41 series HTs:

Kenwood PB-21 battery pack for TH-21 / 31 / 41 series HTs
This battery pack does not hold a charge well. Physically it is fine, but it needs a new "insert" in it. $15

Antenna adapter for Kenwood TH-21 / 31 / 41 HTs
This adapts the antenna connector found on these HTs to a standard BNC connector. $3

Special Rubber Duck antennas for Kenwood TH-21 series HTs with the threaded connector
Aftermarket stubby, 3.3 inches long $10
Kenwood RA-8 Stubby, 4 inches long $12
Kenwood regular, 6.6 inches long $10
Combo set of long 11.5 inch "gain" antenna and 4 inch stubby - $25

Other Kenwood items:

Kenwood TU-4 C
Subaudible (PL) encoder for Kenwood TW-4000
This unit provides separate tones for the VHF (2 m) portion and the UHF (440 MHz) portion. It plugs in to the TW-4000 to provide the tones. No adjustments are normally needed. This one is in its original box with paper work, hardware, etc. $65

440 MHz stubby rubber duck antenna with BNC connector
This stubby 3 inch long antenna can be used on any of the 440 MHz HTs that use a BNC connector. $10

Antenna adapter to fit the BNC connector on the HT and provide an SO-239 connector that will permit a PL-259 to be attached. $5

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually, one must have the battery inside the HT, but this lets you charge a second battery outside of the HT. The original charger is used. It is in good shape, and works fine. $3

Service manual for Kenwood TR-2600 HT - $10

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

987. new to group

Yahoo group: kenwoodradio
Date: 2006-08-13 17:52:11 UTC
From: Jerry H Davis
Topic: 987 Message: 987

i'm jerry new to group. a little about me. worked for all our uncle from 1973 to 1989 that where i get my electronics and that all i can say about that. lic. ham for about 15 years back when we had to do code. lic. Ga state low votage unrestricted (electronics) contractor. and back when there was FCC lic. i also had commercal lic. there. as for now i'm own a small electronics shop and trying to take it easy.

right now i looking for kenwood software (do bot remember the letters) ***-100D if any one can help please email me. i have most kenwood software with number below 90 so if i can help also email me. THANKS
Jerry

988. KPG-101D

Yahoo group: kenwoodradio
Date: 2006-08-14 18:48:58 UTC
From: Jerry H Davis
Topic: 988 Message: 988

sorry i way at home when i send the first message and some of the info.
is wrong. i'm looking for the software KPG-101D & cablr KPG-22 for a
kinwood TK-2170 radio and help please email me thanks.

989. Kenwood TW-4000 dual band xcvr FS

Yahoo group: kenwoodradio
Date: 2006-08-29 13:06:24 UTC
From: Ken Simpson, W8EK
Topic: 989 Message: 989

For Sale:

Kenwood TW-4000 dual band mobile FM transceiver

Covers 2 m and 440 MHz FM. 25 Watts output, or 5 W
in low power. Of course it has memories, scan, etc.
It has a GASFET front end, giving it a really great
receiver. This would make a great packet rig,
which is what it has been used for. All solid state
switching makes silent packet operation. Since it has
been used on packet, it does not have a mic or mobile
bracket with it, although it takes a standard 8 pin
round mic connector, like most Kenwood rigs. It
needs 13 V DC at 7 or 8 amps to operate. It works
great. Manual and power cord are included for $85
plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

990. Re: [kw-radio] Kenwood TW-4000 dual band xcvr FS

Yahoo group: kenwoodradio
Date: 2006-08-29 13:25:47 UTC
From: J Cotignola
Topic: 990 Message: 990

tones built in ??

Joe WR2B

----- Original Message -----
From: "Ken Simpson, W8EK" <W8EK@...>
To: "Kenwood at Yahoo (Kenwood at Yahoo)" <Kenwood@yahoogroups.com>;
"KenwoodRadio (KenwoodRadio)" <KenwoodRadio@yahoogroups.com>
Sent: Tuesday, August 29, 2006 9:06 AM
Subject: [kw-radio] Kenwood TW-4000 dual band xcvr FS

>
> For Sale:
>
> Kenwood TW-4000 dual band mobile FM transceiver
>
> Covers 2 m and 440 MHz FM. 25 Watts output, or 5 W
> in low power. Of course it has memories, scan, etc.
> It has a GASFET front end, giving it a really great
> receiver. This would make a great packet rig,
> which is what it has been used for. All solid state
> switching makes silent packet operation. Since it has
> been used on packet, it does not have a mic or mobile
> bracket with it, although it takes a standard 8 pin
> round mic connector, like most Kenwood rigs. It
> needs 13 V DC at 7 or 8 amps to operate. It works
> great. Manual and power cord are included for $85
> plus shipping from Florida.
>
> Thanks.
>
> 73,
>
> Ken, W8EK
>
> Ken Simpson
> E-mail to W8EK@... or W8EK@...
> Voice Phone (352) 732-8400
>
>
>
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio

>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>

991. Sporto Syscom??

Yahoo group: kenwoodradio
Date: 2006-09-10 02:31:49 UTC
From: RadioGuy205@aol.com
Topic: 991 Message: 991

Anyone got an idea of what happened to this site, (I know I spelled it wrong). Used to be a good DL site out of Mexico for SW.

[Non-text portions of this message have been removed]

992. L00king for KPG 99,100,101&102

Yahoo group: kenwoodradio
Date: 2006-09-10 03:03:49 UTC
From: RadioGuy205@aol.com
Topic: 992 Message: 992

Asking for a lot here folks, need the above programs. Many available to trade. Thanks!

[Non-text portions of this message have been removed]

993. RE: [kw-radio] Sporto Syscom??

Yahoo group: kenwoodradio
Date: 2006-09-10 05:49:36 UTC
From: J Tellez
Topic: 991 Message: 993

They went for a private site where a user name and password is needed, lot of

people where doing personal business with all the info there.

Juan

Asunto: [kw-radio] Sporto Syscom??

Anyone got an idea of what happened to this site, (I know I spelled it wrong). Used to be a good DL site out of Mexico for SW.

[Non-text portions of this message have been removed]

994. Re: ts-700 mic pinouts

Yahoo group: kenwoodradio
Date: 2006-09-10 18:25:29 UTC
From: Bob Bennett
Topic: 983 Message: 994

--- In kenwoodradio@yahoogroups.com, "t4138" <t4138@...> wrote:
>
> anyone have the 4 pin diagram for the 700s? tia, ke7hgc/larry
>
Viewed from the cable side of the plug, i.e. with the pins facing away from you, and with the round notch at the bottom, the pins number anti clockwise starting with pin 1 in the bottom right hand corner and the conections are as follows

1 microphone signal

2 PTT 12v

3 PTT Ground

4 Microphone Screen

Pins 3 and 4 are internally conected together

73

Bob G8BFF

995. New file uploaded to kenwoodradio

Yahoo group: kenwoodradio
Date: 2006-09-10 18:29:46 UTC
From: kenwoodradio@yahoogroups.com
Topic: 229 Message: 995

Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the kenwoodradio
group.

File : /TS-700_Operating_Manual.pdf
Uploaded by : g8bff <g8bff@...>
Description : TS700 Manual

You can access this file at the URL:
http://groups.yahoo.com/group/kenwoodradio/files/TS-700_Operating_Manual.pdf

To learn more about file sharing for your group, please visit:
http://help.yahoo.com/help/us/groups/files

Regards,

g8bff <g8bff@...>

996. Misc Kenwood HT accessories FS

Yahoo group: kenwoodradio
Date: 2006-09-16 16:37:25 UTC
From: Ken Simpson, W8EK
Topic: 822 Message: 996

For Sale:

Misc. small accessory items for Kenwood rigs

Kenwood TU-4 C
Subaudible (PL) encoder for Kenwood TW-4000
This unit provides separate tones for the VHF (2 m) portion
and the UHF (440 MHz) portion. It plugs in to the TW-4000
to provide the tones. No adjustments are normally needed.
This one is in its original box with paper work, hardware, etc.
$60

Kenwood PB-21 battery pack for TH-21 / 31 / 41 series HTs
This battery pack does not hold a charge well. Physically it is
fine, but it needs a new "insert" in it. $15

Antenna adapter for Kenwood TH-21 / 31 / 41 HTs
This adapts the antenna connector found on these HTs to a
standard BNC connector. $3

Special Rubber Duck antennas for Kenwood TH-21 series HTs
with the threaded connector
Aftermarket stubby, 3.3 inches long $10
Kenwood RA-8 Stubby, 4 inches long $12
Kenwood regular, 6.6 inches long $10
Combo set of long 11.5 inch "gain" antenna and 4 inch stubby - $25

Kenwood 2 meter BNC rubber duck, as originally furnished with
TR-2500 or TR-2600 HTs - $12

Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached. $5

Belt clip for TR-2400 HT, complete with hardware - $8

Wrist strap - I think it fits most Kenwood (and maybe other) HTs - $4

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the
Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually,
one must have the battery inside the HT, but this lets you charge
a second battery outside of the HT. The original charger is used.
It is in good shape, and works fine. $3

Service manual for Kenwood TR-2600 HT - $10

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

997. TS-440 not responding properly to commands from software

Yahoo group: kenwoodradio
Date: 2006-09-21 17:14:41 UTC
From: Mike (WM4B)
Topic: 997 Message: 997

Greetings all,

I've been off the air for several months and when I got back on the other day, I noticed a problem with the way my rig reports to my logging software, ACLog.

Previously, ACLog received frequency and mode data from the -440 and automatically loaded that info into my log; however that is no longer happening... those fields remain blank.

The rig DOES respond (somewhat) properly to me clicking on the DX Cluster spots at the bottom of the ACLog screen... it changes frequency/mode in response to the Cluster data... so it APPEARS to be receiving commands (somewhat) properly. Also, when I go to 'Rig Interface' in the ACLog menu, it does not respond properly when I poll the rig for frequency/mode, but will send a frequency change TO the radio okay.

The reason I say 'somewhat properly' is because when I load Kenwood Smart Memory and try to either download memory data from the radio to the computer OR upload memory data from the computer to the radio, I get an error message that says that the software cannot communicate with the radio.

At first I assumed that the connector on the Comm Port of the computer was loose, or that the connector at the back of the radio was loose. I checked both connectors and they were fine, but I reseated them anyway just to be sure. No change. I also checked all the wiring at both ends of the cable and all was as it should be.

I then thought that perhaps the Comm Port settings and changed, so I checked them and they were fine... they matched what I had written down before and they matched both pieces of software. Just for the heck of it, I played with all the settings and was still not able to get the rig to respond properly. I also tried different Comm Ports on the computer (both the ones on the PCI card and those on the motherboard) and had no luck... and yes... I did change the software to reflect the proper ports when I swapped cables.

The Level Converter and chipset in the radio were both purchased from W1GEE a couple of years ago, and now I can only assume that something has gone awry in either the level converter or the two chips in the radio. Using my scope, I was able to see data flowing in both directions, but really couldn't tell if what I was seeing was valid or not. (The pulses looked fine, but beyond that... who knows?)

The level converter is nothing but a MAX232N and a CD4040 with associated circuitry, and there's nothing much special about the chips in the rig either.

Has anyone had this problem before and found the cause? Just for fun, I took the rig apart last night and reseated both chips, and while I was there I noticed a bit of corrosion on the memory battery. I'm going to replace the battery, but since it's still holding memory I wouldn't think it would cause a problem like this. (Actually, I can't see it causing this problem even if it were dead.)

I have NOT done a reset on the radio yet because I didn't want to lose my memories. I'm thinking that when I order the battery, I'll just order all 4 chips and change them all, since they're all pretty cheap (about $5 total) and W1GEE wants about $65 for the chipset and level converter together.

Thoughts?

-- de WM4B
Mike
Kathleen, GA

998. Kenwood hand microphones FS

Yahoo group: kenwoodradio
Date: 2006-09-22 22:47:13 UTC
From: Ken Simpson, W8EK
Topic: 925 Message: 998

Kenwood Hand microphones for sale:

All work 100%, look very nice, and have stripped and tinned
leads, unless stated otherwise.

Kenwood MC-46, touch tone microphone
Round, 6 pin connector, will go with any Kenwood rig
taking this kind of connector. The six pin connector
could be changed to an 8 pin, making the microphone
an MC-48. Has UP and DOWN switches and PTT, along
with 16 digit touchtone pad. $ 45

Kenwood MC-42 S hand microphone
This is the "standard" microphone that came with many
of the rigs such as the TS-430, 440, 930, 940, 950, etc.
that take the round 8 pin mic connector that this one has
on it. It has "up" and "down" switches, as well as the
normal PTT switch. This particular MC-42 is in very nice
condition. $ 35

Small Kenwood hand microphone
This is like the small hand mic that came with the
Kenwood TR-7400. It is a 500 ohm dynamic mic.
No model number on it, but it looks close to new,
and works fine. If you like a smaller mic, compared
to the MC-35 or MC-30, this is it. $30

Electret Condenser microphone
Generic Black mic, with gray PTT bar. Requires polarizing
voltage. $25

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

999. Kenwood TR-2400 2 meter HT FS

Yahoo group: kenwoodradio
Date: 2006-09-30 11:30:34 UTC
From: Ken Simpson, W8EK
Topic: 999 Message: 999

For Sale:

Kenwood TR-2400, 2 meter FM HT

The TR-2400 covers the 2 meter band with about 1.5
watts of power. It has memories, scan, etc. Compared
to some of the newer HTs, this one is very easy to operate.

This particular TR-2400 works fine. It looks good, but not
mint. The battery pack has been replaced with NiMH
batteries, which seem to hold a charge fine, although
one never knows when they may need to be replaced.

The TR-2400 had a place to install an optional PL subaudible
tone encoder. I have a new, still in the original package,
encoder that I will include with the HT. I planned to install it,
but never did.

Charger, rubber duck antenna, and paper work are included
for $60 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1000. Kenwood TW-4000 dual band FM transceiver

Yahoo group: kenwoodradio
Date: 2006-10-08 12:27:16 UTC
From: Ken Simpson, W8EK
Topic: 1000 Message: 1000

For Sale:

Kenwood TW-4000 dual band mobile FM transceiver

Covers 2 m and 440 MHz FM. 25 Watts output, or 5 W
in low power. Of course it has memories, scan, etc. It
has a GASFET front end, giving it a really great receiver.
This would make a great packet rig, which is what it has
been used for. All solid state switching makes silent
packet operation. Since it has been used on packet, it
does not have a mic or mobile bracket with it, although
it takes a standard 8 pin round mic connector, like most
Kenwood rigs. It needs 13 V DC at 7 or 8 amps to
operate. It works great. Manual and power cord are
included for $100 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1001. Replacement Kenwood Mike Cords

Yahoo group: kenwoodradio
Date: 2006-10-10 01:06:35 UTC
From: Greg
Topic: 1001 Message: 1001

Does anyone know of a source for the 5-wire plus screen curly cords
used on the mc42/43s hand mikes please??
Regards Greg vk5xgh

1002. Re: [kw-radio] Replacement Kenwood Mike Cords

Yahoo group: kenwoodradio
Date: 2006-10-16 02:52:01 UTC
From: Ed Cifelli
Topic: 1001 Message: 1002

have you check Pacific Parts? They are a parts distributor for Kenwood.

EdC

Greg <gregjh@...> wrote: Does anyone know of a source for the 5-wire plus screen curly cords
used on the mc42/43s hand mikes please??
Regards Greg vk5xgh

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Yahoo! Groups Links

Yahoo! Messenger with Voice. Make PC-to-Phone Calls to the US (and 30+ countries) for 2¢/min or less.

[Non-text portions of this message have been removed]

1003. Re: Replacement Kenwood Mike Cords

Yahoo group: kenwoodradio
Date: 2006-10-16 03:09:13 UTC
From: vk5xgh
Topic: 1001 Message: 1003

Ed,
yes,I have tried both them and east coast transistor,the cords are discontinued and they have no stock, but I am on the track of a supplier here in OZ, thanks for the suggestion.I will post the name of the source if it works out.
Greg vk5xgh

--- In kenwoodradio@yahoogroups.com, Ed Cifelli <kc7mwp@...> wrote:
>
> have you check Pacific Parts? They are a parts distributor for Kenwood.
>
> EdC
>
> Greg <gregjh@...> wrote: Does anyone know of a source for the 5-wire plus screen curly cords
> used on the mc42/43s hand mikes please??
> Regards Greg vk5xgh
>
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
> ---
> Yahoo! Messenger with Voice. Make PC-to-Phone Calls to the US (and 30+ countries) for 2¢/min or less.
>
> [Non-text portions of this message have been removed]
>

1004. Computer Compatible Kenwood's

Yahoo group: kenwoodradio
Date: 2006-10-17 04:37:19 UTC
From: orbearis
Topic: 1001 Message: 1004

I've tried to do this without having to look up every radio made by Kenwood. I wish to know which ones can be controlled thru the computer...meaning freq., mode, filtering, etc.

Anyone have a list or know them by heart? :)

I know the TS-480SAT does....and the newer TS-2000. That's it.

Thanks in advance,

73's

Bill
N0DMC

1005. Re: Computer Compatible Kenwood's

Yahoo group: kenwoodradio
Date: 2006-10-17 05:34:11 UTC
From: Dave Bernstein
Topic: 1001 Message: 1005

Here's the list of Kenwood transceivers that Commander controls:

TS-50, TS-440, TS-450, TS-480, TS-570, TS-690, TS-711, TS-811, TS-850, TS-870, TS-940, TS-950, TS-2000

73,

Dave, AA6YQ

--- In kenwoodradio@yahoogroups.com, "orbearis" <Bill@...> wrote:
>
> I've tried to do this without having to look up every radio made by
> Kenwood. I wish to know which ones can be controlled thru the
> computer...meaning freq., mode, filtering, etc.
>
> Anyone have a list or know them by heart? :)
>
> I know the TS-480SAT does....and the newer TS-2000. That's it.
>
> Thanks in advance,
>
> 73's
>
> Bill
> N0DMC
>

1006. Re: Computer Compatible Kenwood's

Yahoo group: kenwoodradio
Date: 2006-10-18 00:15:50 UTC
From: orbearis
Topic: 1001 Message: 1006

Thanks Dave,

Now, if I may pick your brain a bit more....do all these readio come direct from the factory being able to connect with a computer; or, is another board of some kind necessary either in the computer or the Kenwood? I guess I'm asking if this is as simple as just taking a USB cable or an RS232 serial cable and connecting the two? Years ago, I used to use an MFJ RTTY/CW connected to the radio and the computer but it never controlled the computer's freq's, modes, etc. I still have all that gear; and, will set it up at a later date. I really wish to get a newer rig than the TS-430S I have...keeping it for a side rig or mobile unit.

Thanks and 73's

Bill N0DMC

1007. Re: Computer Compatible Kenwood's

Yahoo group: kenwoodradio
Date: 2006-10-18 01:48:18 UTC
From: Dave Bernstein
Topic: 1001 Message: 1007

I don't believe that any Kenwood radio provides a USB interface.

The TS-2000 includes an RS232 interface, and thus can be directly connected to a PC serial port for full control. Some PC-controllable Kenwood transceivers require an internal or external TTL-to-RS232 converter. Piexx sells these, and provides additional information on its site:

http://www.piexx.com/index.php?main_page=index&cPath=7&zenid=75087f53d8387bc2464ddaacad0d191d

As far as I know, the TS-430 cannot be PC-controlled, but a trip through its user manual would tell you for sure.

You can obtain a USB serial port adaptor that provides one or more RS232 ports, so if your PC lacks RS232 ports you have an alternative.

73,

Dave, AA6YQ

--- In kenwoodradio@yahoogroups.com, "orbearis" <Bill@...> wrote:
>
> Thanks Dave,
>
> Now, if I may pick your brain a bit more....do all these readio come
> direct from the factory being able to connect with a computer; or, is
> another board of some kind necessary either in the computer or the
> Kenwood? I guess I'm asking if this is as simple as just taking a
> USB cable or an RS232 serial cable and connecting the two? Years ago,
> I used to use an MFJ RTTY/CW connected to the radio and the computer
> but it never controlled the computer's freq's, modes, etc. I still
> have all that gear; and, will set it up at a later date. I really
> wish to get a newer rig than the TS-430S I have...keeping it for a
> side rig or mobile unit.
>
> Thanks and 73's
>
> Bill N0DMC
>

1008. Looking for tk-3170 program software:KPG-101D

Yahoo group: kenwoodradio
Date: 2006-10-30 14:22:37 UTC
From: stephenzhu
Topic: 1008 Message: 1008

Any body can help me?

many thanks

1009. Crossband with TK-730/830

Yahoo group: kenwoodradio
Date: 2006-10-30 14:37:20 UTC
From: Gene Floyd
Topic: 1009 Message: 1009

I have heard that with the appropriate control head, you can crossband repeat with these two radios and a single control head. Is anyone familiar with this? Any help or info would be appreciated.

1010. Re: [kw-radio] Crossband with TK-730/830

Yahoo group: kenwoodradio
Date: 2006-10-31 16:02:15 UTC
From: D. DeBoer
Topic: 1009 Message: 1010

I've seen several set up like this on ebay. I
personally haven't touched them but I have seen this
set up in a local fire department who run 460 UHF
w/154 VHF and they can "patch" between them while
responding with other agencies.

I'm confident that this is a linking option between
the two.

I'd like to have one also but think of the space it
would take up?

KC0WNG

--- Gene Floyd <floridacyclist@...> wrote:

> I have heard that with the appropriate control head,
> you can crossband
> repeat with these two radios and a single control
> head. Is anyone
> familiar with this? Any help or info would be
> appreciated.
>
>
>

Everyone is raving about the all-new Yahoo! Mail
(http://advision.webevents.yahoo.com/mailbeta/)

1011. Re: [kw-radio] Crossband with TK-730/830

Yahoo group: kenwoodradio
Date: 2006-10-31 16:15:20 UTC
From: floridacyclist@aol.com
Topic: 1009 Message: 1011

I have to have the TK-730 (G) for CAP, but it would be nice to be able to crossband through it for ham. Not too worried about space, there's gobs of that in my Suburban :) The VHF module is mounted far back in the back immediately under the antenna, so cable length is neglible. I would do the same with the UHF and only run the control head cables to the front.

In a message dated 10/31/2006 11:06:39 AM Eastern Standard Time, dorisdeboer@... writes:

I've seen several set up like this on ebay. I personally haven't touched them but I have seen this set up in a local fire department who run 460 UHF w/154 VHF and they can "patch" between them while responding with other agencies.

I'm confident that this is a linking option between the two.

I'd like to have one also but think of the space it would take up?

KC0WNG

.

[Non-text portions of this message have been removed]

1012. Kenwood TH-225 HT for 2 meters FS

Yahoo group: kenwoodradio
Date: 2006-11-11 14:15:45 UTC
From: Ken Simpson, W8EK
Topic: 1012 Message: 1012

For Sale:

Kenwood TH-225 HT for 2 meters

This HT includes DTMF touch tone pad, multiple memories, scan, and sub-audible (PL) tone encode. Power output is about 5 watts in high power, or .7 W in low. It will receive up in to the weather frequencies (162 MHz). It includes the Kenwood PB-12 high capacity 12 volt battery, which is in good condition.

This particular unit works 100% and looks extremely nice. Paper work is included for $80 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1013. Problem while program TK 2170/3170 and Tk2202/3202

Yahoo group: kenwoodradio
Date: 2006-11-16 05:37:18 UTC
From: stephenzhu
Topic: 1013 Message: 1013

I got 5 kenwood new released handheld radio.
TK 2170 -E3
TK 3170 -E4
TK 3170 -E6
TK 2202 -E
TK 3202 -E
It is listed in Kenwood UK website.

The program software is KPG 87D for 2202/3202 and KPG 101D for 2170/3170. Programing interface is KPG 22.

After KPG software start, I can not find the suffix -E3,-E4,-E6 for 2170/3170 in menu Model information. Also no suffix -E for TK 2202/3202.

When I try to read from the radio, a pop up window said"Check Model Name and Market Code".

This is big problem, I wonder: there are different software for these radio sell in EC.

Can anybody give me the solution to this problem?

thanks

Stephen

1014. Kenwood PC-1 A phone patch, SMC-24 speaker mic, and other misc accessories FS

Yahoo group: kenwoodradio
Date: 2006-11-26 17:44:08 UTC
From: Ken Simpson, W8EK
Topic: 1014 Message: 1014

Kenwood items For Sale:

Kenwood PC-1 A phone patch.
This is the model with the 8 pin connectors, although
they can be changed, if needed. It includes a nice meter
for adjusting the null so VOX will work OK. This particular
unit looks like new. It is in its original box, with paperwork
for $ 50.

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine
and works fine. $18

Small Kenwood hand microphone
This is like the small hand mic that came with the
Kenwood TR-7400. It is a 500 ohm dynamic mic.
No model number on it, but it looks close to new,
and works fine. If you like a smaller mic, compared
to the MC-35 or MC-30, this is it. $30

Kenwood MJ-68 microphone connector adapter
Converts a round 6 pin Kenwood mic connector, so it can
be plugged into a Kenwood rig with the round 8 pin
connector. Like new. $20

Kenwood TU-4 C
Subaudible (PL) encoder for Kenwood TW-4000
This unit provides separate tones for the VHF (2 m) portion
and the UHF (440 MHz) portion. It plugs in to the TW-4000
to provide the tones. No adjustments are normally needed.
This one is in its original box with paper work, hardware, etc.
$60

Power cord for many of the newer 2 meter and 440 MHz rigs
that take the "T" 2 pin connector. This fits many rigs other
than Kenwood rigs. $12

Kenwood PB-21 battery pack for TH-21 / 31 / 41 series HTs
This battery pack does not hold a charge well. Physically it is
fine, but it needs a new "insert" in it. $15

Antenna adapter for Kenwood TH-21 / 31 / 41 HTs
This adapts the antenna connector found on these HTs to a
standard BNC connector. $3

Special Rubber Duck antennas for Kenwood TH-21 series HTs
with the threaded connector
Aftermarket stubby, 3.3 inches long $10
Kenwood RA-8 Stubby, 4 inches long $12
Kenwood regular, 6.6 inches long $10
Combo set of long 11.5 inch "gain" antenna and 4 inch stubby - $22

Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached. $5

Belt clip for TR-2400 HT, complete with hardware - $8

Wrist strap - I think it fits most Kenwood (and maybe other) HTs - $4

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the
Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually,
one must have the battery inside the HT, but this lets you charge
a second battery outside of the HT. The original charger is used.
It is in good shape, and works fine. $3

Service manual for Kenwood TR-2600 HT - $10

Operators manual for Kenwood TW-4000 - $15

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1015. ts-940s poorly

Yahoo group: kenwoodradio
Date: 2006-11-27 14:09:25 UTC
From: Bob Johnson
Topic: 1015 Message: 1015

I am looking for a working subdisplay and associated pcb.Is any one
taking a faulty ts-940s apart or has anyone got the above item for sale
Any help will be appreciated.,

Regards
Bob

1016. HUSTLER VERTICAL 6-BTV GROUND RADIAL ISSUE

Yahoo group: kenwoodradio
Date: 2006-12-02 02:10:53 UTC
From: BILL COCHRAN
Topic: 1016 Message: 1016

This is propably off topic, but I need some wise advice from the group. I have a Hustler vertical hf antenna. It is mounted on a pipe near the ground. My problem is this: I intalled it ten feet away from the back of my garage. I want to intall the DX engineering grond plate and use the ground radials. I have a lot of space on the three sides that are not near the garage. Since the antenna is so close to the garage will the radials have any affect on that side or should I start over with a better verical that doesn't require radials i.e. MFJ 1798 vertical for example? Thanks and 73s.

1017. Re: [kw-radio] HUSTLER VERTICAL 6-BTV GROUND RADIAL ISSUE

Yahoo group: kenwoodradio
Date: 2006-12-02 06:33:29 UTC
From: Robert Gillespie
Topic: 1016 Message: 1017

I have used the 6-BTV for about 6 years without grounding radials attached. I purchased it from AEA in Dallas where the salesman had told me of his success without radials. I am a avid DXer and CW operator, also very strict on an antennas performance. Over the past year, because of antenna restrictions, I have used the 6-BTV as my only antenna on HF with ZERO radials. Although, 4 years ago I did buy the Hustler Ground Radial System and what a waste of money that was. Because I could tell no difference on Xmit or RX once I had installed them. At my QTH now I did not put the radial package on. After reading your Post, I did some Log digging and found that without radials , I had worked 83 countries in less than 2 years. Out of those 83 countries, 66 were on CW running only 100 watts.

[Non-text portions of this message have been removed]

1018. Re: [kw-radio] HUSTLER VERTICAL 6-BTV GROUND RADIAL ISSUE

Yahoo group: kenwoodradio
Date: 2006-12-02 13:10:40 UTC
From: BILL COCHRAN
Topic: 1016 Message: 1018

Thanks for the input. The "ears" on the antenna just don't receive very good. This is true all of the bands. I bought this on ebay and just wonder if I have a bad antenna. It barely hears the clock in Colorado! And I have never been able to hear W1aw. I am starting to wonder if I have a bad antenna. My rig is a TS-440s and feel certain it isn't the radio. I am stumped at this point.

BILL COCHRAN
BILL COCHRAN REAL ESTATE APPRAISALS, LLC
1430 N 12TH STREET
CAMBRIDGE, OHIO
43725

PHONE:888-229-0491
FAX: 740-236-1560

WWW.BILLCOCHRANAPPRAISALS.COM

[Non-text portions of this message have been removed]

1019. Re: [kw-radio] HUSTLER VERTICAL 6-BTV GROUND RADIAL ISSUE

Yahoo group: kenwoodradio
Date: 2006-12-02 22:11:17 UTC
From: Robert Gillespie
Topic: 1016 Message: 1019

If you have trouble hearing Denver, then something is wrong. I use Denver and Honolulu as DX beacons regularly on my Hustler. A great example, I had the center conductor broke at the antenna base and was still receiving Denver S7 - S9. I am not sure where you are but if Denver is a difficult copy, a defective antenna would be forefront as the culprit. This diagnosis is only arrived at after ruling out the feed line, and connectors.

[Non-text portions of this message have been removed]

1020. Re: HUSTLER VERTICAL 6-BTV GROUND RADIAL ISSUE

Yahoo group: kenwoodradio
Date: 2006-12-02 22:38:01 UTC
From: orbearis
Topic: 1016 Message: 1020

Robert:

How do you have the 6-BTV set up? Is it on an extended pole, a ground mount, or ???? I'm thinking that this antenna may be the perfect one for my RV. I want something that can be taken down if I wish to move from one spot to another (as in camping or just moving from state to state). I live full time in the RV and have yet to set up an antenna for it. I have the Hustler MO with RM series of resonators...but those are really for planting on a pickup or car. Without proper radials (or the pickup), I don't know how they would work. Also, they can be a pain to have to go out and change resonators.

Bill

N0DMC

1021. Re: [kw-radio] Re: HUSTLER VERTICAL 6-BTV GROUND RADIAL ISSUE

Yahoo group: kenwoodradio
Date: 2006-12-02 23:13:04 UTC
From: Robert Gillespie
Topic: 1016 Message: 1021

I have the antenna mounted on a 1 1/2" diameter section of push-up pole about 18" long. This has the base off the ground about 6" - 8". I cut one end of the 18" pole on a 45 degree angle, this is the end that goes in the ground (earth). I do not drive it in the ground, instead I just stand the antenna up and attach it to an object or by guy lines. The weight of the antenna will cause it to settle firmly into the ground. This also makes for a better ground and much easier to remove. So, to answer your question the base of the antenna is about 8" from the ground. The distance varies depending on how soft the soil maybe, and if it is mounted to a structure/object or via guy lines. Bottom line, this is the first vertical I've ever owned that performs so well without an elaborate radial system.

[Non-text portions of this message have been removed]

1022. Re: [kw-radio] Re: HUSTLER VERTICAL 6-BTV GROUND RADIAL ISSUE

Yahoo group: kenwoodradio
Date: 2006-12-02 23:25:23 UTC
From: BILL COCHRAN
Topic: 1016 Message: 1022

I have the antenna mounted about two feet off of the ground on the dx engineering hinge. Personally, I don't think it would be that easy to take down and make it portable. There are several long sections to it.

BILL COCHRAN
BILL COCHRAN REAL ESTATE APPRAISALS, LLC
1430 N 12TH STREET
CAMBRIDGE, OHIO
43725

PHONE:888-229-0491
FAX: 740-236-1560

WWW.BILLCOCHRANAPPRAISALS.COM

[Non-text portions of this message have been removed]

1023. Re: [kw-radio] Re: HUSTLER VERTICAL 6-BTV GROUND RADIAL ISSUE

Yahoo group: kenwoodradio
Date: 2006-12-02 23:28:09 UTC
From: BILL COCHRAN
Topic: 1016 Message: 1023

From all of the positive responses and people I have spoken to about the antenna, I am really starting to wonder if it is the antenna and there is something wrong with it. I bought it off of a guy on eBay this summer and never did anything with it until a few weeks ago.

BILL COCHRAN
BILL COCHRAN REAL ESTATE APPRAISALS, LLC
1430 N 12TH STREET
CAMBRIDGE, OHIO
43725

PHONE:888-229-0491
FAX: 740-236-1560

WWW.BILLCOCHRANAPPRAISALS.COM

[Non-text portions of this message have been removed]

1024. Kenwood TM-221, 2 meter FM xcvr FS

Yahoo group: kenwoodradio
Date: 2006-12-03 13:06:45 UTC
From: Ken Simpson, W8EK
Topic: 1024 Message: 1024

For Sale:

Kenwood TM-221 A, 2 meter FM xcvr

This 2 m FM rig will receive from about 138 to
174 MHz, while transmitting on the entire 2 meter
band. It has memories, as well as VFO and "Call"
channel. Subaudible tone (PL) encoder is built in.

The microphone is an MC-48, which includes
a touchtone pad and up-down switch.

Output power is up to 45 Watts, or about 6 watts
in low power.

This particular unit works 100%, and looks the same.

$95 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1025. Kenwood MC-43 hand microphone FS

Yahoo group: kenwoodradio
Date: 2006-12-03 18:18:09 UTC
From: Ken Simpson, W8EK
Topic: 553 Message: 1025

Kenwood MC-43S Hand Mic For Sale

This hand mic with the round 8 pin connector fits most modern Kenwood rigs including the TS-430, TS-440, TS-450, TS-850, TS-870, TS-950, plus many Kenwood VHF, UHF, and dual band rigs. Basically, if it is a Kenwood rig, and uses a round 8 pin connector, this mic will work for you. It will also fit most of the Alinco rigs that use the round 8 pin connector. It has UP/DOWN buttons, in addition to the PTT button.

This one is in excellent condition. It works 100%, and looks like it has not been used.

$35 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1026. TK730 Bandwidth

Yahoo group: kenwoodradio
Date: 2006-12-17 16:48:40 UTC
From: Billie Erin Walsh
Topic: 1026 Message: 1026

Does anyone know if there is some adjustment to the VFO that will move the bandwidth down about two megahertz?

We have been unsuccessful in finding a service manual for this radio, and the companion TK830 also. It will work just fine in SP programming down to about 146 MHz, but "honks" at anything below that. I would like to get it down to at least 144. If it sacrifices a little at the top, no big deal. We don't use anything that high anyway.

These things make darned good ham radios, but there are a couple repeaters I would like to use that are in the 145 range and it just won't get there.
--
(o:]>*HUGGLES*<[:o)
Billie Walsh
The three best words in the English Language:
"I LOVE YOU"
Pass them on!

1027. Parts for Kenwood TM-241A

Yahoo group: kenwoodradio
Date: 2006-12-27 18:14:40 UTC
From: w2drh
Topic: 1027 Message: 1027

Hello all,
I need an IC for the tm241A It is a TC9174F chip. Kenwood does not have parts for this rig and could not suggest a supplier. Does any have info, a board with this on, or a parts rig available? It belongs to an old ham friend and he cannot afford to replace it. Please let me know.
Thanks!
73
Dave

1028. Azden PCS4000

Yahoo group: kenwoodradio
Date: 2006-12-28 13:29:41 UTC
From: w2drh
Topic: 1028 Message: 1028

Hi ALL,
I need programing instructions and schematic for an Azden PCS4000 vhf rig. Does anyone have or know a site I can download these from? Please help.
73
Dave

1029. THE END OF THE WORLD - NOT

Yahoo group: kenwoodradio
Date: 2006-12-31 03:35:40 UTC
From: h.w_barker
Topic: 1029 Message: 1029

All of this is according to a newsletter I subscribe to and support.

I don't claim to know it all:
"Some speak in fear of "The End Of The World" which, by the Bible itself, is utterly absurd (at least not for the next thousand years), because: According to the Book of Revelation "The kings of the earth who remain will be standing far off, watching a certain nation burn. (The entire world can't be burning if there are leaders from other nations watching.) It also says the merchants of the earth who remain will all be complaining that no one is available to buy their goods anymore. After which, Christ will then reign over these remaining nations for a thousand years. (Rev 18:7-11, 20:4)

Then previous to that (according to this newsletter), 1. God will "sic" the Arabs on the nation He intends to destroy; 2. He will have its top ten corporations move their assets (and jobs) to foreign soil; 3. He will have the towers that represent its financial strength brought to the ground; 4. Foreigners will move in and take over, opposing everything this nation's people try to do; 5. Tens of thousands will be killed by a single terrorist attack; 6. This nation will be financially destroyed; 7. Toward the end three of the world's leaders will die within a single thirty day period; 8. When its end does finally come there will be an explosion and fire strong enough to knock the earth off its axis; 9. This explosion will be so severe that men's dead bodies will fall out of the air, with no one left to gather them, nor to bury them; 10. Just as God destroyed Sodom and Gomorrah and their neighboring nations in such a way that they were burned off the face of the earth, so shall it be with this nation and both of its neighbors. (Far too many verses of scripture are cited for me to quote here.)

The next part sounds really far out there, until you realize that our government has had everyone from its military, its brightest scientists and engineers, and even engineers from Exxon Oil try to disprove it, and they cannot. At any rate, since the 1920's our oil companies have been pumping vast amounts of water down into the earth to force oil and natural gas up out of what is known as the Hugoton Panhandle Natural Gas Reserve (which encompasses the entire N. American Continent). Now, gravity is pulling that water toward the center of the earth, causing the resulting vacuum to suck in oxygen from the earth's surface, which has created one incredibly huge gas and oxygen bomb under our entire continent. At a place just north of Pantex, where America stores its larger nuclear weapons, the H-P Reserve is less than fifty feet below the surface of the earth, and extremely vulnerable to just anything falling from the sky, such as a meteor, or a bomb.

The above is scary enough all by itself. Until you realize that the third through fifth trumpets mentioned in the Book of Revelation describe an object it refers to as wormwood falling from the sky like a burning torch, and gaining "entrance" into what it refers to as "The Great Abyss", resulting in an explosion the likes of which the world has never known. Even scarier is the fact that the Slavonic root for the place in the Ukraine named Chernobyl, which is synonymous with the world's worst nuclear disaster, has its roots in the term WORMWOOD! Do you really think Iran is refusing to stop its nuclear project for no reason?

Yes, I know in advance that a lot of people will call me naive for even considering the above. But I say those who claim all the above is sheer coincidence are the ones who are truly naive. Especially since they have one issue which documents everything to be both logical, practical, Scriptural, and factual.

At any rate, I used the following link to subscribe to this newsletter.

The_A-N_Newsletter@...

Just type "subscribe me" on the subject line then send it. You're all set.

Harris

1030. Kenwood PL tone encoder and many other misc items FS

Yahoo group: kenwoodradio
Date: 2007-01-01 17:40:17 UTC
From: Ken Simpson, W8EK
Topic: 1030 Message: 1030

Kenwood PL tone encoder for sale:

Kenwood TU-4 C
Subaudible (PL) encoder for Kenwood TW-4000
This unit provides separate tones for the VHF (2 m) portion
and the UHF (440 MHz) portion. It plugs in to the TW-4000
to provide the tones. No adjustments are normally needed.
This one is in its original box with paper work, hardware, etc.
$60

Other Kenwood items For Sale:

Kenwood TM-221 A, 2 meter FM transceiver
This 2 meter FM rig will receive from about 138 to
174 MHz, while transmitting on the entire 2 meter
band. It has memories, as well as VFO and "Call"
channel, with scan, and the normal bells and whistles.
Subaudible tone (PL) encoder is built in.
Output power is up to 45 Watts, or about 6 watts
in low power.
This particular unit works 100%, and looks fine as well.
Mobile mounting bracket, power cord, microphone, and
paper work are included for $90.

Kenwood TR-2400, 2 meter FM HT
The TR-2400 covers the 2 meter band with about 1.5
watts of power. It has memories, scan, DTMF Touch tone
pad, etc. Compared to some of the newer HTs, this one
is very easy to operate.
This particular TR-2400 works fine. It looks good, but not
mint. The battery pack has been replaced with NiMH
batteries, which seem to hold a charge fine.
The LCD display is clear, with no defects.
The TR-2400 had a place to install an optional PL subaudible
tone encoder. I have a new, still in the original package,
encoder that I will include with the HT. I planned to install it,
but never did.
Charger, rubber duck antenna, and paper work are included
for $60.

Small Kenwood hand microphone
This is like the small hand mic that came with the
Kenwood TR-7400. It is a 500 ohm dynamic mic.
No model number on it, but it looks close to new,
and works fine. If you like a smaller mic, compared
to the MC-35 or MC-30, this is it. $30

Kenwood MJ-68 microphone connector adapter
Converts a round 6 pin Kenwood mic connector, so it can be plugged into a Kenwood rig with the round 8 pin connector. Like new. $20

Power cord for many of the newer 2 meter and 440 MHz rigs that take the "T" 2 pin connector. This fits many rigs other than Kenwood rigs. $12

Kenwood PB-21 battery pack for TH-21 / 31 / 41 series HTs
This battery pack does not hold a charge well. Physically it is fine, but it needs a new "insert" in it. $15

Special Rubber Duck antennas for Kenwood TH-21 series HTs with the threaded connector
Aftermarket stubby, 3.3 inches long $10
Kenwood RA-8 Stubby, 4 inches long $12
Kenwood regular, 6.6 inches long $10
Combo set of long 11.5 inch "gain" antenna and 4 inch stubby - $22

Antenna adapter to fit the BNC connector on the HT and provide an SO-239 connector that will permit a PL-259 to be attached. $5

Belt clip for TR-2400 HT, complete with hardware - $8

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine and works fine. $18

Wrist strap - I think it fits most Kenwood (and maybe other) HTs - $4

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually, one must have the battery inside the HT, but this lets you charge a second battery outside of the HT. The original charger is used. It is in good shape, and works fine. $3

Service manual for Kenwood TR-2600 HT - $10

Service manual for Kenwood TS-930 HF transceiver - $20

Operating manual for Kenwood TS-930 HF transceiver - $15

Operators manual for Kenwood TW-4000 dual bander - $15

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1031. kenwood version's

Yahoo group: kenwoodradio
Date: 2007-01-04 11:56:01 UTC
From: Mike
Topic: 1031 Message: 1031

can anyone tell me what the Kenwood versions of the yaesu ft-736r and ft-767 are trying to decide on which units to invest in.

Tnx's & 73
Mike - W8EMT

1032. Original Kenwood manuals FS

Yahoo group: kenwoodradio
Date: 2007-01-27 17:02:49 UTC
From: Ken Simpson, W8EK
Topic: 1032 Message: 1032

Original Kenwood Manuals For Sale:
-
All are operating manuals in very nice, close to new
condition, for Kenwood radios, unless stated otherwise.
-
Operating manual for Kenwood AT-120 antenna tuner $10
-
Operating manual for TS-120 S / TS-120 V HF transceiver $17
-
Operating manual for TS-130 S / TS-130 V HF
transceiver. Average condition $15
-
Operating manual for TS-180 S HF transceiver $22
-
Operating manual for TS-430 HF transceiver $18
-
Service manual for TS-930 HF transceiver $20
-
Operating manual for TS-930 HF transceiver $15
-
Operating manual for TR-7400, two meter transceiver $15
-
Operating manual for TW-4000 dual bander $15
-
Operating manual for TH-21A/AT/E, 2 meter HT $10
-
Operating manual for TH-41A/BT/E, TH-31A/BT, TH-21A/BT/E
HTs for 440 MHz, 220 MHz and 2 meters $10
-
Operating manual for TH-225, 2 meter HT - Good condition $12
-
Operating manual for TR-2200, 2 meter "portable"
This is very similar to the Drake TR-22. $15
-
Operating manual for TR-2400, 2 meter HT $12
-
Operating manual for TR-2500, 2 meter HT $14
-
Service manual for TR-2600 HT $10
-
Prices do not include shipping from Florida.
-
Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1033. Serial Key for KPG-59D Windows

Yahoo group: kenwoodradio
Date: 2007-02-01 22:09:13 UTC
From: RadioGuy205@aol.com
Topic: 1033 Message: 1033

All I need is the serial key, anyone have any ideas? Thanks!

[Non-text portions of this message have been removed]

1034. Need CE7A Firmware for TK-X80

Yahoo group: kenwoodradio
Date: 2007-02-10 21:21:33 UTC
From: gsp205
Topic: 1034 Message: 1034

Need CE7A Firmware for TK-X80, thanks!

1035. kenwood ts180 parts needed

Yahoo group: kenwoodradio
Date: 2007-02-13 05:01:42 UTC
From: mike
Topic: 1035 Message: 1035

hi all
i have a ts180s with the dfc.. pob i have is very low rx and tx i
suspect the coil pack trannys or the fet .has any one got spares for
these or a coil pack board i can buy..i am in new zealand by the way .
contact via nz_ssl100_nz@...
thank you in advance
mike
http://www.yeticomnz.com

1036. help me kenwood tk280

Yahoo group: kenwoodradio
Date: 2007-02-13 11:47:32 UTC
From: luoybn
Topic: 1036 Message: 1036

i have a tk280e .do you have kpg60d programming for windows , email for me ok? thanks you. bg7mqt@... and gaap_gzb@...

1037. Accessories for Kenwood TH-21/31/41 series HTs FS

Yahoo group: kenwoodradio
Date: 2007-03-11 13:01:45 UTC
From: Ken Simpson, W8EK
Topic: 1037 Message: 1037

Accessory items for Kenwood TH-21 / 31 / 41 series HTs:

Kenwood TU-6 PL encoder
Produces subaudible tones. With paper work. $30

Kenwood PB-21 battery pack for TH-21/31/41 series HTs
This battery pack does not hold a charge well. Physically it is
fine, but it needs a new "insert". $12

PB-21 H
As above, but heavy duty pack; needs insert. $14

Wrist strap - fits most Kenwood HTs $4

Kenwood SMC-30 speaker microphone
Fits the TH-21/31/41 series of HTs, plus some others. $18

Original Operating manual for TH-41A/BT/E, TH-31A/BT, TH-21A/BT/E
HTs for 440 MHz, 220 MHz and 2 meters $10

Special Rubber Duck antennas for Kenwood TH-21 series
2 meter HTs with the threaded connector
Aftermarket stubby, 3.3 inches long $10
Kenwood RA-6 regular, 6.6 inches long $10
Combo set of long 11.5 inch "gain" antenna and 4 inch stubby $22

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1038. TM241 Lithium Battery

Yahoo group: kenwoodradio
Date: 2007-03-29 17:44:53 UTC
From: Ruben
Topic: 1038 Message: 1038

Anyone know of an equivalent lithium battery for the Kenwood TM241A 2 meter mobile? I'm looking for a possible RadShack part number.
Also would like to know the specs on the original?

KA2HHB ... Newark, N.J.

1039. HF NET DE KE7GGV..CHANGE

Yahoo group: kenwoodradio
Date: 2007-04-13 08:01:55 UTC
From: Gerald R.Gaule
Topic: 1039 Message: 1039

VALLEYHAMS RAGCHEWING NET(Albany Oregon) HAS CHANGED
7,228 Khz(LSB)
15:00 TO 16:00 UTC .SUNDAYS
e mail
gaules@...
http://www.qrz.com/callsign/KE7GGV
THX DE KE7GGV...73...thank you for your time...

take care...

1040. Kenwood HT ideal for Fox Hunt or parts

Yahoo group: kenwoodradio
Date: 2007-04-21 11:58:43 UTC
From: Ken Simpson, W8EK
Topic: 1040 Message: 1040

Kenwood TH-21 AT Two meter HT For Sale:

Ideal for "Fox hunt"

The TH-21 is a fully synthesized 2 meter HT. It has
thumbwheel switches on the top to select the frequency.
The + or - offset is selected by a switch on the back, as
is high and low power.

This particular HT produces about 1/3 W on low power and
about 1.5 watts on high power. It does have a problem, however.
It transmits fine, but does not have receive audio. This could
be a simple problem, or it might be more involved. The HT
is being sold "as is". Repair it, or use it for parts. It might be
a good candidate for a transmitter for "Fox hunts."

This is the HT only, but does include a copy of the manual and
schematic for $20 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1041. Kenwood PC-1 A Phone patch FS

Yahoo group: kenwoodradio
Date: 2007-05-01 20:55:51 UTC
From: Ken Simpson, W8EK
Topic: 1041 Message: 1041

Kenwood PC-1 A phone patch For Sale

This is the model with the 8 pin connectors, although
they can be changed, if needed. It includes a nice meter
for adjusting the null so VOX will work OK.

This particular unit works fine, and looks very, very good.
No scratches. With paperwork for $ 50 plus shipping from
Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1042. Hello

Yahoo group: kenwoodradio
Date: 2007-06-18 19:05:24 UTC
From: Bruce E. Harris
Topic: 1042 Message: 1042

My name is Bruce and I just took my tech test Saturday and got my callsign, KB3PHW. I have a Kenwood TH-D7AG I got about one week ago, and I have a lot to learn.

Best Regards,

Bruce

1043. Re: [kw-radio] Hello

Yahoo group: kenwoodradio
Date: 2007-06-18 19:18:13 UTC
From: larry allen
Topic: 1043 Message: 1043

Greetings...
Just a side thought....
Does your FCC, I am Canadian, fast track successful exam passers, so that they can get their exams check and callsigns issued so the new candidates can participate in field day?...
Just asking...
Larry ve3fxq

----- Original Message -----
From: "Bruce E. Harris" <beharri@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Monday, June 18, 2007 3:05 PM
Subject: [kw-radio] Hello

> My name is Bruce and I just took my tech test Saturday and got my
> callsign, KB3PHW. I have a Kenwood TH-D7AG I got about one week ago, and
> I have a lot to learn.
>
> Best Regards,
>
> Bruce
>

1044. Re: [kw-radio] Hello

Yahoo group: kenwoodradio
Date: 2007-06-18 19:37:34 UTC
From: Evan Platt
Topic: 1043 Message: 1044

At 12:18 PM 6/18/2007, larry allen wrote:

>Greetings...
>Just a side thought....
>Does your FCC, I am Canadian, fast track successful exam passers, so that
>they can get their exams check and callsigns issued so the new candidates
>can participate in field day?...
>Just asking...
>Larry ve3fxq

Yep, once you know your call sign, you're good to go on the air.

1045. 790 Firwmare Help

Yahoo group: kenwoodradio
Date: 2007-06-22 01:45:32 UTC
From: gsp205
Topic: 1045 Message: 1045

Radio says NO SYS and PROG1156, when I load the FPRO software PG appears in the top left corner of basic control head. While firmware is loading (BEA9) the screen stays on PROG1156. Any ideas? Main programming was enabled prior to this in regular software. Thanks!

1046. Kenwood TU-4 C, PL encoder, plus many other Kenwood items FS

Yahoo group: kenwoodradio
Date: 2007-06-22 19:29:11 UTC
From: Ken Simpson, W8EK
Topic: 1046 Message: 1046

Kenwood PL tone encoder for sale:

Kenwood TU-4 C
Subaudible (PL) encoder for Kenwood TW-4000
This unit provides separate tones for the VHF (2 m) portion
and the UHF (440 MHz) portion. It plugs in to the TW-4000
to provide the tones. No adjustments are normally needed.
This one is with paper work, hardware, etc. $55

Other Kenwood items For Sale:

Kenwood MJ-68 microphone connector adapter
Converts a round 6 pin Kenwood mic connector, so it can
be plugged into a Kenwood rig with the round 8 pin
connector. Like new. $20

Power cord for many of the newer 2 meter and 440 MHz rigs
that take the "T" 2 pin connector. This fits many rigs other
than Kenwood rigs. $14

Accessory items for Kenwood TH-21 / 31 / 41 series HTs:

Kenwood BH-2 belt clip, with hardware. Like new. $5

Kenwood PB-21 battery pack for TH-21/31/41 series HTs
This battery pack does not hold a charge well. Physically it is
fine, but it needs a new "insert". With paper work for $10

Wrist strap - fits most Kenwood HTs $4

Kenwood SMC-30 speaker microphone
Fits the TH-21/31/41 series of HTs, plus some others. $18

Special Rubber Duck antennas for Kenwood TH-21 series
2 meter HTs with the threaded connector
Aftermarket stubby, 3.3 inches long $10
Kenwood RA-6 regular, 6.6 inches long $10

Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached. $5

Belt clip for TR-2400 HT, complete with hardware - $8

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine
and works fine. $18

Wrist strap - I think it fits most Kenwood (and maybe other) HTs - $4

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually, one must have the battery inside the HT, but this lets you charge a second battery outside of the HT. The original charger is used. It is in good shape, and works fine. $3

Original Kenwood Operating Manuals For Sale:

All are original operating manuals in very nice, close to new condition, for Kenwood radios, unless stated otherwise.

Operating manual for TW-4000 dual bander $15

Operating manual for TH-41A/BT/E, TH-31A/BT, TH-21A/BT/E
HTs for 440 MHz, 220 MHz and 2 meters $10

Operating manual for TH-225, 2 meter HT - Good condition $12

Operating manual for TM-221 and TM-421 - like new - $15

Operating manual for TR-2200, 2 meter "portable"
This is very similar to the Drake TR-22. $15

Operating manual for TR-2400, 2 meter HT $12

Operating manual for TR-2500, 2 meter HT $14

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1047. Re: 790 Firwmare Help

Yahoo group: kenwoodradio
Date: 2007-06-24 13:11:43 UTC
From: ryan_enscoe
Topic: 1045 Message: 1047

you have to enable firmware programming first, then have radio display Prog 1156, which is the speed you have to set FPRO to then click write to radio. i cant remember exactly what it says next but its something like reboot radio to accept changes. turn the radio off then back on and check your firmware

--- In kenwoodradio@yahoogroups.com, "gsp205" <RadioGuy205@...> wrote:
>
> Radio says NO SYS and PROG1156, when I load the FPRO software PG
> appears in the top left corner of basic control head. While firmware
> is loading (BEA9) the screen stays on PROG1156. Any ideas? Main
> programming was enabled prior to this in regular software. Thanks!
>

1048. Need used rig advice

Yahoo group: kenwoodradio
Date: 2007-06-27 16:22:32 UTC
From: James Harvey
Topic: 1048 Message: 1048

Greetings...
I have a young ham friend that I am coaching to become a General. I plan to buy a used HF rig to teach him how to use with the idea that, when he gets his ticket, I will loan the rig to him for three months to use as long as he uses it.

He gets instant gratification on getting his ticket and I make a friend for life.

What rig, oh wise members of this list, might you recommend? Budget less that $500.

Jim Harvey, W7YV

1049. Re: [kw-radio] Need used rig advice

Yahoo group: kenwoodradio
Date: 2007-06-27 16:33:38 UTC
From: artation@netscape.net
Topic: 1048 Message: 1049

Hi.

I'm in a similar situation (just upgraded and to be honest don't even have my antenna in the air yet) and had a chance to work with a few rigs on Field Day from the perspective of a person brand-spankin'-new to HF.?

Now granted, I am very very new and my experience is quite limited, but I had a blast with an old TS-530.? An advantage with this rig is the use of tube finals, which will allow you to Elmer your newcomer in their use, yet a more modern "rest of the rig" with digital display that will not seem like a museum piece.? Also, the traditional style of every function having its own actual knob rather than having stuff buried in computerized menus will make the learning process more clear IMHO as these things will all be right there on the face of the rig, staring at you.

Hope this helps, at least in giving you some general concepts about what I found helpful.

73 DE N9THH

-----Original Message-----
From: James Harvey <harvey.james@...>
To: kenwoodradio@yahoogroups.com
Sent: Wed, 27 Jun 2007 11:22 am
Subject: [kw-radio] Need used rig advice

Greetings...

I have a young ham friend that I am coaching to become a General. I

plan to buy a used HF rig to teach him how to use with the idea that,

when he gets his ticket, I will loan the rig to him for three months to

use as long as he uses it.

He gets instant gratification on getting his ticket and I make a friend

for life.

What rig, oh wise members of this list, might you recommend? Budget

less that $500.

Jim Harvey, W7YV

_____
Check Out the new free AIM(R) Mail -- Unlimited storage and industry-leading spam and email virus protection.

[Non-text portions of this message have been removed]

1050. RE: [kw-radio] Digest Number 630

Yahoo group: kenwoodradio
Date: 2007-06-28 16:15:42 UTC
From: Grant Hopper
Topic: 1050 Message: 1050

Kenwood Ham Radio hobby, electronics, mods and user supportMy advice would be to look at the TS-440S/SAT. Among it's many plusses is that it is an all solid state design. Lots of 440s were sold so lots of radios to choose from, keeping purchase cost down as well as a big pool of accessories, a good pool of knowledge regarding repair and operation, and Kenwood repair centers still have parts (and probably will for along time.) The rig is portable (not like a Yeasu 817, but more portable than a TS-850, and somewhat like a IC-706 with easier to reach functions), versatile in that it does most of what any current radio will do, and in my experience it is easy to set what you want from the front panel without having to look to the manual.

I have one and have been happy with it for many years. The receiver isn't perfect, but it has been adequate for me and many praise it. The antenna tuner on the SAT model works well though it will not tune 160M.

You should be able to find a number of TS-440S with power cord, mic, and filters for under $500, and you may be able to find a TS-440SAT nicely equipped for under $500.

If you get one, there is a 440 specific yahoo group and prior to purchasing, you should also look at eham's review page: http://www.eham.net/reviews/detail/461?page=2 which has some good comments on the radio.

I forgot to say: Good for you that you are coaching someone to upgrade. We need a lot more of that in order to keep amateur radio growing and more hams having fun! As the president of a local club, I am always very happy to hear of things like this going on and try to provide as much help as I can.

73!
Grant Hopper,
KB7WSD
ARRL VC for Washington State
President, Snohomish County Hams Club (WA7LAW) www.wa7law.com

-----Original Message-----
From: kenwoodradio@yahoogroups.com [mailto:kenwoodradio@yahoogroups.com]
Sent: Thursday, June 28, 2007 2:07 AM
To: kenwoodradio@yahoogroups.com
Subject: [kw-radio] Digest Number 630

Kenwood Ham Radio hobby, electronics, mods and user support
Messages In This Digest (2 Messages)
1a. Need used rig advice From: James Harvey
1b. Re: Need used rig advice From: artation@...
View All Topics | Create New Topic Messages

1a. Need used rig advice
Posted by: "James Harvey" harvey.james@... jrharvey
Wed Jun 27, 2007 9:22 am (PST)
Greetings...
I have a young ham friend that I am coaching to become a General. I plan to buy a used HF rig to teach him how to use with the idea that, when he gets his ticket, I will loan the rig to him for three months to use as long as he uses it.

He gets instant gratification on getting his ticket and I make a friend for life.

What rig, oh wise members of this list, might you recommend? Budget less that $500.

Jim Harvey, W7YV

Back to top Reply to sender | Reply to group | Reply via web post
Messages in this topic (2)
1b. Re: Need used rig advice
Posted by: "artation@..." artation@... n9thh
Wed Jun 27, 2007 9:33 am (PST)

Hi.

I'm in a similar situation (just upgraded and to be honest don't even have my antenna in the air yet) and had a chance to work with a few rigs on Field Day from the perspective of a person brand-spankin'-new to HF.?

Now granted, I am very very new and my experience is quite limited, but I had a blast with an old TS-530.? An advantage with this rig is the use of tube finals, which will allow you to Elmer your newcomer in their use, yet a more modern "rest of the rig" with digital display that will not seem like a museum piece.? Also, the traditional style of every function having its own actual knob rather than having stuff buried in computerized menus will make the learning process more clear IMHO as these things will all be right there on the face of the rig, staring at you.

Hope this helps, at least in giving you some general concepts about what I found helpful.

73 DE N9THH

-----Original Message-----
From: James Harvey <harvey.james@...>
To: kenwoodradio@yahoogroups.com
Sent: Wed, 27 Jun 2007 11:22 am
Subject: [kw-radio] Need used rig advice

Greetings...

I have a young ham friend that I am coaching to become a General. I

plan to buy a used HF rig to teach him how to use with the idea that,

when he gets his ticket, I will loan the rig to him for three months to

use as long as he uses it.

He gets instant gratification on getting his ticket and I make a friend

for life.

What rig, oh wise members of this list, might you recommend? Budget

less that $500.

Jim Harvey, W7YV

_____
Check Out the new free AIM(R) Mail -- Unlimited storage and
industry-leading spam and email virus protection.

[Non-text portions of this message have been removed]

Back to top Reply to sender | Reply to group | Reply via web post
Messages in this topic (2) Recent Activity
a.. 3 New Members
Visit Your Group
SPONSORED LINKS
a.. Craft hobby
b.. Ham radio
c.. Ham radio sales
d.. Ham radio outlet
Drive Traffic
Sponsored Search

can help increase

your site traffic.

Yoga Resources
on Yahoo! Groups

Take the stress

out of your life.

HDTV Support
on Yahoo! Groups

Help with Samsung

HDTVs and devices

Need to Reply?
Click one of the "Reply" links to respond to a specific message in the
Daily Digest.
Create New Topic | Visit Your Group on the Web

Messages | Files | Photos | Links | Database | Polls | Members | Calendar
For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio

Change settings via the Web (Yahoo! ID required)
Change settings via email: Switch delivery to Individual | Switch format to Traditional
Visit Your Group | Yahoo! Groups Terms of Use | Unsubscribe

[Non-text portions of this message have been removed]

1051. HT question

Yahoo group: kenwoodradio
Date: 2007-06-29 07:35:44 UTC
From: Milan Pavlica
Topic: 1051 Message: 1051

Hello!

Does anyone have schematic for TH-26?? I need APC, drive and PA part...
Thanks in advance!

YU7XW

1052. Fwd: Kenwood manual needed

Yahoo group: kenwoodradio
Date: 2007-06-29 11:24:07 UTC
From: floridacyclist@aol.com
Topic: 1052 Message: 1052

Hi, got this email from a friend. Can anyone help him please? Hitting reply
to all should reach him as I CCed him on the FW.

********** See what's free at http://www.aol.com.

[Non-text portions of this message have been removed]

1053. Re: manual needed

Yahoo group: kenwoodradio
Date: 2007-06-29 11:27:28 UTC
From: floridacyclist@aol.com
Topic: 1053 Message: 1053

We'll try it this way...not sure why it removed his text

In a message dated 6/25/2007 2:10:14 P.M. Eastern Daylight Time,
mcgeesdesigns@... writes:

Tried to get on the net last nite w/ moble antenna, got zip. Today got a 2m
Kenwood TH-215A. Reading the manual now. Couls you find out if anyone has a
copy of a TR-7800 manual?
Dan

********** See what's free at http://www.aol.com.

[Non-text portions of this message have been removed]

1054. Re: [kw-radio] Re: manual needed

Yahoo group: kenwoodradio
Date: 2007-06-29 16:06:13 UTC
From: Billie Erin Walsh
Topic: 1053 Message: 1054

On 06/29/2007 floridacyclist@... wrote:
> Tried to get on the net last nite w/ moble antenna, got zip. Today
> got a 2m
> Kenwood TH-215A. Reading the manual now. Couls you find out if anyone
> has a
> copy of a TR-7800 manual?
> Dan

Have the users manual in .DOC format. 2.1 M zipped and about 5.5 M
opened. Got any preferrence where it's sent?

--
(o:]>*HUGGLES*<[:o)
Billie Walsh
The three best words in the English Language:
"I LOVE YOU"
Pass them on!

1055. Kenwood dual band transceiver FS

Yahoo group: kenwoodradio
Date: 2007-06-30 13:54:14 UTC
From: Ken Simpson, W8EK
Topic: 1055 Message: 1055

For Sale:

Kenwood TW-4000 dual band mobile FM transceiver

Covers 2 m and 440 MHz FM. 25 Watts output, or 5 W
in low power. Of course it has memories, scan, etc. It
has a GASFET front end, giving it a really great receiver.
This would make a great packet rig, which is what it has
been used for. All solid state switching makes silent
packet operation. Since it has been used on packet, it
does not have a mic or mobile bracket with it, although
it takes a standard 8 pin round mic connector, like most
Kenwood rigs. It needs 13 V DC at 7 or 8 amps to
operate. It works fine. Manual and power cord are
included for $95 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1056. TSU-7 causing radio to power off

Yahoo group: kenwoodradio
Date: 2007-07-06 17:28:47 UTC
From: Budd
Topic: 1056 Message: 1056

I have a TM-742 with 220 in slot3 that works fine, except...
I have tried three different functional TSU-7 modules in it that cause the same problem.
After installation, the 742 will go through self-test on power up, then shut off. The only way to power up again is to remove 12V. But, to power up and stay up, the TSU-7 has to be removed.
As Seinfeldt says, "What's up with that?"
Suggestions offlist please?
Thanks & 73
Budd (Tucson)

1057. Re: [kw-radio] TSU-7 causing radio to power off

Yahoo group: kenwoodradio
Date: 2007-07-06 18:20:13 UTC
From: DaveH
Topic: 1057 Message: 1057

check the memory retention battery. It sounds like it's bad.
David R. Henry LME
Licensed Master Electrician
Amateur Radio W2DRH
Member ARRL
Accredited Instructor

----- Original Message -----
From: "Budd" <n7eoj@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Friday, July 06, 2007 1:28 PM
Subject: [kw-radio] TSU-7 causing radio to power off

>I have a TM-742 with 220 in slot3 that works fine, except...
> I have tried three different functional TSU-7 modules in it that cause
> the same problem.
> After installation, the 742 will go through self-test on power up, then
> shut off. The only way to power up again is to remove 12V. But, to
> power up and stay up, the TSU-7 has to be removed.
> As Seinfeldt says, "What's up with that?"
> Suggestions offlist please?
> Thanks & 73
> Budd (Tucson)
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
> Yahoo! Groups Links
>
>
>
>

1058. Re: [kw-radio] TSU-7 causing radio to power off

Yahoo group: kenwoodradio
Date: 2007-07-06 21:37:49 UTC
From: Budd Turner
Topic: 1057 Message: 1058

Well, that's over due anyway. I'm ordering 10 batteries for me and a couple of friends. I also need to replace a display lamp. I say someone post something about replacing with LEDs. That would be better power, heat & longevity.
Thanks & 73
Budd

DaveH <w2drh@...> wrote:
check the memory retention battery. It sounds like it's bad.
David R. Henry LME
Licensed Master Electrician
Amateur Radio W2DRH
Member ARRL
Accredited Instructor

Don't worry about the world coming to an end today. It's already tomorrow in Australia ~ Charles Schultz

---
Get the Yahoo! toolbar and be alerted to new email wherever you're surfing.

[Non-text portions of this message have been removed]

1059. Re: [kw-radio] TSU-7 causing radio to power off

Yahoo group: kenwoodradio
Date: 2007-07-06 21:56:16 UTC
From: DaveH
Topic: 1057 Message: 1059

replacing with leds is a cake walk! All ya need is the led and proper resistor. Any led supplier can supply the correct resistor for the use you have

David R. Henry LME
Licensed Master Electrician
Amateur Radio W2DRH
Member ARRL
Accredited Instructor

----- Original Message -----
From: "Budd Turner" <n7eoj@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Friday, July 06, 2007 5:37 PM
Subject: Re: [kw-radio] TSU-7 causing radio to power off

> Well, that's over due anyway. I'm ordering 10 batteries for me and a
> couple of friends.
> I also need to replace a display lamp. I say someone post something
> about replacing with LEDs. That would be better power, heat & longevity.
> Thanks & 73
> Budd
>
> DaveH <w2drh@...> wrote:
> check the memory retention battery. It sounds like it's bad.
> David R. Henry LME
> Licensed Master Electrician
> Amateur Radio W2DRH
> Member ARRL
> Accredited Instructor
>
>
> Don't worry about the world coming to an end today. It's already tomorrow
> in Australia ~ Charles Schultz
>
> ---
> Get the Yahoo! toolbar and be alerted to new email wherever you're
> surfing.
>
> [Non-text portions of this message have been removed]
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>

> Yahoo! Groups Links
>
>
>
>

1060. Programming "pager" mode on TK-2170/2180.. HELP?!?!

Yahoo group: kenwoodradio
Date: 2007-07-11 03:39:31 UTC
From: Joe
Topic: 1060 Message: 1060

At the fire dept I'm on... we currently have TK-2170's and 2180's. Well, after the dealer programmed our radio's... they put in a pager mode for the fire tone's to open the radio on a designated channel. For some reason the channel doesn't close. Anybody have ideas?? Because I feel like I've tried everything.

1061. Re: [kw-radio] Programming "pager" mode on TK-2170/2180.. HELP?!?!

Yahoo group: kenwoodradio
Date: 2007-07-11 04:37:22 UTC
From: Evan Platt
Topic: 1060 Message: 1061

At 08:39 PM 7/10/2007, Joe wrote:

>At the fire dept I'm on... we currently have TK-2170's and 2180's.
>Well, after the dealer programmed our radio's... they put in a pager
>mode for the fire tone's to open the radio on a designated channel. For
>some reason the channel doesn't close. Anybody have ideas?? Because I
>feel like I've tried everything.

Depends on how the dealer programmed it. Although I've never programmed a 2170 or 2180, for most radios when you program a 2-tone decode in it, you tell it to reset based on a condition: Time (and then you specify the time), never, or when the user presses a button. So if it never resets, try one of the buttons. If that fails, ask the dealer who programmed it. Only they'd know. :)

1062. Re: [kw-radio] Programming "pager" mode on TK-2170/2180.. HELP?!?!

Yahoo group: kenwoodradio
Date: 2007-07-11 12:01:20 UTC
From: John W. Springman III - KB3AWQ
Topic: 1060 Message: 1062

I think its the squelch button to reset or just turn the radio off and on, that will do it.

1063. Re: Programming "pager" mode on TK-2170/2180.. HELP?!?!

Yahoo group: kenwoodradio
Date: 2007-07-11 20:33:59 UTC
From: Joe
Topic: 1060 Message: 1063

Yeah, I tried that. It trips when the tones go off, but it just won't close the channel prior to the pager/2-tone being tripped. I don't know what else to try??

--- In kenwoodradio@yahoogroups.com, "John W. Springman III - KB3AWQ" <fpcaptain@...> wrote:
>
> I think its the squelch button to reset or just turn the radio off and
> on, that will do it.
>

1064. Re: [kw-radio] Re: Programming "pager" mode on TK-2170/2180.. HELP?!?!

Yahoo group: kenwoodradio
Date: 2007-07-11 20:41:44 UTC
From: Evan Platt
Topic: 1060 Message: 1064

At 01:33 PM 7/11/2007, Joe wrote:

>Yeah, I tried that. It trips when the tones go off, but it just won't
>close the channel prior to the pager/2-tone being tripped. I don't know
>what else to try??

Ok, so are you saying that the radio is always open, ie you always
hear traffic on it?

1065. Re: Programming "pager" mode on TK-2170/2180.. HELP?!?!

Yahoo group: kenwoodradio
Date: 2007-07-11 21:02:38 UTC
From: Joe
Topic: 1060 Message: 1065

Yes, that is correct.

--- In kenwoodradio@yahoogroups.com, Evan Platt <evan@...> wrote:
>
> At 01:33 PM 7/11/2007, Joe wrote:
>
> >Yeah, I tried that. It trips when the tones go off, but it just won't
> >close the channel prior to the pager/2-tone being tripped. I don't
know
> >what else to try??
>
> Ok, so are you saying that the radio is always open, ie you always
> hear traffic on it?
>

1066. Re: Programming "pager" mode on TK-2170/2180.. HELP?!?!

Yahoo group: kenwoodradio
Date: 2007-07-12 11:54:25 UTC
From: John W. Springman III - KB3AWQ
Topic: 1060 Message: 1066

OK. Based on knowing that, it sounds like it will need to be hooked up to the computer and the one setting (and/or) or at least thats what its called in my 270G, I had a 2170 that was my work radio that I was good with but dont remember if thats what it was called in the 2170 for sure.

Sounds like its set to "or" and needs to be "and". The dealer should know what your talking about. Then they can also set the auto reset or if you want to manually reset or whichever. I guess I'd rather have a manual reset but its your choice.

1067. Re: Programming "pager" mode on TK-2170/2180.. HELP?!?!

Yahoo group: kenwoodradio
Date: 2007-07-14 16:07:30 UTC
From: Joe
Topic: 1060 Message: 1067

Now I have tried to fix it... and I programmed the radio. It is giving me a code on the screen on the portable. I'm assuming it's an error code... PROG1152. Anybody know what it means??

1068. For Sale RigBlaster M8C

Yahoo group: kenwoodradio
Date: 2007-07-21 19:59:11 UTC
From: Bert Morton
Topic: 1068 Message: 1068

I have for sale a Rigblaster M8C. Although an older model Rigblaster it's brand new in it's original box.

For more info see:

http://www.universal-radio.com/catalog/tnc/2226.html

http://www.universal-radio.com/catalog/tnc/2227spec.html

Asking $ 80.00

Thanks for looking.

Bert W1DFU

1069. TK-272G - Anyone have any in stock?

Yahoo group: kenwoodradio
Date: 2007-09-04 14:53:58 UTC
From: shs70ordy
Topic: 1069 Message: 1069

Is anyone here a Kenwood Dealer?

If so, can you give me a price on three TK-272G radios?

Our local dealer does not havr these in stock and their order has been placed on backorder.

This is for a Volunteer Fire Dept. in West Virginia.

Also, these must be in stock.

Let me know.

Thank you

Eddie

1070. Knwd TM-732A dual bander repair issue

Yahoo group: kenwoodradio
Date: 2007-10-08 19:06:45 UTC
From: John Woika
Topic: 1070 Message: 1070

Hello Knwd radio group. I hope one of you has an answer for me. I am trying to remove the UHF board from the chassis. I believe fuse F201 is blown. I removed all chassis screws, RF coax, DC power leads, front panel connections, the board still won't lift up, HELP!!!
73s de John W8JW EL99

1071. Kenwood PS-30 power supply FS

Yahoo group: kenwoodradio
Date: 2007-10-19 23:15:49 UTC
From: Ken Simpson, W8EK
Topic: 1071 Message: 1071

Kenwood PS-30, 20 amp (at 13 V DC) power supply for sale:

This power supply will furnish up to 20 amps at 13 V DC to power most 100 W output HF transceivers. It also has auxiliary terminals on the back to power an additional rig, such as a 2 m rig. The main connector is the 6 pin molex connector that will match most Kenwood, Icom, and Alinco HF radios, as well as some Yaesu.

Cosmetically, this unit is a match for the TS-120, TS-130, TS-180, and others of that era, but of course it can be used on any rig needing 20 amps at 13 V DC.

This particular unit works 100% and looks very close to new. I can not find a scratch on it.

Paper work included for $100 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

- - -

1072. Kenwood HT accessories FS

Yahoo group: kenwoodradio
Date: 2007-10-27 13:24:44 UTC
From: Ken Simpson, W8EK
Topic: 874 Message: 1072

Kenwood HT accessory items For Sale:

Kenwood PB-21 battery pack for TH-21 / 31 / 41 series HTs
This battery pack does not hold a charge well. Physically it is
fine, but it needs a new battery "insert" in it. $12

Kenwood BH-2 belt clip for TH-21 / 31 / 41 series HTs
and maybe others as well. With hardware $5

Special Rubber Duck antennas for Kenwood TH-21 series HTs
with the threaded connector
Aftermarket stubby, 3.3 inches long $10
Kenwood RA-6 regular, 6.6 inches long $10

Original Operating manual for TH-41A/BT/E, TH-31A/BT, TH-21A/BT/E
HTs for 440 MHz, 220 MHz and 2 meters $10

Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached. $5

Wrist strap - I think it fits most Kenwood (and maybe other) HTs - $3

Belt clip for TR-2400 HT, complete with hardware - $8

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the
Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually,
one must have the battery inside the HT, but this lets you charge
a second battery outside of the HT. The original charger is used.
It is in good shape, and works fine. $3

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine
and works fine. $18

Original Operators manual for Kenwood TR-2400 - $15

Kenwood MJ-68 microphone connector adapter
Converts a round 6 pin Kenwood mic connector, so it can
be plugged into a Kenwood rig with the round 8 pin
connector. Like new. $20

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1073. Re: [kw-radio] Kenwood HT accessories FS

Yahoo group: kenwoodradio
Date: 2007-10-29 12:21:05 UTC
From: J Cotignola
Topic: 874 Message: 1073

Ken - any info on where an insert can be obtained for the PB21 battery pack?

Thanks
Joe WR2B

----- Original Message -----
From: "Ken Simpson, W8EK" <W8EK@...>
To: "Kenwood at Yahoo (Kenwood at Yahoo)" <Kenwood@yahoogroups.com>;
"KenwoodRadio (KenwoodRadio)" <KenwoodRadio@yahoogroups.com>
Sent: Saturday, October 27, 2007 9:24 AM
Subject: [kw-radio] Kenwood HT accessories FS

>
> Kenwood HT accessory items For Sale:
>
> Kenwood PB-21 battery pack for TH-21 / 31 / 41 series HTs
> This battery pack does not hold a charge well. Physically it is
> fine, but it needs a new battery "insert" in it. $12
>
> Kenwood BH-2 belt clip for TH-21 / 31 / 41 series HTs
> and maybe others as well. With hardware $5
>
> Special Rubber Duck antennas for Kenwood TH-21 series HTs
> with the threaded connector
> Aftermarket stubby, 3.3 inches long $10
> Kenwood RA-6 regular, 6.6 inches long $10
>
> Original Operating manual for TH-41A/BT/E, TH-31A/BT, TH-21A/BT/E
> HTs for 440 MHz, 220 MHz and 2 meters $10
>
> Antenna adapter to fit the BNC connector on the HT and provide
> an SO-239 connector that will permit a PL-259 to be attached. $5
>
> Wrist strap - I think it fits most Kenwood (and maybe other) HTs - $3
>
> Belt clip for TR-2400 HT, complete with hardware - $8
>
> Battery charge cable for Kenwood TR-2400 HT
> This is an adapter that permits one to charge the battery of the
> Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually,
> one must have the battery inside the HT, but this lets you charge
> a second battery outside of the HT. The original charger is used.
> It is in good shape, and works fine. $3
>
> Kenwood SMC-24 speaker microphone
> Fits Kenwood TR-2400 HT and others. This one looks fine

> and works fine. $18
>
> Original Operators manual for Kenwood TR-2400 - $15
>
> Kenwood MJ-68 microphone connector adapter
> Converts a round 6 pin Kenwood mic connector, so it can
> be plugged into a Kenwood rig with the round 8 pin
> connector. Like new. $20
>
> Prices do not include shipping from Florida.
>
> Thanks.
>
> 73,
>
> Ken, W8EK
>
> Ken Simpson
> E-mail to W8EK@... or W8EK@...
> Voice Phone (352) 732-8400
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
>
> Yahoo! Groups Links
>
>
>
>
>

1074. FS Top-of-the-Line KENWOOD DX Station - Excellent Condition - Used very little!

Yahoo group: kenwoodradio
Date: 2007-11-04 22:28:13 UTC
From: w4dg.geo
Topic: 1074 Message: 1074

DX'ers Dream Station!

TS-950SDX (late) Serial# 50200027 with all IF filters
SM-230 Matching TX & RX Monitor (late)Serial # 01100108
TS-950SP Matching speaker/audio filters
RM-1 External Remote function Keypad (records TX/RX playback audio)
IF-232 CIV- serial port Computer Interface (I've been using HRDeluxe)
PC-1A Matching Telephone Patch Controller

COMPLETE WITH ALL MANUALS - ASKING: $3,000.00 (I prefer local pickup in NW Pasco County but will pack and ship at buyers expense.)

Contact via email if you would like to see pictures and I will attach them to your email when I reply.

Dennis - W4DG (727) 863-0102 or email.

1075. Kenwood Dual Band FM mobile transceiver FS

Yahoo group: kenwoodradio
Date: 2007-11-10 14:03:49 UTC
From: Ken Simpson, W8EK
Topic: 1075 Message: 1075

For Sale:

Kenwood TW-4000 dual band mobile FM transceiver

Covers 2 m and 440 MHz FM. 25 Watts output, or 5 W
in low power. Of course it has memories, scan, etc. It
has a GASFET front end, giving it a really great receiver.
This would make a great packet rig, which is what it has
been used for. All solid state switching makes silent
packet operation. Since it has been used on packet, it
does not have a mic or mobile bracket with it, although
it takes a standard 8 pin round mic connector, like most
Kenwood rigs. It needs 13 V DC at 7 or 8 amps to
operate. It works great. Manual and power cord are
included for $95 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1076. Riding and dating - travel and meet casual girl friends.

Yahoo group: kenwoodradio
Date: 2007-11-15 15:51:08 UTC
From: jacksone27
Topic: 1076 Message: 1076

When you are traveling alone, you may need girl friends. This site will help traveling people to find casual love or Long-term. Before you travel to a city, you can browse girls' profiles who live in or will go to that city.

If there are nice girls, you can send invitation to them. They will welcome you. You can register for totally free.

If you are interested, you can join and place your profile via this link:
http://hometown.aol.com/TLCSINGLES/babekiss.htm

1077. Riding and dating - travel and meet casual girl friends.

Yahoo group: kenwoodradio
Date: 2007-11-17 18:09:21 UTC
From: jacksone27
Topic: 1076 Message: 1077

When you are traveling alone, you may need girl friends. This site will help traveling people to find casual love or Long-term. Before you travel to a city, you can browse girls' profiles who live in or will go to that city.

If there are nice girls, you can send invitation to them. They will welcome you. You can register for totally free.

If you are interested, you can join and place your profile via this link:
http://loveriding.bravehost.com/

1078. Re: [kw-radio] Riding and dating - travel and meet casual girl friends.

Yahoo group: kenwoodradio
Date: 2007-11-17 19:30:28 UTC
From: Budd Turner
Topic: 1076 Message: 1078

Sadly, another useful discussion group lacking a moderator...

--- jacksone27 <jacksone27@...> wrote:

> When you are traveling alone, you may need girl friends. This
> site will help traveling people to find casual love or
Long-term. Before you travel to a city, you can browse girls'
profiles who live in or will go to that city.
>
> If there are nice girls, you can send invitation to them. They
> will welcome you. You can register for totally free.
>
> If you are interested, you can join and place your profile via
> this link:
> http://SPAMscum.bravehost.com/

"Neither in French nor in English nor in Mexican."
- G.W.Bush, Declining to answer reporters questions at the Summit of the Americas; Quebec City, Canada; 5/21/2001

_____
Get easy, one-click access to your favorites.
Make Yahoo! your homepage.
http://www.yahoo.com/r/hs

1079. Service Manual for TK-760 or 860 & KCT-19 Needed will trade!

Yahoo group: kenwoodradio
Date: 2007-12-06 18:10:55 UTC
From: RadioGuy205@aol.com
Topic: 1079 Message: 1079

Need above service manuals, I have lots of manuals and other stuff to trade.
Thanks!

Clay

**********Check out AOL's list of 2007's hottest products.
(http://money.aol.com/special/hot-products-2007?NCID=aoltop00030000000001)

[Non-text portions of this message have been removed]

1080. Filter needed for VHF SVR-200 Repeater & TK-730

Yahoo group: kenwoodradio
Date: 2007-12-18 03:52:37 UTC
From: gsp205
Topic: 1080 Message: 1080

Getting interference (as expected) when using a in band Pyramid SVR-200 VHF repeater, and a TK-730 with 100 watt TPL amp. Is there an inexpensive filter available to combat this problem? Thanks!

Clay

1081. Trouble programming TK-5710H mobile.....

Yahoo group: kenwoodradio
Date: 2007-12-29 01:50:42 UTC
From: gsp205
Topic: 1081 Message: 1081

Using KPG-95D 3.0 SW and I cannot get it to read. Any special steps? The SW says it will enter programming mode on its on. I am using same cable as the 790's. Read a 90 with the same setup and everything works fine. When I try to read the 5710 I get a check connection. Any ideas?

Thanks
Clay

1082. Need PDF of KRK-7DB setup instructions

Yahoo group: kenwoodradio
Date: 2008-01-13 00:35:55 UTC
From: gsp205
Topic: 1082 Message: 1082

Need above PDF Thanks!

1083. FS: Kenwood TK-290 & TK-2170 w/ accy.

Yahoo group: kenwoodradio
Date: 2008-02-23 04:42:14 UTC
From: Matt Miller
Topic: 1083 Message: 1083

I have for sale 2 Kenwood Radios with accessories.

Radio 1: (less than 3 yrs old)

Kenwood TK-290
VHF, 160 Ch. External Speaker Mic
Comes with Radio, Belt Clip, Antenna, Ext. SP Mic (KMC-25),
Charger (KSC-19 / regular rate), and 3 Batteries (KNB-17 / Ni-MH), Leather Cary Case (Detachable)

Radio is in excellent condition for use, has a small scratch on the lower RH corner (viewing radio from front) Cosmetically would rate this radio a 9.5/10 Radio is in excellent condition, was purchased in May 2005 and was lightly used.

This Radio Brand New w/ Accessories costs: RETAIL $1,137.00
Due to age and condition of radio, asking $600 O.B.O.

Radio 2: (less than 2 years old)

Kenwood TK-2170
VHF, 128 Ch. External Speaker Mic
Comes with Radio, Belt Clip, Antenna, Ext. SP Mic (KMC-17),
Charger (KSC-25 / rapid rate), and 4 Batteries (KNB-35L / Li-Ion)
Radio is in excellent condition for use, has a tiny scratch on the front of radio between KENWOOD logo on top and LCD Display (less than 1mm) Cosmetically would rate this radio a 9.8/10 Radio is in excellent condition, was purchased in July 2006 and was lightly used.

This Radio Brand New w/ Accessories costs: RETAIL $880.00
Due to age and condition of radio, asking $400 O.B.O.

Pictures are available upon request. Each year I send the radios in to the local Kenwood Authorized Dealer to tune the radios for optimal performance. At this time the TK-290 is in for its yearly tuning so pictures will be a bit delayed on that unit. For each radio, I may have more batteries laying around, but my asking price is for those batteries that are listed. If I have more, I WILLNOT up the price of the radio. Please feel free to contact me regarding these radios if you have any questions.

Matt Miller
rescue7043@...
920-851-7043 (cell)

1084. Dual Band and 2 meter FM transceivers FS

Yahoo group: kenwoodradio
Date: 2008-03-02 13:59:17 UTC
From: Ken Simpson, W8EK
Topic: 1084 Message: 1084

For Sale:

Kenwood TW-4000 dual band mobile FM transceiver

This is a really great dual band radio, but being I am not
doing packet any more, I don't need all of them.

The TW-4000 covers 2 m and 440 MHz FM with 25 Watts
output, or 5 W in low power. Of course it has memories,
scan, etc. It has a GASFET front end, giving it a really
great receiver. It also has a "tight" front end with helical
resonators, to keep alot of out of band "crud" out of it.
This makes it a great packet rig, which is what it has
been used for. All solid state switching makes silent
packet operation. Since it has been used on packet,
it does not have a mic or mobile bracket with it, although
it takes a standard 8 pin round mic connector, like most
Kenwood rigs.
It works great and looks good also.
Manual and power cord are included for $95.

KDK FM-2030, Two meter FM transceiver, with tones

This transceiver covers two meters with 26 W in high
power and 6 W in low power. A PL (CTCSS subaudible)
tone encoder is built in. The microphone has a touchtone
(DTMF) pad on it. Of course it has memories and scan
capabilities. It is very easy to operate.
This one looks fine, and works fine.

Included with the radio is the power cord, touchtone
microphone, mobile bracket and paperwork, all in the
original box for $75.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1085. Re: Dual Band and 2 meter FM transceivers FS

Yahoo group: kenwoodradio
Date: 2008-03-02 21:18:13 UTC
From: Barney
Topic: 1084 Message: 1085

--- In kenwoodradio@yahoogroups.com, "Ken Simpson, W8EK" <W8EK@...>
wrote:
>For Sale:

I have the unavaible parts for this Kenwood TW4000 at $45 a piece.

73's
Barney

>
> For Sale:
>
> Kenwood TW-4000 dual band mobile FM transceiver
>
> This is a really great dual band radio, but being I am not
> doing packet any more, I don't need all of them.
>
> The TW-4000 covers 2 m and 440 MHz FM with 25 Watts
> output, or 5 W in low power. Of course it has memories,
> scan, etc. It has a GASFET front end, giving it a really
> great receiver. It also has a "tight" front end with helical
> resonators, to keep alot of out of band "crud" out of it.
> This makes it a great packet rig, which is what it has
> been used for. All solid state switching makes silent
> packet operation. Since it has been used on packet,
> it does not have a mic or mobile bracket with it, although
> it takes a standard 8 pin round mic connector, like most
> Kenwood rigs.
> It works great and looks good also.
> Manual and power cord are included for $95.
>
>
> KDK FM-2030, Two meter FM transceiver, with tones
>
> This transceiver covers two meters with 26 W in high
> power and 6 W in low power. A PL (CTCSS subaudible)
> tone encoder is built in. The microphone has a touchtone
> (DTMF) pad on it. Of course it has memories and scan
> capabilities. It is very easy to operate.
> This one looks fine, and works fine.
>
> Included with the radio is the power cord, touchtone
> microphone, mobile bracket and paperwork, all in the
> original box for $75.
>
> Prices do not include shipping from Florida.

>
> Thanks.
>
> 73,
>
> Ken, W8EK
>
> Ken Simpson
> E-mail to W8EK@... or W8EK@...
> Voice Phone (352) 732-8400
>

1086. TK-790 will not power off

Yahoo group: kenwoodradio
Date: 2008-03-04 08:27:02 UTC
From: gsp205
Topic: 1086 Message: 1086

Radio will not turn off. All cables are correctly plugged in. Any ideas? Thanks!

1087. tk759 programming dramas

Yahoo group: kenwoodradio
Date: 2008-03-25 04:49:39 UTC
From: boost69psi
Topic: 1087 Message: 1087

gday all, im trying to read this kenwood tk759E vhf radio to reprogram it for chanels wich i use here. ive tried the lead that i use with my tk880 and tk860G and it does not work? is there a programming mode i need to be in for it to work ? im using a Pentium 1 100mhz old laptop through the com port 1 and it doesnt seem to work? any ideas anyone?

1088. Several HTs (2 m, 440 MHz, and dual band) and accessories FS

Yahoo group: kenwoodradio
Date: 2008-03-28 23:24:27 UTC
From: Ken Simpson, W8EK
Topic: 1088 Message: 1088

For Sale:

A variety of HTs (2 m, 440 MHz and dual band) and
associated accessories:

I know this is a long list, but it is time to clean out the
drawers, and let others get some use from these HTs.

Realistic HTX-202 for 2 meters
This HT has about 5 W output, or 1 W in low power. It
has an exceptional receiver on it, with extremely good
front end characteristics. Of course it has memories,
scan, and all the normal bells and whistles, including a
very readable LCD display. A touchtone DTMF pad is
included on it, as are PL (subaudible) tones.
This particular unit works fine, and looks very close to new.
It includes a good battery, charger, belt clip, carrying strap,
rubber duck antenna and paper work for $70.

Realistic HTX-404 for 440 MHz
Similar to the HTX-202 above, but for the 440 MHz band.
It also works fine, and looks really great. It includes a good
battery, charger, belt clip, rubber duck antenna and paper
work for $70.

Radio Shack 19-310 speaker microphone
Can be used on either of the above HTs, or on many others
such as Icom, Yaesu etc. It works fine, and looks good also.
$18

Radio Shack 19-300 Battery pack for HT-202 and HTX-404
This is a good battery pack for the Realistic HTs. It also fits
some of the Icom HTs such as the IC-2 AT, IC-02 AT,
IC-4 AT, etc.
This is the 7.2 volt, 600 ma hour NiCad pack.
It works fine and looks great. $25

Alinco DJ-191, 2 meter HT
This unit has about everything except the kitchen sink in it. It
has a very large, readable LCD display that I can read without
my glasses! It has about 7 watts max output, and the receiver
is great. It covers from 136 to 174 MHz, so it covers all of the
weather and VHF public service frequencies. Of course it has
memories and all sorts of scan features. Touchtones (DTMF)
and PL (subaudible) tones are included.
This unit works 100% and looks extremely nice. It includes
a good battery pack, belt clip, rubber duck, and paper work

for $100.

Alinco DJ-G5 dual band 2 meter and 440 MHz HT
I said earlier that the Alinco DJ-191 2 meter HT has about
everything except the kitchen sink in it. I think they must have
included the kitchen sink in this one! It has all of the features
of the DJ-191 above, but also works on the 440 MHz band.
It will even cross band repeat, if you talk to it right. But I am
certain you will need to read the manual on this one! It has
three power levels of about 6, 3.5 and 1 watts.
The receiver covers from 108 to 174 MHz, and then from 420
to 480 MHz. This means it covers the AM aircraft band, as
well as the VHF public service, weather frequencies, and UHF
public service. I can not think of anything a ham would want it
to do that it will not do.
This particular unit works fine, and looks extremely nice. It
includes a good battery, belt clip, rubber duck antenna, and
paper work for $250.

Speaker microphone for Alinco HTs above, plus many others.
I thought it was actually an Icom HM-9, but I can not find that written
on it any place. I do know that it works fine with the Alinco HTs.
It looks OK also. $18

Kenwood TR-2400, 2 meter FM HT
The TR-2400 covers the 2 meter band with about 1.5
watts of power. It has memories, scan, etc. Compared
to some of the newer HTs, this one is very easy to operate.
This particular TR-2400 works fine. It looks OK, but not
mint. The battery pack seems to hold a charge fine.
The LCD display has some leakage, but the frequencies
are still readable.
The TR-2400 had a place to install an optional PL subaudible
tone encoder. I have a new, still in the original package,
encoder that I will include with the HT. I planned to install it,
but never did.
Charger, rubber duck antenna, and paper work are included
for $40.

Kenwood TH-41 AT HT for 440 MHz.
This compact HT has thumbwheel switches to select the operating
frequency. The HT has about 1.5 watts output, and a decent
receiver. It has a touchtone pad on it, and is very simple to
operate. You likely will not need to read to manual to use this
one! It includes a good battery (new insert a couple months ago),
charger, rubber duck, carrying strap, and paper work for $60.

Yaesu FT-26, 2 meter HT
This HT has a nice LCD display, with memories, scan, and
subaudible tones. Basically, all the things one would expect in
an HT. This unit comes with the desk charger, and not a wall

charger. The battery seems to hold a charge OK, but seems
somewhat weak, so it may need an "insert" soon. It works
100%, and looks very nice.
Rubber duck and paper work included for $75.

Yaesu E-DC-5, DC cord
This DC cord / filter / regulator can be used on the FT-26 above
(and give more power output), but also on many other Yaesu HTs
such as the VX-5 series of HTs. $20

Icom IC-2 AT, 2 meter HT
The Icom IC-2 AT is a fairly generic HT for the 2 meter band.
It is fully synthesized, with the frequency controlled by thumbwheel
switches on the top, and has a 16 digit touchtone pad on the front.
As some may recall, the IC-2 AT originally came with a 12 digit
touch tone pad on it, but some people needed the 16 digit pad
for control operations, so they ordered a new "front" for the 220 or
440 versions of this HT, which had a 16 digit pad on it, and replaced
this front on the 2AT. This is what has been done with this unit. The
label says Icom IC-3AT but it is really an IC-2AT, with the changed
front. The rubber has deteriorated on the 16 digit pad, so it looks
ugly. Even though it looks ugly, all of the 16 digits seem to work
fine. The HT has about 3 watts output in high power and just under
a watt in low. A rubber duck antenna, belt clip, and wrist strap are
included, along with a battery charger. This HT works fine.
If you want an inexpensive, easy to operate HT, this is it.
Paper work included for $35.

Icom IC-4 AT, 440 MHz HT
The Icom IC-4 AT is a fairly generic HT for the 440 MHz band.
It has a 16 digit touch tone pad on the front, and is fully synthesized,
with the frequency controlled by thumbwheel switches on the top.
It has about 3 watts output in high power and just under a watt in low.
A stubby duck antenna (about 3 inches long), belt clip, and wrist
strap is included, along with a battery charger.
This HT works fine, and looks fine also.
Paper work included for $55.

Icom IC-91 A, dual band (2 m and 440 MHz) HT
The Icom IC-91A transmits on 2 meters and 440 MHz with 5 watts
on either band (or 0.5 watts on low setting). It features extended
receive from 495 kHz to 999.990 MHz and has over 1000 memories.
The A band (top) has wide reception from 495 kHz to 999.990 MHz
in FM/WFM/AM. The B band (bottom) receives from 118 to 174 MHz
and 350 to 470 MHz. A combination of the A band and the B and can
be received simultaneously, so V/V, V/U and U/U can be utilized.
It is analog/digital upgradable to D-STAR. With an external GPS
attached, your own and other people's position information can be
sent and received. This HT can do more than most mobile and base
rigs! This one is in its original box, just like it would come from the
factory, including a Lithium Ion Battery. It works like new and looks

like new. $275

Icom CP-19 R Cigarette Lighter cable / filter
This unit will work with the IC-91 above, plus many other Icom radios such as IC-T90A/E, IC-A24, and IC-A6. This one has been removed from the box once for inspection. Otherwise it is new. $30

Selectone ST-131 Subaudible PL tone encoder
If you need subaudible tones, this unit will add them to the Icom IC-2AT, 3AT, 4AT, and others of that series that lacked the tones originally. It is a postage stamp size unit. This one has never been used, and is still in its original plastic bag, with the instructions. $20

BNC to PL-259 antenna adapter
For use with the Realistic HTX-202 and HTX-404 HTs and also Alinco DJ-191 and DJ-G5 HTs above, or any other HT with BNC connector. It will convert the BNC connector on the HT, so that you can use a normal antenna with a PL-259 connector. Like new. $5

Antenna adapter for Kenwood TH-21 / 31 / 41 HTs
This adapts the antenna connector found on these HTs to a standard BNC connector. $4

Rubber Duck and telescoping antennas for your HT.
All are for 2 meters, are in good condition, and are $10 each, unless stated otherwise.

5/16 inch threaded, like used by Motorola and others - $10 each
Regular - 5.7 inches long
Stubby - 4 inches long

Type F connector - 6.5 inches long - $10

PL-259 connector - 6.5 inches long - $10
HyGain 275, still in original packaging

PL-259 connector - Stubby - 4.6 inches long - $10
Centurion, still in original package

Special for Kenwood TH-21 HT threaded connector
Aftermarket stubby, 3.5 inches long - $10
Kenwood RA-6 regular, 6.6 inches long - $10

BNC stubby for 440 MHz - 3 inches long - $10

Telescoping quarter wave antenna
This antenna extends to a full 19 inches, but telescopes down to about 4 inches. It has about 6 db gain over the typical rubber duck antenna, and has a BNC connector. $12

Quarter wave telescoping antenna
As above, but with PL-259 connector. $12

Quarter wave telescoping antenna
As above, but with a right angle bend in it, and PL-259
connector. $15

HT speaker microphones:

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HTs. $18

Speaker microphone for Alinco HTs above, plus many
others. I thought it was actually an Icom HM-9, but I can not
find that written on it any place. I do know that it works fine
with the Alinco HTs. It looks OK also. $18

Radio Shack 19-310 speaker microphone
Can be used on either of the above HTs, or on many others
such as Icom, Yaesu etc. It works fine, and looks good also.
$18

Belt clip for TR-2400 HT, complete with hardware - $8

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the
Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually,
one must have the battery inside the HT, but this lets you charge
a second battery outside of the HT. The original charger is used.
It is in good shape, and works fine. $3

Wrist strap - I think it fits most Kenwood (and maybe other)
HTs - $4

Santec HT Accessories For Sale:

Leather Case for Santec HT
This is a real Bianchi Leather case -- not a vinyl case.
It fits most of the Santec HTs, such as the HT-1200,
ST-142, ST-144, ST-440, etc. The real leather case
includes a built in belt clip, plus a removable leather
shoulder strap.
The case itself is in very nice shape. The leather
shoulder strap has not been used. $25

Santec ST-142/144 "Service Pack"
This is similar to a service manual, but Santec calls it a
service pack. It has schematics, circuit explanations,
voltages, etc. $18

Kenwood TW-4000 A dual band mobile FM transceiver
The TW-4000 A covers 2 m and 440 MHz FM. It has 25
Watts output, or 5 W in low power. Of course it has
memories, scan, etc. It has a GASFET front end,
giving it a really great receiver.
This would make a great packet rig, which is what it has
been used for. All solid state switching makes silent

packet operation. Since it has been used on packet, it
does not have a mic or mobile bracket with it, although
it takes a standard 8 pin round mic connector, like most
Kenwood rigs.
It needs 13 V DC at 7 or 8 amps to operate. It works fine.
Manual and power cord are included for $95.

Original Kenwood Operating Manuals For Sale:

All are original operating manuals in very nice, close to new
condition, for Kenwood radios, unless stated otherwise.

Operating manual for TW-4000 dual bander $15

Operating manual for TH-41A/BT/E, TH-31A/BT, TH-21A/BT/E
HTs for 440 MHz, 220 MHz and 2 meters $10

Operating manual for TH-225, 2 meter HT - Good condition $12

Operating manual for TM-221/421 2 m mobile $15

Operating manual for TR-2200, 2 meter "portable"
This is very similar to the Drake TR-22. $15

Operating manual for TR-2400, 2 meter HT $12

Operating manual for TR-2500, 2 meter HT $14

Operating manual for TR-2600, 2 meter HT $12

Service manual for Kenwood TR-2600 HT - $10

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@arrl.net
Voice Phone (352) 732-8400

1089. Re: [kw-radio] Several HTs (2 m, 440 MHz, and dual band) and accessories FS

Yahoo group: kenwoodradio
Date: 2008-03-29 00:45:32 UTC
From: Kj5ae@aol.com
Topic: 1088 Message: 1089

The weekly store is open again. Hard to believe this is an estate sell! Dialing for Dollars.

-----Original Message-----
From: Ken Simpson, W8EK <W8EK@...>
To: 2 meter user group Yahoo <2meterusergroup@yahoogroups.com>; HamHT (HamHT) <HamHT@yahoogroups.com>; Kenwood at Yahoo (Kenwood at Yahoo) <Kenwood@yahoogroups.com>; KenwoodRadio (KenwoodRadio) <KenwoodRadio@yahoogroups.com>
Sent: Fri, 28 Mar 2008 6:24 pm
Subject: [kw-radio] Several HTs (2 m, 440 MHz, and dual band) and accessories FS

For Sale:

A variety of HTs (2 m, 440 MHz and dual band) and
associated accessories:

I know this is a long list, but it is time to clean out the
drawers, and let others get some use from these HTs.

Realistic HTX-202 for 2 meters
This HT has about 5 W output, or 1 W in low power. It
has an exceptional receiver on it, with extremely good
front end characteristics. Of course it has memories,
scan, and all the normal bells and whistles, including a
very readable LCD display. A touchtone DTMF pad is
included on it, as are PL (subaudible) tones.
This particular unit works fine, and looks very close to new.
It includes a good battery, charger, belt clip, carrying strap,
rubber duck antenna and paper work for $70.

Realistic HTX-404 for 440 MHz
Similar to the HTX-202 above, but for the 440 MHz band.
It also works fine, and looks really great. It includes a good
battery, charger, belt clip, rubber duck antenna and paper
work for $70.

Radio Shack 19-310 speaker microphone
Can be used on either of the above HTs, or on many others
such as Icom, Yaesu etc. It works fine, and looks good also.
$18

Radio Shack 19-300 Battery pack for HT-202 and HTX-404
This is a good battery pack for the Realistic HTs. It also fits
some of the Icom HTs such as the IC-2 AT, IC-02 AT,
IC-4 AT, etc.

This is the 7.2 volt, 600 ma hour NiCad pack.
It works fine and looks great. $25

Alinco DJ-191, 2 meter HT
This unit has about everything except the kitchen sink in it. It has a very large, readable LCD display that I can read without my glasses! It has about 7 watts max output, and the receiver is great. It covers from 136 to 174 MHz, so it covers all of the weather and VHF public service frequencies. Of course it has memories and all sorts of scan features. Touchtones (DTMF) and PL (subaudible) tones are included.
This unit works 100% and looks extremely nice. It includes a good battery pack, belt clip, rubber duck, and paper work for $100.

Alinco DJ-G5 dual band 2 meter and 440 MHz HT
I said earlier that the Alinco DJ-191 2 meter HT has about everything except the kitchen sink in it. I think they must have included the kitchen sink in this one! It has all of the features of the DJ-191 above, but also works on the 440 MHz band.
It will even cross band repeat, if you talk to it right. But I am certain you will need to read the manual on this one! It has three power levels of about 6, 3.5 and 1 watts.
The receiver covers from 108 to 174 MHz, and then from 420 to 480 MHz. This means it covers the AM aircraft band, as well as the VHF public service, weather frequencies, and UHF public service. I can not think of anything a ham would want it to do that it will not do.
This particular unit works fine, and looks extremely nice. It includes a good battery, belt clip, rubber duck antenna, and paper work for $250.

Speaker microphone for Alinco HTs above, plus many others.
I thought it was actually an Icom HM-9, but I can not find that written on it any place. I do know that it works fine with the Alinco HTs.
It looks OK also. $18

Kenwood TR-2400, 2 meter FM HT
The TR-2400 covers the 2 meter band with about 1.5 watts of power. It has memories, scan, etc. Compared to some of the newer HTs, this one is very easy to operate.
This particular TR-2400 works fine. It looks OK, but not mint. The battery pack seems to hold a charge fine.
The LCD display has some leakage, but the frequencies are still readable.
The TR-2400 had a place to install an optional PL subaudible tone encoder. I have a new, still in the original package, encoder that I will include with the HT. I planned to install it, but never did.
Charger, rubber duck antenna, and paper work are included for $40.

Kenwood TH-41 AT HT for 440 MHz.
This compact HT has thumbwheel switches to select the operating frequency. The HT has about 1.5 watts output, and a decent receiver. It has a touchtone pad on it, and is very simple to operate. You likely will not need to read to manual to use this one! It includes a good battery (new insert a couple months ago), charger, rubber duck, carrying strap, and paper work for $60.

Yaesu FT-26, 2 meter HT
This HT has a nice LCD display, with memories, scan, and subaudible tones. Basically, all the things one would expect in an HT. This unit comes with the desk charger, and not a wall charger. The battery seems to hold a charge OK, but seems somewhat weak, so it may need an "insert" soon. It works 100%, and looks very nice.
Rubber duck and paper work included for $75.

Yaesu E-DC-5, DC cord
This DC cord / filter / regulator can be used on the FT-26 above (and give more power output), but also on many other Yaesu HTs such as the VX-5 series of HTs. $20

Icom IC-2 AT, 2 meter HT
The Icom IC-2 AT is a fairly generic HT for the 2 meter band.
It is fully synthesized, with the frequency controlled by thumbwheel switches on the top, and has a 16 digit touchtone pad on the front.
As some may recall, the IC-2 AT originally came with a 12 digit touch tone pad on it, but some people needed the 16 digit pad for control operations, so they ordered a new "front" for the 220 or 440 versions of this HT, which had a 16 digit pad on it, and replaced this front on the 2AT. This is what has been done with this unit. The label says Icom IC-3AT but it is really an IC-2AT, with the changed front. The rubber has deteriorated on the 16 digit pad, so it looks ugly. Even though it looks ugly, all of the 16 digits seem to work fine. The HT has about 3 watts output in high power and just under a watt in low. A rubber duck antenna, belt clip, and wrist strap are included, along with a battery charger. This HT works fine.
If you want an inexpensive, easy to operate HT, this is it.
Paper work included for $35.

Icom IC-4 AT, 440 MHz HT
The Icom IC-4 AT is a fairly generic HT for the 440 MHz band.
It has a 16 digit touch tone pad on the front, and is fully synthesized, with the frequency controlled by thumbwheel switches on the top.
It has about 3 watts output in high power and just under a watt in low.
A stubby duck antenna (about 3 inches long), belt clip, and wrist strap is included, along with a battery charger.
This HT works fine, and looks fine also.
Paper work included for $55.

Icom IC-91 A, dual band (2 m and 440 MHz) HT
The Icom IC-91A transmits on 2 meters and 440 MHz with 5 watts

on either band (or 0.5 watts on low setting). It features extended receive from 495 kHz to 999.990 MHz and has over 1000 memories. The A band (top) has wide reception from 495 kHz to 999.990 MHz in FM/WFM/AM. The B band (bottom) receives from 118 to 174 MHz and 350 to 470 MHz. A combination of the A band and the B and can be received simultaneously, so V/V, V/U and U/U can be utilized. It is analog/digital upgradable to D-STAR. With an external GPS attached, your own and other people's position information can be sent and received. This HT can do more than most mobile and base rigs! This one is in its original box, just like it would come from the factory, including a Lithium Ion Battery. It works like new and looks like new. $275

Icom CP-19 R Cigarette Lighter cable / filter
This unit will work with the IC-91 above, plus many other Icom radios such as IC-T90A/E, IC-A24, and IC-A6. This one has been removed from the box once for inspection. Otherwise it is new. $30

Selectone ST-131 Subaudible PL tone encoder
If you need subaudible tones, this unit will add them to the Icom IC-2AT, 3AT, 4AT, and others of that series that lacked the tones originally. It is a postage stamp size unit. This one has never been used, and is still in its original plastic bag, with the instructions. $20

BNC to PL-259 antenna adapter
For use with the Realistic HTX-202 and HTX-404 HTs and also Alinco DJ-191 and DJ-G5 HTs above, or any other HT with BNC connector. It will convert the BNC connector on the HT, so that you can use a normal antenna with a PL-259 connector. Like new. $5

Antenna adapter for Kenwood TH-21 / 31 / 41 HTs
This adapts the antenna connector found on these HTs to a standard BNC connector. $4

Rubber Duck and telescoping antennas for your HT.
All are for 2 meters, are in good condition, and are $10 each, unless stated otherwise.

5/16 inch threaded, like used by Motorola and others - $10 each
Regular - 5.7 inches long
Stubby - 4 inches long

Type F connector - 6.5 inches long - $10

PL-259 connector - 6.5 inches long - $10
HyGain 275, still in original packaging

PL-259 connector - Stubby - 4.6 inches long - $10
Centurion, still in original package

Special for Kenwood TH-21 HT threaded connector
Aftermarket stubby, 3.5 inches long - $10

Kenwood RA-6 regular, 6.6 inches long - $10

BNC stubby for 440 MHz - 3 inches long - $10

Telescoping quarter wave antenna
This antenna extends to a full 19 inches, but telescopes down to about 4 inches. It has about 6 db gain over the typical rubber duck antenna, and has a BNC connector. $12

Quarter wave telescoping antenna
As above, but with PL-259 connector. $12

Quarter wave telescoping antenna
As above, but with a right angle bend in it, and PL-259 connector. $15

HT speaker microphones:

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HTs. $18

Speaker microphone for Alinco HTs above, plus many others. I thought it was actually an Icom HM-9, but I can not find that written on it any place. I do know that it works fine with the Alinco HTs. It looks OK also. $18

Radio Shack 19-310 speaker microphone
Can be used on either of the above HTs, or on many others such as Icom, Yaesu etc. It works fine, and looks good also. $18

Belt clip for TR-2400 HT, complete with hardware - $8

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually, one must have the battery inside the HT, but this lets you charge a second battery outside of the HT. The original charger is used. It is in good shape, and works fine. $3

Wrist strap - I think it fits most Kenwood (and maybe other) HTs - $4

Santec HT Accessories For Sale:

Leather Case for Santec HT
This is a real Bianchi Leather case -- not a vinyl case. It fits most of the Santec HTs, such as the HT-1200, ST-142, ST-144, ST-440, etc. The real leather case includes a built in belt clip, plus a removable leather shoulder strap.
The case itself is in very nice shape. The leather shoulder strap has not been used. $25

Santec ST-142/144 "Service Pack"
This is similar to a service manual, but Santec calls it a service pack. It has schematics, circuit explanations, voltages, etc. $18

Kenwood TW-4000 A dual band mobile FM transceiver
The TW-4000 A covers 2 m and 440 MHz FM. It has 25 Watts output, or 5 W in low power. Of course it has memories, scan, etc. It has a GASFET front end, giving it a really great receiver.
This would make a great packet rig, which is what it has been used for. All solid state switching makes silent packet operation. Since it has been used on packet, it does not have a mic or mobile bracket with it, although it takes a standard 8 pin round mic connector, like most Kenwood rigs.
It needs 13 V DC at 7 or 8 amps to operate. It works fine. Manual and power cord are included for $95.

Original Kenwood Operating Manuals For Sale:

All are original operating manuals in very nice, close to new condition, for Kenwood radios, unless stated otherwise.

Operating manual for TW-4000 dual bander $15

Operating manual for TH-41A/BT/E, TH-31A/BT, TH-21A/BT/E HTs for 440 MHz, 220 MHz and 2 meters $10

Operating manual for TH-225, 2 meter HT - Good condition $12

Operating manual for TM-221/421 2 m mobile $15

Operating manual for TR-2200, 2 meter "portable"
This is very similar to the Drake TR-22. $15

Operating manual for TR-2400, 2 meter HT $12

Operating manual for TR-2500, 2 meter HT $14

Operating manual for TR-2600, 2 meter HT $12

Service manual for Kenwood TR-2600 HT - $10

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio
Yahoo! Groups Links

[Non-text portions of this message have been removed]

1090. Riding and dating - travel and meet casual girl friends.

Yahoo group: kenwoodradio
Date: 2008-04-13 16:36:16 UTC
From: terrytomans
Topic: 1076 Message: 1090

When you are traveling alone, you may need girl friends. This site will help traveling people to find casual love or Long-term. Before you travel to a city, you can browse girls' profiles who live in or will go to that city.

If there are nice girls, you can send invitation to them. They will welcome you. You can register for totally free.

If you are interested, you can join and place your profile via this link:
http://babe-kiss.zu5.net

1091. TM-732A Help Please

Yahoo group: kenwoodradio
Date: 2008-04-13 22:04:08 UTC
From: newbie2cnc
Topic: 1091 Message: 1091

I have a TM-732A that was working fine with no problems. Turned off and the next day it appeared to be doing nothing. The display only shows a 44 and nothing else. No lights the power button does not work and the unit can not be turned off (only the 44 is showing) unless unplugged. Sometimes you can connect it to power and the green power light will come on and the power switch will work for a couple of cycles then quite again. It does bring up the repeater on both 2 meter and 440 but there is no audio out of the radio. Once in awhile you will get audio but it is full blast and will not turn down. I have switched the cable between the head and the unit and it does the same thing. Does anyone have any idea what might be the cause of this problem? If so please let me know. I do like this radio and can not afford a new one at this time.
Thanks
KD8ENK
Gerald

1092. Re: Knwd TM-732A dual bander repair issue

Yahoo group: kenwoodradio
Date: 2008-04-15 10:15:49 UTC
From: newbie2cnc
Topic: 1070 Message: 1092

I am sure you have got this fixed by now but you need to unsolder 2
large feed through pins. One in front of the speaker connector the
other in front of the power module.

--- In kenwoodradio@yahoogroups.com, "John Woika" <dadwoika@...> wrote:
>
> Hello Knwd radio group. I hope one of you has an answer for me. I am
> trying to remove the UHF board from the chassis. I believe fuse F201
is
> blown. I removed all chassis screws, RF coax, DC power leads, front
> panel connections, the board still won't lift up, HELP!!!
> 73s de John W8JW EL99
>

1093. Riding and dating - travel and meet casual girl friends.

Yahoo group: kenwoodradio
Date: 2008-04-17 15:28:24 UTC
From: terrytomans
Topic: 1076 Message: 1093

When you are traveling alone, you may need girl friends. This site will help traveling people to find casual love or Long-term. Before you travel to a city, you can browse girls' profiles who live in or will go to that city.

If there are nice girls, you can send invitation to them. They will welcome you. You can register for totally free.

If you are interested, you can join and place your profile via this link:
http://babe-kiss.zu5.net

1094. Kenwood items FS

Yahoo group: kenwoodradio
Date: 2008-04-18 23:31:26 UTC
From: Ken Simpson, W8EK
Topic: 933 Message: 1094

Kenwood items for sale:

Kenwood MC-43S Hand Mic
This hand mic with the round 8 pin connector fits most modern Kenwood rigs including the TS-430, TS-440, TS-450, TS-850, TS-870, TS-950, plus many Kenwood VHF, UHF, and dual band rigs. Basically, if it is a Kenwood rig, and uses a round 8 pin connector, this mic will work for you. It will also fit most of the Alinco rigs that use the round 8 pin connector. It has UP/DOWN buttons, in addition to the PTT button.
This one is in excellent condition. It sounds great, and looks fine. $35

Kenwood MC-45 DM, DTMF mic plus other functions
In addition to the touch tone pad and PTT switch, this mic has up-down switches, plus a row of four switches above the touch tone pad. They are used for "Call Button", VFO key, Memory recall key, and the fourth one is programmable. The back has a lock switch. It has an RJ-45 connector (like a computer LAN).
This particular mic works fine, and looks fine also. It is still in its original box, with paper work for only $60.

Kenwood MJ-48 microphone connector adapter
Converts a round 4 pin Kenwood mic connector, so it can be plugged into a Kenwood rig with the round 8 pin connector. Like new. $20

Kenwood MJ-68 microphone connector adapter
Converts a round 6 pin Kenwood mic connector, so it can be plugged into a Kenwood rig with the round 8 pin connector. Like new. $20

Belt clip for TR-2400 HT, complete with hardware - $8

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine and works fine. $18

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually, one must have the battery inside the HT, but this lets you charge a second battery outside of the HT. The original charger is used. It is in good shape, and works fine. $3

Wrist strap - I think it fits most Kenwood (and maybe other) HTs - $4

Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached. $5

Special rubber duck antenna for Kenwood TH-21 HT with
threaded connector
Aftermarket stubby, 3.5 inches long - $10
Kenwood RA-6 regular, 6.6 inches long - $12

Kenwood PC-1 phone patch For Sale
This is the model with the 4 pin connectors, although
they can be changed, if needed. It includes a nice meter
for adjusting the null so VOX will work OK.
This particular unit works fine, and looks very, very good.
No scratches. With paperwork for $ 40

Original Kenwood Manuals For Sale:

All manuals are in very nice, close to new
condition, for Kenwood radios, unless stated otherwise.

Operating manual for TW-4000 dual bander $15

Service manual for TW-4000 dual bander $20

Operating manual for TH-21 A / AT HT for 2 meters $ 8

Operating manual for TH-41A/BT/E, TH-31A/BT, TH-21A/BT/E
HTs for 440 MHz, 220 MHz and 2 meters $10

Operating manual for TH-225, 2 meter HT - Good condition $12

Operating manual for TM-221/421 mobile $15

Operating manual for TH-241 / 441 / 541 mobile FM transceivers
For 2 meters, 440 MHz, and 1200 MHz. $ 12

Operating manual for TR-2200, 2 meter "portable"
This is very similar to the Drake TR-22. $15

Operating manual for TR-2400, 2 meter HT $12

Operating manual for TR-2500, 2 meter HT $14

Operating manual for TR-2600, 2 meter HT $12

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1095. Re: [kw-radio] Kenwood items FS

Yahoo group: kenwoodradio
Date: 2008-04-19 00:09:23 UTC
From: Kj5ae@aol.com
Topic: 933 Message: 1095

The QCWA member's running for office has his dealership back on the web. The estate dealer and campaining for office in QCWA.

-----Original Message-----
From: Ken Simpson, W8EK <W8EK@...>
To: Kenwood at Yahoo (Kenwood at Yahoo) <Kenwood@yahoogroups.com>; KenwoodRadio (KenwoodRadio) <KenwoodRadio@yahoogroups.com>
Sent: Fri, 18 Apr 2008 6:31 pm
Subject: [kw-radio] Kenwood items FS

Kenwood items for sale:

Kenwood MC-43S Hand Mic
This hand mic with the round 8 pin connector fits most modern
Kenwood rigs including the TS-430, TS-440, TS-450, TS-850,
TS-870, TS-950, plus many Kenwood VHF, UHF, and dual
band rigs. Basically, if it is a Kenwood rig, and uses a round
8 pin connector, this mic will work for you. It will also fit most
of the Alinco rigs that use the round 8 pin connector. It has
UP/DOWN buttons, in addition to the PTT button.
This one is in excellent condition. It sounds great, and looks
fine. $35

Kenwood MC-45 DM, DTMF mic plus other functions
In addition to the touch tone pad and PTT switch, this mic
has up-down switches, plus a row of four switches above
the touch tone pad. They are used for "Call Button", VFO
key, Memory recall key, and the fourth one is programmable.
The back has a lock switch. It has an RJ-45 connector (like
a computer LAN).
This particular mic works fine, and looks fine also. It is still
in its original box, with paper work for only $60.

Kenwood MJ-48 microphone connector adapter
Converts a round 4 pin Kenwood mic connector, so it can
be plugged into a Kenwood rig with the round 8 pin
connector. Like new. $20

Kenwood MJ-68 microphone connector adapter
Converts a round 6 pin Kenwood mic connector, so it can
be plugged into a Kenwood rig with the round 8 pin
connector. Like new. $20

Belt clip for TR-2400 HT, complete with hardware - $8

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine

and works fine. $18

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the
Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually,
one must have the battery inside the HT, but this lets you charge
a second battery outside of the HT. The original charger is used.
It is in good shape, and works fine. $3

Wrist strap - I think it fits most Kenwood (and maybe other) HTs - $4

Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached. $5

Special rubber duck antenna for Kenwood TH-21 HT with
threaded connector
Aftermarket stubby, 3.5 inches long - $10
Kenwood RA-6 regular, 6.6 inches long - $12

Kenwood PC-1 phone patch For Sale
This is the model with the 4 pin connectors, although
they can be changed, if needed. It includes a nice meter
for adjusting the null so VOX will work OK.
This particular unit works fine, and looks very, very good.
No scratches. With paperwork for $ 40

Original Kenwood Manuals For Sale:

All manuals are in very nice, close to new
condition, for Kenwood radios, unless stated otherwise.

Operating manual for TW-4000 dual bander $15

Service manual for TW-4000 dual bander $20

Operating manual for TH-21 A / AT HT for 2 meters $ 8

Operating manual for TH-41A/BT/E, TH-31A/BT, TH-21A/BT/E
HTs for 440 MHz, 220 MHz and 2 meters $10

Operating manual for TH-225, 2 meter HT - Good condition $12

Operating manual for TM-221/421 mobile $15

Operating manual for TH-241 / 441 / 541 mobile FM transceivers
For 2 meters, 440 MHz, and 1200 MHz. $ 12

Operating manual for TR-2200, 2 meter "portable"
This is very similar to the Drake TR-22. $15

Operating manual for TR-2400, 2 meter HT $12

Operating manual for TR-2500, 2 meter HT $14

Operating manual for TR-2600, 2 meter HT $12

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio
Yahoo! Groups Links

[Non-text portions of this message have been removed]

1096. Re: [kw-radio] Kenwood items FS

Yahoo group: kenwoodradio
Date: 2008-04-19 00:33:01 UTC
From: Bert Morton
Topic: 933 Message: 1096

And your point is ?

----- Original Message -----
From: <Kj5ae@...>
To: <kenwoodradio@yahoogroups.com>
Sent: Friday, April 18, 2008 8:09 PM
Subject: Re: [kw-radio] Kenwood items FS

> The QCWA member's running for office has his dealership back on the web.
> The estate dealer and campaining for office in QCWA.
>
>
>
> -----Original Message-----
> From: Ken Simpson, W8EK <W8EK@...>
> T: 7.5.524 / Virus Database: 269.23.1/1385 - Release Date: 4/18/2008 9:30
> AM

1097. Selling TS830S - Dropped price by $200.00

Yahoo group: kenwoodradio
Date: 2008-05-16 05:48:24 UTC
From: Ruben Echevarria
Topic: 1097 Message: 1097

Dropped Price By $200.00 Will Go No Lower
Selling my TS830S with MC50 mic and SP230 ext.speaker also PC1 phone patch.
The radio is very clean and working. Sell only as package deal for $450.00
Buyer pays shipping costs. Will not break up. Contact me direct. ka2hhb_2000@...
I'm trying to raise $$$ for a newer rig. Although it doesn't make a difference
it is not a "GOLD", has no extra filters.
Shipping would be in 2 separate boxes 1 for the radio and 1 for everything else. Not posted on Ebay.

Ruben Echevarria KA2HHB
SKCC #2132 EPC#3390
10-10 International Club #33308

[Non-text portions of this message have been removed]

1098. Kenwood TK-5810 SW

Yahoo group: kenwoodradio
Date: 2008-05-17 18:11:08 UTC
From: RadioGuy205@aol.com
Topic: 1098 Message: 1098

Anyone got a handle on this yet? Lots to trade. Thanks!

**********Wondering what's for Dinner Tonight? Get new twists on family favorites at AOL Food.
(http://food.aol.com/dinner-tonight?NCID=aolfod00030000000001)

[Non-text portions of this message have been removed]

1099. HYT ZIP archive passwords

Yahoo group: kenwoodradio
Date: 2008-05-17 18:12:31 UTC
From: RadioGuy205@aol.com
Topic: 1099 Message: 1099

Anyone know these, when downloading the SW from hytamerica.com all the archives are password protected. Thanks!

**********Wondering what's for Dinner Tonight? Get new twists on family favorites at AOL Food.
(http://food.aol.com/dinner-tonight?NCID=aolfod00030000000001)

[Non-text portions of this message have been removed]

1100. Kenwood items FS

Yahoo group: kenwoodradio
Date: 2008-05-17 22:48:53 UTC
From: Ken Simpson, W8EK
Topic: 933 Message: 1100

Kenwood items for sale:

Kenwood TH-41 AT HT for 440 MHz.
This compact HT has thumbwheel switches to select the operating frequency. The HT has about 1.5 watts output, and a decent receiver. It has a touchtone pad on it, and is very simple to operate. You likely will not need to read to manual to use this one!
It includes a good battery (new insert a couple months ago), charger, rubber duck, carrying strap, and paper work for $60.

Kenwood MC-45 DM, DTMF mic plus other functions
In addition to the touch tone pad and PTT switch, this mic has up-down switches, plus a row of four switches above the touch tone pad. They are used for "Call Button", VFO key, Memory recall key, and the fourth one is programmable. The back has a lock switch. It has an RJ-45 connector (like a computer LAN).
This particular mic works fine, and looks fine also. It is still in its original box, with paper work for only $60.

Kenwood MC-48, touch tone (DTMF) microphone.
Round, 8 pin connector, will go with any Kenwood rig taking this kind of connector. Has UP and DOWN switches, along with 16 digit touchtone pad. It is often used on the 2 m and 440 MHz rigs that do not have touchtone built in, but can also be used on HF rigs for touchtone on 10 m FM. It works fine and looks great also.
With paper work for $ 55.

Kenwood MJ-68 microphone connector adapter
Converts a round 6 pin Kenwood mic connector, so it can be plugged into a Kenwood rig with the round 8 pin connector. Like new. $20

Belt clip for TR-2400 HT, complete with hardware - $8

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine and works fine. $18

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually, one must have the battery inside the HT, but this lets you charge a second battery outside of the HT. The original charger is used. It is in good shape, and works fine. $3

Wrist strap - I think it fits most Kenwood (and maybe other) HTs - $4

Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached. $5

Antenna adapter for Kenwood TH-21 / 31 / 41 HTs
This adapts the antenna connector found on these HTs to a
standard BNC connector. $5

Special rubber duck antenna for Kenwood TH-21 HT with
threaded connector
Aftermarket stubby, 3.5 inches long - $10
Kenwood RA-6 regular, 6.6 inches long - $12

Kenwood PC-1 phone patch For Sale
This is the model with the 4 pin connectors, although
they can be changed, if needed. It includes a nice meter
for adjusting the null so VOX will work OK.
This particular unit works fine, and looks very, very good.
No scratches. With paperwork for $ 40

Original Kenwood Manuals For Sale:

All manuals are in very nice, close to new
condition, for Kenwood radios, unless stated otherwise.

Operating manual for TW-4000 dual bander $15

Service manual for TW-4000 dual bander $20

Operating manual for TH-21 A / AT HT for 2 meters $ 8

Operating manual for TH-41A/BT/E, TH-31A/BT, TH-21A/BT/E
HTs for 440 MHz, 220 MHz and 2 meters $10

Operating manual for TH-225, 2 meter HT - Good condition $12

Operating manual for TM-221/421 mobile $15

Operating manual for TH-241 / 441 / 541 mobile FM transceivers
For 2 meters, 440 MHz, and 1200 MHz. $ 12

Operating manual for TR-2200, 2 meter "portable"
This is very similar to the Drake TR-22. $15

Operating manual for TR-2400, 2 meter HT $12

Operating manual for TR-2500, 2 meter HT $14

Operating manual for TR-2600, 2 meter HT $12

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1101. Kenwood TK790/890 dual band dual head

Yahoo group: kenwoodradio
Date: 2008-05-29 00:50:01 UTC
From: jrandal33
Topic: 1101 Message: 1101

I have 10 Kenwood TK790/890 dual band dual head radios with Pyramid SVR200 repeaters attached in use in ambulances. We first installed these radios in 2001 and had a few issues with what appear to be related to occasional low voltage. These radios appear to be quite sensative to minor voltage fluctuations. The problems occurred when the warning lights were on and the engine at idle. After a little education for our road personnel, the issue were almost nonexistant, until we put 3 new 2007 ambulances in service last summer / fall. All of the ambulances are Ford E350s and E450s. The new ambulances have radio problems every time they are used. The issues with the radios are failure to transmit, failure to receive, or they receive on the rear head but not on the front head. At times they give an error tone when the mike is keyed, other times, you only know you are not transmitting if you notice the red TX LED does not light. There are times they will transmit on the VHF side but not the UHF. All these problems correct themself if the radio is powered off and back on. But this 'off and on' has almost become a non-stop activity in these 2007 ambulances. We have put a delay relay on the power feed which has help with these issue when first starting the ambulance.

Anyone having similar problems, and if so, have you solved the problem?

Thanks,
Jack
KC8WEH

1102. TM-732A Help Please

Yahoo group: kenwoodradio
Date: 2008-05-29 18:16:26 UTC
From: John Woika
Topic: 1091 Message: 1102

Hello Gerald,

Thanks for the tip on the large pins connecting the 2 meter board to the 440 board. BTW, when was the last time you change the memory battery on your 732A? I think I seen one inside the front panel when I was dismantling my 732 to get to the 440 board.

I think it is something like a CR2025 (dime size) battery. If I find the page in thervice manual I will post it here under files.

Good hunting my friend.

73s de John W8JW Palm Coast, FL EL99
>

1103. Did I break my speaker mike?

Yahoo group: kenwoodradio
Date: 2008-06-04 18:20:32 UTC
From: Evan Platt
Topic: 1103 Message: 1103

I have a Kenwood TK-290. I have a generic / after market speaker mike. Was working fine, at least about a few weeks ago.

So I was working an event where I wanted to use a earpiece. The Otto earpiece I have has a 3.5mm jack, the earpiece is a 2.5mm jack. Went to RatShack, got a adapter. Used the earpiece fine. Then, the speaker on the speaker mike stopped working.

Everything else is fine.

So I broke down and ordered a OEM Kenwood mike.

Is it possible though that somehow the adapter shorted something? I'd rather not fry a kenwood OEM mike...

Any ideas?

Thanks.

Evan

1104. Kenwood KPG-96D Serial

Yahoo group: kenwoodradio
Date: 2008-06-06 01:57:52 UTC
From: gsp205
Topic: 1104 Message: 1104

Anyone have this Key? Thanks!

1105. Kenwood TK-5400 .net file needed

Yahoo group: kenwoodradio
Date: 2008-07-02 21:38:26 UTC
From: gsp205
Topic: 1105 Message: 1105

Ok, my system administrator has a .key file for our system, however it will not work with this program. Anyone know how to generate a .net file for this radio?

1106. Investigation: Set Up to Fail? Some Say WV's New Radios Are Flawed

Yahoo group: kenwoodradio
Date: 2008-07-11 14:13:24 UTC
From: Eddie Elmore
Topic: 1106 Message: 1106

The State of West Virginia is pushing all Emergency Services to go to the Motorola P25 Digital Radio System for everyday use - for all calls, etc.

WSAZ is Charleston, WV yesterday published an investigative report on the good and the bad of using the digital system.

http://www.wsaz.com/news/headlines/24311924.html

Apparently it is only supposed to be used for Level 3, 4, 5 Federal Disasters... and not for the everyday auto accident or traffic stop. Also it seems as though large cities like Indianapolis, Chicago, etc. are scrapping these systems.. because they just don't work. Apparently Chicago spent nearly $300 Million and couldn't get their system to work.

If anyone knows of any issues or even anything good with the Digital Radio systems, particularly with the P25 system, post them at the WSAZ site above. They are likely going to do a follow up story and any information will be great. Also, please only post about emergency services use of the Digital Radios... not about use in the normal business world.

Thank you!

--

Eddie Elmore
Lieutenant/Training Coordinator/Board of Directors
http://www.station26.org - Sissonville VFD

1107. Kenwood KCT-19 Pinout Needed

Yahoo group: kenwoodradio
Date: 2008-07-17 20:38:55 UTC
From: gsp205
Topic: 1107 Message: 1107

Pinout for the molex plug is needed, TK-780, 880 Series. Thanks!

1108. ts 850 s

Yahoo group: kenwoodradio
Date: 2008-08-01 17:36:45 UTC
From: paul ainscow
Topic: 1108 Message: 1108

Hi Does Anyone No How To Check The Age Of A Radio By Its S/Number Many Thanks Paul G7EKG.

[Non-text portions of this message have been removed]

1109. MB-1 - what rig does this bracket go to?

Yahoo group: kenwoodradio
Date: 2008-08-02 16:20:49 UTC
From: w3_gw0nnb
Topic: 1109 Message: 1109

I have one from a hamfest and thought it would fit either my TR-7400A
751A but it fits neither

1110. Re: [kw-radio] KW Age by S/N

Yahoo group: kenwoodradio
Date: 2008-08-02 18:26:45 UTC
From: Dan Violette
Topic: 1110 Message: 1110

First digit less 2 is the year. You need to add the decade. Then the month in next 2 digits and then a sequnetial number. This is what I remember off the top of my head. So a TS-850 with say s/n 504xxxx would be 1993 April. You may need to look at the run of the -850 to get the range it could fall in.

Dan, KI6X

-----Original Message-----
>From: kenwoodradio@yahoogroups.com
>Sent: Aug 2, 2008 3:45 AM
>To: kenwoodradio@yahoogroups.com
>Subject: [kw-radio] Digest Number 671
>
>There is 1 message in this issue.
>
>Topics in this digest:
>
>1. ts 850 s
> From: paul ainscow
>
>
>Message
>_____
>1. ts 850 s
> Posted by: "paul ainscow" g7ekg@... g7ekg
> Date: Fri Aug 1, 2008 10:36 am ((PDT))
>
>Hi Does Anyone No How To Check The Age Of A Radio By Its S/Number Many Thanks Paul G7EKG.
>
>
>
>
>[Non-text portions of this message have been removed]
>
>
>
>Messages in this topic (1)
>
>
>
>For polls, files, and other info visit:
>http://www.egroups.com/group/kenwoodradio
>
>
>----------

>Yahoo! Groups Links
>
>
>
>----------
>

1111. Tr-751A - anyone have a parts rig or just front panel?

Yahoo group: kenwoodradio
Date: 2008-08-11 02:49:44 UTC
From: w3_gw0nnb
Topic: 1111 Message: 1111

Hello OM,

Wondering if someone out there has a dead TR-751A parts rig, or just a front panel module?

Having problems with mine and the problems somewhere in that section, most likely the processor.

Many thanks,

73
Darryl
W3DBJ

1112. Kenwood TH-41, 440 MHz HT and other Kenwood items FS

Yahoo group: kenwoodradio
Date: 2008-08-22 12:49:53 UTC
From: Ken Simpson, W8EK
Topic: 1112 Message: 1112

Kenwood items for sale:

Kenwood TH-41 AT HT for 440 MHz.
This compact HT has thumbwheel switches to select the operating frequency. The HT has about 1.5 watts output, and a decent receiver. It has a touchtone pad on it, and is very simple to operate. You likely will not need to read to manual to use this one!
This one has a battery case where one may insert six AAA batteries. This is very advantageous, as one may choose to use alkaline batteries, or some of the newer NiMH batteries that have much higher capacity. It includes the battery case, stubby rubber duck, belt clip, and paper work for $60.

Kenwood MC-45 DM, DTMF mic plus other functions
In addition to the touch tone pad and PTT switch, this mic has up-down switches, plus a row of four switches above the touch tone pad. They are used for "Call Button", VFO key, Memory recall key, and the fourth one is programmable. The back has a lock switch. It has an RJ-45 connector (like a computer LAN).
This particular mic works fine, and looks fine also. It is still in its original box, with paper work for only $60.

Kenwood MJ-48 microphone connector adapter
Converts a round 4 pin Kenwood mic connector, so it can be plugged into a Kenwood rig with the round 8 pin connector. $20

Kenwood MJ-68 microphone connector adapter
Converts a round 6 pin Kenwood mic connector, so it can be plugged into a Kenwood rig with the round 8 pin connector. Like new. $20

Belt clip for TR-2400 HT, complete with hardware - $8

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine and works fine. $18

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually, one must have the battery inside the HT, but this lets you charge a second battery outside of the HT. The original charger is used. It is in good shape, and works fine. $3

Wrist strap - I think it fits most Kenwood (and maybe other) HTs - $4

Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached. $5

Antenna adapter for Kenwood TH-21 / 31 / 41 HTs
This adapts the antenna connector found on these HTs to a
standard BNC connector. $5

Special rubber duck antenna for Kenwood TH-21 HT with
threaded connector
Aftermarket stubby, 3.5 inches long - $10
Kenwood RA-6 regular, 6.6 inches long - $12

Kenwood PC-1 phone patch
This is the model with the 4 pin connectors, although
they can be changed, if needed. It includes a nice meter
for adjusting the null so VOX will work OK.
This particular unit works fine, and looks very, very good.
No scratches. With paperwork for $ 40

Original Kenwood Manuals For Sale:

All manuals are in very nice, close to new
condition, for Kenwood radios, unless stated otherwise.

Operating manual for TW-4000 dual bander $15

Service manual for TW-4000 dual bander $20

Operating manual for TH-21 A / AT HT for 2 meters $ 8

Operating manual for TH-41A/BT/E, TH-31A/BT, TH-21A/BT/E
HTs for 440 MHz, 220 MHz and 2 meters $10

Operating manual for TH-225, 2 meter HT - Good condition $12

Operating manual for TM-221/421 mobile $15

Operating manual for TH-241 / 441 / 541 mobile FM transceivers
For 2 meters, 440 MHz, and 1200 MHz. $ 12

Operating manual for TR-2200, 2 meter "portable"
This is very similar to the Drake TR-22. $15

Operating manual for TR-2400, 2 meter HT $12

Operating manual for TR-2500, 2 meter HT $14

Operating manual for TR-2600, 2 meter HT $12

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1113. Looking for a 10 meter module for the Kenwood 742

Yahoo group: kenwoodradio
Date: 2008-09-11 02:01:33 UTC
From: Dennis
Topic: 1113 Message: 1113

Any one have a 10 meter module they are willing to sell?

73 Dennis WA1HOG
ARRL NH TC

1114. Large variety of Kenwood accessories, plus TH-215 HT FS

Yahoo group: kenwoodradio
Date: 2008-09-13 13:33:09 UTC
From: Ken Simpson, W8EK
Topic: 1114 Message: 1114

Large variety of accessories for Kenwood Radios plus TH-215 HT For Sale:

Kenwood TH-215, 2 meter HT
Covers the 2 meter band with up to 7 W output power. Of course it has
memories, scan features, and the things one expects in an HT.
Subaudible
(PL, CTCSS) tones are built in and can be adjusted from the keypad. A
16
digit touchtone (DTMF) pad is built in. It can be powered by the PG-3 E

cord from 13 V DC to provide full 7 watt output.
This one is in very nice condition. It includes a good PB-2 standard
battery,
rubber duck antenna, and paper work for $75.

SMC-30 Speaker Microphone
Fits TH-21, TH-41, TH-215, TH-225, TH-415, TR-2600, and many other
Kenwood HTs. It has 3.5 mm and 2.5 mm plugs molded together.
It works fine, and is in good condition. $25

BC-7 Desk Charger
This unit will fast charge PB-1, PB-2, PB-3, PB-4, and maybe other
Kenwood battery packs. It works fine and is in good shape. $50

PB-1 Battery Pack
12 V at 800 mahr. Fits TH-215, TH-225, TH-415, and others.
This is an optional high power, high capacity battery pack. It looks
great, and holds a charge fine. With paper work for $25

PB-2 Battery Pack
8.4 V, 500 mahr. Fits the TH-215, TH-225, TH-415, and others.
This is the standard pack like comes with the HT. This one looks fine
and holds a charge well. It is in its original box, with paper work for
$20

PG-3 E Cord
This cord plugs into the cigarette lighter to provide 12 V DC to the
TH-215, TH-225, TH-415, and other Kenwood HTs. It has a filter built in,

and permits high power operation of the HTs. $20

SC-13 Vinyl Case
For TH-215, TH-225 and others, with room for the larger PB-1 and PB-4
battery packs. It can also be used with the smaller PB-2 and PB-3
battery
packs, by putting a filler in the case. Black color. In very nice
condition. $15

Bianchi Real Leather Case for TH-215, TH-225, etc.
For use with the larger PB-1 and PB-4 batteries, but can be used with the
smaller PB-2 and PB-3 batteries. This is real leather, tan in color, and is
in very nice condition. $25

Belt Clips for various HTs -- All include the hardware with the belt clip
$8 each
Kenwood BH-2 for TH-215, TH-225, TR-2500, TR-2600, and others
Kenwood TR-2400
Motorola
Yaesu FT-209

Wrist Straps for various HTs - $4 each
Kenwood TR-2400
Kenwood TH-21/31/41
Yaesu FT-209

Kenwood MJ-68 microphone connector adapter
Converts a round 6 pin Kenwood mic connector, so it can
be plugged into a Kenwood rig with the round 8 pin
connector. Like new. $20

Kenwood PC-1 phone patch
This is the model with the 4 pin connectors, although
they can be changed, if needed. It includes a nice meter
for adjusting the null so VOX will work OK.
This particular unit works fine, and looks very, very good.
No scratches. With paperwork for $ 40

Accessories specific to the Kenwood TR-2400 HT:

Belt clip for TR-2400 HT, complete with hardware - $8

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine
and works fine. $18

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the
Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually,
one must have the battery inside the HT, but this lets you charge
a second battery outside of the HT. The original charger is used.
It is in good shape, and works fine. $3

Wrist strap - I think it fits most Kenwood (and maybe other) HTs - $4

Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached.
This adapter can be used on any HT with a BNC connector. $5

Accessories for Kenwood TH-21 / TH-31 / TH-41 HTs:

Antenna adapter for Kenwood TH-21 / 31 / 41 HTs
This adapts the antenna connector found on these HTs to a
standard BNC connector. $5

Special rubber duck antenna for Kenwood TH-21 HT with
threaded connector
Aftermarket stubby, 3.5 inches long - $10
Kenwood RA-6 regular, 6.6 inches long - $12

Original Kenwood Manuals:

All manuals are in very nice, close to new
condition, for Kenwood radios, unless stated otherwise.

Operating manual for TW-4000 dual bander $15

Service manual for TW-4000 dual bander $20

Operating manual for TH-21 A / AT HT for 2 meters $ 8

Operating manual for TH-41A/BT/E, TH-31A/BT, TH-21A/BT/E
HTs for 440 MHz, 220 MHz and 2 meters $10

Operating manual for TH-225, 2 meter HT - Good condition $12

Operating manual for TM-221/421 mobile $15

Operating manual for TH-241 / 441 / 541 mobile FM transceivers
For 2 meters, 440 MHz, and 1200 MHz. $ 12

Operating manual for TR-2200, 2 meter "portable"
This is very similar to the Drake TR-22. $15

Operating manual for TR-2400, 2 meter HT $12

Operating manual for TR-2500, 2 meter HT $14

Operating manual for TR-2600, 2 meter HT $12

Service Manual for TR-2600, 2 meter HT $15

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1115. Kenwood Microphones FS

Yahoo group: kenwoodradio
Date: 2008-10-09 01:41:27 UTC
From: Ken Simpson, W8EK
Topic: 500 Message: 1115

Kenwood Microphones and related items For Sale:

Kenwood MC-50 desk microphone. This is the popular
mic that is made to match the TS-120, TS-130, TS-180,
TS-520, TS-820, TS-530, TS-830 and others of that vintage.
It has both high and low Z output, and a 4 pin connector.
This one is in very nice shape. All paint is good, the buttons
are not faded, and I can not find a scratch on it. Of course
both cords are included, as is the paper work for $75.

Kenwood MC-35 S hand microphone
This Hi Z hand microphone is used with most all of the
older Kenwood rigs - TS-120, TS-180, TS-520, TS-820,
etc. This is a noise canceling mic. It has a four pin
plug on it to match these rigs. It is in good shape, and
includes paper work for $35

Kenwood MC-43S Hand Mic For Sale
This hand mic with the round 8 pin connector fits most modern
Kenwood rigs including the TS-430, TS-440, TS-450, TS-850,
TS-870, TS-950, plus many Kenwood VHF, UHF, and dual
band rigs. Basically, if it is a Kenwood rig, and uses a round
8 pin connector, this mic will work for you. It has UP/DOWN
buttons, in addition to the PTT button.
It will also fit most of the Alinco rigs that use the round 8 pin
connector.
This one is in excellent condition. It works 100%, and looks
great. With paper work for $35.

Kenwood MJ-68 microphone connector adapter
Converts a round 6 pin Kenwood mic connector, so it can
be plugged into a Kenwood rig with the round 8 pin
connector. Like new. $20

Kenwood SMC-30 speaker microphone
Fits the TH-21/31/41 series of HTs, TR-2600, plus others.
This one works fine, and looks OK also. $18

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine
and works fine. $18

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1116. Latest Firmware for TK-762G

Yahoo group: kenwoodradio
Date: 2008-11-11 03:57:20 UTC
From: gsp205
Topic: 1116 Message: 1116

Anyone know the latest version number? Thanks!

1117. Re: [kw-radio] Latest Firmware for TK-762G

Yahoo group: kenwoodradio
Date: 2008-11-11 04:13:37 UTC
From: Evan Platt
Topic: 1116 Message: 1117

If the 762 is anything like the 290, the 'latest' firmware doesn't mean anything.

The latest firmware depends on the serial # for your radio. My TK-290 for example could only take up to a certain firmware. I loaded the latest firmware (it loaded no problem) but bricked the radio. Had to find a firmware the radio could handle and load it to restore the radio.

Firmware release notes, if you're lucky enough to find them, will say "Firmware E0DB: Serial numbers 1500-3800. Firmware F0BC: Serial numbers 3801 - 4500", etc.

Evan

gsp205 wrote:
> Anyone know the latest version number? Thanks!
>

1118. Latest Firmware for TK-7160

Yahoo group: kenwoodradio
Date: 2008-11-15 22:23:51 UTC
From: gsp205
Topic: 1118 Message: 1118

Anyone know the latest version, and possibly have a copy? Thanks!

1119. Original Kenwood Manuals FS

Yahoo group: kenwoodradio
Date: 2008-11-16 13:33:52 UTC
From: Ken Simpson, W8EK
Topic: 1119 Message: 1119

Original Operating Manuals for Kenwood rigs For Sale:

All manuals are in very nice condition, for Kenwood
radios and accessories, unless stated otherwise.
All are original and are not copies.

Operating manual for BC-5 DC charger/adapter $4

Operating manual for HC-10 world digital clock $5

Operating manual for MC-30 and MC-35 hand microphone $5

Operating manual for MC-80 desk microphone $5

Operating manual for MC-85 desk microphone $4

Operating manual for PS-30 power supply $5

Operating manual for SMC-24 speaker mic $4

Operating manual for SMC-25 speaker mic $4

Operating manual for TH-21 A / AT HT for 2 meters $8

Operating manual for TH-41A/BT/E, TH-31A/BT, TH-21A/BT/E
HTs for 440 MHz, 220 MHz and 2 meters $10

Service manual for TH-21 series HTs $20

Operating manual for TH-215 / 315 / 415 HTs $12

Operating manual for TH-225, 2 meter HT $12

Operating manual for TM-221 / 421 mobile $15

Operating manual for TM-231 / 331 / 431 / 531 mobile
FM transceivers for 2 meters, 220 MHz, 440 MHz, and
1200 MHz. $12

Operating manual for TR-2200, 2 meter "portable"
This is very similar to the Drake TR-22. $12

Operating manual for TR-2400, 2 meter HT $12

Operating manual for TR-2500, 2 meter HT $12

Operating manual for TR-2600, 2 meter HT $12

Service manual for TR-2600, 2 meter HT $12

Operating manual for TS-120, HF transceiver $18

Operating manual for TW-4000 dual bander $15

Service Manual for TW-4000 dual bander $20

These are Kenwood Original Manuals only.
Prices do not include shipping from Florida.
Media Mail shipping is fairly inexpensive.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1120. Kenwood 2 m HT, many accessories, original manuals FS

Yahoo group: kenwoodradio
Date: 2008-11-22 13:43:10 UTC
From: Ken Simpson, W8EK
Topic: 1120 Message: 1120

Large variety of accessories for Kenwood Radios plus TH-215 HT For Sale:

Kenwood TH-215, 2 meter HT
Covers the 2 meter band with up to 7 W output power. Of course it has memories, scan features, and the things one expects in an HT. Subaudible (PL, CTCSS) tones are built in and can be adjusted from the keypad. A 16 digit touchtone (DTMF) pad is built in. It can be powered by the PG-3 E cord from 13 V DC to provide full 7 watt output.
This one is in very nice condition. It includes a good PB-2 standard battery,
rubber duck antenna, and paper work for $75.

SMC-30 Speaker Microphone
Fits TH-21, TH-41, TH-215, TH-225, TH-415, TR-2600, and many other Kenwood HTs. It has 3.5 mm and 2.5 mm plugs molded together.
Two are available. Both look very nice and work 100%.
One has a cord that is slightly stretched. It is $18.
The other has a perfect cord, and is close to new condition.
It is $25.

PB-1 Battery Pack
12 V at 800 mahr. Fits TH-215, TH-225, TH-415, and others.
This is an optional high power, high capacity battery pack. It looks great, and holds a charge fine. With paper work for $25

PB-2 Battery Pack
8.4 V, 500 mahr. Fits the TH-215, TH-225, TH-415, and others.
This is the standard pack like comes with the HT. This one looks fine and holds a charge well. It is in its original box, with paper work for $20

PG-3 E Cord
This cord plugs into the cigarette lighter to provide 12 V DC to the TH-215, TH-225, TH-415, and other Kenwood HTs. It has a filter built in, and permits high power operation of the HTs. $20

SC-13 Vinyl Case
For TH-215, TH-225 and others, with room for the larger PB-1 and PB-4 battery packs. It can also be used with the smaller PB-2 and PB-3 battery packs, by putting a filler in the case. Black color. In very nice condition. $15

Bianchi Real Leather Case for TH-215, TH-225, etc.
For use with the larger PB-1 and PB-4 batteries, but can be used with the smaller PB-2 and PB-3 batteries. This is real leather, tan in color, and is in very nice condition. $25

Belt Clips for various HTs -- All include the hardware with the belt clip
$8 each
Kenwood BH-2 for TH-215, TH-225, TR-2500, TR-2600, and others
Kenwood TR-2400
Motorola
Yaesu FT-209

Wrist Straps for various HTs - $4 each
Kenwood TR-2400
Kenwood TH-21/31/41
Yaesu FT-209

Accessories specific to the Kenwood TR-2400 HT:

Belt clip for TR-2400 HT, complete with hardware - $8

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine
and works fine. $18

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the
Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually,
one must have the battery inside the HT, but this lets you charge
a second battery outside of the HT. The original charger is used.
It is in good shape, and works fine. $3

Wrist strap - I think it fits most Kenwood (and maybe other) HTs - $4

Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached.
This adapter can be used on any HT with a BNC connector. $5

Accessories for Kenwood TH-21 / TH-31 / TH-41 HTs:

Antenna adapter for Kenwood TH-21 / 31 / 41 HTs
This adapts the antenna connector found on these HTs to a
standard BNC connector. $5

Special rubber duck antenna for Kenwood TH-21 HT with
threaded connector
Aftermarket stubby, 3.5 inches long - $10
Kenwood RA-6 regular, 6.6 inches long - $10

Original Operating Manuals for Kenwood rigs For Sale:

All manuals are in very nice condition, for Kenwood
radios and accessories, unless stated otherwise.
All are original and are not copies.

Operating manual for BC-5 DC charger/adapter $4

Operating manual for MC-30 and MC-35 hand microphone $5

Operating manual for MC-80 desk microphone $5

Operating manual for MC-85 desk microphone $4

Operating manual for PS-30 power supply $5

Operating manual for SMC-24 speaker mic $4

Operating manual for SMC-25 speaker mic $4

Operating manual for TH-21 A / AT HT for 2 meters $8

Operating manual for TH-41A/BT/E, TH-31A/BT, TH-21A/BT/E
HTs for 440 MHz, 220 MHz and 2 meters $10

Service manual for TH-21 series HTs $20

Operating manual for TH-215 / 315 / 415 HTs $12

Operating manual for TH-225, 2 meter HT $12

Operating manual for TM-221 / 421 mobile $15

Operating manual for TM-231 / 331 / 431 / 531 mobile
FM transceivers for 2 meters, 220 MHz, 440 MHz, and
1200 MHz. $12

Operating manual for TR-2200, 2 meter "portable"
This is very similar to the Drake TR-22. $12

Operating manual for TR-2400, 2 meter HT $12

Operating manual for TR-2500, 2 meter HT $12

Operating manual for TR-2600, 2 meter HT $12

Service manual for TR-2600, 2 meter HT $12

Operating manual for TS-120, HF transceiver $18

Operating manual for TW-4000 dual bander $15

Service Manual for TW-4000 dual bander $20

These are Kenwood Original Manuals only.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1121. Surplus gear

Yahoo group: kenwoodradio
Date: 2008-12-13 12:23:05 UTC
From: paul
Topic: 1121 Message: 1121

Hi Got A SM 230 Monitor In Very Good Condition With Copy Manual No Box/ All So A TS 850 S With AT 850 Instaled All So In Very Good Condition No Box/DSP-100 All So In Very Good Condition No Box/MC-85 With Orininal Box One Scratch Just Above The Meter Open To Offers As Seperate Units Or On A Offer For The Lot Buyer Would Have To Pay Postage From The UK Post Code NE109DH Many Thanks Paul G7EKG.

1122. Many Kenwood items FS

Yahoo group: kenwoodradio
Date: 2009-01-10 12:32:39 UTC
From: Ken Simpson, W8EK
Topic: 1122 Message: 1122

Extensive list of Kenwood items For Sale:

Speaker Microphones:

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine
and works fine. $18

Kenwood SMC-32 Speaker Microphone
Fits TH-215, 225, 235, 425, and many others. It has a
right angle, "L" shaped connector on it.
This one works fine and looks really great. $25

Accessories specific to the TH-215 and TH-225 HTs:

PG-3 E DC Cord
This cord plugs into the cigarette lighter to provide 12 V DC
to the TH-215, TH-225, TH-415, and other Kenwood HTs. It has
a filter built in, and permits high power operation of the HTs.
$20

Kenwood BH-2 Belt Clip for TH-215, TH-225, TR-2500, TR-2600,
and others. With hardware. $8

SC-12 Vinyl Case
For TH-215, TH-225 and others, with room for the standard PB-2
and PB-3 battery packs. Black color. In very nice condition. $15

SC-13 Vinyl Case
For TH-215, TH-225 and others, with room for the larger PB-1
and PB-4 battery packs. It can also be used with the smaller
PB-2 and PB-3 battery packs, by putting a filler in the case.
Black color. In very nice condition. $15

Bianchi Real Leather Case for TH-215, TH-225, etc.
For use with the larger PB-1 and PB-4 batteries, but can be used
with the smaller PB-2 and PB-3 batteries. This is real leather,
tan in color, and is in very nice condition. $25

Accessories specific to the Kenwood TH-21 / 31 / 41 series HTs:

Kenwood SC-8 T, soft case for TH-21/31/41 series HTs
Protects the radio, and has a clear window in the front,
so one can see the touch tone pad.
This one looks close to new, with the Kenwood lettering
still perfect with no wear. $12

Kenwood PB-21 battery pack for TH-21/31/41 series HTs
This battery pack does not hold a charge well. Physically it is fine, but it needs a new "insert". With paper work for $10

Kenwood PB-21 H battery pack
As above, but heavy duty pack; needs insert.
Includes paper work for $14.

Special rubber duck antenna for Kenwood TH-21 HT with threaded connector
Aftermarket stubby, 3.5 inches long - $10
Kenwood RA-6 regular, 6.6 inches long - $10
As above but for TH-41 HT, 440 MHz - Stubby - $15

Accessories specific to the Kenwood TR-2400 HT:

Belt clip for TR-2400 HT, complete with hardware - $8

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine and works fine. $18

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually, one must have the battery inside the HT, but this lets you charge a second battery outside of the HT. The original charger is used.
It is in good shape, and works fine. $3

Wrist strap
I think it fits most Kenwood (and maybe other) HTs $4

Antenna adapter to fit the BNC connector on the HT and provide an SO-239 connector that will permit a PL-259 to be attached. This adapter can be used on any HT with a BNC connector. $5

Various Miscellaneous items:

Kenwood MC-46 DTMF Microphone
Touch tone DTMF microphone with 6 pin connector, as used on TR-7730, TR-7800, TR-7850, TR-7930, TR-7950, TR-8400, TR-9000, TR-9130, and others. Up-down switch on top. Of course the connector could be changed to an 8 pin connector to use on other rigs. This one works 100%, and includes paper work in the original box for $45.

Kenwood PC-1 A phone patch.
This is the phone patch with the 8 pin connectors, although they can be changed, if needed. It includes a nice meter for adjusting the null so VOX will work OK. With paperwork for $50.

Belt Clips for various HTs -- All include the hardware with the belt clip - $8 each

Kenwood BH-2 for TH-215, TH-225, TR-2500, TR-2600, and others
Kenwood TR-2400
Motorola

Wrist Straps for various HTs - $4 each
Kenwood TR-2400
Kenwood TH-21/31/41
Yaesu FT-209

Original Operating Manuals for Kenwood rigs:

All manuals are in very nice condition, for Kenwood
radios and accessories, unless stated otherwise.
All are original and are not copies.

Operating manual for BC-5 DC charger/adapter $4

Operating manual for MC-30 and MC-35 hand microphone $5

Operating manual for MC-80 desk microphone $5

Operating manual for MC-85 desk microphone $4

Operating manual for PS-30 power supply $5

Operating manual for SMC-24 speaker mic $4

Operating manual for SMC-25 speaker mic $4

Operating manual for TH-21 A / AT HT for 2 meters $8

Operating manual for TH-41A/BT/E, TH-31A/BT, TH-21A/BT/E
HTs for 440 MHz, 220 MHz and 2 meters $10

Service manual for TH-21 AT, plus most of the
TH-21/31/41 accessories such as DC-21, EP-2,
TU-6, etc. $20

Operating manual for TH-215 / 315 / 415 HTs $12

Operating manual for TH-225, 2 meter HT $12

Operating manual for TM-221 / 421 mobile $15

Operating manual for TM-231 / 331 / 431 / 531 mobile
FM transceivers for 2 meters, 220 MHz, 440 MHz, and
1200 MHz. $12

Operating manual for TR-2200, 2 meter "portable"
This is very similar to the Drake TR-22. $12

Operating manual for TR-2400, 2 meter HT $12

Operating manual for TR-2500, 2 meter HT $12

Operating manual for TR-2600, 2 meter HT $12

Service manual for TR-2600, 2 meter HT $12

Operating manual for TS-120, HF transceiver $18

Operating manual for TW-4000 dual bander $15

Service Manual for TW-4000 dual bander $20

These are Kenwood Original Manuals only.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1123. Orlando Hamcation, February 12, 13, 14, 15

Yahoo group: kenwoodradio
Date: 2009-01-23 13:11:47 UTC
From: Ken Simpson, W8EK
Topic: 1123 Message: 1123

Information about the Orlando Hamcation, February 12, 13, 14, 15:

If you have never been to the Orlando Hamcation, you need to think about attending. It is now the second largest hamfest in the country, fast approaching the size of Dayton. While Hamcation is technically Friday, Saturday, and Sunday, the fun really gets started with most tailgaters moving in on Thursday. It seems you can find most anything you would want with 100's of vendors -- maybe even approaching 1000. Everything from the most ancient boatanchor to the most modern rig will be there.

In addition, Florida is the place to be in February, as opposed to the "Cold North". There are plenty of activities for the family as well, in the central Florida area.

Swap tables at the Orlando Hamcation are still available at the present time.

If you would like a table in the swap building, you can contact Mort, WA2ARS, or Roberta at hamcation@..., and make your reservation. Remember if it is cold or rainy outside in the tailgate section, it will be warm and dry inside the swap building.

More information is available at
http://www.hamcation.com/

See you there.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1124. ts-520 RF board

Yahoo group: kenwoodradio
Date: 2009-02-28 02:05:47 UTC
From: Chris and Alex
Topic: 1124 Message: 1124

Hi Everyone,

Does anyone know where I can get ferrite slugs for the RF board on a TS-520. I've got a couple that are damaged.

Chris

1125. Re: [kw-radio] ts-520 RF board

Yahoo group: kenwoodradio
Date: 2009-02-28 02:23:37 UTC
From: Ruben Echevarria
Topic: 1124 Message: 1125

Try www.k4eaa.com or ask in Yahoo Groups
ts-520_820_530_830@...m

Ruben Echevarria KA2HHB
SKCC #2132 EPC#3390 070 Club#861
10-10 International Club #33308
30Meter Digital Group #1148

From: Chris and Alex <alexandchrisp@...>
To: kenwoodradio@yahoogroups.com
Sent: Friday, February 27, 2009 9:05:47 PM
Subject: [kw-radio] ts-520 RF board

Hi Everyone,

Does anyone know where I can get ferrite slugs for the RF board on a
TS-520. I've got a couple that are damaged.

Chris

[Non-text portions of this message have been removed]

1126. TS-520SE Help!!!

Yahoo group: kenwoodradio
Date: 2009-02-28 18:21:20 UTC
From: sv0xbq
Topic: 1126 Message: 1126

I've picked up a 520 that looks very clean and the finals have not been cooked but the sets been played around with in that everythings way out of adjustment. I'm starting to get some life back into it but I'm chasing my tail trying to align the bands. I start with the 1.8 and the 1.8 slugs have no effect on this band at all but I can align the 1.8 band with the 28 Mhz slugs. Other bands aren't as bad as this but they all interact with each other and following the sequence in the manual doesn't seem to work. I've cleaned the switches and checked for any unsoldered joints but I can't work it out.
Next..... I tune the finals and all looks good. I've got 60 mA idle and tune up to 225 mA within the ALC limits but I only put out around 60 watts. Are the tubes tired ? Nothing looks like it's ever been hot and looks as new. Visually the set looks like it's not done a lot. Any help would be much appreciated.
Chris
SV0XBQ

1127. Re: [kw-radio] ts-520 RF board

Yahoo group: kenwoodradio
Date: 2009-03-01 05:05:13 UTC
From: Chris and Alex
Topic: 1124 Message: 1127

Thanks Ruben.

Chris

2009/2/28 Ruben Echevarria <ka2hhb_2000@...>:
> Try www.k4eaa.com or ask in Yahoo Groups
> ts-520_820_530_830@yahoogroups.com
>
>
> Ruben Echevarria KA2HHB
> SKCC #2132 EPC#3390 070 Club#861
> 10-10 International Club #33308
> 30Meter Digital Group #1148
>
> _____
> From: Chris and Alex <alexandchrisp@...>
> To: kenwoodradio@yahoogroups.com
> Sent: Friday, February 27, 2009 9:05:47 PM
> Subject: [kw-radio] ts-520 RF board
>
> Hi Everyone,
>
> Does anyone know where I can get ferrite slugs for the RF board on a
> TS-520. I've got a couple that are damaged.
>
> Chris
>
> [Non-text portions of this message have been removed]
>
>

1128. Many HT Accessory items FS

Yahoo group: kenwoodradio
Date: 2009-03-28 16:14:06 UTC
From: Ken Simpson, W8EK
Topic: 1128 Message: 1128

Extensive list of HT accessories For Sale:

Accessories for Kenwood TH-215, 225, 235, etc. HTs:

PG-3 E DC Cord
This cord plugs into the cigarette lighter to provide 12 V DC
to the TH-215, TH-225, TH-415, and others. It has a filter
built in, and permits high power operation of the HTs. $20

SC-12 Vinyl Case
For TH-215, TH-225 and others, with room for the standard
PB-2 and PB-3 battery packs. Black color. Very nice
condition. $15

SC-13 Vinyl Case
For TH-215, TH-225 and others, with room for the larger PB-1 and
PB-4 battery packs. It can also be used with the smaller PB-2
and PB-3 packs. Black color. Great condition. $15

Bianchi Real Leather Case for TH-215, TH-225, etc.
For use with the larger PB-1 and PB-4 batteries, but can be used
with the smaller PB-2 and PB-3 batteries. This is real leather,
tan in color, and is in very nice condition. $25

BH-2 Belt Clip
Fits TR-2500, TR-2600, TH-215, TH-225, and many other Kenwood HTs.
Complete with hardware. $8

Belt Clip for TR-2400 HT
In great condition, complete with hardware. $8

Yaesu MH-12 A2B Speaker Microphone
This speaker microphone has a 3.5 mm and a 2.5 mm plug
on it, molded together, as is used on many, many HTs.
It will fit many Yaesu, Icom, Alinco, Radio Shack and
other HTs.
This one works fine, and looks very close to new.
I can not find any defects on it. $20

Yaesu YM-24 A speaker mic.
Fits FT-207, 208, plus many others. It has the odd
little round connector on it like Yaesu, Wilson, and
others used in the 1970s and 80s. This particular unit
works fine, and looks great also. $20

Wrist Strap for Yaesu FT-209 - $4

Icom BC-35 desk charger
The BC-35 will fast charge the BP-2, BP-5, BP-7, and BP-8 battery packs. It will also charge the BP-3 and BP-4, but these take 12 to 15 hours. It works 100% and looks fine as well. $35

Accessory items for Kenwood TR-2400 and other HTs:

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and maybe others. This one looks fine and works fine. $16

Belt clip for TR-2400 HT
In great condition, complete with hardware - $8

Original Operators manual for Kenwood TR-2400 - $15

Battery charge cable for Kenwood TR-2400 HT
To charge battery outside of HT; uses original charger. It is in good shape, and works fine. $3

Wrist strap - I think it fits most Kenwood (and likely other) HTs - $4

Antenna adapter to fit the BNC connector on the HT and provide an SO-239 connector that will permit a PL-259 to be attached. This can be used with any HT that has a BNC connector. $5

UHF Male (PL-259) to BNC female (opposite of above) $5

Belt Clips and Wrist Straps for various HTs:

Belt Clips for various HTs - All include hardware.
$8 each
Kenwood BH-2 for TR-2500, TR-2600, TH-215, TH-225 and others
Kenwood TR-2400
Motorola

Wrist Straps for various HTs
$4 each
Kenwood TR-2400
Kenwood TH-21/31/41
Yaesu FT-209

Santec HT items:

Leather Case for Santec HT
This is a real Bianchi Leather case -- not a vinyl case. It fits most of the Santec HTs, such as the HT-1200, ST-142, ST-144, ST-440, etc. The real leather case includes a built in belt clip, plus a removable leather shoulder strap.
The case itself is in very nice shape. The leather

shoulder strap has not been used. $22

Santec ST-142/144 "Service Pack"
This is similar to a service manual, but Santec calls it a
service pack. It has schematics, circuit explanations,
voltages, etc. $18

Battery charge adapter for Azden PCS-300 HT For Sale:
This is an adapter that permits one to charge the battery of the
Azden PCS-300, 2 meter HT, outside of the HT itself. Usually,
one must have the battery inside the HT, but this lets you charge
a second battery outside of the HT. The original charger is used.
If you have a PCS-300 HT, you need this adapter.
It works fine, and looks like new. $3

Rubber Duck Antennas for your HT:

All are for 2 meters, are in very nice condition, and
are $10 each, unless stated otherwise.

BNC Connector - 7 inches long

5/16 inch threaded, as used by Motorola and others
Regular, 5.7 inches long
Stubby, 4 inches long

Type F connector, 6.5 inches long

PL-259 connector, 6.5 inches long
HyGain 275, still sealed in original packaging
from when I bought it 20 or 25 years ago

PL-259 connector - Stubby, 4.6 inches long
Centurion, still sealed in original package
from when I bought it 20 or 25 years ago

Special Rubber Duck antennas for Kenwood TH-21 series
2 meter HTs with the threaded connector
Kenwood RA-6 regular, 6.6 inches long
As above but for TH-41 HT, 440 MHz, Stubby, $15

Alinco EA-0085 for 220 MHz
BNC connector, 5.6 inches long

Original Manuals for Kenwood rigs:

All are original Kenwood manuals in very nice condition.

Operating manual for TH-21 A / AT HT for 2 meters $8

Operating manual for TH-41A/BT/E, TH-31A/BT, TH-21A/BT/E
HTs for 440 MHz, 220 MHz and 2 meters $10
Service manual for TH-21 series $20

Operating manual for TH-215 / 315 / 415 HTs $12

Operating manual for TH-225, 2 meter HT $12

Operating manual for TR-2200, 2 meter "portable"
Similar to the Drake TR-22. $12

Operating manual for TR-2400, 2 meter HT $12

Operating manual for TR-2500, 2 meter HT $12

Operating manual for TR-2600, 2 meter HT $12
Service manual for TR-2600 $12

These are Kenwood Original Manuals only.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1129. DSP-100

Yahoo group: kenwoodradio
Date: 2009-04-04 12:38:32 UTC
From: paul
Topic: 1129 Message: 1129

Hi Does Anyone Have A DSP-100 For Sale As A Friend Of Mine Is Looking For One As He Is Interested In HIFI SSB Many Thanks Paul.

1130. Spanish Manual for Kenwood G-707 dual bander FS

Yahoo group: kenwoodradio
Date: 2009-04-10 12:07:42 UTC
From: Ken Simpson, W8EK
Topic: 1130 Message: 1130

For Sale:

I have a Spanish version of the Operating Manual
for the Kenwood G-707 dual band transceiver available.

This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.

It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood.

$10 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1131. TK-430 programming help please

Yahoo group: kenwoodradio
Date: 2009-04-14 16:34:38 UTC
From: David Paulino
Topic: 1131 Message: 1131

Haven't done it in awhile, how do put the Kenwood tk-430 into program mode..
Thanks

Dave

1132. TK-7160 and POCSAG paging?

Yahoo group: kenwoodradio
Date: 2009-04-16 19:29:04 UTC
From: gsp205
Topic: 1132 Message: 1132

Can you use this radio for a POCSAG paging radio? If so, are there any special settings, thanks in advance!!

1133. TM-201A Schematic

Yahoo group: kenwoodradio
Date: 2009-04-21 14:30:30 UTC
From: Mike (WM4B) Besemer
Topic: 1133 Message: 1133

Does anybody have a service manual for a TM-201A who would be willing to scan the schematics and email to me? I've downloaded and purchased a scanned copy of the manual, but the schematics are of pretty poor quality and pretty much unusable.

If so, please contact me off-list at mwbesemer(at)cox(dot)net.

73 es tnx,

Mike
WM4B

1134. TK730/830 single head remote

Yahoo group: kenwoodradio
Date: 2009-04-22 17:26:56 UTC
From: Billie Erin Walsh
Topic: 1134 Message: 1134

I apologize to those that are subscribed to more than one Kenwood list.

We have everything we need to remote these two radios with a single head _EXCEPT_ the head, or circuit board, for the radio that connects the two together. This is the one with the connection for the second radio.

--

Life is what happens while you're busy making other plans.

1135. Original Kenwood Manuals FS

Yahoo group: kenwoodradio
Date: 2009-05-23 13:00:22 UTC
From: Ken Simpson, W8EK
Topic: 1119 Message: 1135

Original Manuals for Kenwood rigs For Sale:

All are original Kenwood manuals in very nice condition.

Operating manual for TH-21 A / AT HT for 2 meters $8

Operating manual for TH-41A/BT/E, TH-31A/BT, TH-21A/BT/E
HTs for 440 MHz, 220 MHz and 2 meters $10

Service manual for TH-21 series $20

Operating manual for TH-215 / 315 / 415 HTs $12

Operating manual for TH-225, 2 meter HT $12

Operating manual for TM-221 / 421 mobile $15

Operating manual for TR-2200, 2 meter "portable"
Similar to the Drake TR-22. $12

Operating manual for TR-2400, 2 meter HT $12

Operating manual for TR-2500, 2 meter HT $12

Operating manual for TR-2600, 2 meter HT $12
Service manual for TR-2600 $12

Operating manual for TS-120, HF transceiver $18

Operating manual for TW-4000 dual bander $15
Service Manual for TW-4000 $20

All of the above are in the English language.

Spanish version of the Operating Manual
for the Kenwood G-707 dual band transceiver
This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood. $10

Original Manuals for Kenwood Accessories:

Operating manual for BC-5 DC charger/adapter $4

Operating manual for MC-30 and MC-35 hand microphone $5

Operating manual for MC-85 desk microphone $4

Operating manual for PS-30 power supply $5

Operating manual for SMC-24 speaker mic $4

Operating manual for SMC-25 speaker mic $4

These are Kenwood Original Manuals only.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1136. CW Filter Kenwood TS 570

Yahoo group: kenwoodradio
Date: 2009-06-09 15:47:30 UTC
From: Bert Morton
Topic: 1136 Message: 1136

I have installed a 500 hz. CW filter in my TS- 570.

I have it selected in the menu per the manual.

I can't say I can see any difference with or without the filter.

What am I missing ??

Thanks,

Bert W1DFU

1137. TS 950 SDX FULL LINE UP

Yahoo group: kenwoodradio
Date: 2009-06-12 17:10:51 UTC
From: paul
Topic: 1137 Message: 1137

Hi All Up For Sale Is A TS 950 SDX Full Line Up All In First Class Condition The 950 SDX Has All Filter Instaled Including The Inrad Roofing Filter Plus VS-2 DRU-2. + SM 230 Staion Monitor + SP 950 Speaker All With Original Boxs Accept The SP 950 Have All Original Mauals Plus Custom Made Cover For All Items Listed. The Buyer Would Have To Pay All Postage Costs From The UK As I Said All Items Are In First Class Condition Make Me AN Offer No Jokers Please All These Items Are Very Sort After Many Thanks Paul

1138. TK-780 Error constant "PROG 57600"

Yahoo group: kenwoodradio
Date: 2009-08-04 22:57:31 UTC
From: gsp205
Topic: 1138 Message: 1138

Got a 780 when it powers on it stays in firmware programming mode, "PROG 57600". When I program the firmware I get the wrong checksum, power it off and it does the same thing, any ideas?

1139. Re: [kw-radio] TK-780 Error constant "PROG 57600"

Yahoo group: kenwoodradio
Date: 2009-08-04 23:07:28 UTC
From: Evan Platt
Topic: 1138 Message: 1139

At 03:57 PM 8/4/2009, you wrote:
>Got a 780 when it powers on it stays in firmware programming mode,
>"PROG 57600". When I program the firmware I get the wrong checksum,
>power it off and it does the same thing, any ideas?

Sounds like you loaded a incorrect firmware on the radio? Do you have
an older firmware?

The Kenwood I had did the same thing, it would only take up to a
certain firmware. If I tried to load a newer firmware, it would
'take', but it would brick the radio.

1140. Kenwood 2 m HT and many accessories FS

Yahoo group: kenwoodradio
Date: 2009-09-16 23:43:47 UTC
From: Ken Simpson, W8EK
Topic: 1140 Message: 1140

Large variety of Kenwood Items For Sale:

Kenwood TH-215, 2 meter HT (plus public service band on receive)
Covers the 2 meter band with up to 7 W output power. Of course
it has memories, scan features, and the things one expects in
an HT. Subaudible (PL, CTCSS) tones are built in and can be
adjusted from the keypad. A 16 digit touchtone (DTMF) pad is
built in. It can be powered by the PG-3 E cord from 13 V DC
to provide full 7 watt output. It also has about 1 W output
in low power.
This one is in very nice condition. It includes a PB-2 battery,
rubber duck antenna, and paper work for $70.

BC-7 Desk Charger
This unit will fast charge PB-1, PB-2, PB-3, PB-4, and maybe
other Kenwood battery packs. It works fine and is in good
shape. $50

PG-3 E Cord
This cord plugs into the cigarette lighter to provide 12 V
DC to the TH-215, TH-225, TH-415, and other Kenwood HTs.
It has a filter built in, and permits high power operation
of the HTs. $20

SC-12 Vinyl Case
For TH-215, TH-225 and others, with room for the standard
PB-2 and PB-3 battery packs. Black color. Very nice
condition. $15

SC-13 Vinyl Case
For TH-215, TH-225 and others, with room for the larger PB-1
and PB-4 battery packs. It can also be used with the smaller
PB-2 and PB-3 battery packs, by putting a filler in the case.
Black color. In very nice condition. $15

Bianchi Real Leather Case for TH-215, TH-225, etc.
For use with the larger PB-1 and PB-4 batteries, but can be
used with the smaller PB-2 and PB-3 batteries. This is real
leather, tan in color, and is in very nice condition. $25

Belt Clips for various HTs
All include the hardware with the belt clip
$8 each
Kenwood BH-2 for TH-215, TH-225, TR-2500, TR-2600, and others
Kenwood TR-2400
Motorola
Yaesu FT-207

Yaesu FT-209

Wrist Straps for various HTs - $4 each
Kenwood TR-2400
Kenwood TH-21/31/41
Yaesu FT-209

Accessories specific to the Kenwood TR-2400 HT:

Belt clip for TR-2400 HT, complete with hardware - $8

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine
and works fine. $18

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of
the Kenwood TR-2400, 2 meter HT, outside of the HT itself.
Usually, one must have the battery inside the HT, but this
lets you charge a second battery outside of the HT. The
original charger is used.
It is in good shape, and works fine. $3

Wrist strap fits most Kenwood (and maybe other) HTs - $4

Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached.
This adapter can be used on any HT with a BNC connector. $5

Rubber Duck antennas for your HT.
All are for 2 meters, are in good condition,
and are $10 each, unless stated otherwise.

5/16 inch threaded, like used by Motorola and others
Regular - 5.7 inches long
Stubby - 4 inches long

Type F connector - 6.5 inches long

PL-259 connector - 6.5 inches long
HyGain 275, still in original packaging

PL-259 connector - Stubby - 4.6 inches long
Centurion, still in original package

Special for Kenwood TH-21 HT threaded connector
Kenwood RA-6 regular, 6.6 inches long - $15

Alinco Stubby w/BNC Connector, 4.6 inches long

Alinco 220 MHz, w/BNC, 6 inches long

BNC Stubby for 440 MHz, 3 inches long
BNC regular for 440 MHz, 6.5 inches long

Astatic D-104 "Lollypop" Desk Microphone

The D-104 is the "Lollypop" microphone that matches many of the older rigs, and is often seen pictured with them. It looks somewhat like a giant chrome plated lollypop, stuck into a black base. The chrome PTT switch is a bar that is parallel to the "stick" of the lollypop. This one also has a PTT switch on the base, in addition to the one on the side.

This particular D-104 is in extremely nice condition. Of course it works fine. Cosmetically, it is extremely nice. The chrome seems perfect, with no scratches or defects of any sort. The black base has a couple of very minor wear marks, but they are very slight. It presently has a 4 pin connector wired for TenTec, but that obviously could be changed. $75

Original Kenwood Manuals:

All manuals are in very nice, close to new condition, for Kenwood radios.

Operating manual for TW-4000 dual bander $15

Service manual for TW-4000 dual bander $20

Operating manual for TH-21 A / AT HT for 2 meters $8

Service manual for TH-21 series HTs $20

Operating manual for TH-41A/BT/E, TH-31A/BT, TH-21A/BT/E HTs for 440 MHz, 220 MHz and 2 meters $10

Operating manual for TH-225, 2 meter HT - Good condition $12

Operating manual for TM-221/421 mobile $15

Operating manual for TH-241 / 441 / 541 mobile FM transceivers For 2 meters, 440 MHz, and 1200 MHz. $ 12

Operating manual for TR-2200, 2 meter "portable" This is very similar to the Drake TR-22. $15

Operating manual for TR-2400, 2 meter HT $12

Operating manual for TR-2500, 2 meter HT $14

Operating manual for TR-2600, 2 meter HT $12

Service Manual for TR-2600, 2 meter HT $15

The above are all in English.

Spanish version of the Operating Manual for the Kenwood G-707 dual band transceiver

This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood. $10

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1141. Many Kenwood Accessories, plus many manuals

Yahoo group: kenwoodradio
Date: 2009-10-02 13:31:11 UTC
From: Ken Simpson, W8EK
Topic: 1141 Message: 1141

Large variety of Kenwood Items For Sale:

Kenwood MB-4000 Mobile Bracket
This mobile bracket is made to be used with the Kenwood
TW-4000 dual band transceiver, and possibly other rigs
as well.
This one is in good shape, with the paper work and hardware.
$15

Astatic D-104 "Lollypop" Desk Microphone

The D-104 is the "Lollypop" microphone that matches many
of the older rigs, and is often seen pictured with them.
It looks somewhat like a giant chrome plated lollypop,
stuck into a black base. The chrome PTT switch is a bar
that is parallel to the "stick" of the lollypop. This
one also has a PTT switch on the base, in addition to
the one on the side.

This particular D-104 is in extremely nice condition.
Of course it works fine. Cosmetically, it is extremely
nice. The chrome seems perfect, with no scratches or
defects of any sort. The black base has a couple of very
minor wear marks, but they are very slight. It presently
has a 4 pin connector, but that obviously could be changed.
$75

Generic Hand Microphone
This is a low impedance hand microphone, black in color.
It is presently has an 8 pin round connector, wired for
Kenwood. $25
As above, with no connector. $22

Regular hand microphone
Electret Condenser microphone
Generic Black mic, with gray PTT bar. Requires polarizing
voltage. $25

Lafayette EAM-15 dynamic hand microphone
2000 ohm impedance can be used any place a dynamic mic is needed.
Stripped and tinned leads.
It works fine, and looks good also. $25

SC-13 Vinyl Case
For TH-215, TH-225 and others, with room for the larger PB-1
and PB-4 battery packs. It can also be used with the smaller
PB-2 and PB-3 battery packs, by putting a filler in the case.

Black color. In very nice condition. $15

Bianchi Real Leather Case for TH-215, TH-225, etc.
For use with the larger PB-1 and PB-4 batteries, but can be
used with the smaller PB-2 and PB-3 batteries. This is real
leather, tan in color, and is in very nice condition. $25

Belt Clips for various HTs
All include the hardware with the belt clip
$8 each
Kenwood TR-2400
Motorola
Yaesu FT-207

Wrist Straps for various HTs - $4 each
Kenwood TR-2400
Yaesu FT-209

Accessories specific to the Kenwood TR-2400 HT:

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine
and works fine. $18

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of
the Kenwood TR-2400, 2 meter HT, outside of the HT itself.
Usually, one must have the battery inside the HT, but this
lets you charge a second battery outside of the HT. The
original charger is used.
It is in good shape, and works fine. $3

Belt clip for TR-2400 HT, complete with hardware $8

Wrist strap $4

Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached.
This adapter can be used on any HT with a BNC connector. $5

Original Kenwood Manuals:

All manuals are original, in very nice, close to new
condition, for Kenwood radios.

Operating manuals for Kenwood Accessories:
BC-5 DC charger/adapter $4
HS-5 Headphones $4
LF-30A Low Pass Filter $5
MC-30 and MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, and PB-4 battery packs $3
PS-6 power supply $6

PS-30 power supply $5
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-230 speaker $4
SP-430 speaker $4
SP-520 speaker $4
SW-2000 SWR Bridge $5
YG-3395C CW Filter $3
YK-88SN Narrow SSB Filter $4

Operating manual for TW-4000 dual bander $15

Service manual for TW-4000 dual bander $20

Operating manual for TH-21 A / AT HT for 2 meters $8

Service manual for TH-21 series HTs $20

Operating manual for TH-41A/BT/E, TH-31A/BT, TH-21A/BT/E
HTs for 440 MHz, 220 MHz and 2 meters $10

Operating manual for TH-225, 2 meter HT - Good condition $12

Operating manual for TM-221/421 mobile $15

Operating manual for TH-241 / 441 / 541 mobile FM transceivers
For 2 meters, 440 MHz, and 1200 MHz. $ 12

Operating manual for TR-2200, 2 meter "portable"
This is very similar to the Drake TR-22. $15

Operating manual for TR-2400, 2 meter HT $12

Operating manual for TR-2500, 2 meter HT $14

Operating manual for TR-2600, 2 meter HT $12

Service Manual for TR-2600, 2 meter HT $15

The above are all in English.

Spanish version of the Operating Manual
for the Kenwood G-707 dual band transceiver
This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood. $10

Rubber Duck antennas for your HT.
All are for 2 meters, are in good condition,
and are $10 each, unless stated otherwise.

5/16 inch threaded, like used by Motorola and others
Regular - 5.7 inches long

Stubby - 4 inches long

Type F connector - 6.5 inches long

PL-259 connector - 6.5 inches long
HyGain 275, still in original packaging

PL-259 connector - Stubby - 4.6 inches long
Centurion, still in original package

Special for Kenwood TH-21 HT threaded connector
Kenwood RA-6 regular, 6.6 inches long - $15

Alinco Stubby w/BNC Connector, 4.6 inches long

Alinco 220 MHz, w/BNC, 6 inches long

BNC Stubby for 440 MHz, 3 inches long
BNC regular for 440 MHz, 6.5 inches long

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1142. Kenwood Mic, Battery Case, HT cases, Original Manuals, etc. FS

Yahoo group: kenwoodradio
Date: 2009-10-23 17:47:28 UTC
From: Ken Simpson, W8EK
Topic: 1142 Message: 1142

Large variety of Kenwood Items For Sale:

Kenwood MC-30 S hand microphone
This is a 500 ohm (low Z) noise canceling hand microphone
with a 4 pin connector on it. It fits most any of the
Kenwood rigs using a four pin plug, such as the TS-120,
TS-130, TS-520, TS-530, TS-820, TS-830, and others.
It is in nice shape, with paper work, for $35.

Kenwood BT-13 Battery Case
This is a battery case for the Kenwood TH-F6A HT, and
maybe others. One can add 4 AA cells to it, and power
the HT. Alkaline cells can be used, but so can NiMH
cells, which have a very high capacity.
This BT-13 is new, never used. They list for $32,
but you can have this one for $22.

Kenwood SC-13 Vinyl HT Case
For TH-215, TH-225 and others, with room for the larger PB-1
and PB-4 battery packs. It can also be used with the smaller
PB-2 and PB-3 battery packs, by putting a filler in the case.
Black color. In very nice condition. $15

Bianchi Real Leather Case for TH-215, TH-225, etc. HTs
For use with the larger PB-1 and PB-4 batteries, but can be
used with the smaller PB-2 and PB-3 batteries. This is real
leather, tan in color, and is in very nice condition. $25

Belt Clips for various HTs
All include the hardware with the belt clip. $8 each
Kenwood TR-2400
Motorola
Yaesu FT-207

Wrist Straps for various HTs. $4 each
Kenwood TR-2400
Yaesu FT-209

Accessories specific to the Kenwood TR-2400 HT:

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine
and works fine. $18

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of
the Kenwood TR-2400, 2 meter HT, outside of the HT itself.

Usually, one must have the battery inside the HT, but this
lets you charge a second battery outside of the HT. The
original charger is used.
It is in good shape, and works fine. $3

Belt clip for TR-2400 HT, complete with hardware $8

Wrist strap $4

Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached.
This adapter can be used on any HT with a BNC connector. $5

Kenwood MB-4000 Mobile Bracket
This mobile bracket is made to be used with the Kenwood
TW-4000 dual band transceiver, and possibly other rigs
as well.
This one is in good shape, with the paper work and hardware.
$15

Original Kenwood Manuals:

All manuals are original, in very nice, close to new
condition, for Kenwood radios.

Operating manuals for Kenwood Accessories:
BC-5 DC charger/adapter $4
HS-5 Headphones $4
LF-30A Low Pass Filter $5
MC-30 and MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, and PB-4 battery packs $3
PS-6 power supply $6
PS-30 power supply $5
SMC-24 speaker mic $4
SMC-25 speaker mic $4
YK-88SN Narrow SSB Filter $4

Operating manual for TW-4000 dual bander $15

Service manual for TW-4000 dual bander $20

Operating manual for TH-21 A / AT HT for 2 meters $8

Service manual for TH-21 series HTs $20

Operating manual for TH-41A/BT/E, TH-31A/BT, TH-21A/BT/E
HTs for 440 MHz, 220 MHz and 2 meters $10

Operating manual for TH-225, 2 meter HT - Good condition $12

Operating manual for TM-221/421 mobile $15

Operating manual for TH-241 / 441 / 541 mobile FM transceivers
For 2 meters, 440 MHz, and 1200 MHz. $ 12

Operating manual for TR-2200, 2 meter "portable"
This is very similar to the Drake TR-22. $15

Operating manual for TR-2400, 2 meter HT $12

Operating manual for TR-2500, 2 meter HT $14

Operating manual for TR-2600, 2 meter HT $12

Service Manual for TR-2600, 2 meter HT $15

The above are all in English.

Spanish version of the Operating Manual
for the Kenwood G-707 dual band transceiver
This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood. $10

Rubber Duck antennas for your HT.
All are for 2 meters, are in good condition,
and are $10 each, unless stated otherwise.

5/16 inch threaded, like used by Motorola and others
Regular - 5.7 inches long
Stubby - 4 inches long

Type F connector - 6.5 inches long

PL-259 connector - 6.5 inches long
HyGain 275, still in original packaging

PL-259 connector - Stubby - 4.6 inches long
Centurion, still in original package

Special for Kenwood TH-21 HT threaded connector
Kenwood RA-6 regular, 6.6 inches long - $15

Alinco Stubby w/BNC Connector, 4.6 inches long

BNC Stubby for 440 MHz, 3 inches long
BNC regular for 440 MHz, 6.5 inches long

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1143. A Variety of Kenwood Items FS

Yahoo group: kenwoodradio
Date: 2009-11-07 13:00:22 UTC
From: Ken Simpson, W8EK
Topic: 1143 Message: 1143

Kenwood Items For Sale:

Paper items with Kenwood Logo:

Kenwood Log Book
Completely unused, new condition. It has standard log book pages, with a world map on the inside cover, and a DXCC list (as of 1987) in the back. Cover is a silver color with the Kenwood Logo. $8

World Map with Kenwood Logo
This map is laminated, and lists DXCC Countries, as of 1985. Obviously, it is not completely up to date, but still is a very nice map. Like new. $5

Kenwood MB-4000 Mobile Bracket
This mobile bracket is made to be used with the Kenwood TW-4000 dual band transceiver, and possibly other rigs as well.
This one is in good shape, with the paper work and hardware.
$15

Bianchi Real Leather Case for TH-215, TH-225, etc. HTs
For use with the larger PB-1 and PB-4 batteries, but can be used with the smaller PB-2 and PB-3 batteries. This is real leather, tan in color, and is in very nice condition. $25

Belt Clips for various HTs
All include the hardware with the belt clip. $8 each
Kenwood TR-2400
Motorola
Yaesu FT-207

Wrist Straps for various HTs. $4 each
Kenwood TR-2400
Yaesu FT-209

Palomar Engineers IC Keyer
This keyer includes a sidetone with speaker built in. It also will operate in either full automatic mode (like most keyers), or in semiautomatic mode (like a bug). The 9 Volt battery is external, so it can be changed easily. This one works great. $45

Cables for CW Straight Key and for CW Paddles:

Cable for straight key
About 3 feet long, with a mono 1/4 inch phone plug on it,
as is used with a straight key. $5
As above, but 1/8 inch (3.5 mm) plug. $5

Cable for paddles
About 3 feet long, and with a 1/4 inch stereo connector
on the end, like used by most rigs. $8
As above, but 1/8 inch (3.5 mm) plug $8

Accessories specific to the Kenwood TR-2400 HT:

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine
and works fine. $18

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of
the Kenwood TR-2400, 2 meter HT, outside of the HT itself.
Usually, one must have the battery inside the HT, but this
lets you charge a second battery outside of the HT. The
original charger is used.
It is in good shape, and works fine. $3

Belt clip for TR-2400 HT, complete with hardware $8

Wrist strap $4

Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached.
This adapter can be used on any HT with a BNC connector. $5

Original Kenwood Manuals:

All manuals are original, in very nice, close to new
condition, for Kenwood radios.

Operating manuals for Kenwood Accessories:
BC-5 DC charger/adapter $4
HS-5 Headphones $4
LF-30A Low Pass Filter $5
MC-30 and MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, and PB-4 battery packs $3
PS-6 power supply $6
PS-30 power supply $5
SMC-24 speaker mic $4
SMC-25 speaker mic $4
YK-88SN Narrow SSB Filter $4

Operating manual for TW-4000 dual bander $15

Service manual for TW-4000 dual bander $20

Operating manual for TH-21 A / AT HT for 2 meters $8

Service manual for TH-21 series HTs $20

Operating manual for TH-41A/BT/E, TH-31A/BT, TH-21A/BT/E
HTs for 440 MHz, 220 MHz and 2 meters $10

Operating manual for TH-225, 2 meter HT - Good condition $12

Operating manual for TM-221/421 mobile $15

Operating manual for TH-241 / 441 / 541 mobile FM transceivers
For 2 meters, 440 MHz, and 1200 MHz. $ 12

Operating manual for TR-2200, 2 meter "portable"
This is very similar to the Drake TR-22. $15

Operating manual for TR-2400, 2 meter HT $12

Operating manual for TR-2500, 2 meter HT $14

Operating manual for TR-2600, 2 meter HT $12

Service Manual for TR-2600, 2 meter HT $15

The above are all in English.

Spanish version of the Operating Manual
for the Kenwood G-707 dual band transceiver
This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood. $10

Rubber Duck antennas for your HT.
All are for 2 meters, are in good condition,
and are $10 each, unless stated otherwise.

5/16 inch threaded, like used by Motorola and others
Regular - 5.7 inches long
Stubby - 4 inches long

Type F connector - 6.5 inches long

PL-259 connector - 6.5 inches long
HyGain 275, still in original packaging

PL-259 connector - Stubby - 4.6 inches long
Centurion, still in original package

Special for Kenwood TH-21 HT threaded connector
Kenwood RA-6 regular, 6.6 inches long - $15

Alinco Stubby w/BNC Connector, 4.6 inches long

BNC Stubby for 440 MHz, 3 inches long

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1144. Kenwood 3 conductor cable FS

Yahoo group: kenwoodradio
Date: 2009-11-11 23:27:18 UTC
From: Ken Simpson, W8EK
Topic: 1144 Message: 1144

For Sale:

Kenwood 3 conductor power connector and cable

This power connector is used on the Kenwood TR-2200, TR-9000 back up, and I think on the TR-9130 and others.

The connector has three female connections. If one looks at the connector, it looks like a square, just a bit less than 1/2 inch on a side, but with the two bottom corners cut off. There is one conductor at the bottom and two at the top. The cable is about 2 1/2 feet long, with red and black conductors for the plus and minus.

These were used quite a bit 25 or 30 years ago, but they are virtually impossible to find today. They probably were used on many other rigs that what I listed above, but I specifically remember those.

This one is in good shape for $12 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1145. Re: [kw-radio] Kenwood 3 conductor cable FS

Yahoo group: kenwoodradio
Date: 2009-11-12 00:06:34 UTC
From: David Rogers
Topic: 1144 Message: 1145

I'll take that cable.

Thanks,

David, WA7ZYQ

----- Original Message -----
From: Ken Simpson, W8EK
To: Kenwood at Yahoo ; KenwoodRadio
Sent: Wednesday, November 11, 2009 3:27 PM
Subject: [kw-radio] Kenwood 3 conductor cable FS

For Sale:

Kenwood 3 conductor power connector and cable

This power connector is used on the Kenwood TR-2200, TR-9000 back up, and I think on the TR-9130 and others.

The connector has three female connections. If one looks at the connector, it looks like a square, just a bit less than 1/2 inch on a side, but with the two bottom corners cut off. There is one conductor at the bottom and two at the top. The cable is about 2 1/2 feet long, with red and black conductors for the plus and minus.

These were used quite a bit 25 or 30 years ago, but they are virtually impossible to find today. They probably were used on many other rigs that what I listed above, but I specifically remember those.

This one is in good shape for $12 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

[Non-text portions of this message have been removed]

1146. Re: [kw-radio] Kenwood 3 conductor cable FS

Yahoo group: kenwoodradio
Date: 2009-11-12 00:13:28 UTC
From: Ken Simpson, W8EK
Topic: 1144 Message: 1146

Hi David,

The cable is available and now has your name on it.

Shipping will be about $3.

Please confirm and send $15 to
Ken Simpson, W8EK
8400 NW 115th Avenue
Ocala, FL 34482-1014

A postal money order is best, but a personal check is OK
if you do not mind waiting. The bank has been putting a 10
day hold on anything other than a postal money order.

Thanks.

73,

Ken, W8EK

Ken Simpson, W8EK
E-Mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

David Rogers wrote, On 11/11/2009 7:06 PM:
> I'll take that cable.
>
> Thanks,
>
> David, WA7ZYQ
>
> ----- Original Message -----
> From: Ken Simpson, W8EK
> To: Kenwood at Yahoo ; KenwoodRadio
> Sent: Wednesday, November 11, 2009 3:27 PM
> Subject: [kw-radio] Kenwood 3 conductor cable FS
>
> For Sale:
>
> Kenwood 3 conductor power connector and cable
>
> This power connector is used on the Kenwood TR-2200,
> TR-9000 back up, and I think on the TR-9130 and others.
>
> The connector has three female connections. If one
> looks at the connector, it looks like a square, just

> a bit less than 1/2 inch on a side, but with the two
> bottom corners cut off. There is one conductor at
> the bottom and two at the top. The cable is about
> 2 1/2 feet long, with red and black conductors for
> the plus and minus.
>
> These were used quite a bit 25 or 30 years ago, but
> they are virtually impossible to find today. They
> probably were used on many other rigs that what I
> listed above, but I specifically remember those.
>
> This one is in good shape for $12 plus shipping from
> Florida.
>
> Thanks.
>
> 73,
>
> Ken, W8EK
>
> Ken Simpson
> E-mail to W8EK@... or W8EK@...
> Voice Phone (352) 732-8400
>
>
>

1147. Re: [kw-radio] Kenwood 3 conductor cable FS

Yahoo group: kenwoodradio
Date: 2009-11-12 02:25:11 UTC
From: David Rogers
Topic: 1144 Message: 1147

I will get a postal money order off to you today. My shipping address (my office) is:

David Rogers
720 W. College Ave
St. Maries ID 83861

Thanks,

David, WA7ZYQ

----- Original Message -----
From: Ken Simpson, W8EK
To: kenwoodradio@yahoogroups.com
Sent: Wednesday, November 11, 2009 4:13 PM
Subject: Re: [kw-radio] Kenwood 3 conductor cable FS

Hi David,

The cable is available and now has your name on it.

Shipping will be about $3.

Please confirm and send $15 to
Ken Simpson, W8EK
8400 NW 115th Avenue
Ocala, FL 34482-1014

A postal money order is best, but a personal check is OK
if you do not mind waiting. The bank has been putting a 10
day hold on anything other than a postal money order.

Thanks.

73,

Ken, W8EK

Ken Simpson, W8EK
E-Mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

David Rogers wrote, On 11/11/2009 7:06 PM:
> I'll take that cable.
>
> Thanks,
>
> David, WA7ZYQ
>

> ----- Original Message -----
> From: Ken Simpson, W8EK
> To: Kenwood at Yahoo ; KenwoodRadio
> Sent: Wednesday, November 11, 2009 3:27 PM
> Subject: [kw-radio] Kenwood 3 conductor cable FS
>
> For Sale:
>
> Kenwood 3 conductor power connector and cable
>
> This power connector is used on the Kenwood TR-2200,
> TR-9000 back up, and I think on the TR-9130 and others.
>
> The connector has three female connections. If one
> looks at the connector, it looks like a square, just
> a bit less than 1/2 inch on a side, but with the two
> bottom corners cut off. There is one conductor at
> the bottom and two at the top. The cable is about
> 2 1/2 feet long, with red and black conductors for
> the plus and minus.
>
> These were used quite a bit 25 or 30 years ago, but
> they are virtually impossible to find today. They
> probably were used on many other rigs that what I
> listed above, but I specifically remember those.
>
> This one is in good shape for $12 plus shipping from
> Florida.
>
> Thanks.
>
> 73,
>
> Ken, W8EK
>
> Ken Simpson
> E-mail to W8EK@... or W8EK@...
> Voice Phone (352) 732-8400
>
>
>

[Non-text portions of this message have been removed]

1148. Kenwood TH-21 HT, accessories, plus many other items FS

Yahoo group: kenwoodradio
Date: 2009-11-20 14:09:28 UTC
From: Ken Simpson, W8EK
Topic: 1148 Message: 1148

For Sale:

Kenwood TH-21 AT 2 meter HT
This compact HT has thumbwheel switches to select the operating frequency. It has a touchtone pad on it, and is extremely simple to operate. You likely will not need to read to manual to use this one! The HT has about 1.5 watts output in high power and about 1/4 W in low, and a decent receiver.
This one has a battery case that has dead cells; a new insert is needed. I tested it with a battery pack from one of my other units.
This particular HT works fine. Cosmetically it is fairly good, but does have the "7" digit in the right most thumbwheel worn off. Other digits are fine.
It includes a rubber duck, and paper work for $35.

Accessories for Kenwood TH-21/31/41 series HTs:

Kenwood PB-21 battery pack for TH-21/31/41 series HTs
This battery pack does not hold a charge. Physically it is fine, but it needs a new "insert". Or use it to build a DC pack, or other project. With paper work for $8

Kenwood PB-21 H battery pack
As above, but heavy duty pack; needs insert.
With paper work for $12.

Kenwood BC-2 Wall wort charger for use with the PB-21 H Battery pack
With the 2.1 mm coaxial connector to charge the larger battery pack. $15

Antenna adapter for Kenwood TH-21/31/41 HTs
Adapts the antenna connector found on these HTs to a standard PL-259 connector. $6

Kenwood RA-6 Special 2 meter rubber duck antenna for Kenwood TH-21 HT with threaded connector, standard 6.6 inches long. $15

Kenwood BH-2 Belt Clip for the TH-21/31/41 series HTs
Complete with mounting hardware. $8

Original Service manual for TH-21 AT, plus most of the TH-21/31/41 accessories such as DC-21, EP-2, TU-6, etc. $20

Original Operating manual for TH-21 HT for 2 meters $8

Original Operating manual for TH-41A/BT/E, TH-31A/BT,
TH-21A/BT/E HTs for 440 MHz, 220 MHz and 2 meters $10

Other Kenwood Items For Sale:

Paper items with Kenwood Logo:

Kenwood Log Book
Completely unused, new condition. It has standard log
book pages, with a world map on the inside cover, and
a DXCC list (as of 1987) in the back. Cover is a
silver color with the Kenwood Logo. $8

World Map with Kenwood Logo
This map is laminated, and lists DXCC Countries, as
of 1985. Obviously, it is not completely up to date,
but still is a very nice map. Like new. $5

Kenwood MB-4000 Mobile Bracket
This mobile bracket is made to be used with the Kenwood
TW-4000 dual band transceiver, and possibly other rigs
as well.
This one is in good shape, with the paper work and hardware.
$15

Kenwood SC-13 Vinyl Case
For TH-215, TH-225 and others, with room for the larger
PB-1 and PB-4 battery packs. It can also be used with
the smaller PB-2 and PB-3 packs. Black color. Great
condition. $15

Bianchi Real Leather Case for Kenwood TH-215, TH-225, etc. HTs
For use with the larger PB-1 and PB-4 batteries, but can be
used with the smaller PB-2 and PB-3 batteries. This is real
leather, tan in color, and is in very nice condition. $25

Belt Clips for various HTs
All include the hardware with the belt clip. $8 each
Kenwood BH-2 for Kenwood TH-21/31/41 series HTs
Kenwood TR-2400
Motorola
Yaesu FT-207

Wrist Straps for various HTs. $4 each
Kenwood TR-2400
Yaesu FT-209

Accessories specific to the Kenwood TR-2400 HT:

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine
and works fine. $18

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually, one must have the battery inside the HT, but this lets you charge a second battery outside of the HT. The original charger is used.
It is in good shape, and works fine. $3

Belt clip for TR-2400 HT, complete with hardware $8

Wrist strap $4

Antenna adapter to fit the BNC connector on the HT and provide an SO-239 connector that will permit a PL-259 to be attached. This adapter can be used on any HT with a BNC connector. $5

Original Kenwood Manuals:

All manuals are original, in very nice, close to new condition, for Kenwood radios.

Operating manuals for Kenwood Accessories:
BC-5 DC charger/adapter $4
DC-21 adapter for 12 V DC for TH-21 series HTs $3
HS-5 Headphones $4
LF-30A Low Pass Filter $5
MC-30 and MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, and PB-4 battery packs $3
PB-21 or PB-21 H Battery Packs $2
PS-6 power supply $6
PS-30 power supply $5
SC-8 T, soft case for TH-21 series HTs $2
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $4
YK-88SN Narrow SSB Filter $4

Operating manual for TW-4000 dual bander $15

Service manual for TW-4000 dual bander $20

Operating manual for TH-21 A / AT HT for 2 meters $8

Service manual for TH-21 series HTs, plus most accessories for this series HT $20

Operating manual for TH-41A/BT/E, TH-31A/BT, TH-21A/BT/E HTs for 440 MHz, 220 MHz and 2 meters $10

Operating manual for TH-225, 2 meter HT $12

Operating manual for TM-221/421 mobile $15

Operating manual for TM-241 / 441 / 541 mobile FM transceivers
For 2 meters, 440 MHz, and 1200 MHz. $ 12

Operating manual for TR-2200, 2 meter "portable"
This is very similar to the Drake TR-22. $15

Operating manual for TR-2400, 2 meter HT $12

Operating manual for TR-2500, 2 meter HT $14

Operating manual for TR-2600, 2 meter HT $12

Service Manual for TR-2600, 2 meter HT $15

Operating Manual for TR-9130 multimode 2 m $15

The above are all in English.

Spanish version of the Operating Manual
for the Kenwood G-707 dual band transceiver
This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood. $10

Rubber Duck antennas for your HT.
All are for 2 meters, are in good condition,
and are $10 each, unless stated otherwise.

5/16 inch threaded, like used by Motorola and others
Regular - 5.7 inches long
Stubby - 4 inches long

Type F connector - 6.5 inches long

PL-259 connector - 6.5 inches long
HyGain 275, still in original packaging

PL-259 connector - Stubby - 4.6 inches long
Centurion, still in original package

Special for Kenwood TH-21 HT threaded connector
Kenwood RA-6 regular, 6.6 inches long - $15

Alinco Stubby w/BNC Connector, 4.6 inches long

BNC Stubby for 440 MHz, 3 inches long

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1149. Wanted KPG99D Latest Versions

Yahoo group: kenwoodradio
Date: 2009-12-06 12:01:40 UTC
From: boost69psi
Topic: 1149 Message: 1149

gday all, can anyone do me a big favour and upload the latest version of kpg99d wich i believe is V1.42? maybe higher?the older software we found online doesnt work as we got wrong country code errors? we are in great need of it to program some radios we got from the auctions. so if anyone can kindly help me out it woudl be greatly appreciated . cheers to all who took time to read this.

Cheers
Boost

1150. Kenwood DTMF Mics, plus other mics, manuals and related items FS

Yahoo group: kenwoodradio
Date: 2010-01-02 19:03:59 UTC
From: Ken Simpson, W8EK
Topic: 1150 Message: 1150

Kenwood Items For Sale:

Kenwood MC-48, DTMF Touch Tone Microphone
Round, 8 pin connector, will go with any Kenwood rig taking
this kind of connector (TM-201, TM-211, TM-221, TM-231,
TM-241, TM-2530, TS-50, TS-430, TS-440, TS-570, TS-850, TS-870,
TS-930, TS-940, TS-950, TW-4000, etc.). Has UP and DOWN
switches and PTT, along with 16 digit touch tone pad.
It works fine, and includes paper work for $50.

Kenwood MC-46 DTMF Touch Tone Microphone
Touch tone DTMF microphone with 6 pin connector, as used on
TR-7730, TR-7800, TR-7850, TR-7930, TR-7950, TR-8400, TR-9000,
TR-9130, and others. Up-down switch on top. 16 digit touch
tone pad. This one works fine, and includes paper work for $45.

Other DTMF Microphones:

CES 655 L "Microdialer" DTMF Microphone
You can manual dial a number, or automatically have it
stored in the mic, and "speed dial" with this mic. 12
digit touch tone pad on the front, with the microphone
part above the pad. This one presently has a 4 pin plug
on it, but of course that can be changed. $35

CES 600 L, Universal DTMF microphone
This has a normal touch tone pad on the front, with
a low impedance microphone. This one has the 8 pin
modular plug (like a computer LAN) on it. This mic has
not been used, so it is in really great condition.
With paper work for $40.

Data Signal "Data-Coder 5" touch tone mic
This mic has a 12 digit touchtone pad on it, plus a
normal low impedance microphone. With 4 pin plug.
Like new. $38

Regular Hand Microphones:

Heath hand microphone
This is the black colored hand mic that was used on
the HW and SB series transceivers from 25 or 30 years ago.
It is a Hi Z mic. This particular mic is in good condition.
It works great, and looks OK cosmetically. It even includes
the mounting clip (which looks like it was never used).
This mic presently has stripped and tinned ends.
I have paper work for a Heath GH-12 A hand microphone with

it. $30

Shure 104 C, Low Z hand Microphone
This is a very heavy duty Shure mic. It appears to be new, with stripped and tinned ends that have never been on a connector. It is in its original box, with the original instruction manual. $30

Yaesu MH-1 B 8 dynamic hand microphone
This is the Yaesu hand microphone that has the round 8 pin connector on it. It will go with virtually any Yaesu rig that uses the round 8 pin connector. It has up, down, and fst switches, and well as a tone switch, in addition to the PTT switch.
This particular unit works fie. The front of it looks very good. The back has some minor defects, but nothing that effects operation. $30

Generic Hand Microphone
This is a low impedance hand microphone, black in color. It is presently has an 8 pin round connector, wired for Kenwood. $25
As above, with no connector. $22

Regular hand microphone
Electret Condenser microphone
Generic Black mic, with gray PTT bar. Requires polarizing voltage. $25

Lafayette EAM-15 dynamic hand microphone
2000 ohm impedance can be used any place a dynamic mic is needed. Stripped and tinned leads.
It works fine, and looks good also. $25

Accessories specific to the Kenwood TR-2400 HT:

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine and works fine. $18

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually, one must have the battery inside the HT, but this lets you charge a second battery outside of the HT. The original charger is used.
It is in good shape, and works fine. $3

Belt clip for TR-2400 HT, complete with hardware $8

Wrist strap $4

Antenna adapter to fit the BNC connector on the HT and provide an SO-239 connector that will permit a PL-259 to be attached. This adapter can be used on any HT with a BNC connector. $5

Other Kenwood Items For Sale:

Paper items with Kenwood Logo:

Kenwood Log Book
Completely unused, new condition. It has standard log book pages, with a world map on the inside cover, and a DXCC list (as of 1987) in the back. Cover is a silver color with the Kenwood Logo. $8

World Map with Kenwood Logo
This map is laminated, and lists DXCC Countries, as of 1985. Obviously, it is not completely up to date, but still is a very nice map. Like new. $5

Kenwood MB-4000 Mobile Bracket
This mobile bracket is made to be used with the Kenwood TW-4000 dual band transceiver, and possibly other rigs as well.
This one is in good shape, with the paper work and hardware. $15

Kenwood SC-13 Vinyl Case
For Kenwood TH-215, TH-225 and others, with room for the larger PB-1 and PB-4 battery packs. It can also be used with the smaller PB-2 and PB-3 packs. Black color. Great condition. $15

Bianchi Real Leather Case for Kenwood TH-215, TH-225, etc. HTs
For use with the larger PB-1 and PB-4 batteries, but can be used with the smaller PB-2 and PB-3 batteries. This is real leather, tan in color, and is in very nice condition. $25

Belt Clips for various HTs
All include the hardware with the belt clip. $8 each
Kenwood BH-2 for Kenwood TH-21/31/41 series HTs
Kenwood TR-2400
Motorola
Yaesu FT-207

Wrist Straps for various HTs. $4 each
Kenwood TR-2400
Yaesu FT-209

Original Kenwood Manuals:

All manuals are original, in very nice, close to new condition, for Kenwood radios.

Operating manuals for Kenwood Accessories:
BC-5 DC charger/adapter $4
DC-21 adapter for 12 V DC for TH-21 series HTs $3
HS-5 Headphones $4
LF-30A Low Pass Filter $5
MC-30 and MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, and PB-4 battery packs $3
PB-21 or PB-21 H Battery Packs $2
PS-6 power supply $6
PS-30 power supply $5
SC-8 T, soft case for TH-21 series HTs $2
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $4
YK-88SN Narrow SSB Filter $4

Operating manual for TW-4000 dual bander $15
Service manual for TW-4000 dual bander $20
Operating manual for TH-21 A / AT HT for 2 meters $8
Service manual for TH-21 AT, plus most of the TH-21/31/41
....accessories such as DC-21, EP-2, TU-6, etc. $20
Service manual for TH-41, with accessories as TH-21 above $20
Operating manual for TH-41A/BT/E, TH-31A/BT, TH-21A/BT/E
....HTs for 440 MHz, 220 MHz and 2 meters $10
Operating manual for TH-225, 2 meter HT $12
Operating manual for TM-221/421 mobile $15
Operating manual for TM-241 / 441 / 541 mobile FM transceivers
....For 2 meters, 440 MHz, and 1200 MHz. $ 12
Operating manual for TR-2200, 2 meter "portable"
....This is very similar to the Drake TR-22. $15
Operating manual for TR-2400, 2 meter HT $12
Operating manual for TR-2500, 2 meter HT $14
Operating manual for TR-2600, 2 meter HT $12
Service Manual for TR-2600, 2 meter HT $15
Operating Manual for TR-9130 multimode 2 m $15

The above are all in English.

Spanish version of the Operating Manual
for the Kenwood G-707 dual band transceiver
This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood. $10

Rubber Duck antennas for your HT.
All are for 2 meters, are in good condition,
and are $10 each, unless stated otherwise.

Regular BNC, about 6.5 inches long
Alinco Stubby w/BNC Connector, 4.6 inches long

5/16 inch threaded, like used by Motorola and others
Stubby - 4 inches long

Type F connector - 6.5 inches long

PL-259 connector - 6.5 inches long
HyGain 275, still in original packaging

PL-259 connector - Stubby - 4.6 inches long
Centurion, still in original package

BNC Stubby for 440 MHz, 3 inches long

Coaxial Antenna Switch:
B & W Model 550 A coax switch
This model will switch up to 5 antennas, and does NOT
ground unused antennas. It has the coax coming out the
sides like spokes of a wheel. This one has the optional
face place also. It will handle full legal limit.
This one works fine and looks fine as well. $40

Coax connectors and adapters
Prices are per connector. Several of each are available.
These are NOS (have not been used).

BNC male
standard type $2
crimp on type $3

Chassis mount BNC female square mount (uses 4 screws), $3
screw in type, $4

BNC 90 degree, female to male $3

BNC "T" - two female and one male $4

Antenna adapter to fit the BNC connector on the HT
and provide an SO-239 connector that will permit
a PL-259 to be attached. (BNC male to UHF female) $5

UHF Male (PL-259) to BNC female (opposite of above) $5

UHF double female "Barrel connector" (two SO-239 together) $3

Chassis Mount SO-239 connectors (square) $1

UHF "T" connector with two female (SO-239) and one male
(PL-259) connection $5

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1151. Kenwood items FS

Yahoo group: kenwoodradio
Date: 2010-01-12 22:18:24 UTC
From: Ken Simpson, W8EK
Topic: 933 Message: 1151

Kenwood Items For Sale:

Kenwood MC-48, DTMF Touch Tone Microphone
Round, 8 pin connector, will go with any Kenwood rig taking
this kind of connector (TM-201, TM-211, TM-221, TM-231,
TM-241, TM-2530, TS-50, TS-430, TS-440, TS-570, TS-850, TS-870,
TS-930, TS-940, TS-950, TW-4000, etc.). Has UP and DOWN
switches and PTT, along with 16 digit touch tone pad.
It works fine, and includes paper work for $50.

Kenwood MC-46 DTMF Touch Tone Microphone
Touch tone DTMF microphone with 6 pin connector, as used on
TR-7730, TR-7800, TR-7850, TR-7930, TR-7950, TR-8400, TR-9000,
TR-9130, and others. Up-down switch on top. 16 digit touch
tone pad. This one works fine, and includes paper work for $45.

Other DTMF Microphones:

CES 655 L "Microdialer" DTMF Microphone
You can manual dial a number, or automatically have it
stored in the mic, and "speed dial" with this mic. 12
digit touch tone pad on the front, with the microphone
part above the pad. This one presently has a 4 pin plug
on it, but of course that can be changed. $35

CES 600 L, Universal DTMF microphone
This has a normal touch tone pad on the front, with
a low impedance microphone. This one has the 8 pin
modular plug (like a computer LAN) on it. This mic has
not been used, so it is in really great condition.
With paper work for $40.

Data Signal "Data-Coder 5" touch tone mic
This mic has a 12 digit touchtone pad on it, plus a
normal low impedance microphone. With 4 pin plug.
Like new. $38

Regular Hand Microphones:

Generic Hand Microphone
This is a low impedance hand microphone, black in color.
It is presently has an 8 pin round connector, wired for
Kenwood. $25
As above, with no connector. $22

Regular hand microphone
Electret Condenser microphone

Generic Black mic, with gray PTT bar. Requires polarizing
voltage. $25

Lafayette EAM-15 dynamic hand microphone
2000 ohm impedance can be used any place a dynamic mic is
needed. Stripped and tinned leads.
It works fine, and looks good also. $25

Accessories for Kenwood TH-21 / 31 / 41 HTs:

Kenwood BH-2 Belt Clip for the TH-21/31/41 series HTs
Complete with mounting hardware. $8

Original Service manual for TH-21 AT (2 meter), plus most of the
TH-21/31/41 accessories such as DC-21, EP-2, TU-6, etc. $20

Original Operating manual for TH-21 HT for 2 meters $8

Original Service manual for TH-41 AT (440 MHz), plus most of the
TH-21/31/41 accessories such as DC-21, EP-2, TU-6, etc. $20

Accessories specific to the Kenwood TR-2400 HT:

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine
and works fine. $18

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of
the Kenwood TR-2400, 2 meter HT, outside of the HT itself.
Usually, one must have the battery inside the HT, but this
lets you charge a second battery outside of the HT. The
original charger is used.
It is in good shape, and works fine. $3

Belt clip for TR-2400 HT, complete with hardware $8

Wrist strap $4

Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached.
This adapter can be used on any HT with a BNC connector. $5

Other Kenwood Items For Sale:

World Map with Kenwood Logo
This map is laminated, and lists DXCC Countries, as
of 1985. Obviously, it is not completely up to date,
but still is a very nice map. Like new. $5

Kenwood MB-4000 Mobile Bracket
This mobile bracket is made to be used with the Kenwood
TW-4000 dual band transceiver, and possibly other rigs
as well.

This one is in good shape, with the paper work and hardware.
$15

Kenwood SC-13 Vinyl Case
For Kenwood TH-215, TH-225 and others, with room for the larger PB-1 and PB-4 battery packs. It can also be used with the smaller PB-2 and PB-3 packs. Black color. Great condition. $15

Belt Clips for various HTs
All include the hardware with the belt clip. $8 each
Kenwood BH-2 for Kenwood TH-21/31/41 series HTs
Kenwood TR-2400
Motorola
Yaesu FT-207

Wrist Straps for various HTs. $4 each
Kenwood TR-2400
Yaesu FT-209

Original Kenwood Manuals:

All manuals are original, in very nice, close to new condition, for Kenwood radios.

Operating manuals for Kenwood Accessories:
BC-5 DC charger/adapter $4
DC-21 adapter for 12 V DC for TH-21 series HTs $3
HS-5 Headphones $4
LF-30A Low Pass Filter $5
MC-30 and MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, and PB-4 battery packs $3
PB-21 or PB-21 H Battery Packs $2
PS-6 power supply $6
PS-30 power supply $5
SC-8 T, soft case for TH-21 series HTs $2
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $4
YK-88SN Narrow SSB Filter $4

Operating manual for TW-4000 dual bander $15
Service manual for TW-4000 dual bander $20
Operating manual for TH-21 A / AT HT for 2 meters $8
Service manual for TH-21 AT (2 meter), plus most of the TH-21/31/41
....accessories such as DC-21, EP-2, TU-6, etc. $20
Service manual for TH-41 AT (440 MHz), plus most of the TH-21/31/41
....accessories such as DC-21, EP-2, TU-6, etc. $20
Operating manual for TH-225, 2 meter HT $12
Operating manual for TM-221/421 mobile $15
Operating manual for TM-241 / 441 / 541 mobile FM transceivers

....For 2 meters, 440 MHz, and 1200 MHz. $ 12
Operating manual for TR-2200, 2 meter "portable"
....This is very similar to the Drake TR-22. $15
Operating manual for TR-2400, 2 meter HT $12
Operating manual for TR-2500, 2 meter HT $14
Operating manual for TR-2600, 2 meter HT $12
Service Manual for TR-2600, 2 meter HT $15
Operating Manual for TR-9130 multimode 2 m $15

The above are all in English.

Spanish version of the Operating Manual
for the Kenwood G-707 dual band transceiver
This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood. $10

Rubber Duck antennas for your HT.
All are for 2 meters, are in good condition,
and are $10 each, unless stated otherwise.

Regular BNC, about 6.5 inches long
Alinco Stubby w/BNC Connector, 4.6 inches long

5/16 inch threaded, like used by Motorola and others
Stubby - 4 inches long

Type F connector - 6.5 inches long

PL-259 connector - 6.5 inches long
HyGain 275, still in original packaging

PL-259 connector - Stubby - 4.6 inches long
Centurion, still in original package

BNC Stubby for 440 MHz, 3 inches long

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1152. Orlando FL HamCation Info

Yahoo group: kenwoodradio
Date: 2010-01-31 17:46:29 UTC
From: Ken Simpson, W8EK
Topic: 1152 Message: 1152

Orlando FL Hamcation Information:

The Orlando Hamcation is less than two weeks away. It will be held from February 12 thru February 14, but much of the activity starts on Thursday, February 11, when most of the tailgaters set up. If you have not made your plans to attend, you need to do so now. Florida is the place to be in February!

Info can be found at
http://hamcation.com/default.html
There is a lot of information at this web site, so be certain to check all of the special areas.

At the present time, there are a few tables still available in the swap building. All of the wall spaces and end caps have been taken. If you want more than one table together, get your reservation in NOW. Having a table inside the building, instead of outside in the tailgate area, protects you (and your equipment) from the weather, and only costs $10 more for the entire weekend. Please e-mail hamcation@... to make reservations or get more information.

Everyone knows that there are many other activities in the central Florida area, so be certain to bring the XYL. Hamcation will also have YL activities, and of course many are now hams, so will enjoy Hamcation as well. The bottom line is "Bring the entire family."

Advance registrations are running considerably ahead of past years, so this promises to be another large (10,000 plus hams) hamfest. To put it another way, don't stay home because you think attendance might be down due to the economy. It does not look that way.

See you there!

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1153. Kenwood MC-43 and other microphones FS

Yahoo group: kenwoodradio
Date: 2010-02-06 17:02:28 UTC
From: Ken Simpson, W8EK
Topic: 1153 Message: 1153

Desk and Hand Microphones, Speaker, CW Paddle and Cables, etc. For sale:

Microphones:

All of these microphones have been tested and work well.

Kenwood MC-43 S hand microphone
This is the "standard" microphone that came with many of the rigs that take the round 8 pin mic connector that this one has on it. It has "up" and "down" switches, as well as the normal PTT switch. This particular MC-43 is in extremely nice condition. $40

Shure 444 D Dual Impedance Desk Microphone
The 444 D has voice shaping built in to it, providing greater articulation at communications frequencies. Of course it has a PTT switch on the base, that can be used as a momentary switch, or can be locked in position. Also under the base are switches for High or Low Z.
This mic is the black color, and is in very nice shape, with paper work for $75.

Johnson Hi Z Hand Microphone
This high impedance hand mic is a gray color, with the Johnson logo with the Indian on it. It has a PTT switch and coiled cord, and produces a nice pattern on the scope. It looks good also. $30

Generic Hi Z Hand Microphone
This hand mic is black in color, and looks like it might have come from a HyGain rig. It has a PTT switch and black coiled cord. $25

Shure 401 B, Low Z Hand Microphone
This mic has characteristics similar the the Shure 444 Desk Mic, but this one is a hand mic. It is a controlled magnetic mic, with frequency response tailored for voice communications. It has a rugged case, and a heavy duty coiled cord. 4 pin connector. With paper work for $40.

Shure 104 C, Low Z hand Microphone
This is a very heavy duty Shure mic. It appears to be new, with stripped and tinned ends that have never been on a connector. It is in its original box, with the original instruction manual. $30

Chrome Low Z Hand Microphone
This mic is chrome plated. My memory says it may have come from a Polycom rig. The mic is a good solid metal case with chrome plating all around, with a black PTT switch and black coiled cord. There are some pits on the chrome; it works fine. $30

Generic Hand Microphone
This is a low impedance hand microphone, black in color.
With 4 pin connector. $25
With no connector. $22

Lafayette EAM-15 dynamic hand microphone
2000 ohm impedance can be used any place a dynamic mic is needed. Stripped and tinned leads.
It works fine, and looks good also. $25

DTMF Touch Tone Microphones:

KDK DM TT-1 DTMF Touch Tone Microphone
This mic has a 12 digit touch tone pad on it, along with a switch to turn the pad on and off. I presently has a 4 pin plug on it, and can be used on most any rig. It works fine, and looks great. $35

CES 655 L "Microdialer" DTMF Microphone
You can manual dial a number, or automatically have it stored in the mic, and "speed dial" with this mic. 12 digit touch tone pad on the front, with the microphone part above the pad. This one presently has a 4 pin plug on it, but of course that can be changed. $35

CES 600 L, Universal DTMF microphone
This has a normal touch tone pad on the front, with a low impedance microphone. This one has the 8 pin modular plug (like a computer LAN) on it. This mic has not been used, so it is in really great condition.
With paper work for $40.

Data Signal "Data-Coder 5" touch tone mic
This mic has a 12 digit touchtone pad on it, plus a normal low impedance microphone. With 4 pin plug.
Like new. $38

Speaker Microphones:

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine and works fine. $18

Azden SDX-316
This is the rounder style speaker mic that fits nicely in the palm of your hand. Has 3.5 mm and 2.5 mm plugs for Azden, Icom, some Yaesu, and others. $ 20

Communications Speaker
This 4 inch square speaker is optimized for communications frequencies (300 to 3000 Hz). It is in a black enclosure, and is an 8 ohm speaker. It has a cord with a 1/8 inch (3.5 mm) mono plug on the end.
This one works fine and looks OK also. $15

CW Items:

Vibroplex Brass Racer Triangular Iambic Paddle

The Brass Racer Paddles are unique in that there are no springs in the design. Tension on the paddle is infinitely adjustable by the use of magnets. It is a convenient, space saving portable keyer paddle unit crafted from solid brass with a lacquer coated brushed finish mounted on a hardwood base. Designed for use with an external keyer or a keyer built into the radio. It has a long shielded cord with a 1/4 inch stereo plug. It works fine and looks good. $100

Cable for straight key
About 3 feet long, with a mono 1/4 inch phone plug on it, as is used with a straight key. $5
As above, but 1/8 inch (3.5 mm) plug. $5

Cable for paddles
About 3 feet long, and with a 1/4 inch stereo connector on the end, like used by most rigs. $8
As above, but 1/8 inch (3.5 mm) plug $8

Kenwood MB-4000 Mobile Bracket
This mobile bracket is made to be used with the Kenwood TW-4000 dual band transceiver, and possibly other rigs as well.
This one is in good shape, with the paper work and hardware.
$15

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1154. KENWOOD TS 950 SDX

Yahoo group: kenwoodradio
Date: 2010-02-12 14:15:37 UTC
From: little mush
Topic: 1154 Message: 1154

Up For Sale Is My Kenwood ts 950 sdx In First Class Condition. Radio Comes With Stock Filters Fist Mic Original Manual And boxs Plus Foam Inserts. Buyer Payes The Postages. Many Thanks Paul.

1155. Kenwood Original Manuals FS

Yahoo group: kenwoodradio
Date: 2010-03-07 14:00:16 UTC
From: Ken Simpson, W8EK
Topic: 1155 Message: 1155

Kenwood, Icom, Heath, plus other ORIGINAL Manuals For Sale:

All of these manuals are originals and are not copies.
All are in very good condition, or better, with most close
to new condition.

Service Manuals:

These are original service manuals in extremely good condition.

Service manual for Kenwood TH-21 series (2 meter) HTs, plus most
accessories for this series HT such as DC-21, EP-2, TU-6, etc. $20

Service manual for Kenwood TH-41 series (440 MHz) HTs, plus most
accessories for this series HT such as DC-21, EP-2, TU-6, etc. $20

Service manual for Kenwood TW-4000 dual bander $20

Service Manual for Kenwood TR-2600, 2 meter HT $15

Santec ST-142/144 "Service Pack"
This is similar to a service manual, but Santec calls it a service
pack. It has schematics, circuit explanations, voltages, etc. $18

Original Operating Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are original and are not copies.

BC-5 DC charger/adapter $4
HS-5 Headphones $4
LF-30A Low Pass Filter $5
MC-30 and MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, and PB-4 battery packs $3
PS-6 power supply $6
PS-30 power supply $5
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $4
YK-88SN Narrow SSB Filter $4

Operating manual for TW-4000 dual bander $15
Service manual for TW-4000 dual bander $20
Operating manual for TH-21 HT for 2 meters $8
Service Manual for TH-21 series HTs & Accessories $20
Service Manual for TH-41 series HTs & Accessories $20
Operating manual for TH-225, 2 meter HT $12

Operating manual for TM-221/421 mobile $15
Operating manual for TH-241/441/541 mobile FM transceivers
..For 2 meters, 440 MHz, and 1200 MHz. $12
Operating manual for TR-2200, 2 meter "portable"
..This is very similar to the Drake TR-22. $15
Operating manual for TR-2400, 2 meter HT $12
Operating manual for TR-2500, 2 meter HT $14
Operating manual for TR-2600, 2 meter HT $12
Service Manual for TR-2600, 2 meter HT $15

These are original Kenwood manuals only.

Spanish version of the Operating Manual
for the Kenwood TM G-707 dual band transceiver
This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood.
$10
Please note: All other manuals are in English.

ORIGINAL Icom operating manuals:

Please note that all of these are original Icom manuals and
are not copies. All are in very good condition.
These are original manuals only.

BC-30 Desk Charger $5
BC-35 Desk Charger $7
BP-2, BP-3, BP-4, BP-5 battery packs $3
BP-21, BP-22, BP-23, and BP-24 Batteries $3
DC-1 DC pack for IC-2 AT series HTs $4
HM-8 Hand Microphone, w/schematic $5
IC-22 S, 2 m FM transceiver $12
IC-229, 2 meter mobile transceiver $15
IC-3 PA Power supply / speaker $10
UT-16 Voice Synthesizer $5

These are original manuals only.

ORIGINAL Heath manuals. These are manuals only.
They are all originals, not copies, and are close
to new condition.

Brochure "Heathkit Specials" featuring the
Twoer, Sixer, SB series, and others. $4
AM-2 Reflected Power Meter (SWR Meter), 1960
w/schematic, pictorial $8
HD-15 Hybrid Phone patch, 1965, Schematic in book $8
HD-1234 Four Position Coax Switch, 1973, no check marks $7
Heath HDP-21 Desk Microphone, 1969 $4
HM-15 Reflected Power Meter and SWR Bridge

1968, Schematic in book $8
HM-2102 VHF Wattmeter 1972
No check marks. Schematic in book $15
HW-2021 2 meter hand held transceiver, 1975, No check marks $9
IM-5284 Multimeter, Large schematic $3
SB-102 HF Transceiver Schematic, Large fold out page $4

These are original manuals only.

Gonset Noise Clipper Model C
This manual has a couple marks in one corner, plus the paper has yellowed somewhat. Otherwise, it is in good shape. $4

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1156. Kenwood 2 meter Multimode rig, plus other Kenwood items FS

Yahoo group: kenwoodradio
Date: 2010-03-18 23:14:03 UTC
From: Ken Simpson, W8EK
Topic: 1156 Message: 1156

Kenwood Items For Sale:

Kenwood TR-9130 Multimode 2 meter transceiver:

The Kenwood TR-9130 2 meter multimode transceiver provides 2 meter operation in FM, LSB, USB and CW modes. Power output may be selected at 5 watts (FM/CW) or 25 watts (FM/SSB/CW). It includes an RF gain, RIT, analog S/RF meter, noise blanker, dual VFOs, all-mode squelch and memories. Both memory scan and band scan are supported. It requires 13 VDC at about 5.5 amps.

This particular unit works fine and looks extremely nice. It includes the mobile mounting bracket with hardware, DC cord, chrome bail, and touch tone DTMF hand mic, all in the original box. It even has the multi-color, multi-page sales brochure with it, and a bag of hardware that came with it originally.

With paper work for $230.

Kenwood SC-13 Vinyl Case
For TH-215, TH-225 and others, with room for the larger PB-1 and PB-4 battery packs. It can also be used with the smaller PB-2 and PB-3 packs. Black color. Great condition. $15

Kenwood MB-4000 Mobile Bracket:
This mobile bracket is made to be used with the Kenwood TW-4000 dual band transceiver, and possibly other rigs as well.
This one is in good shape, with the paper work and hardware. $15

Accessories for the Kenwood TR-2400 HT:

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine and works fine. $18

Antenna adapter to fit the BNC connector on the HT and provide an SO-239 connector that will permit a PL-259 to be attached. This adapter can be used on any HT with a BNC connector. $5

Belt clip for TR-2400 HT, complete with hardware - $8

Wrist strap for TR-2400, and most other HTs - $4

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually, one must have the battery inside the HT, but this lets you charge a second battery outside of the HT. The original charger is used. It is in good shape, and works fine. $3

Belt Clips and Wrist Straps for various HTs:

Belt Clips:
All include the hardware with the belt clip and are $8 each.
Kenwood BH-2 for Kenwood TH-21 / 31 / 41 series HTs
Kenwood TR-2400
Motorola
Yaesu FT-207

Wrist Straps for various HTs - $4 each
Kenwood TR-2400
Yaesu FT-209

ORIGINAL Kenwood Manuals For Sale:

All of these manuals are originals and are not copies.
All are in very good condition, or better, with most close to new condition.

Service Manuals:

These are original service manuals in extremely good condition.

Service manual for Kenwood TW-4000 dual bander $20

Service Manual for Kenwood TR-2600, 2 meter HT $15

Service Manual for Kenwood TR-9130, multimode 2 meter
This is a copy and not original. $10

Original Operating Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are original and are not copies.

BC-5 DC charger/adapter $4
HS-5 Headphones $4
LF-30A Low Pass Filter $5
MC-30 and MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, and PB-4 battery packs $3
PS-6 power supply $6
PS-30 power supply $5
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $4
YK-88SN Narrow SSB Filter $4

Operating manual for TW-4000 dual bander $15
Service manual for TW-4000 dual bander $20
Operating manual for TH-21 HT for 2 meters $8
Service Manual for TH-21 series HTs & Accessories $20
Service Manual for TH-41 series HTs & Accessories $20
Operating manual for TH-225, 2 meter HT $12
Operating manual for TM-221/421 mobile $15
Operating manual for TH-241/441/541 mobile FM transceivers
..For 2 meters, 440 MHz, and 1200 MHz. $12
Operating manual for TR-2200, 2 meter "portable"
..This is very similar to the Drake TR-22. $15
Operating manual for TR-2400, 2 meter HT $12
Operating manual for TR-2500, 2 meter HT $14
Operating manual for TR-2600, 2 meter HT $12
Service Manual for TR-2600, 2 meter HT $15

These are original Kenwood manuals only.

Spanish version of the Operating Manual
for the Kenwood TM G-707 dual band transceiver
This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood.
$10
Please note: All other manuals are in English.

Speaker Microphones:

MFJ-287 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits
the TH-21/31/41 series HTs, TH-215, TH-415, as well as
others. It has a 3 conductor 3.5 mm plug and a 2 conductor
2.5 mm plug. $15

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine
and works fine. $18

Azden SDX-316
This is the rounder style speaker mic that fits nicely in
the palm of your hand. Has 3.5 mm and 2.5 mm plugs for
Azden, Icom, some Yaesu, and others. $ 20

Rubber Duck antennas for your HT.
All are for 2 meters, are in good condition,
and are $10 each, unless stated otherwise.

BNC Regular length, 6 1/2 inches long
BNC from TH-215/TH-225 HT - 5 inches long
Stubby w/BNC Connector, 4.6 inches long

5/16 inch threaded, like used by Motorola and others
Stubby - 4 inches long

Type F connector - 6.5 inches long

PL-259 connector - 6.5 inches long
HyGain 275, still in original packaging

PL-259 connector - Stubby - 4.6 inches long
Centurion, still in original package

Special for Kenwood TH-21 HT threaded connector
Kenwood RA-6 regular, 6.6 inches long - $15

BNC Stubby for 440 MHz, 3 inches long

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1157. Kenwood TK-353 H.T.

Yahoo group: kenwoodradio
Date: 2010-03-25 01:59:57 UTC
From: n5svk
Topic: 1157 Message: 1157

I have attained a TK-353 HT,by Kenwood and would like to know if the radio is capabile of programing into the amateur uhf bands? I got this in on a trade at a swap meet.
Thanks Don
N5SVK

1158. Re: [kw-radio] Kenwood TK-353 H.T.

Yahoo group: kenwoodradio
Date: 2010-03-25 02:23:12 UTC
From: GaryErrol@comcast.net
Topic: 1157 Message: 1158

Depends on frequency rang of radio. What is the FCC I'd number listed on the radio?

Sent via BlackBerry by AT&T

-----Original Message-----
From: "n5svk" <n5svk@suddenlink.net>
Date: Thu, 25 Mar 2010 01:59:57
To: <kenwoodradio@yahoogroups.com>
Subject: [kw-radio] Kenwood TK-353 H.T.

I have attained a TK-353 HT,by Kenwood and would like to know if the radio is capabile of programing into the amateur uhf bands? I got this in on a trade at a swap meet.
Thanks Don
N5SVK

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio
Yahoo! Groups Links

1159. Re: [kw-radio] Kenwood TK-353 H.T.

Yahoo group: kenwoodradio
Date: 2010-03-25 02:56:21 UTC
From: Don Hejl
Topic: 1157 Message: 1159

Thanks for the reply, FCC ID NO. ALHTK-350-2

From: GaryErrol@...
Sent: Wednesday, March 24, 2010 9:23 PM
To: kenwoodradio@yahoogroups.com
Subject: Re: [kw-radio] Kenwood TK-353 H.T.

Depends on frequency rang of radio. What is the FCC I'd number listed on the radio?

Sent via BlackBerry by AT&T

-----Original Message-----
From: "n5svk" <n5svk@...>
Date: Thu, 25 Mar 2010 01:59:57
To: <kenwoodradio@yahoogroups.com>
Subject: [kw-radio] Kenwood TK-353 H.T.

I have attained a TK-353 HT,by Kenwood and would like to know if the radio is capabile of programing into the amateur uhf bands? I got this in on a trade at a swap meet.
Thanks Don
N5SVK

For polls, files, and other info visit:
http://www.egroups.com/group/kenwoodradio
Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 9.0.791 / Virus Database: 271.1.1/2768 - Release Date: 03/24/10 14:33:00

[Non-text portions of this message have been removed]

1160. FS: Kenwood PC1-A Phone Patch Unit with 8-pin Mic Plug.

Yahoo group: kenwoodradio
Date: 2010-04-16 16:13:52 UTC
From: w4dg.geo
Topic: 1160 Message: 1160

FOR SALE: Kenwood PC1-A Phone Patch Unit with 8-pin Mic Plug. Excellent Condition. With Spec sheet

$75.00 + USPS Flat Rate Shipping. (This is a later unit I used with my TS-950SDX)

Contact Dennis- W4DG@... <mailto:W4DG@...>

[Non-text portions of this message have been removed]

1161. Kenwood NX-200 firmware needed

Yahoo group: kenwoodradio
Date: 2010-05-25 13:22:16 UTC
From: gsp205
Topic: 1161 Message: 1161

Need version 1.20.00 checksum F4B5 for the NX-200 series. Lots to trade. Thanks!

1162. Kenwood HT Accessories, Manuals, etc. FS

Yahoo group: kenwoodradio
Date: 2010-06-12 12:43:22 UTC
From: Ken Simpson, W8EK
Topic: 1162 Message: 1162

Kenwood HT Accessories, plus a variety of Kenwood Manuals For Sale:

Accessories for Kenwood TH-215, TH-225, TH-415, and other
HTs in that series:

Kenwood PB-2 Battery pack
8.4 V at 500 mahr. Holds charge fine. $25

Kenwood Wall Wort Charger for PB-2 above. $12

Kenwood SC-13 Vinyl Case
For TH-215, TH-225 and others, with room for the larger
PB-1 and PB-4 battery packs. It can also be used with
the smaller PB-2 and PB-3 packs. Black color. Great
condition. $15

Kenwood BH-1 Belt clip with screws
Used on many Kenwood HTs. $8

Kenwood Wrist Strap for TH-215, plus many other HTs. $4

Original Kenwood Rubber Duck antenna from Kenwood TH-215. $10

Antenna adapter to fit the BNC connector on the HT
and provide an SO-239 connector that will permit
a PL-259 to be attached. (BNC male to UHF female) $5

Accessories for the Kenwood TR-2400 HT:

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine
and works fine. $18

Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached.
This adapter can be used on any HT with a BNC connector. $5

Belt clip for TR-2400 HT, complete with hardware - $8

Wrist strap for TR-2400, and most other HTs - $4

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the
Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually,
one must have the battery inside the HT, but this lets you charge
a second battery outside of the HT. The original charger is used.
It is in good shape, and works fine. $3

Belt Clips:
All include the hardware with the belt clip and are $8 each.
Kenwood BH-1 for Kenwood TH-215 / 225 / 415, etc.
Kenwood BH-2 for Kenwood TH-21 / 31 / 41 series HTs
Kenwood TR-2400
Motorola
Yaesu FT-207

Wrist Straps for various HTs - $4 each
Kenwood TH-215 / 225 / 415, etc.
Kenwood TR-2400
Yaesu FT-209

Communications Speaker
This 4 inch square speaker is optimized for communications frequencies (300 to 3000 Hz). It is in a black enclosure, and is an 8 ohm speaker. It has a cord with a 1/8 inch (3.5 mm) mono plug on the end.
This one works fine and looks OK also. $15

Autek QF-1 A, Active Audio Filter

This is an audio filter that goes between your rig and speaker. It runs off of 110 V AC, and will peak, notch, or become a low pass or high pass filter. Selectivity (bandwidth) and frequency are adjustable from the front panel. This is the "A" model that also has an additional notch filter added. The input is an 1/4 inch phone plug, and the output is a 1/4 inch jack on the rear panel.

This particular unit looks very, very nice, and works 100%.
With paper work for $55.

Dual Meter SWR Bridges:

All of these feature two separate meters -- one for reading forward power and another for reading SWR. This permits one to easily monitor both the power going out, and the SWR on the antenna. They were made in Japan, and labeled with various names, including Swan, Siltronix, and Quement. All have SO-239 connectors on each end, and work fine.

All will work on HF, and VHF, covering 3 to 150 MHz, so are ideal for the new rigs that include 6 and 2 meters.

Siltronix SWR-2
This one is in its original box, and appears that it has never been used. With original paper work for $50

Swan SWR-1
This one is in its original box, but the meter itself says Siltronix on it. The original instruction sheet has both Swan and Siltronix on it. $45

Quement SWB-2
No box for this one, but it works fine and looks great.
With paper work for $40

SWR Bridges / Field Strength Meters:

Midland 23-126 SWR Bridge / Field Strength Meter
This is an HF SWR Bridge, but it can be used up thru 2 meters, with slightly reduced accuracy. It is also a field strength meter. SO-239 connectors.
This one works fine, and looks extremely nice. I do not see any scratches on it; it may not have ever been used. In its original box with original instructions and small telescoping antenna. $35

ThordTest SWFS-2 SWR Bridge / Field Strength Meter
Appears to be the same as the Midland above, but the outer case is beige instead of black.
In original box, with original instruction sheet, and antenna.
$30

Original Operating Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are original and are not copies.

BC-5 DC charger/adapter $4
HS-5 Headphones $4
LF-30A Low Pass Filter $5
MC-30 and MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, and PB-4 battery packs $3
PS-6 power supply $6
PS-30 power supply $5
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $4
YK-88SN Narrow SSB Filter $4

Operating manual for TW-4000 dual bander $15
Service manual for TW-4000 dual bander $20
Operating manual for TH-21 HT for 2 meters $8
Operating manual for TH-225, 2 meter HT $12
Operating manual for TM-221/421 mobile $15
Operating manual for TH-241/441/541 mobile FM transceivers
..For 2 meters, 440 MHz, and 1200 MHz. $12
Operating manual for TR-2200, 2 meter "portable"
..This is very similar to the Drake TR-22. $15
Operating manual for TR-2400, 2 meter HT $12
Operating manual for TR-2500, 2 meter HT $14

These are original Kenwood manuals only.

Spanish version of the Operating Manual
for the Kenwood TM G-707 dual band transceiver
This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood.
$10
Please note: All other manuals are in English.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

_____ Information from ESET NOD32 Antivirus, version of virus signature database 5191 (20100611) _____

The message was checked by ESET NOD32 Antivirus.

http://www.eset.com

1163. New group about Kenwood P25/APCO Radios is started! You've Invited!

Yahoo group: kenwoodradio
Date: 2010-06-21 18:27:53 UTC
From: just_a_radio_guy
Topic: 1163 Message: 1163

Hi Folks!

I have checked up and have found out that on Yahoo Groups there is no group about Kenwood P25/APCO Radios. Kenwood does do good P25/APCO Radios and here is about what to discuss! Therefore I have opened new group about Kenwood P25/APCO Radios. I invite you to enter it.

Here are the details on 'Kenwood_APCO_P25_Radios' group:

- Group home page: http://groups.yahoo.com/group/Kenwood_APCO_P25_Radios
- Group email address: Kenwood_APCO_P25_Radios@yahoogroups.com

Professionals and radio amateurs are welcome!

Thanks for your attention.

--
Regards,
just_a_radio_guy

Kenwood_APCO_P25_Radios, Kenwood_TK-930_931 and Yaesu_FTM-10R groups owner.

1164. Front panel remote cable for Kenwood TM-V7A

Yahoo group: kenwoodradio
Date: 2010-07-07 00:31:56 UTC
From: W3NJ
Topic: 1164 Message: 1164

Hello
I've had a TM-V7A dual band radio for a number of years and am looking for the kit to remote the front panel. Looks like most of the kits have been discontinued.

Anyone know of a source for the kits with the short length cables?

if not, has anyone successfully home-brewed a cable assembly?

tnx es 73
Bruce - W3NJ

1165. Accessories for various HTs FS

Yahoo group: kenwoodradio
Date: 2010-07-17 12:52:51 UTC
From: Ken Simpson, W8EK
Topic: 1165 Message: 1165

Accessories for various HTs For Sale:

Accessories for Kenwood TH-205, TH-215, TH-225, TH-415,
and other HTs in that series:

Kenwood SC-13 Vinyl Case
For TH-215, TH-225 and others, with room for the larger
PB-1 and PB-4 battery packs. It can also be used with
the smaller PB-2 and PB-3 packs. Black color. Great
condition. $15

MFJ-287 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits
the TH-21/31/41 series HTs, TH-215, TH-415, as well as
others. It has a 3 conductor 3.5 mm plug and a 2 conductor
2.5 mm plug. Coiled cord is somewhat stretched, but works
fine. $12

Dead PB-2 Battery for rebuilding, or use the case to adapt
other batteries. Looks fine.
For Kenwood TH-205, TH-215, TH-415, TH-225, etc.
Two available. $6 each.
Buy both for $10.

Kenwood Wall Wort Charger for PB-2. $12

Kenwood BH-2 Belt clip with screws
Used on many Kenwood HTs. $8

Kenwood Wrist Strap for TH-215, plus many other HTs. $4

Original Kenwood Rubber Duck antenna from Kenwood TH-215. $10

Antenna adapter to fit the BNC connector on the HT
and provide an SO-239 connector that will permit
a PL-259 to be attached. (BNC male to UHF female) $5

Accessories for the Kenwood TR-2400 HT:

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine
and works fine. $18

Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached.
This adapter can be used on any HT with a BNC connector. $5

Belt clip for TR-2400 HT, complete with hardware - $8

Wrist strap for TR-2400, and most other HTs - $4

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually, one must have the battery inside the HT, but this lets you charge a second battery outside of the HT. The original charger is used. It is in good shape, and works fine. $3

Santec HT Accessories:

Leather Case for Santec HT
This is a real Bianchi Leather case -- not a vinyl case. It fits most of the Santec HTs, such as the HT-1200, ST-142, ST-144, ST-440, etc. The real leather case includes a built in belt clip, plus a removable leather shoulder strap.
The case itself is in very nice shape. The leather shoulder strap has not been used. $25

Santec ST-142/144 "Service Pack"
This is similar to a service manual, but Santec calls it a service pack. It has schematics, circuit explanations, voltages, etc. $18

Azden PCS-300 HT Accessories:

Azden SDX-316
This is the rounder style speaker mic that fits nicely in the palm of your hand. Has 3.5 mm and 2.5 mm plugs for Azden, Icom, some Yaesu, and others. It works great, and looks great also. $20

Battery charge adapter for Azden PCS-300 HT
This is an adapter that permits one to charge the battery of the Azden PCS-300, 2 meter HT, outside of the HT itself. Usually, one must have the battery inside the HT, but this lets you charge a second battery outside of the HT. The original charger is used. If you have a PCS-300 HT, you need this adapter.
It works fine, and looks like new. $3

Antenna adapter - BNC on HT to SO-239
This adapter will fit the BNC connector on the HT and provide an SO-239 connector that will permit a PL-259 to be attached. This adapter can be used on any HT with a BNC connector. $5

Earthmate GPS by DeLorme, with software:

The GPS unit plugs into a USB port on your computer. DeLorme Street Atlas Software is included, so plan your route, and also let the GPS tell you where you are, and give you voice directions, if desired. You can even ask

it questions!

It will calculate your route and tell you exactly where
and when to turn, plus figure statistics such as mileage.

The GPS hardware unit is powered from the USB port, so no
additional power supply is needed.

This particular unit is in close to new condition, in its
original box, with the GPS unit, and the software. I would
think that it could be used with APRS.

This goes for about $150 new. Buy this one for $75

Dead Battery Packs:

Please note that all of these battery packs are dead. There
is no voltage from them. They are being sold for the purpose
of rebuilding, or to be used to build a regulator in them,
or whatever.

Batteries for Icom 2AT, 3 AT, 4 AT, 02AT, 03AT. 04AT, 24,
and others:
BP-2, looks very nice $5
BP-3, looks like it may have gotten warm, and may be slightly
deformed $4
BP-4, "Empty case" for alkalines, etc. Needs cleaning. $8
BP-5, larger pack, looks good, but has former owners call
sign scratched in case, $5
Buy all four of the above for $20.

Dead Kenwood PB-2 Battery for rebuilding, or use the case to
adapt other batteries. Looks fine.
For Kenwood TH-205, TH-215, TH-415, TH-225, etc.
Two available. $6 each.
Buy both for $10.

Rubber Duck antennas for your HT:
All are for 2 meters, are in good condition,
and are $10 each, unless stated otherwise.

BNC Regular length, 6 1/2 inches long
BNC - Original from Kenwood TH-215 HT, 5 inches long
Alinco Stubby w/BNC Connector, 4.6 inches long

5/16 inch threaded, like used by Motorola and others
Stubby - 4 inches long

Type F connector - 6.5 inches long

PL-259 connector - 6.5 inches long
HyGain 275, still in original packaging

PL-259 connector - Stubby - 4.6 inches long
Centurion, still in original package

Special for Kenwood TH-21 HT threaded connector
Kenwood RA-6 regular, 6.6 inches long - $15

BNC Stubby for 440 MHz, 3 inches long

Belt Clips:
All include the hardware with the belt clip and are $8 each.
Kenwood BH-2 for Kenwood TH-215 / 225 / 415, etc.
Kenwood BH-3 for Kenwood TH-21 / 31 / 41 series HTs
Kenwood TR-2400
Motorola
Yaesu FT-207

Wrist Straps for various HTs - $4 each
Kenwood TH-215 / 225 / 415, etc.
Kenwood TR-2400
Yaesu FT-209

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

_____ Information from ESET NOD32 Antivirus, version of virus signature database 5286 (20100717) _____

The message was checked by ESET NOD32 Antivirus.

http://www.eset.com

1166. Kenwood Interface, HT accessories, Manuals and mroe FS

Yahoo group: kenwoodradio
Date: 2010-08-14 02:08:13 UTC
From: Ken Simpson, W8EK
Topic: 1166 Message: 1166

Kenwood Interface, HT accessories, Manuals and more For Sale:

Kenwood IF-232c Interface / Converter

The IF-232c is the interface adapter for connection between
the RS-232C terminal of a personal computer and the interface
terminals of transceivers capable of computer control, such
as the TS-440S, TS-940S, the TS-811/711 series, and others.

The interface acts as a voltage converter between the RS-232C
port (-12 to + 12V) and the TTL levels of the transceiver
(0 to +5V), and as a noise-suppressor.

This one includes a wall wart power supply, DIN plug, and
paper work for $60.

Accessories for Kenwood TH-205, TH-215, TH-225, TH-415,
and other HTs in that series:

Kenwood SC-13 Vinyl Case
For TH-215, TH-225 and others, with room for the larger
PB-1 and PB-4 battery packs. It can also be used with
the smaller PB-2 and PB-3 packs. Black color. Great
condition. $15

MFJ-287 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits
the TH-21/31/41 series HTs, TH-215, TH-415, as well as
others. It has a 3 conductor 3.5 mm plug and a 2 conductor
2.5 mm plug. Coiled cord is somewhat stretched, but works
fine. $12

Dead PB-2 Battery for rebuilding, or use the case to adapt
other batteries. Looks fine.
For Kenwood TH-205, TH-215, TH-415, TH-225, etc.
Two available. $6 each.
Buy both for $10.

Kenwood Wall Wort Charger for PB-2. $12

Kenwood BH-2 Belt clip with screws
Used on many Kenwood HTs. $8

Kenwood Wrist Strap for TH-215, plus many other HTs. $4

Original Kenwood Rubber Duck antenna from Kenwood TH-215. $10

Antenna adapter to fit the BNC connector on the HT
and provide an SO-239 connector that will permit
a PL-259 to be attached. (BNC male to UHF female) $5

Accessories for the Kenwood TR-2400 HT:

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine
and works fine. $18

Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached.
This adapter can be used on any HT with a BNC connector. $5

Belt clip for TR-2400 HT, complete with hardware $8

Wrist strap for TR-2400, and most other HTs $4

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the
Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually,
one must have the battery inside the HT, but this lets you charge
a second battery outside of the HT. The original charger is used.
It is in good shape, and works fine. $3

Earthmate GPS by DeLorme, with software:

The GPS unit plugs into a USB port on your computer.
DeLorme Street Atlas Software is included, so plan your
route, and also let the GPS tell you where you are, and
give you voice directions, if desired. You can even ask
it questions!

It will calculate your route and tell you exactly where
and when to turn, plus figure statistics such as mileage.

The GPS hardware unit is powered from the USB port, so no
additional power supply is needed.

This particular unit is in close to new condition, in its
original box, with the GPS unit, and the software. I would
think that it could be used with APRS. $65

Dead Battery Packs:

Please note that all of these battery packs are dead. There
is no voltage from them. They are being sold for the purpose
of rebuilding, or to be used to build a regulator in them,
or whatever.

Batteries for Icom 2AT, 3 AT, 4 AT, 02AT, 03AT. 04AT, 24,
and others:
BP-2, looks very nice $5
BP-3, looks like it may have gotten warm, and may be slightly
deformed $4

BP-4, "Empty case" for alkalines, etc. Needs cleaning. $8
BP-5, larger pack, looks good, but has former owners call
sign scratched in case, $5
Buy all four of the above for $20.

Dead Kenwood PB-2 Battery for rebuilding, or use the case to
adapt other batteries. Looks fine.
For Kenwood TH-205, TH-215, TH-415, TH-225, etc.
Two available. $6 each.
Buy both for $10.

Rubber Duck antennas for your HT:
All are for 2 meters, are in good condition,
and are $10 each, unless stated otherwise.

BNC Regular length, 6 1/2 inches long
BNC - Original from Kenwood TH-215 HT, 5 inches long
Alinco Stubby w/BNC Connector, 4.6 inches long

5/16 inch threaded, like used by Motorola and others
Stubby - 4 inches long

Type F connector - 6.5 inches long

PL-259 connector - 6.5 inches long
HyGain 275, still in original packaging

PL-259 connector - Stubby - 4.6 inches long
Centurion, still in original package

Special for Kenwood TH-21 HT threaded connector
Kenwood RA-6 regular, 6.6 inches long - $15

BNC Stubby for 440 MHz, 3 inches long

Belt Clips:
All include the hardware with the belt clip and are $8 each.
Kenwood BH-2 for Kenwood TH-215 / 225 / 415, etc.
Kenwood BH-3 for Kenwood TH-21 / 31 / 41 series HTs
Kenwood TR-2400
Motorola
Yaesu FT-207

Wrist Straps for various HTs - $4 each
Kenwood TH-215 / 225 / 415, etc.
Kenwood TR-2400
Yaesu FT-209

Original Operating Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are original and are not copies.

BC-5 DC charger/adapter $4
LF-30A Low Pass Filter $5
MC-30 and MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, and PB-4 battery packs $3
PS-6 power supply $6
PS-30 power supply $5
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $4
YK-88SN Narrow SSB Filter $4

Operating manual for TW-4000 dual bander $15
Service manual for TW-4000 dual bander $20
Operating manual for TH-21 HT for 2 meters $8
Operating manual for TH-225, 2 meter HT $12
Operating manual for TM-221/421 mobile $15
Operating manual for TH-241/441/541 mobile FM transceivers
..For 2 meters, 440 MHz, and 1200 MHz. $12
Operating manual for TR-2200, 2 meter "portable"
..This is very similar to the Drake TR-22. $15
Operating manual for TR-2400, 2 meter HT $12
Operating manual for TR-2500, 2 meter HT $14

These are original Kenwood manuals only.

Service Manual for Kenwood TR-9130 multimode 2 meter transceiver
This manual is a very good copy. $10

Spanish version of the Operating Manual
for the Kenwood TM G-707 dual band transceiver
This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood.
$10
Please note: All other manuals are in English.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

_____ Information from ESET NOD32 Antivirus, version of virus signature database 5365 (20100813) _____

The message was checked by ESET NOD32 Antivirus.

http://www.eset.com

1167. Kenwood HT Accessories, Manuals, etc. FS

Yahoo group: kenwoodradio
Date: 2010-09-06 16:56:34 UTC
From: Ken Simpson, W8EK
Topic: 1162 Message: 1167

Kenwood HT accessories, Manuals and more For Sale:

Accessories for the Kenwood TH-21 / 31 / 41 series of HTs:

MFJ-287 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits
the TH-21/31/41 series HTs, TH-215, TH-415, as well as
others. It has a 3 conductor 3.5 mm plug and a 2 conductor
2.5 mm plug. Coiled cord is somewhat stretched, but works
fine. $12

Kenwood BH-3 Belt Clip for Kenwood TH-21 / 31 / 41 series HTs $8

Antenna adapter
Adapters connector found on TH-21/31/41 series HTs so that it
can take a standard PL-259 connector. $6

Special Rubber Duck Antenna for Kenwood TH-21 HT threaded connector
Kenwood RA-6 regular, 6.6 inches long $15

Accessories for the Kenwood TR-2400 HT:

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine
and works fine. $18

Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached.
This adapter can be used on any HT with a BNC connector. $5

Belt clip for TR-2400 HT, complete with hardware $8

Wrist strap for TR-2400, and most other HTs $4

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the
Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually,
one must have the battery inside the HT, but this lets you charge
a second battery outside of the HT. The original charger is used.
It is in good shape, and works fine. $3

Accessories for Kenwood TH-205, TH-215, TH-225, TH-415,
and other HTs in that series:

Kenwood SC-13 Vinyl Case
For TH-215, TH-225 and others, with room for the larger
PB-1 and PB-4 battery packs. It can also be used with
the smaller PB-2 and PB-3 packs. Black color. Great

condition. $15

MFJ-287 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits
the TH-21/31/41 series HTs, TH-215, TH-415, as well as
others. It has a 3 conductor 3.5 mm plug and a 2 conductor
2.5 mm plug. Coiled cord is somewhat stretched, but works
fine. $12

Kenwood BC-2 Wall Wort Charger for PB-2. $12

Kenwood BH-2 Belt clip with screws
Used on many Kenwood HTs. $8

Kenwood Wrist Strap for TH-215, plus many other HTs. $4

Original Kenwood Rubber Duck antenna from Kenwood TH-215. $10

Antenna adapter to fit the BNC connector on the HT
and provide an SO-239 connector that will permit
a PL-259 to be attached. (BNC male to UHF female) $5

Dead Battery Packs:

Please note that all of these battery packs are dead. There
is no voltage from them. They are being sold for the purpose
of rebuilding, or to be used to build a regulator in them,
or whatever.

Batteries for Icom 2AT, 3 AT, 4 AT, 02AT, 03AT. 04AT, 24,
and others:
BP-2, looks very nice $5
BP-3, looks like it may have gotten warm, and may be slightly
deformed $4
BP-4, "Empty case" for alkalines, etc. Needs cleaning. $8
BP-5, larger pack, looks good, but has former owners call
sign scratched in case, $5
Buy all four of the above for $20.

Rubber Duck antennas for your HT:
All are for 2 meters, are in good condition,
and are $10 each, unless stated otherwise.

BNC Regular length, 6 1/2 inches long
BNC - Original from Kenwood TH-215 HT, 5 inches long
Alinco Stubby w/BNC Connector, 4.6 inches long

5/16 inch threaded, like used by Motorola and others
Stubby - 4 inches long

Type F connector - 6.5 inches long

PL-259 connector - 6.5 inches long
HyGain 275, still in original packaging

PL-259 connector - Stubby - 4.6 inches long
Centurion, still in original package

Special for Kenwood TH-21 HT threaded connector
Kenwood RA-6 regular, 6.6 inches long - $15

BNC Stubby for 440 MHz, 3 inches long

Belt Clips:
All include the hardware with the belt clip and are $8 each.
Kenwood BH-2 for Kenwood TH-215 / 225 / 415, etc.
Kenwood BH-3 for Kenwood TH-21 / 31 / 41 series HTs
Kenwood TR-2400
Motorola
Yaesu FT-207

Wrist Straps for various HTs - $4 each
Kenwood TH-215 / 225 / 415, etc.
Kenwood TR-2400
Yaesu FT-209

Original Operating Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are original and are not copies.

BC-5 DC charger/adapter $4
LF-30A Low Pass Filter $5
MC-30 and MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, and PB-4 battery packs $3
PS-6 power supply $6
PS-30 power supply $5
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $4
YK-88SN Narrow SSB Filter $4

Operating manual for TW-4000 dual bander $15
Service manual for TW-4000 dual bander $20
Operating manual for TH-21 HT for 2 meters $8
Operating manual for TH-225, 2 meter HT $12
Operating manual for TM-221/421 mobile $15
Operating manual for TH-241/441/541 mobile FM transceivers
..For 2 meters, 440 MHz, and 1200 MHz. $12
Operating manual for TR-2200, 2 meter "portable"
..This is very similar to the Drake TR-22. $15
Operating manual for TR-2400, 2 meter HT $12

These are original Kenwood manuals only.

Service Manual for Kenwood TR-9130 multimode 2 meter transceiver
This manual is a very good copy. $10

Spanish version of the Operating Manual
for the Kenwood TM G-707 dual band transceiver
This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood.
$10
Please note: All other manuals are in English.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

_____ Information from ESET NOD32 Antivirus, version of virus signature database 5428 (20100906) _____

The message was checked by ESET NOD32 Antivirus.

http://www.eset.com

1168. New group about Kenwood NEXEDGE/NXDN is started! You've Invited!

Yahoo group: kenwoodradio
Date: 2010-09-21 12:15:37 UTC
From: just_a_radio_guy
Topic: 1168 Message: 1168

Hi Folks!

I have checked up and found that there is no group about Kenwood NEXEDGE radios and technology on Yahoo Group. They are use NXDN standard by Kenwood/Icom, sounds are good, solid built, appropriate priced and constantly expands features. Thus here is about what to discuss!

Therefore I have opened new group about Kenwood NEXEDGE/NXDN. I invite you to join:

- Join: http://groups.yahoo.com/group/Kenwood_NEXEDGE_NXDN/join
- Group home page: http://groups.yahoo.com/group/Kenwood_NEXEDGE_NXDN/
- Group email address: Kenwood_APCO_P25_Radios@yahoogroups.com

Professionals and radio amateurs are welcome!

Thanks for your attention and sorry if bothered you.

--
Regards,
just_a_radio_guy
Kenwood_NEXEDGE_NXDN group owner

1169. Looking for KPG-79D

Yahoo group: kenwoodradio
Date: 2010-09-28 21:07:13 UTC
From: Joe
Topic: 1169 Message: 1169

Does anybody have KPG-79D Software available to upload/email to me?? I'm looking for it with no luck. If not, can you please tell me where I can find it. Thanks!!!

1170. kenwood replacement cooling fan

Yahoo group: kenwoodradio
Date: 2010-10-20 22:14:45 UTC
From: kd0mph
Topic: 1170 Message: 1170

Does anyone know of a good reasonable source for Kenwood parts, specifically right now I'm in need of a fan for TM-D700a.
Thanks in advance for any help.

1171. Kenwood DSP-10 value

Yahoo group: kenwoodradio
Date: 2010-10-22 02:47:13 UTC
From: John Geiger
Topic: 1171 Message: 1171

Does anyone on the list have an idea of what the Kenwood DSP10 goes for on the used market? This is the DSP module that attaches to the Kenwood TS950S.

73s John AA5JG

[Non-text portions of this message have been removed]

1172. FS: DIN plug sets

Yahoo group: kenwoodradio
Date: 2010-10-27 15:39:20 UTC
From: John Geiger
Topic: 1172 Message: 1172

I have a couple of DIN plug sets that came with a Kenwood TS950 I recently purchased. Both are unopened in the plastic bag. These are the common DIN plugs that will work with most radios.

Bag one has a 7 pin DIN, 8 pin DIN, 13 pin DIN, and 2 automotive type fuses. Asking $15 shipped for this bag.
Bag two has a 7 pin DIN and a 13 pin DIN. Asking $10 shipped.
I know the 13 pin will also work on some Icom transceivers like the 718 and 706 series. The 7 and 8 pin DINs are also used on the Icom 746 along with many other models.
I can take paypal/check/MO.

73s John AA5JG

[Non-text portions of this message have been removed]

1173. FS: Kenwood CW filters

Yahoo group: kenwoodradio
Date: 2010-10-27 15:39:59 UTC
From: John Geiger
Topic: 1173 Message: 1173

I have for sale the following Kenwood CW filters:
1. YK-88C-1 500hz CW filter for the 8.83mhz IF. It works in the Kenwood TS450/570/690/850/930/940/950 series of radios. Asking $75 shipped.
2. YG-455C-1 500 CW filter for the 455khz IF. It works in the Kenwood 140/450/680/690/850/930/940/950 series of radios. Won't work in the 570. Asking $85 shipped.
Take both filters for $150 shipped. I can take paypal/check/MO.
73s John AA5JG

[Non-text portions of this message have been removed]

1174. TS950S SSB offset problem

Yahoo group: kenwoodradio
Date: 2010-10-28 18:19:25 UTC
From: John Geiger
Topic: 1174 Message: 1174

I just picked up a used Kenwood TS950S (what a great sounding rig), that has an issue on SSB. It appears that the transmit and receive frequency are off by 260 to 270hz. I have been living with it by just turning on the RIT when on SSB, which I don't use that much anyways on HF. When using USB you set the RIT to -0.26 and on LSB set the RIT to +0.26 and it seems to equalize the transmit/receive frequencies. This is something that I would like to fix, though. Any else have this problem before? Where should I start troubleshooting to fix it?

73s John AA5JG

[Non-text portions of this message have been removed]

1175. Re: [kw-radio] TS950S SSB offset problem

Yahoo group: kenwoodradio
Date: 2010-10-28 18:38:40 UTC
From: paul ainscow
Topic: 1174 Message: 1175

Hi John Refer To The Manual If You Dont Have One You Can Get It From Mods.Dk. Hope This Helps Paul G7EKG.

--- On Thu, 28/10/10, John Geiger <aa5jg@fidmail.com> wrote:

From: John Geiger <aa5jg@...>
Subject: [kw-radio] TS950S SSB offset problem
To: kenwoodts950@yahoogroups.com, kenwoodradio@yahoogroups.com, kenwood@...
Date: Thursday, 28 October, 2010, 19:19

I just picked up a used Kenwood TS950S (what a great sounding rig), that has an issue on SSB. It appears that the transmit and receive frequency are off by 260 to 270hz. I have been living with it by just turning on the RIT when on SSB, which I don't use that much anyways on HF. When using USB you set the RIT to -0.26 and on LSB set the RIT to +0.26 and it seems to equalize the transmit/receive frequencies. This is something that I would like to fix, though. Any else have this problem before? Where should I start troubleshooting to fix it?

73s John AA5JG

[Non-text portions of this message have been removed]

[Non-text portions of this message have been removed]

1176. Kenwood HF Rigs, Crystal Filter, HT Accessories, etc. FS

Yahoo group: kenwoodradio
Date: 2010-11-02 23:19:50 UTC
From: Ken Simpson, W8EK
Topic: 1176 Message: 1176

Kenwood HF rigs, Crystal Filter, HT accessories, Manuals,
and other Kenwood Items For Sale

Kenwood TS-440 S / AT, 100 Watt HF transceiver:

The Kenwood TS-440S/AT was designed for superior performance
in the SSB, CW, AM, FM and AFSK modes. An automatic antenna
tuner is built in. Coverage is 160 through 10 meters including
the WARC bands with 100 watts (40W AM). It includes such
things as notch filter, individual selection of optional
crystal filters, digital readout, memories, scan capabilities,
IF shift, direct frequency entry from a keyboard, and many
other features. It requires 13 VDC at about 20 amps.

This particular TS-440 is in great condition. Electrically,
it functions 100%. There are no problems with the VCO and
PLL like plagues some of these units. Likewise the frequency
entry from the keyboard is clean and definite. Cosmetically,
it looks good.

All of this for only $450.

Kenwood YK-88SN, 1.8 KHz crystal filter for narrow SSB or wide CW
This solder in filter fits the TS-440, plus many other
Kenwood rigs. With 1800 Hz bandwidth, it provides a very
effective filter for SSB when conditions are tough, and a
medium width filter for CW when the going is not as tough.
Of course it works fine.
It looks fine also, as if that matters when inside a rig.
$75

Kenwood TS-440 S HF Transceiver that does not transmit.
This TS-440 works fine on receive. However the finals are
extremely leaky / partially shorted, so the 13 V DC has been
removed from the finals. This unit functions fine as a
receiver, but just does not transmit. I see three ways you
might want to use it:
1) Replace the finals and use it as a transceiver as
originally intended.
2) Use it as is, as a very good receiver.
3) Use it as a parts unit. It does not have the "dots problem"
of any of the PLLs unlocking. It is fine on all bands. Maybe
you have one with the "dots problem", and could use this one as
an easy fix.
I should note that the S meter bulb also needs replacement. $200

Ameritron PNP-7D "Quick Connect" Cable for most Kenwood rigs
(TS-440, 950, 130, 2000, etc.) to Ameritron ARB-704 Interface.
New, still in sealed bag. $12

Accessories for Kenwood TH-205, TH-215, TH-225, TH-415,
and other HTs in that series:

Kenwood SC-13 Vinyl Case
For TH-215, TH-225 and others, with room for the larger
PB-1 and PB-4 battery packs. It can also be used with
the smaller PB-2 and PB-3 packs. Black color. Great
condition. $15

Kenwood BH-2 Belt clip with screws
Used on many Kenwood HTs. $8

Kenwood Wrist Strap for TH-215, plus many other HTs. $4

Original Kenwood Rubber Duck antenna from TH-215. $10

Kenwood BC-2 Charger for PB-2 batteries. $12

Antenna adapter to fit the BNC connector on the HT
and provide an SO-239 connector that will permit
a PL-259 to be attached. (BNC male to UHF female) $5

Kenwood PG-3 E Filtered Cigarette Lighter Cable

This cable is used to power the Kenwood TH-215 series, TH-225
series, TH-25, TH-75, and other Kenwood HTs. It plugs into
a cigarette lighter, and filters the noise that is produced
by the alternator.

This one is NOS (New, Old Stock), still in its original blister
pack. $15

Accessories for the Kenwood TR-2400 HT:

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine
and works fine. $18

Antenna adapter (Male BNC to female UHF)
This will fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached.
This adapter can be used on any HT with a BNC connector. $5

Belt clip for TR-2400 HT, complete with hardware - $8

Wrist strap for TR-2400, and most other HTs - $4

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the
Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually,
one must have the battery inside the HT, but this lets you charge

a second battery outside of the HT. The original charger is used.
It is in good shape, and works fine. $3

HT Belt Clips and Wrist Straps:

Belt Clips:
All include the hardware with the belt clip and are $8 each.
Kenwood BH-2 for Kenwood TH-215 / 225 / 415, TR-2500, etc.
Kenwood BH-3 for Kenwood TH-21 / 31 / 41 series HTs
Kenwood TR-2400
Motorola
Yaesu FT-207

Wrist Straps for various HTs - $4 each
Kenwood TH-215 / 225 / 415, TR-2500, etc.
Kenwood TR-2400
Yaesu FT-209

Original Operating Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All original manuals.

BC-5 DC charger/adapter $4
LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PS-6 power supply $6
PS-30 power supply $5
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $4
YK-88SN Narrow SSB Filter $4

Operating manual for TW-4000 dual bander $15
Service manual for TW-4000 dual bander $20
Operating manual for TH-21 HT for 2 meters $8
Operating manual for TH-225, 2 meter HT $12
Operating manual for TM-221/421 mobile $15
Operating manual for TH-241/441/541 mobile FM transceivers
...For 2 meters, 440 MHz, & 1200 MHz. $12
Operating manual for TR-2400, 2 meter HT $12
Service manual for TR-2600, 2 meter HT $12

Service Manual for Kenwood TS-50 HF transceiver
ORIGINAL service manual with color drawings.
Extremely nice condition, with additional schematics. $30

Service Manual for Kenwood TR-9130 multimode 2 meter transceiver
This manual is a very good copy. $10

Original Service manual for Kenwood TW-4000 dual bander, $20

Service manual for TR-2600, 2 meter HT $12

Santec ST-142/144 "Service Pack"
This is similar to a service manual, but Santec calls it a service
pack. It has schematics, circuit explanations, voltages, etc. $18

Kenwood TM G-707 manual in Spanish:
Spanish version of the Operating Manual
for the Kenwood TM G-707 dual band transceiver
This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood.
$10
All other manuals are in English.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

_____ Information from ESET NOD32 Antivirus, version of virus signature database 5586 (20101102) _____

The message was checked by ESET NOD32 Antivirus.

http://www.eset.com

1177. Kenwood HT Accessories and original Kenwood Manuals FS

Yahoo group: kenwoodradio
Date: 2010-11-27 15:09:19 UTC
From: Ken Simpson, W8EK
Topic: 1177 Message: 1177

Kenwood HT Accessories and original Kenwood manuals For Sale:

Accessories for Kenwood TH-205, TH-215, TH-225, TH-415,
and other HTs in that series:

Kenwood SC-13 Vinyl Case
For TH-215, TH-225 and others, with room for the larger
PB-1 and PB-4 battery packs. It can also be used with
the smaller PB-2 and PB-3 packs. Black color. Great
condition. $15

Kenwood BH-2 Belt clip with screws
Used on many Kenwood HTs. $8

Kenwood Wrist Strap for TH-215, plus many other HTs. $4

Original Kenwood Rubber Duck antenna from TH-215. $10

Kenwood BC-2 Charger for PB-2 batteries. $12

Antenna adapter to fit the BNC connector on the HT
and provide an SO-239 connector that will permit
a PL-259 to be attached. (BNC male to UHF female) $5

Kenwood PG-3 E Filtered Cigarette Lighter Cable

This cable is used to power the Kenwood TH-215 series, TH-225
series, TH-25, TH-75, and other Kenwood HTs. It plugs into
a cigarette lighter, and filters the noise that is produced
by the alternator.

This one is NOS (New, Old Stock), still in its original blister
pack. $15

MFJ-287 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits the
TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as
others. It has a 3 conductor 3.5 mm plug and a 2 conductor
2.5 mm plug. It works fine. $12

Accessories for the Kenwood TR-2400 HT:

Kenwood SMC-24 speaker microphone
Fits Kenwood TR-2400 HT and others. This one looks fine
and works fine. $18

Antenna adapter (Male BNC to female UHF)
This will fit the BNC connector on the HT and provide

an SO-239 connector that will permit a PL-259 to be attached.
This adapter can be used on any HT with a BNC connector. $5

Belt clip for TR-2400 HT, complete with hardware - $8

Wrist strap for TR-2400, and most other HTs - $4

Battery charge cable for Kenwood TR-2400 HT
This is an adapter that permits one to charge the battery of the Kenwood TR-2400, 2 meter HT, outside of the HT itself. Usually, one must have the battery inside the HT, but this lets you charge a second battery outside of the HT. The original charger is used. It is in good shape, and works fine. $3

Accessories for the TH-21 / 31 / 41 series HTs:

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries for the TH-21 series, and may also be used on other Kenwood radios. $12

DEAD Kenwood PB-21 battery pack
This battery pack is used on the TH-21 series HTs. This one is dead, but can be used for rebuilding. It is in good physical condition, with no cracks. $10

DEAD Kenwood PH-21 H battery pack
This is the heavy duty (high capacity) battery back used with the TH-21 series HTs. The batteries in it are dead, but it can be sued to put a new "insert" in, or for building a 12 V DC adapter. Physically it is in good shape. $10

Kenwood Rubber duck antenna for the TH-21 HT
This is the original 2 meter rubber duck. $15

HT Belt Clips and Wrist Straps:

Belt Clips:
All include the hardware with the belt clip and are $8 each.
Kenwood BH-2 for Kenwood TH-215 / 225 / 415, TR-2500, etc.
Kenwood BH-3 for Kenwood TH-21 / 31 / 41 series HTs
Kenwood TR-2400
Motorola
Yaesu FT-207

Wrist Straps for various HTs - $4 each
Kenwood TH-215 / 225 / 415, TR-2500, etc.
Kenwood TR-2400
Yaesu FT-209

Original Operating Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
These are original manuals only.

BC-5 DC charger/adapter $4
LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PS-6 power supply $6
PS-30 power supply $5
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $4
YK-88SN Narrow SSB Filter $4

Operating manual for TW-4000 dual bander $15
Service manual for TW-4000 dual bander $20
Operating manual for TH-21 HT for 2 meters $8
Operating manual for TH-225, 2 meter HT $12
Operating manual for TM-221/421 mobile $15
Operating manual for TH-241/441/541 mobile FM transceivers
...For 2 meters, 440 MHz, & 1200 MHz. $12
Operating manual for TR-2400, 2 meter HT $12
Service manual for TR-2600, 2 meter HT $12

Service Manual for Kenwood TS-50 HF transceiver
ORIGINAL service manual with color drawings.
Extremely nice condition, with additional schematics. $30

Service Manual for Kenwood TR-9130 multimode 2 meter transceiver
This manual is a very good copy. $10

Original Service manual for Kenwood TW-4000 dual bander, $20

Service manual for TR-2600, 2 meter HT $12

Santec ST-142/144 "Service Pack"
This is similar to a service manual, but Santec calls it a service
pack. It has schematics, circuit explanations, voltages, etc. $18

Kenwood TM G-707 manual in Spanish:
Spanish version of the Operating Manual
for the Kenwood TM G-707 dual band transceiver
This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood.
$10
All other manuals are in English.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

_____ Information from ESET NOD32 Antivirus, version of virus signature database 5652 (20101126) _____

The message was checked by ESET NOD32 Antivirus.

http://www.eset.com

1178. Kenwood RF transmitter choke (TS-830) L33-0635-05 Wanted

Yahoo group: kenwoodradio
Date: 2010-12-05 15:14:51 UTC
From: w4dg.geo
Topic: 1178 Message: 1178

I am in need of the RF transmitter choke (L33-0635-05) for the TS-830 transceiver which is mounted between the pair of 6146 final tubes.

Mine smoked this AM while on 40m!

Please email me at w4dg@... <mailto:w4dg@...>
or telephone me at (7270 863-0102.

73, Dennis, W4DG

[Non-text portions of this message have been removed]

1179. Plate Choke for TS-830S

Yahoo group: kenwoodradio
Date: 2010-12-07 01:50:25 UTC
From: w4dg.geo
Topic: 1179 Message: 1179

TNX for all the replies I located a replacement Plate Choke for the TS-830S

73, Dennis - W4DG

[Non-text portions of this message have been removed]

1180. TK-701S

Yahoo group: kenwoodradio
Date: 2010-12-17 14:21:04 UTC
From: haburton
Topic: 1180 Message: 1180

Anyone know how to program a Kenwood TK-701S or where I can get a manual for one?

Thanks,

73's
N5BFB

1181. Re: [kw-radio] TK-701S

Yahoo group: kenwoodradio
Date: 2010-12-17 18:10:47 UTC
From: paul ainscow
Topic: 1180 Message: 1181

Have Yoy Tried modd.dk They Have A Good Selection Of Manuals.Regards Paul G7EKG.

--- On Fri, 17/12/10, haburton <haburton@...> wrote:

From: haburton <haburton@...>
Subject: [kw-radio] TK-701S
To: kenwoodradio@yahoogroups.com
Date: Friday, 17 December, 2010, 14:21

Anyone know how to program a Kenwood TK-701S or where I can get a manual for one?

Thanks,

73's
N5BFB

[Non-text portions of this message have been removed]

1182. 440 MHz HT, HT Accessories, & Manuals FS

Yahoo group: kenwoodradio
Date: 2010-12-25 22:13:08 UTC
From: Ken Simpson, W8EK
Topic: 1182 Message: 1182

Kenwood 440 MHz HT, HT Accessories and original Kenwood
manuals For Sale:

Kenwood TH-41 AT, 440 MHz HT:

The TH-41 is a fully synthesized, small HT, about the size of
a deck of cards. It has thumbwheel selection of frequency.
The + or - offset is selected by a switch on the back, as is
high and low power. It is very easy to use, and has a bit
over 1 W output in high power and 1/3 W in low power. Touch
tone (DTMF) pad is on the front.

This one looks good. It transmits well, but the receive audio
is a bit low. It is there, but seems low to me. To put it
another way, it needs the volume control turned up all the way,
and even then the audio is lower than I would like. Use it as
it is, fix it up, use it for transmitter "fox hunts", or whatever
you might think of.

This is the HT only for $20. I have both operating and service
manuals on CD that I will include.

Accessories for the TH-21 / 31 / 41 series HTs:

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries for
the TH-21 series, and may also be used on other Kenwood radios.
$12

DEAD Kenwood PB-21 battery pack
This battery pack is used on the TH-21 series HTs. This one is dead,
but can be used for rebuilding. It is in good physical condition,
with no cracks. $10

DEAD Kenwood PH-21 H battery pack
This is the heavy duty (high capacity) battery back used with the
TH-21 series HTs. The batteries in it are dead, but it can be sued to
put a new "insert" in, or for building a 12 V DC adapter. Physically
it is in good shape. $10

Kenwood Rubber duck antenna for the TH-21 HT
This is the original RA-6, 2 meter rubber duck. $15
Shorter, Kenwood "Stuby Duck" for TH-21 HT. $20

Accessories for Kenwood TH-205, TH-215, TH-225, TH-415,
and other HTs in that series:

Kenwood SC-13 Vinyl Case
For TH-215, TH-225 and others, with room for the larger PB-1 and PB-4 battery packs. It can also be used with the smaller PB-2 and PB-3 packs. Black color. Great condition. $15

Kenwood BH-2 Belt clip with screws
Used on the above HTs, plus many other Kenwood HTs. $8

Kenwood Wrist Strap for TH-215, plus many other HTs. $4

Original Kenwood Rubber Duck antenna from TH-215. $10

Kenwood BC-2 Charger for PB-2 batteries. $12

Antenna adapter to fit the BNC connector on the HT and provide an SO-239 connector that will permit a PL-259 to be attached. (BNC male to UHF female) $5

Kenwood PG-3 E Filtered Cigarette Lighter Cable

This cable is used to power the Kenwood TH-215 series, TH-225 series, TH-25, TH-75, and other Kenwood HTs. It plugs into a cigarette lighter, and filters the noise that is produced by the alternator.

This one is NOS (New, Old Stock), still in its original blister pack. $15

HT Speaker Microphones:

MFJ 286 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits the TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as others. It has a 3 conductor 3.5 mm plug and a 2 conductor 2.5 mm plug. It works fine. $12

MFJ-287 Speaker Microphone
Fits same HTs as the MFJ 286 above, but is a smaller more compact speaker mic. It works fine, and looks close to new. $15

Azden SDX-316 Speaker Microphone
Although it has an Azden name plate, it will also work with Icom, some Yaesu, and Alinco that needs 3.5 mm and 2.5 mm plugs.
This is the rounder style speaker mic that fits nicely in the palm of your hand. $20

HT Belt Clips and Wrist Straps:

Belt Clips:
All include the hardware with the belt clip and are $8 each.
Kenwood BH-2 for Kenwood TH-215 / 225 / 415, TR-2500, etc.
Kenwood BH-3 for Kenwood TH-21 / 31 / 41 series HTs
Motorola

Yaesu FT-207

Wrist Straps for various HTs - $4 each
Kenwood TH-215 / 225 / 415, TR-2500, etc.
Kenwood TR-2400
Yaesu FT-209

Original Operating Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
These are original manuals only.

BC-5 DC charger/adapter $4
LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PS-6 power supply $6
PS-30 power supply $5
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $4
YK-88SN Narrow SSB Filter $4

Operating manual for TW-4000 dual bander $15
Service manual for TW-4000 dual bander $20
Operating manual for TH-21 HT for 2 meters $8
Operating manual for TH-225, 2 meter HT $12
Operating manual for TM-221/421 mobile $15
Operating manual for TH-241/441/541 mobile FM transceivers
...For 2 meters, 440 MHz, & 1200 MHz. $12
Operating manual for TR-2400, 2 meter HT $12
Service manual for TR-2600, 2 meter HT $12

Service Manual for Kenwood TS-50 HF transceiver
ORIGINAL service manual with color drawings.
Extremely nice condition, with additional schematics. $30

Service Manual for Kenwood TR-9130 multimode 2 meter transceiver
This manual is a very good copy. $10

Original Service manual for Kenwood TW-4000 dual bander, $20

Service manual for TR-2600, 2 meter HT $12

Santec ST-142/144 "Service Pack"
This is similar to a service manual, but Santec calls it a service
pack. It has schematics, circuit explanations, voltages, etc. $18

Kenwood TM G-707 manual in Spanish:
Spanish version of the Operating Manual
for the Kenwood TM G-707 dual band transceiver
This is the original operating manual only, in Spanish.

It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood.
$10
All other manuals are in English.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1183. Re: [kw-radio] TK-701S

Yahoo group: kenwoodradio
Date: 2010-12-30 19:20:09 UTC
From: Bruce Blair
Topic: 1180 Message: 1183

The TK-601, -701 and -801 were the first programmable Kenwood Commercial radios, having 2 'write-once' fuse-type proms for freqs and 1 for ctcss, using a proprietary programmer (KPG-10 ?) housed in a black plastic box. The memory chips are still available, but you need to find a dealer who has been around since ''78 to possibly find a programmer. Your present chips are located near the front panel in the right corner. They are usually hand-marked as '1', '2' and '3'. 1 and 2 are freq, 3 is ctcss (if used). DO NOT mix them up, won't hurt the radio (no smoke) but will give very strange results for operation. Chip 1 sets (upper/lower) half of the bits for channel freq, chip 2 sets the (lower/upper) bits. You may be able to use perf board and diodes to make the radio work on 1 channel.

WB2QKO

On 12/17/2010 9:21 AM, haburton wrote:
> Anyone know how to program a Kenwood TK-701S or where I can get a manual for one?
>
> Thanks,
>
> 73's
> N5BFB
>
>
>
>
> ------------------------------------
>
> For polls, files, and other info visit:
> http://www.egroups.com/group/kenwoodradio
> Yahoo! Groups Links
>
>
>
>
>

[Non-text portions of this message have been removed]

1184. FS: mobile bracket for TM-V7A and G707

Yahoo group: kenwoodradio
Date: 2011-01-07 19:27:16 UTC
From: John Geiger
Topic: 1184 Message: 1184

I have for sale the Kenwood mobile mounting bracket for the TM-V7A and TM-G707 FM radios. Might work with other radios as well. The part number is J29-0632-XX if you want to check your manual. Comes with a bunch of screws and hardware as well. Asking $18 shipped in the US and can take paypal/check/MO.

73s John AA5JG

[Non-text portions of this message have been removed]

1185. looking for kenwood 733A parts

Yahoo group: kenwoodradio
Date: 2011-01-24 01:23:17 UTC
From: Ron K7CDL
Topic: 1185 Message: 1185

i'm looking for F07-1376-04 part its the kenwood data port cover for the kenwood 733A will pay money for the part and shipping cost. been looking for one for a wile. please help
K7CDL
Ron

1186. Kenwood Desk Mic, HT accessories, & manuals FS

Yahoo group: kenwoodradio
Date: 2011-02-01 16:09:55 UTC
From: Ken Simpson, W8EK
Topic: 1186 Message: 1186

Kenwood MC-80 Desk Microphone, HT Accessories and original Kenwood manuals For Sale:

Kenwood MC-80 Desk Microphone:

The Kenwood MC-80 is an omnidirectional electret condenser "gooseneck" desk mic. It has UP-DOWN tuning plus a built-in pre-amp. There is a switch for PTT and also a lock feature. The mic impedance is 700 ohms so it can be used with a wide range of models, and it has a frequency response of 200 Hz to 7 KHz. There is a potentiometer adjustment on the back of the mic stand to adjust the output level. The mic terminates to a standard 8 pin Kenwood mic plug. It requires voltage from the Kenwood transceiver to operate.

This one works fine, sounds good, has a new wind screen, and is in its original box. With paper work for $75.

Accessories for Kenwood TH-205, TH-215, TH-225, TH-415, and other HTs in that series:

Kenwood SC-13 Vinyl Case
For TH-215, TH-225 and others, with room for the larger PB-1 and PB-4 battery packs. It can also be used with the smaller PB-2 and PB-3 packs. Black color. Great condition. $15

Kenwood BH-2 Belt clip with screws
Used on the above HTs, plus many other Kenwood HTs. $8

Kenwood Wrist Strap for TH-215, plus many other HTs. $4

Original Kenwood Rubber Duck antenna from TH-215. $10

Kenwood BC-2 Charger for PB-2 batteries. $12

MFJ 286 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits the TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as others. It has a 3 conductor 3.5 mm plug and a 2 conductor 2.5 mm plug. It works fine. $12

MFJ-287 Speaker Microphone
Fits same HTs as the MFJ 286 above, but is a smaller more compact speaker mic. It works fine, and looks close to new. $15

Antenna adapter to fit the BNC connector on the HT and provide an SO-239 connector that will permit

a PL-259 to be attached. (BNC male to UHF female) $5

Kenwood PG-3 E Filtered Cigarette Lighter Cable

This cable is used to power the Kenwood TH-215 series, TH-225 series, TH-25, TH-75, and other Kenwood HTs. It plugs into a cigarette lighter, and filters the noise that is produced by the alternator.

This one is NOS (New, Old Stock), still in its original blister pack. $15

Accessories for the TH-21 / 31 / 41 series HTs:

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries for the TH-21 series, and may also be used on other Kenwood radios. $12

DEAD Kenwood PB-21 battery pack
This battery pack is used on the TH-21 series HTs. This one is dead, but can be used for rebuilding. It is in good physical condition, with no cracks. $10

DEAD Kenwood PH-21 H battery pack
This is the heavy duty (high capacity) battery back used with the TH-21 series HTs. The batteries in it are dead, but it can be sued to put a new "insert" in, or for building a 12 V DC adapter. Physically it is in good shape. $10

MFJ 286 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits the TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as others. It has a 3 conductor 3.5 mm plug and a 2 conductor 2.5 mm plug. It works fine. $12

MFJ-287 Speaker Microphone
Fits same HTs as the MFJ 286 above, but is a smaller more compact speaker mic. It works fine, and looks close to new. $15

Kenwood Rubber duck antenna for the TH-21 HT
Shorter, Kenwood "Stuby Duck" for TH-21 HT. $20

HT Speaker Microphones:

MFJ 286 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits the TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as others. It has a 3 conductor 3.5 mm plug and a 2 conductor 2.5 mm plug. It works fine. $12

MFJ-287 Speaker Microphone
Fits same HTs as the MFJ 286 above, but is a smaller more

compact speaker mic. It works fine, and looks close to new. $15

Azden SDX-316 Speaker Microphone
Although it has an Azden name plate, it will also work
with Icom, some Yaesu, and Alinco that needs 3.5 mm and
2.5 mm plugs.
This is the rounder style speaker mic that fits nicely in
the palm of your hand. $20

HT Belt Clips and Wrist Straps:

Belt Clips:
All include the hardware with the belt clip and are $8 each.
Kenwood BH-2 for Kenwood TH-215 / 225 / 415, TR-2500, etc.
Kenwood BH-3 for Kenwood TH-21 / 31 / 41 series HTs
Motorola
Yaesu FT-207

Wrist Straps for various HTs - $4 each
Kenwood TH-215 / 225 / 415, TR-2500, etc.
Kenwood TR-2400
Yaesu FT-209

Original Operating Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
These are original manuals only.

BC-5 DC charger/adapter $4
LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PS-6 power supply $6
PS-30 power supply $5
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $4
YK-88SN Narrow SSB Filter $4

Operating manual for TW-4000 dual bander $15
Service manual for TW-4000 dual bander $20
Operating manual for TH-21 HT for 2 m $8
Operating manual for TH-225, 2 m HT $12
Operating manual for TM-221/421 mobile $15
Operating manual for TH-241/441/541 mobile FM transceivers
..For 2 m, 440 MHz, & 1200 MHz. $12
Operating manual for TR-2400, 2 m HT $12
Service manual for TR-2600, 2 m HT $12
Operating manual for TR-7400, 2 m xcvr $8

Service Manual for Kenwood TR-9130 multimode 2 meter transceiver
This manual is a very good copy. $10

Original Service manual for Kenwood TW-4000 dual bander, $20

Service manual for TR-2600, 2 meter HT $12

Santec ST-142/144 "Service Pack"
This is similar to a service manual, but Santec calls it a service pack. It has schematics, circuit explanations, voltages, etc. $18

Kenwood TM G-707 manual in Spanish:
Spanish version of the Operating Manual
for the Kenwood TM G-707 dual band transceiver
This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood.
$10
All other manuals are in English.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1187. TH-31BT 220 Handheld

Yahoo group: kenwoodradio
Date: 2011-02-28 22:37:07 UTC
From: crepeauray
Topic: 1187 Message: 1187

I have a TH-31BT 220 MHz handheld but have lost the original screw in rubber duck antenna. Anyone have such laying around? Or, as an alternative, I could use the Kenwood AJ-3 adapter which allowed a conventional BNC duck to be attached to this radio.

Ray

1188. Kenwood Items FS

Yahoo group: kenwoodradio
Date: 2011-03-05 15:55:31 UTC
From: Ken Simpson, W8EK
Topic: 1188 Message: 1188

Kenwood MC-80 Desk Microphone, HT Accessories and original Kenwood manuals For Sale:

Kenwood MC-80 Desk Microphone:

The Kenwood MC-80 is an omnidirectional electret condenser "gooseneck" desk mic. It has UP-DOWN tuning plus a built-in pre-amp. There is a switch for PTT and also a lock feature. The mic impedance is 700 ohms so it can be used with a wide range of models, and it has a frequency response of 200 Hz to 7 KHz. There is a potentiometer adjustment on the back of the mic stand to adjust the output level. The mic terminates to a standard 8 pin Kenwood mic plug. It requires voltage from the Kenwood transceiver to operate.

This one works fine, sounds good, has a new wind screen, and is in its original box. With paper work for $75.

Accessories for Kenwood TH-205, TH-215, TH-225, TH-415, and other HTs in that series:

Kenwood SC-13 Vinyl Case
For TH-215, TH-225 and others, with room for the larger PB-1 and PB-4 battery packs. It can also be used with the smaller PB-2 and PB-3 packs. Black color. Great condition. $15

Kenwood BH-2 Belt clip with screws
Used on the above HTs, plus many other Kenwood HTs. $8

Kenwood Wrist Strap for TH-215, plus many other HTs. $4

Original Kenwood Rubber Duck antenna from TH-215. $10

Kenwood BC-2 Charger for PB-2 batteries. $12

MFJ 286 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits the TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as others. It has a 3 conductor 3.5 mm plug and a 2 conductor 2.5 mm plug. It works fine. $12

MFJ-287 Speaker Microphone
Fits same HTs as the MFJ 286 above, but is a smaller more compact speaker mic. It works fine, and looks close to new. $15

Antenna adapter to fit the BNC connector on the HT and provide an SO-239 connector that will permit

a PL-259 to be attached. (BNC male to UHF female) $5

Accessories for the TH-21 / 31 / 41 series HTs:

Original Operating manual for TH-21 HT for 2 m $8

Original Service manual for Kenwood TH-41 BT, 440 MHz HT, $12

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries for the TH-21 series, and may also be used on other Kenwood radios. $12

DEAD Kenwood PB-21 battery pack
This battery pack is used on the TH-21 series HTs. This one is dead, but can be used for rebuilding. It is in good physical condition, with no cracks. $10

MFJ 286 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits the TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as others. It has a 3 conductor 3.5 mm plug and a 2 conductor 2.5 mm plug. It works fine. $12

MFJ-287 Speaker Microphone
Fits same HTs as the MFJ 286 above, but is a smaller more compact speaker mic. It works fine, and looks close to new. $15

Kenwood Rubber duck antenna for the TH-21 HT
Shorter, Kenwood "Stuby Duck" for TH-21 HT. $20

HT Speaker Microphones:

MFJ 286 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits the TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as others. It has a 3 conductor 3.5 mm plug and a 2 conductor 2.5 mm plug. It works fine. $12

MFJ-287 Speaker Microphone
Fits same HTs as the MFJ 286 above, but is a smaller more compact speaker mic. It works fine, and looks close to new. $15

Azden SDX-316 Speaker Microphone
Although it has an Azden name plate, it will also work with Icom, some Yaesu, and Alinco that needs 3.5 mm and 2.5 mm plugs.
This is the rounder style speaker mic that fits nicely in the palm of your hand. $20

HT Belt Clips and Wrist Straps:

Belt Clips:
All include the hardware with the belt clip and are $8 each.

Kenwood BH-2 for Kenwood TH-215 / 225 / 415, TR-2500, etc.
Kenwood BH-3 for Kenwood TH-21 / 31 / 41 series HTs
Motorola
Yaesu FT-207

Wrist Straps for various HTs - $4 each
Kenwood TH-215 / 225 / 415, TR-2500, etc.
Kenwood TR-2400
Yaesu FT-209

Original Operating Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
These are original manuals only.

BC-5 DC charger/adapter $4
LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PS-6 power supply $6
PS-30 power supply $5
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $4
YK-88SN Narrow SSB Filter $4

Operating manual for TW-4000 dual bander $15
Service manual for TW-4000 dual bander $20
Operating manual for TH-21 HT for 2 m $8
Service manual for Kenwood TH-41 BT, 440 MHz HT, $12
Operating manual for TH-225, 2 m HT $12
Operating manual for TM-221/421 mobile $15
Operating manual for TH-241/441/541 mobile FM transceivers
..For 2 m, 440 MHz, & 1200 MHz. $12
Operating manual for TR-2400, 2 m HT $12
Service manual for TR-2600, 2 m HT $12
Operating manual for TR-7400, 2 m xcvr $8

Service Manuals:

Original Service manual for Kenwood TH-41 BT, 440 MHz HT, $12

Service Manual for Kenwood TR-9130 multimode 2 meter transceiver
This manual is a very good copy. $10

Original Service manual for Kenwood TW-4000 dual bander, $20

Service manual for TR-2600, 2 meter HT $12

Santec ST-142/144 "Service Pack"
This is similar to a service manual, but Santec calls it a service
pack. It has schematics, circuit explanations, voltages, etc. $18

Kenwood TM G-707 manual in Spanish:
Spanish version of the Operating Manual
for the Kenwood TM G-707 dual band transceiver
This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood.
$10
All other manuals are in English.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1189. DFK-7 Separation kit TM-742

Yahoo group: kenwoodradio
Date: 2011-03-20 00:32:55 UTC
From: Ron
Topic: 1189 Message: 1189

Ebay #250790981465

Ebay #250790981465
KENWOOD DFK-7 SEPERATION KIT - BRAND NEW IN BOX UNUSED
Detachable front panel kit - purchased 1 year ago from East Cost
Transistor I did not take it out of the box- even to take a picture!
Use with the Kenwood Tri-band Mobiles
TM-641A, TM-642A, TM-741A, TM-742A, TM-941A, TM-942A

1190. Kenwood Desk Mic, HT accessories, and origianl manuals FS

Yahoo group: kenwoodradio
Date: 2011-03-31 13:26:03 UTC
From: Ken Simpson, W8EK
Topic: 1190 Message: 1190

Kenwood MC-80 Desk Microphone, HT Accessories and original Kenwood manuals For Sale:

Kenwood MC-80 Desk Microphone:

The Kenwood MC-80 is an omnidirectional electret condenser "gooseneck" desk mic. It has UP-DOWN tuning plus a built-in pre-amp. There is a switch for PTT and also a lock feature. The mic impedance is 700 ohms so it can be used with a wide range of models, and it has a frequency response of 200 Hz to 7 KHz. There is a potentiometer adjustment on the back of the mic stand to adjust the output level. The mic terminates to a standard 8 pin Kenwood mic plug. It requires voltage from the Kenwood transceiver to operate.

This one works fine, sounds good, has a new wind screen, and is in its original box. With paper work for $75.

Accessories for Kenwood TH-205, TH-215, TH-225, TH-415, and other HTs in that series:

Kenwood SC-13 Vinyl Case
For TH-215, TH-225 and others, with room for the larger PB-1 and PB-4 battery packs. It can also be used with the smaller PB-2 and PB-3 packs. Black color. Great condition. $15

Kenwood BH-2 Belt clip with screws
Used on the above HTs, plus many other Kenwood HTs. $8

Kenwood Wrist Strap for TH-215, plus many other HTs. $4

Original Kenwood Rubber Duck antenna from TH-215. $10

Kenwood BC-2 Charger for PB-2 batteries. $12

MFJ 286 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits the TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as others. It has a 3 conductor 3.5 mm plug and a 2 conductor 2.5 mm plug. It works fine. $12

MFJ-287 Speaker Microphone
Fits same HTs as the MFJ 286 above, but is a smaller more compact speaker mic. It works fine, and looks close to new. $15

Antenna adapter to fit the BNC connector on the HT and provide an SO-239 connector that will permit

a PL-259 to be attached. (BNC male to UHF female) $5

Accessories for the TH-21 / 31 / 41 series HTs:

Original Operating manual for TH-21 HT for 2 m $8

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries for the TH-21 series, and may also be used on other Kenwood radios. $12

DEAD Kenwood PB-21 battery pack
This battery pack is used on the TH-21 series HTs. This one is dead, but can be used for rebuilding. It is in good physical condition, with no cracks. $10

MFJ 286 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits the TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as others. It has a 3 conductor 3.5 mm plug and a 2 conductor 2.5 mm plug. It works fine. $12

MFJ-287 Speaker Microphone
Fits same HTs as the MFJ 286 above, but is a smaller more compact speaker mic. It works fine, and looks close to new. $15

Kenwood Rubber duck antenna for the TH-21 HT
Shorter, Kenwood "Stuby Duck" for TH-21 HT. $20

HT Speaker Microphones:

MFJ 286 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits the TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as others. It has a 3 conductor 3.5 mm plug and a 2 conductor 2.5 mm plug. It works fine. $12

MFJ-287 Speaker Microphone
Fits same HTs as the MFJ 286 above, but is a smaller more compact speaker mic. It works fine, and looks close to new. $15

Azden SDX-316 Speaker Microphone
Although it has an Azden name plate, it will also work with Icom, some Yaesu, and Alinco that needs 3.5 mm and 2.5 mm plugs.
This is the rounder style speaker mic that fits nicely in the palm of your hand. $20

HT Belt Clips and Wrist Straps:

Belt Clips:
All include the hardware with the belt clip and are $8 each.
Kenwood BH-2 for Kenwood TH-215 / 225 / 415, TR-2500, etc.

Kenwood BH-3 for Kenwood TH-21 / 31 / 41 series HTs
Motorola
Yaesu FT-207

Wrist Straps for various HTs - $4 each
Kenwood TH-215 / 225 / 415, TR-2500, etc.
Kenwood TR-2400
Yaesu FT-209

Original Operating Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
These are original manuals only.

BC-5 DC charger/adapter $4
LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PS-6 power supply $6
PS-30 power supply $5
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $4
YK-88SN Narrow SSB Filter $4

Operating manual for TW-4000 dual bander $15
Service manual for TW-4000 dual bander $20
Operating manual for TH-21 HT for 2 m $8
Operating manual for TH-225, 2 m HT $12
Operating manual for TM-221/421 mobile $15
Operating manual for TH-241/441/541 mobile FM transceivers
..For 2 m, 440 MHz, & 1200 MHz. $12
Operating manual for TR-2400, 2 m HT $12
Service manual for TR-2600, 2 m HT $12
Operating manual for TR-7400, 2 m xcvr $8

Service Manuals:

Service Manual for Kenwood TR-9130 multimode 2 meter transceiver
This manual is a very good copy. $10

Original Service manual for Kenwood TW-4000 dual bander, $20

Service manual for TR-2600, 2 meter HT $12

Santec ST-142/144 "Service Pack"
This is similar to a service manual, but Santec calls it a service
pack. It has schematics, circuit explanations, voltages, etc. $18

Kenwood TM G-707 manual in Spanish:
Spanish version of the Operating Manual
for the Kenwood TM G-707 dual band transceiver

This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood.
$10
All other manuals are in English.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1191. Online Degree In Science And Upgrade Your Education

Yahoo group: kenwoodradio
Date: 2011-04-07 04:13:24 UTC
From: shaziafarrque
Topic: 1191 Message: 1191

Online Education - Science Degree
<http://www.swisscolap.com/science/science.shtml>

An online bachelors degree, online masters degree, or online certificate in science <http://www.swisscolap.com/science/science.shtml> can get you started in an exciting new career <http://www.swisscolap.com/science/science.shtml> in science, or upgrade your knowledge and qualifications <http://www.swisscolap.com/science/science.shtml> to advance in your career as a scientist <http://www.swisscolap.com/science/science.shtml> . Science offer a wide range of career paths; from outside <http://www.swisscolap.com/science/science.shtml> , hand-on applied science to laboratory research science <http://www.swisscolap.com/science/science.shtml> , there is a career path and an online degree <http://www.swisscolap.com/science/science.shtml> in science that will spark your curiosity and imagination.

<<More Info>> <http://www.swisscolap.com/science/science.shtml>

[Non-text portions of this message have been removed]

1192. Online MBA is never easy like before

Yahoo group: kenwoodradio
Date: 2011-04-08 07:12:03 UTC
From: shaziafarrque
Topic: 1192 Message: 1192

Online MBA is never easy like before
<http://www.onlineschoolinghelp.com/onlinemba.html>

While in this program students the theoretical and practical skills that are needed for meeting the growing for information technology management professionals. more info...
<http://www.onlineschoolinghelp.com/onlinemba.html>

This is an excellent business program for those individuals who are looking to gain an entry-level position within as electronic commerce, information security, system integration. more info...
<http://www.onlineschoolinghelp.com/onlinemba.html>

During the course of this international business, students will build their knowledge of international marketing and international finance as you prepare to become a global manager. more info...
<http://www.onlineschoolinghelp.com/onlinemba.html>

[Non-text portions of this message have been removed]

1193. Coursework includes such classes as general biology

Yahoo group: kenwoodradio
Date: 2011-04-15 12:47:21 UTC
From: shaziafarrque
Topic: 1193 Message: 1193

Coursework Includes
<http://www.courses-library.com/acstudies/ornamental-horticulture.html>

Ornamental horticulture degrees are normally available in the form of certificates, associate's degrees and bachelor's <http://www.courses-library.com/acstudies/ornamental-horticulture.html> degrees. Very few graduate or post-graduate degrees <http://www.courses-library.com/acstudies/ornamental-horticulture.html> in this subject are available in the United States. Coursework includes such classes as general biology, plant structure and function, plant materials and soil science. Students in ornamental horticulture learn how to design and tend displays of plants to decorate the exteriors (and occasionally interiors) <http://www.courses-library.com/acstudies/ornamental-horticulture.html> of public and private buildings, such as homes, <http://www.courses-library.com/acstudies/ornamental-horticulture.html> schools, government buildings and businesses. More <http://www.courses-library.com/acstudies/ornamental-horticulture.html>

Ground keeping, landscape architecture, park curation, floristry and professional gardening are all career fields that use the skills of an ornamental horticulturist. According to the U.S. Bureau of Labor Statistics, <http://www.courses-library.com/acstudies/ornamental-horticulture.html> wages for professions that employ ornamental horticulturists vary greatly. Groundskeepers earn a median wage of around $11.00 an hour, while landscape architects averaged nearly $60,000 per year. Info <http://www.courses-library.com/acstudies/ornamental-horticulture.html>

[Non-text portions of this message have been removed]

1194. Online Health Care Degrees & Courses

Yahoo group: kenwoodradio
Date: 2011-04-20 10:13:16 UTC
From: shaziafarrque
Topic: 1194 Message: 1194

Online Health Care Degrees & Courses
<http://www.thecoursesworld.com/Healtcare.html>

In 2004, the health care industry provided 13.5 million jobs in the U.S., according to the Bureau of Labor Statistics. An online health care degree can land you in one of these excellent careers, which range from direct patient care to administration. Careers in health care include x-ray technician, nurse, dietitian <http://www.thecoursesworld.com/Healtcare.html> , office manager, supervisor, and more. <http://www.thecoursesworld.com/Healtcare.html>

Earning a health care degree online is becoming easier as the number accredited <http://www.thecoursesworld.com/Healtcare.html> programs are increasing and more health care organizations are in need of educated workers.

Read more. <http://www.thecoursesworld.com/Healtcare.html>

[Non-text portions of this message have been removed]

1195. A Generalist degree in General Studies

Yahoo group: kenwoodradio
Date: 2011-04-23 11:18:51 UTC
From: shaziafarrque
Topic: 1195 Message: 1195

[Body unavailable in the source archive]

1196. Child individuals will examine the various major concepts

Yahoo group: kenwoodradio
Date: 2011-04-27 11:22:59 UTC
From: shaziafarrque
Topic: 1196 Message: 1196

A deeper understanding of the psychological
<http://www.onlineschoolinghelp.com/child-psychology.html>

As student in this online degree in psychology and child individuals will examine the various major concepts, <http://www.onlineschoolinghelp.com/child-psychology.html> values, theories, studies, research methods, and historical trends in as they apply to human behavior, <http://www.onlineschoolinghelp.com/child-psychology.html> learning, and development in order to build a deeper understanding of the psychological theory and in motivating people. More .. <http://www.onlineschoolinghelp.com/child-psychology.html>

Online Psychology
<http://www.onlineschoolinghelp.com/child-psychology.html>

The main focus of this online in psychology has been placed on preparing students for working in organizations, <http://www.onlineschoolinghelp.com/child-psychology.html> agencies, and research settings where employees must know how to properly assess people <http://www.onlineschoolinghelp.com/child-psychology.html> and manage relations.

* Behavioral Development Specialist Course
<http://www.onlineschoolinghelp.com/child-psychology.html>
* Caseworker Course
<http://www.onlineschoolinghelp.com/child-psychology.html>
* Childhood Education Specialist
<http://www.onlineschoolinghelp.com/child-psychology.html>

More detail ..>>>>>
<http://www.onlineschoolinghelp.com/child-psychology.html>

[Non-text portions of this message have been removed]

1197. Enhance your qualifications in adult education

Yahoo group: kenwoodradio
Date: 2011-04-30 07:09:12 UTC
From: shaziafarrque
Topic: 1197 Message: 1197

The usage and working of different computer
<http://www.courses-library.com/phdprg/phd-business-office-automation-te\
chnology.html>

This is a new field of study. Very few people are well aware of this
degree program.
<http://www.courses-library.com/phdprg/phd-business-office-automation-te\
chnology.html> An online Doctorate Degree is a program that offers the
candidates to impart various business information and functions by the
usage and working of different computer equipment to input, process, and
retrieve data for various tasks and purposes.
<http://www.courses-library.com/phdprg/phd-business-office-automation-te\
chnology.html> In addition it supports various instructional guides in
working basic business software and hardware; business computer
networking; principles of desktop publishing; preparing mass mailings;
<http://www.courses-library.com/phdprg/phd-business-office-automation-te\
chnology.html> compiling and editing spreadsheets; list maintenance;
preparing tables and graphs; receipt control; and preparing business
performance reports. And more ..
<http://www.courses-library.com/phdprg/phd-business-office-automation-te\
chnology.html>

This is an online Doctorate Degree program that enables the aspirants of
this course to gain first hand insight
<http://www.courses-library.com/phdprg/phd-business-office-automation-te\
chnology.html> to support their business operations by introducing
computer methodologies to enter, process, and retrieve data for a broad
aspect of administrative purposes. It may include sets of instructions
<http://www.courses-library.com/phdprg/phd-business-office-automation-te\
chnology.html> in preparing the basic business software and hardware;
preparing mass mailings; compiling and editing spreadsheets; business
computer networking; principles of desktop publishing, list maintenance;
preparing tables and graphs; receipt control;
<http://www.courses-library.com/phdprg/phd-business-office-automation-te\
chnology.html> and preparing business performance reports.
More ..
<http://www.courses-library.com/phdprg/phd-business-office-automation-te\
chnology.html>

[Non-text portions of this message have been removed]

1198. Re: Enhance your qualifications in adult education------SPAM ALERT!!!!!!!!!!!!!!!!!!!!!!

Yahoo group: kenwoodradio
Date: 2011-04-30 15:37:42 UTC
From: sig357@sbcglobal.net
Topic: 1198 Message: 1198

If I keep getting spam on this group list I will be forced to drop it!!!

Steve
kd0mph

[Non-text portions of this message have been removed]

1199. Do I need a visa to study in the UK?

Yahoo group: kenwoodradio
Date: 2011-05-10 10:52:43 UTC
From: shaziafarrque
Topic: 1199 Message: 1199

Do I need a visa to study in the UK?
<http://www.onlinevisainfo.com/uk_student_visa.html>
You will need a visa if you:

Are not an EEA national
<http://www.onlinevisainfo.com/uk_student_visa.html>

Are stateless (you don't have a nationality)
<http://www.onlinevisainfo.com/uk_student_visa.html>

Hold a non-national travel document, or
<http://www.onlinevisainfo.com/uk_student_visa.html>

Hold a passport issued by an authority that is not recognized in the UK
<http://www.onlinevisainfo.com/uk_student_visa.html>

If you do not intend to work or stay in the UK for more than six months,
you might wish to consider entering as a student visitor. More to
read .. <http://www.onlinevisainfo.com/uk_student_visa.html>

[Non-text portions of this message have been removed]

1200. Versatile Career Training You Need

Yahoo group: kenwoodradio
Date: 2011-05-13 09:02:18 UTC
From: shaziafarrque
Topic: 1200 Message: 1200

Versatile Career Training You Need
<http://www.thecoursesworld.com/associatedegreesinbusiness.html>

For students considering online educational options, an associate's degree in business <http://www.thecoursesworld.com/associatedegreesinbusiness.html> might be a good place to start. An associate's degree in business is a solid foundation on which you can build your qualifications, either using the degree as immediate career training or as the springboard to a four-year degree. Read more...
<http://www.thecoursesworld.com/associatedegreesinbusiness.html>

People with college degrees generally earn more than those without college degrees. More specifically, a business degree has broad applications that can give you the kind of versatile career training you need in a changing job market <http://www.thecoursesworld.com/associatedegreesinbusiness.html> . Business programs typically include course work in basic accounting principles, sales and marketing, management, administration, and more. These tools can serve you well anywhere from the buttoned-down world of banking to fields as diverse as sports and education. You can also learn how to organize tasks, handle investments, and create budgets--skills that you can find useful in your personal life as well. Read more....
<http://www.thecoursesworld.com/associatedegreesinbusiness.html>

[Non-text portions of this message have been removed]

1201. As an Interactive Media Design or Graphic Design

Yahoo group: kenwoodradio
Date: 2011-05-18 06:50:27 UTC
From: shaziafarrque
Topic: 1201 Message: 1201

As an Interactive Media Design
<http://www.studyventure.com/Univlist/the-art-institute.html>
The Art Institute of Pittsburgh ☐ Online Division, a division of The
Art Institute of Pittsburgh,
<http://www.studyventure.com/Univlist/the-art-institute.html> is proud
to offer you a variety of unique design programs offered totally online.
<http://www.studyventure.com/Univlist/the-art-institute.html> As an
Interactive Media Design or Graphic Design student you now have the
opportunity learn the process of design -- from
<http://www.studyventure.com/Univlist/the-art-institute.html> the
basics to completed projects. Info.....
<http://www.studyventure.com/Univlist/the-art-institute.html>

You'll log on to read class assignments
<http://www.studyventure.com/Univlist/the-art-institute.html>
Created for busy people like yourself, it's the first program that
offers the convenience of learning the fundamentals of design
<http://www.studyventure.com/Univlist/the-art-institute.html> via your
computer and our easy-to-use virtual classroom software.
<http://www.studyventure.com/Univlist/the-art-institute.html> That
means you'll log on to read class assignments, submit your work, and
discuss it with your instructor and classmates. On your time. When it's
most convenient for you.

>>>>>More detail ..>>>>
<http://www.studyventure.com/Univlist/the-art-institute.html>

[Non-text portions of this message have been removed]

1202. Courses from finance to leadership

Yahoo group: kenwoodradio
Date: 2011-05-24 08:26:14 UTC
From: shaziafarrque
Topic: 1202 Message: 1202

Courses from finance to leadership
<http://www.studyventure.com/Courses/mba.html>

When following the curriculum for a MBA, the student is going through a program that is created to develop <http://www.studyventure.com/Courses/mba.html> their skills in many various areas of business. Most who earn this degree have an extremely broad knowledge <http://www.studyventure.com/Courses/mba.html> of the world of business. Courses from finance to leadership, marketing to economics, and government to management <http://www.studyventure.com/Courses/mba.html> are offered through MBA programs. Electives of the student's choosing when going through the program <http://www.studyventure.com/Courses/mba.html> will to develop skills in a specific area. Detail <http://www.studyventure.com/Courses/mba.html>

[Non-text portions of this message have been removed]

1203. The understanding of legal terminology

Yahoo group: kenwoodradio
Date: 2011-05-28 13:43:35 UTC
From: shaziafarrque
Topic: 1203 Message: 1203

The understanding of legal terminology
<http://www.onlineschoolinghelp.com/legal-studies.html>

Through of this online legal studies degree program, students will gain the knowledge and the skills <http://www.onlineschoolinghelp.com/legal-studies.html> that are needed for law and legal system, as well as develop the understanding of legal terminology that is needed for applying the law in a wide variety <http://www.onlineschoolinghelp.com/legal-studies.html> of settings. More . <http://www.onlineschoolinghelp.com/legal-studies.html>

While acquiring legal knowledge
<http://www.onlineschoolinghelp.com/legal-studies.html>

With a curriculum that is outcomes-oriented this course legal studies degree program will learn its students with real world experiences that are intended to way students in gaining the important credentials that many employers demand, <http://www.onlineschoolinghelp.com/legal-studies.html> while acquiring legal knowledge and skills you can apply throughout your future career. And . <http://www.onlineschoolinghelp.com/legal-studies.html>

Online legal studies degree program
<http://www.onlineschoolinghelp.com/legal-studies.html>

With a curriculum that is "outcomes-oriented, "this online legal studies degree program will challenge its students with real-world experiences that are intended to aid students in gaining the valuable credentials that many employers demand, <http://www.onlineschoolinghelp.com/legal-studies.html> while acquiring legal knowledge and skills you can apply <http://www.onlineschoolinghelp.com/legal-studies.html> throughout your future career.

More to read . <http://www.onlineschoolinghelp.com/legal-studies.html>

[Non-text portions of this message have been removed]

1204. An integral part in any individual□s career

Yahoo group: kenwoodradio
Date: 2011-06-04 13:52:00 UTC
From: shaziafarrque
Topic: 1204 Message: 1204

An integral part in any individual's career
<http://www.courses-library.com/phdprg/phd-administration-leadership-tea\
ching-training.html>

Educational Leadership plays an integral part in any individual's
career in educational administration that opts for a career in education
related fields. It provides an extensive study of curriculum
<http://www.courses-library.com/phdprg/phd-administration-leadership-tea\
ching-training.html> and its development, personnel management, issues
relating to fund raising and budgeting and last but not the least how to
tackle these issues with the tool of leadership. A variety of programs
in this course concentrate on enhancing
<http://www.courses-library.com/phdprg/phd-administration-leadership-tea\
ching-training.html> administrational skills and qualities rather than
polishing teaching skills because this degree is related to leadership,
and concentrate on posts such as principal or assistant principal in any
educational institute. Detail
<http://www.courses-library.com/phdprg/phd-administration-leadership-tea\
ching-training.html>

[Non-text portions of this message have been removed]

1205. Economic development and leadership

Yahoo group: kenwoodradio
Date: 2011-06-10 12:27:10 UTC
From: shaziafarrque
Topic: 1205 Message: 1205

Economic development and leadership
<http://www.courses-library.com/phdprg/phd-economics.html>

The four core courses introduce the field and cover the following topics: principles of community and economic <http://www.courses-library.com/phdprg/phd-economics.html> development and leadership, rural organization, the economics of natural resources <http://www.courses-library.com/phdprg/phd-economics.html> and rural development, population, land use, and municipal finance. During the final course, <http://www.courses-library.com/phdprg/phd-economics.html> you will be asked to integrate concepts and practices from the first four courses into an applied project or paper. Detail <http://www.courses-library.com/phdprg/phd-economics.html>

[Non-text portions of this message have been removed]

1206. Kenwood TU-6 and other TH-21/31/41 accessories FS

Yahoo group: kenwoodradio
Date: 2011-06-11 16:05:13 UTC
From: Ken Simpson, W8EK
Topic: 1206 Message: 1206

Accessories for the Kenwood TH-21 / 31 / 41 series HTs For Sale:
-
Kenwood TU-6, subaudible tone (PL or CTCSS) encoder
You have been asking for this one, and I finally found one. Add this unit to your TH-21/31/41 to give it the subaudible tone that you must have these days to work the repeaters.
This one appears to be unused, in its original box, with paper work. $35
-
Original Operating manual for TH-21 HT for 2 meters $8
-
Kenwood BH-3 belt clip and hardware for Kenwood TH-21 / 31 / 41 series HTs. $8
-
Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries for the TH-21 series, and also on other Kenwood radios.
It produces 10.5 V DC at 42 ma, with a standard 2.1 mm coaxial connector. $12
-
Kenwood Rubber duck antenna for the TH-21 HT
Shorter "Stubby Duck" from Kenwood. $20
-
Prices do not include shipping from Florida.
-
Thanks. 73,
Ken Simpson, W8EK
Phone (352) 732-8400
.

1207. The difference between Beauty Therapy salon work and the skills

Yahoo group: kenwoodradio
Date: 2011-06-25 11:26:18 UTC
From: shaziafarrque
Topic: 1207 Message: 1207

Making it up Fine Artistry in Media
<http://www.onlinevisainfo.com/art_index.html>
The popularity of Media-based education continues to grow, with Media Makeup and hair as new buzz-word
<http://www.onlinevisainfo.com/art_index.html> titles for courses being offered by Schools who have previously trained students
<http://www.onlinevisainfo.com/art_index.html> for salon work only. The difference between Beauty Therapy salon work and the skills necessary for film, television, video and theatre is rarely appreciated by
<http://www.onlinevisainfo.com/art_index.html> career advisers in secondary schools. More info
<http://www.onlinevisainfo.com/art_index.html>

Tangible Talents The Art of Creative Careers
<http://www.onlinevisainfo.com/art_index.html>
What does Pablo Picasso have in common with the designer of the clothes you wear, <http://www.onlinevisainfo.com/art_index.html> the craftsman who carved your favorite chair, the art director of that movie set you admire, <http://www.onlinevisainfo.com/art_index.html> or the visual merchandising director whose department store windows catch your eye? Their commonality, of course, is artistic talent, but the focus of their abilities is as diverse as their education and their career interest.
Detail .. <http://www.onlinevisainfo.com/art_index.html>

[Non-text portions of this message have been removed]

1208. Kenwood Manuals, HT accessories FS

Yahoo group: kenwoodradio
Date: 2011-06-26 17:45:06 UTC
From: Ken Simpson, W8EK
Topic: 1208 Message: 1208

Original Manuals for Kenwood equipment For Sale:
(New ones have been added)

All manuals are in very nice condition, for Kenwood equipment.
All are original manuals only.

BC-5 DC charger/adapter $4
LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PS-6 power supply $6
PS-30 power supply $5
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $4
YK-88SN Narrow SSB Filter $4

Operating manual for TM-2570/2550/2530 2 m xcvr $15
Operating manual for TW-4000 dual bander $15
Service manual for TW-4000 dual bander $20
Operating manual for TW-4100 dual bander, like new $15
Operating manual for TH-21 HT for 2 m $8
Operating manual for TH-225, 2 m HT $12
Operating manual for TM-221/421 mobile $15
Operating manual for TH-241/441/541 mobile FM transceivers
..For 2 m, 440 MHz, & 1200 MHz. $12
Operating manual for TR-2400, 2 m HT $12
Service manual for TR-2600, 2 m HT $12
Operating manual for TR-7400, 2 m xcvr $8

Kenwood TM G-707 manual in Spanish:
Spanish version of the Operating Manual
for the Kenwood TM G-707 dual band transceiver
This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood.
$10
All other manuals are in English.

Service Manuals:

Service Manual for Kenwood TR-9130 multimode 2 meter transceiver
This manual is a very good copy. $10

Original Service manual for Kenwood TW-4000 dual bander, $20

Service manual for TR-2600, 2 meter HT $12

Santec ST-142/144 "Service Pack"
This is similar to a service manual, but Santec calls it a service pack. It has schematics, circuit explanations, voltages, etc. $18

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Original Operating manual for TH-21 HT for 2 meters $8

Kenwood BH-3 belt clip and hardware for Kenwood TH-21 / 31 / 41 series HTs. $8

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries for the TH-21 series, and also on other Kenwood radios. It produces 10.5 V DC at 42 ma, with a standard 2.1 mm coaxial connector. $12

Kenwood Rubber duck antenna for the TH-21 HT
Shorter "Stubby Duck" from Kenwood. $20

MFJ 286 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits the TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as others. It has a 3 conductor 3.5 mm plug and a 2 conductor 2.5 mm plug. It works fine. $12

MFJ-287 Speaker Microphone
Fits same HTs as the MFJ 286 above, but is a smaller more compact speaker mic. It works fine, and looks close to new. $15

Accessories for Kenwood TH-205, TH-215, TH-225, TH-415, and other HTs in that series:

Kenwood Wrist Strap for TH-215, plus many other HTs. $4

Original Kenwood Rubber Duck antenna from TH-215. $10

Kenwood BC-2 Charger for PB-2 batteries. $12

MFJ 286 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits the TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as others. It has a 3 conductor 3.5 mm plug and a 2 conductor 2.5 mm plug. It works fine. $12

MFJ-287 Speaker Microphone
Fits same HTs as the MFJ 286 above, but is a smaller more compact speaker mic. It works fine, and looks close to new. $15

Antenna adapter to fit the BNC connector on the HT and provide an SO-239 connector that will permit a PL-259 to be attached. (BNC male to UHF female) $5

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1209. With our distance learning courses

Yahoo group: kenwoodradio
Date: 2011-07-02 11:44:29 UTC
From: shaziafarrque
Topic: 1209 Message: 1209

With our distance learning courses
<http://www.worldofecourses.com/ecrs/computer-science-home-study.html>

There are many skills and quite a bit of knowledge that you need to
launch a career as a computer
<http://www.worldofecourses.com/ecrs/computer-science-home-study.html>
science professional. With our distance learning courses, you can earn
your degree in computer science
<http://www.worldofecourses.com/ecrs/computer-science-home-study.html>
quickly and conveniently from the comfort of your own home. Learn
valuable skills with courses
<http://www.worldofecourses.com/ecrs/computer-science-home-study.html>
in these subjects and more ..
<http://www.worldofecourses.com/ecrs/computer-science-home-study.html>

[Non-text portions of this message have been removed]

1210. 2 m rig and dual band rig FS

Yahoo group: kenwoodradio
Date: 2011-07-17 12:02:08 UTC
From: Ken Simpson, W8EK
Topic: 1210 Message: 1210

Kenwood TM-2530, 2 meter rig, and Kenwood TW-4100, dual band mobile rigs For Sale:

Kenwood TM-2530, 2 meter FM transceiver:

The Kenwood TM-2530 transceiver has a wide range of innovative features incorporated into its design including large easy to read LCD, keypad entry, 23 multifunction memories, high/low power selection and sophisticated scanning. The TM-2530A is 7.1 x 2.4 x 7.7 inches and requires 6.5 amps.

Features:
* 23 Memories
* Scanning
* Call Channel
* Lithium battery backup
* Frequency Lock
* 15 DTMF Memories
* Auto Repeater Offset
* Repeater Reverse Switch

This particular unit is in its original box, with the mobile bracket and mounting hardware still in its original package. It has been used, however, for packet operation. At the present time the volume and squelch have been set at a fixed level internally (to provide the correct audio level to the digital controller). Of course it needed no mic for packet, and we could not fine the original.

With paper work for $80.

Kenwood TW-4100 A, Dual Band mobile FM transceiver:

The Kenwood TW-4100A is a high powered dual-band transceiver providing 45 watts on 2 meters and 35 watts on 70 cm (440 MHz). A low power setting of 5 watts may also be selected. Ten memories with offset recall and lithium battery backup are provided. There are separate antenna output jacks on the back panel for 2 meters and 440 MHz. It is supplied with a 16 key DTMF hand mic, mobile mounting bracket and DC power cord. Requires 13.8 VDC at 7.5 amps.

Features
* 10 Memories
* Scanning
* Priority Watch
* Lithium battery backup
* Frequency Lock

* Auto Repeater Offset
* Large LCD Display
* DTMF Microphone with up/down switches

This particular unit works great and looks fine. It has a subaudible tone encoder added where the speaker would normally be. That means that an external speaker needs to be used with it.

With DTMF Mic, tone encoder, mobile bracket, power cord, and paper work for $160.

I also have many other accessories available such as many different types of microphones, HTs, HF, VHF and UHF rigs, HF and VHF/UHF antennas, etc.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1211. Why we learn Economics Courses

Yahoo group: kenwoodradio
Date: 2011-07-25 12:20:47 UTC
From: shaziafarrque
Topic: 1211 Message: 1211

Learn About Economics Courses
<http://www.onlineschoolinghelp.com/economics.html>

If you are for an online degree program that will aid you in developing a well-rounded understanding of the complex components of economic system, then the online Associate in Arts in Economics from is the ideal program for you. <http://www.onlineschoolinghelp.com/economics.html>

This fully online degree in economics offers its students a flexible online option for developing their understanding of current knowledge of economic principles and policies.

Finance <http://www.onlineschoolinghelp.com/economics.html>

International trade <http://www.onlineschoolinghelp.com/economics.html>

Strategic planning <http://www.onlineschoolinghelp.com/economics.html>

Also focused on general, accounting, finance, and marketing, examining both the domestic and the international marketplace, this online degree in will prepare students for serving as a expert in the modern business world, as well as integrating faith with learning in a professional atmosphere. More .
<http://www.onlineschoolinghelp.com/economics.html>

[Non-text portions of this message have been removed]

1212. Accounting also envisage students

Yahoo group: kenwoodradio
Date: 2011-08-04 05:05:46 UTC
From: shaziafarrque
Topic: 1212 Message: 1212

<http:///> <http://www.courses-library.com/phdprg/phd-accounting.html>
Accounting also envisage students
<http://www.courses-library.com/phdprg/phd-accounting.html>

The curriculum of Accounting also envisage students with detailed set of instructions about pricing
<http://www.courses-library.com/phdprg/phd-accounting.html> strategies ,operating costs and marketing, and risk sharing in the market economy. The curriculum involves the following coursework.

· Methods in finance
<http://www.courses-library.com/phdprg/phd-accounting.html>

· Macroeconomics
<http://www.courses-library.com/phdprg/phd-accounting.html>

· Accounting research methods
<http://www.courses-library.com/phdprg/phd-accounting.html>

· Statistics
<http://www.courses-library.com/phdprg/phd-accounting.html>

<http://www.courses-library.com/phdprg/phd-accounting.html>

More to read ..
<http://www.courses-library.com/phdprg/phd-accounting.html>

[Non-text portions of this message have been removed]

1213. Effective ways of collecting information

Yahoo group: kenwoodradio
Date: 2011-08-17 10:52:34 UTC
From: shaziafarrque
Topic: 1213 Message: 1213

Effective ways of collecting information
<http://courses-library.com/mbaprg/mba-information%20technology-systems.\
html>

Students should emerge from their programs with a great background in
business as well as the ability to
<http://courses-library.com/mbaprg/mba-information%20technology-systems.\
html> companies make tough decisions, store and manage data, and design
new and more effective ways of collecting information.
<http://courses-library.com/mbaprg/mba-information%20technology-systems.\
html> Students can expect their degree program to take about two years
to complete, as this is the standard amount of time an MBA degree
<http://courses-library.com/mbaprg/mba-information%20technology-systems.\
html> usually takes. Of course, with new online programs arising,
<http://courses-library.com/mbaprg/mba-information%20technology-systems.\
html> some students may find that they are able to complete their
program more quickly. More to read
<http://courses-library.com/mbaprg/mba-information%20technology-systems.\
html>

[Non-text portions of this message have been removed]

1214. The task of working with others such as designers

Yahoo group: kenwoodradio
Date: 2011-09-17 15:13:00 UTC
From: shaziafarrque
Topic: 1214 Message: 1214

The task of working with others such as designers
<http://www.thecoursesworld.com/fashion-marketing-program.html>
Fashion industry is a billion dollar industry in today's world of
business and fashion
<http://www.thecoursesworld.com/fashion-marketing-program.html>
marketers have their important role to play in its growth. A fashion
marketer enjoys the task
<http://www.thecoursesworld.com/fashion-marketing-program.html> of
working with others such as designers, artists, and CEOs so as to create
and market new merchandise.
<http://www.thecoursesworld.com/fashion-marketing-program.html> Those
who intend to become a fashion marketer may earn this degree at a
university, community college, or through and online degree program
<http://www.thecoursesworld.com/fashion-marketing-program.html> , a so
as to qualify to work as a fashion marketer. More
<http://www.thecoursesworld.com/fashion-marketing-program.html>

[Non-text portions of this message have been removed]

1215. Range from direct patient care to administration

Yahoo group: kenwoodradio
Date: 2011-09-30 12:38:19 UTC
From: shaziafarrque
Topic: 1215 Message: 1215

Range from direct patient care to administration
<http://www.thecoursesworld.com/aohealthcareschool.html>

The health care industry provided 13.5 million jobs in the U.S., according to the Bureau of Labor Statistics. <http://www.thecoursesworld.com/aohealthcareschool.html> An online health care degree can land you in one of these excellent careers, <http://www.thecoursesworld.com/aohealthcareschool.html> which range from direct patient care to administration. Careers in health care include x-ray <http://www.thecoursesworld.com/aohealthcareschool.html> technician, nurse, dietitian, <http://www.thecoursesworld.com/aohealthcareschool.html> office manager, supervisor, and more.

* Average Length of Training Program: 2 to 6 years online <http://www.thecoursesworld.com/aohealthcareschool.html>
* Top Health Care Career Paths: Nurse, dental hygienist, therapist, medial record technician, home health aide <http://www.thecoursesworld.com/aohealthcareschool.html>
* Typical Courses You Will Take: Biology, Anatomy, Physiology <http://www.thecoursesworld.com/aohealthcareschool.html>

More info
<http://www.thecoursesworld.com/aohealthcareschool.html>

[Non-text portions of this message have been removed]

1216. HF Amp, Filter, Wattmeters, Coax Switches, Mics, and more FS

Yahoo group: kenwoodradio
Date: 2011-10-15 12:10:55 UTC
From: Ken Simpson, W8EK
Topic: 1216 Message: 1216

Solid State HF Amplifier, Active Audio Filter,
Wattmeters/SWR Bridges, Coax Antenna Switches,
Microphones, HT Speaker Mics, DTMF Touch Tone
Microphones, Accessories for Kenwood HTs, original
Kenwood Manuals, and other Kenwood items For Sale:

Ameritron ALS-600 HF Solid State No Tune Amplifier:

This is a solid state, HF no tune linear amplifier,
including coverage of the WARC bands, and is supplied
with a separate power supply.

Features:
No Tubes - all solid state
Instant band switching, no tuning, no warm up
Output Power 600 Watts PEP, 500 Watts CW
Continuous HF Coverage
SWR Protection
Over Power Protection
Extremely quiet low speed fan
Very Compact
Illuminated Cross-Needle SWR/Wattmeter
Operate / Standby Switch
Transmit, ALC & SWR LED indicators
Step Start Inrush Protection
Power Supply has voltage & current cross needle meter

This is a really great amplifier. It has full output, working
100%. The amp proper looks extremely nice, although a bit of
the very bottom of the laxan panel on the power supply has a
bubble. It ends up on the floor out of sight anyhow, so does
not mater.

With paper work for $900.

Autek QF-1 A, Active Audio Filter :

This is an audio filter that goes between your rig and speaker.
It runs off of 110 V AC or 13 Volt DC, and will peak, notch, or
become a low pass or high pass filter. Selectivity (bandwidth)
and frequency are adjustable from the front panel. This is the
"A" model that also has an additional notch filter added.
The input is an 1/4 inch phone plug, and the output is a 1/4
inch jack on the rear panel.

This particular unit works 100%, and looks very, very nice.
I can not find a scratch on it.

With paper work for $50.

Swan WM-2000 Wattmeter / SWR Bridge:

The Swan WM-2000 power meter and SWR bridge covers 3.5 to 30 MHz. Power scales are 200, 1000, 2000 watts. It has a very large (over 5 inch) meter, for easy visibility. The rear panel has SO-239 input and output connectors.

This is an extremely nice meter, primarily due to its large physical meter, making it easy to read.

This one is in extremely good condition. It works 100% and looks very close to new.

With paper work for $80.

Heath SB-634 Station Console:

The Heathkit SB-634 station console is a multifunction unit. It contains a 24 hour digital clock (6 large digits, including seconds), 10 minute interval timer (3 digits -- minutes and seconds), phone patch and an SWR/Power meter. The large wattmeter reads either 200 watts or 2000 watts full scale, in addition to SWR. It matches the Heath SB series of equipment (Heath green), and is powered by 115 V AC.

This unit works on all of its functions. It looks extremely nice. I can not find a scratch on it, but there is very slight (and I emphasize very slight) wear on the 2000 watt push button.

With paper work for $150.

Heath HM-2140 A, dual meter Wattmeter / SWR Bridge:

The HM-2140 A uses two separate meters to measure power and SWR (forward and reflected power). It will measure either average power, or peak power (PEP) with a 9 volt battery. Power ranges are 200 and 2000 watts. Frequency range is from 160 thru 10 meters. It has a remote sensor, which permits the meter to be separated from the coax connection by up to 3 feet. This is the "A" model of this meter, which is the Heath Brown color (not the green), and has more features.

More details can be found at
http://www.radiomuseum.org/r/heath_wattmeter_hm_2140a_hm2140.html

This particular unit works fine, and looks very close to new.
With paper work for $100.

MFJ "Strip Line" Coaxial antenna switches:

Both of these antenna switches are in a heavy diecast housing that utilizes "stripline" construction to keep the impedance very close to 50 ohms. It also permits good operation at

higher frequencies up to 500 MHz, and gives over 50 db isolation. Unused antenna are grounded, with an additional position to ground all antennas. SO-239 connectors.

MFJ 1704 Coax Switch
Will switch up to 4 antennas. It works fine and looks close to new. $55

MFJ 1702 B Coax Switch
Switches 2 antennas. With lightning protection. This one works 100% and looks great also. $24

Deluxe Desk Microphone w/ Kenwood 8 pin connector:

This is a great looking and great performing low impedance desk mic. It has a quality Shure 600 ohm cartridge in it (the cartridge alone is over $40 new), with a very nice black die case base and neck, with a chrome grill. It looks somewhat like a Shure 444, but no plastic on this one -- all metal!

This one looks like new, and works the same. It has a long (approx 6 foot) cord, with a round 8 pin connector for Kenwood. $75

Astatic Model 810-6 Gooseneck Microphone:

This mic is on a 12 inch gooseneck. The mic is a brushed metal about 5 1/4 inches long, and is actually part of the gooseneck. The cable goes thru the gooseneck. This has a 2 conductor shielded cable, so it is a quality balanced microphone with about a 4000 ohm impedance. The gooseneck terminates in a standard 5/8 inch threaded connector.

This one works fine and looks good. $45

Kenwood Hand Microphone with round 8 pin plug:

This hand mic works great on most Kenwood rigs with the round 8 pin connector, such as the TS-430, TS-440, TS-570, TM-241, TM-2530, TW-4000, and others.
It only says "Electret Condenser Mic" on it, with no model number.

Basically, this mic is like an MC-43, only with a couple more features. Of course it has the mic and PTT switch; it also has up/down switches on the top. There are four "extra" buttons labeled Call, VFO, MR, and PF. What these four buttons do depends on the rig that it is attached to. They will function on some rigs, and are completely useless on others. There is also a "Lock" switch on the back.

Regardless if you use the four extra buttons or not, you still have a mic that works like an MC-43.

This mic works fine, and looks like new. I am guessing it came with a rig, and was immediately put in the drawer. $30

Speaker Microphones:

All of these have the 3.5 mm and 2.5 mm plugs on them, as used by Kenwood, Icom, Alinco, Radio Shack, some Yaesu, and other HTs.

Azden SDX-316
This is the rounder style speaker mic that fits nicely in the palm of your hand. $ 20

Pryme Speaker Microphone
It works fine and look line new. $20

MFJ-287 Speaker Microphone
This fits the TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as others. It has a 3 conductor 3.5 mm plug and a 2 conductor 2.5 mm plug.
It works fine, and looks close to new. $15

DTMF Touch Tone Microphones:

CES 610 L DTMF Touch Tone Mic
Can manually dial a number, or automatically store it in the mic, and "speed dial". 12 digit touch tone pad on the front. 8 pin modular plug (like computer LAN).
Looks to be new. $38

KDK Model TM-2 DTMF Mic
With touch tone pad and up-down switches. It presently has a round 8 pin connector wired for Kenwood.
Nice condition. $40

Johnson 250-0761-010 / CES 655 L DTMF Mic
It has a 12 digit pad on the front, and is a rugged mic. Presently with 4 pin plug. Looks to be unused. $38

Yaesu YM-22 DTMF Condenser Microphone
This mic has a 16 digit touch tone (DTMF) pad on the front. There are up and down buttons on the top, in addition to the PTT switch.
Stripped and tinned ends. Great condition. $40

Cables for CW keyers and keys:

NEW listing of additional cables

Cable for paddles
About 3 feet long, and with a 1/8 inch (3.5 mm) stereo connector on the end, like used by most rigs. $8

As above, but 1/4 inch plug. $8
As above, with 1/4 inch GOLD plated plug. $15

Cable for straight key
About 3 feet long, with a mono 1/8 inch (3.5 mm) phone
plug on it, as used with a straight key. $5
As above, but 1/4 inch plug. $5
Vintage cotton covered cord, with brass PL-55-A
(1/4 inch) plug (probably from WW2) $10

Accessories for Kenwood TH-205, TH-215, TH-225, TH-415,
and other HTs in this series:

Original Kenwood Rubber Duck antenna from TH-215. $10

Kenwood BC-2 Charger for PB-2 batteries. $12

MFJ-287 Speaker Microphone
Fits same HTs as the MFJ 286 above, but is a smaller more
compact speaker mic. It works fine, and looks close to new. $15

Kenwood Wrist Strap for TH-215, plus many other HTs. $4

BNC to PL-259 antenna adapter $5

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Original Operating manual for TH-21 HT for 2 meters $8

Kenwood BH-3 belt clip and hardware for Kenwood TH-21/31/41
series HTs. $8

MFJ-287 Speaker Microphone
Fits same HTs as the MFJ 286 above, but is a smaller more
compact speaker mic. It works fine, and looks close to new. $15

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries
for the TH-21 series, and also on other Kenwood radios.
It produces 10.5 V DC at 42 ma, with a standard 2.1 mm
coaxial connector. $12

Kenwood Rubber duck antenna for the TH-21 HT
Shorter "Stubby Duck" from Kenwood. $20

Operator's Manual for Kenwood (Trio) TS-440 S:

This is a quality reproduction with a "comb" binding
that has been done by one of the professional reproduction
houses. W7FG I think.

This one has a plastic protector on the front, and is
in very nice condition. It includes schematic diagrams.
$18

Original Manuals for Kenwood equipment:
New ones have been added.

All manuals are in very nice condition, for Kenwood equipment.
All are original manuals only.

Operating manual for TM-2570/2550/2530 2 m xcvr $15
Operating manual for TW-4000 dual bander $15
Service manual for TW-4000 dual bander $20
Operating manual for TW-4100 dual bander $15
Operating manual for TH-21 HT for 2 m $8
Operating manual for TH-225, 2 m HT $12
Operating manual for TM-221/421 mobile $15
Operating manual for TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz. $12
Operating manual for TR-2400, 2 m HT $12
Service manual for TR-2600, 2 m HT $12
Operating manual for TR-7400, 2 m xcvr $8

Kenwood TM G-707 operating manual in Spanish:
Spanish version of the Operating Manual
for the TM G-707 dual band transceiver. New $10
All other manuals are English.

LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PS-6 power supply $6
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

HT Belt Clips and Wrist Straps:

Belt Clips:
All include the hardware with the belt clip and are $8 each.
Kenwood BH-3 for Kenwood TH-21 / 31 / 41 series HTs
Motorola
Yaesu FT-207

Wrist Straps for various HTs - $4 each
Kenwood TH-215 / 225 / 415, TR-2500, etc.
Kenwood TR-2400
Yaesu FT-209

I also have many other accessories available such as many
different types of microphones, HTs, HF, VHF and UHF rigs, HF
and VHF/UHF antennas, and many miscellaneous accessories.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1217. this has been your time to shine.

Yahoo group: kenwoodradio
Date: 2011-12-09 23:32:20 UTC
From: Ruben Echevarria
Topic: 1217 Message: 1217

Hola Friend
greatest experience of my life
http://hicky.suppa.jp/profile/10PaulParker/
goodbye
[Non-text portions of this message have been removed]

1218. new member

Yahoo group: kenwoodradio
Date: 2012-02-08 14:52:40 UTC
From: GLORIA W
Topic: 1218 Message: 1218

Hello,

My name is Gloria Wells KK4DXM. I am a new ham. I got my tech license 6/30/2011 and upgraded to general on the 7th of Sept. I bought an old Kenwood TS 530s. It sounded like I was talking underwater and I was able to troubleshoot it replaced the large Caps with the kit sold by K4EAA. It was like putting a 4 barrel carburator on it. I have an end fed wire antenna with a 9:1 UNUN that I built. Barefoot I have talked all over Europe, Japan, Australia, New Zealand, the Phillipines and all over South America, I need Nebraska to have worked all 50 states.
I rebuilt an MC50 mike that I use and I like it a lot.

I got a late start in Ham radio I am 63 and finally got my ticket through CERT, but this is a dream I have had since I was 7. That nasty old bug-a-boo called code kept me sidelined until recently. I am attempting to learn it again, but slow going. I also dabble in PSK31, I managed my first contact without a physical connection between radio and computer by using mikes.
Anyhow enough of my rambling.

Gloria
KK4DXM

1219. Kenwood HF rig, plus other Kenwood Items FS

Yahoo group: kenwoodradio
Date: 2012-02-24 17:57:03 UTC
From: Ken Simpson, W8EK
Topic: 1219 Message: 1219

HF Rig, Power Supply, Microphones, HT Speaker
Mics, DTMF Touch Tone Microphones, Accessories
for Kenwood HTs, original Kenwood Manuals, and
other Kenwood items For Sale:

Kenwood TS-130 HF rig, and PS-30 Power Supply:

Kenwood TS-130 HF SSB / CW transceiver
This rig covers 80 thru 10 meters, including the WARC bands.
It has about 100 watts out, with slightly lower on 12 and 10
meters. Of course it has IF shift, speech processor, and other
features. It is all solid state.
This one works fine, and looks fine. With paper work for $350.

Kenwood PS-30, 20 amp (at 13 V DC) power supply:
This power supply will furnish up to 20 amps at 13 V DC to power
most 100 W output HF transceivers. It also has auxiliary
terminals on the back to power an additional rig, such as a
2 m rig. The main connector is the 6 pin molex connector
that will match most Kenwood, Icom, and Alinco HF radios,
as well as some Yaesu.
This particular unit works 100% and looks very nice.
Paper work included for $90.

Buy both of the above for $425.

Kenwood MC-30 noise canceling hand microphone:
The Kenwood MC-30S noise cancelling mic is used on many of the older
Kenwood rigs, including the TS-120, TS-130, TS-520, TS-820, and many,
many more. Most had a 4 pin connector, but this one has a 5 pin
connector on it. It looks original. The mic works fine and looks
very close to new. $35

Deluxe Desk Microphone w/ Kenwood 8 pin connector:

This is a great looking and great performing low impedance
desk mic. It has a quality Shure 600 ohm cartridge in it
(the cartridge alone is over $40 new), with a very nice
black die case base and neck, with a chrome grill. It
looks somewhat like a Shure 444, but no plastic on this
one -- all metal!

This one looks like new, and works the same. It has a
long (approx 6 foot) cord, with a round 8 pin connector
for Kenwood. $75

Kenwood Hand Microphone with round 8 pin plug:

This hand mic works great on most Kenwood rigs with the round 8 pin connector, such as the TS-430, TS-440, TS-570, TM-241, TM-2530, TW-4000, and others.
It only says "Electret Condenser Mic" on it, with no model number.

Basically, this mic is like an MC-43, only with a couple more features. Of course it has the mic and PTT switch; it also has up/down switches on the top. There are four "extra" buttons labeled Call, VFO, MR, and PF. What these four buttons do depends on the rig that it is attached to. They will function on some rigs, and are completely useless on others. There is also a "Lock" switch on the back.

Regardless if you use the four extra buttons or not, you still have a mic that works like an MC-43.

This mic works fine, and looks like new. I am guessing it came with a rig, and was immediately put in the drawer. $30

Speaker Microphones:

All of these have the 3.5 mm and 2.5 mm plugs on them, as used by Kenwood, Icom, Alinco, Radio Shack, some Yaesu, and other HTs.

Azden SDX-316
This is the rounder style speaker mic that fits nicely in the palm of your hand. $ 20

Pryme Speaker Microphone
It works fine and look line new. $20

MFJ-287 Speaker Microphone
This fits the TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as others. It has a 3 conductor 3.5 mm plug and a 2 conductor 2.5 mm plug.
It works fine, and looks close to new. $15

DTMF Touch Tone Microphones:

CES 610 L DTMF Touch Tone Mic
Can manually dial a number, or automatically store it in the mic, and "speed dial". 12 digit touch tone pad on the front. 8 pin modular plug (like computer LAN).
Looks to be new. $38

KDK Model TM-2 DTMF Mic
With touch tone pad and up-down switches. It presently has a round 8 pin connector wired for Kenwood.
Nice condition. $40

Johnson 250-0761-010 / CES 655 L DTMF Mic
It has a 12 digit pad on the front, and is a rugged mic.

Presently with 4 pin plug. Looks to be unused. $38

Cables for Heil (and other) Microphones:

Heil CC-1 XLR 4
3 pin XLR Male to 4 pin XLR Female $25

3 pin XLR to stripped and tinned ends
About 10 feet of quality rubber covered mic cable with a 3 pin XLR connector on one end, and nothing on the other end. Ideal to add your own connector. Can be used with the CC-1 XLR-4 above. $20

Heil round 8 pin connector to 8 pin modular connector for Icom
Not positive of the number, but it might be HSTA-IM or HSTA-706
$15

Microphone Stands and holders:

Microphone Stands:

Regular round desk stand
Round 6 inch diameter heavy black / dark grey base, with a 3 inch chrome tube coming up from the middle. This one has a 1/4 inch hole in the base, half way between the center and the edge, where I think someone might have had a PTT switch in the past.
Standard 5/8 inch thread. $15

Microphone holders:

Electro Voice Mic Holder
Gray colored EV, designed to hold 5/8 to 3/4 inch diameter mics, and go into a stand with standard 5/8 inch threads. $5

Chrome Mic holder
Similar to EV holder, but chrome metal with a green felt on the inside to protect the mic. For 1/2 inch to 5/8 inch diameter microphones. Standard 5/8 inch threads. $5

Cables for CW keyers and keys:

Cable for paddles
About 3 feet long, and with a 1/8 inch (3.5 mm) stereo connector on the end, like used by most rigs. $8
As above, but 1/4 inch plug. $8
As above, with 1/4 inch GOLD plated plug. $15

Cable for straight key
About 3 feet long, with a mono 1/8 inch (3.5 mm) phone plug on it, as used with a straight key. $5
As above, but 1/4 inch plug. $5

Accessories for Kenwood TH-205, TH-215, TH-225, TH-415,
and other HTs in this series:

Original Kenwood Rubber Duck antenna from TH-215. $10

Kenwood BC-2 Charger for PB-2 batteries. $12

MFJ-287 Speaker Microphone
Fits same HTs as the MFJ 286 above, but is a smaller more
compact speaker mic. It works fine, and looks close to new. $15

Kenwood Wrist Strap for TH-215, plus many other HTs. $4

BNC to PL-259 antenna adapter $5

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Original Operating manual for TH-21 HT for 2 meters $8

Kenwood BH-3 belt clip and hardware for Kenwood TH-21/31/41
series HTs. $8

MFJ-287 Speaker Microphone
Fits same HTs as the MFJ 286 above, but is a smaller more
compact speaker mic. It works fine, and looks close to new. $15

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries
for the TH-21 series, and also on other Kenwood radios.
It produces 10.5 V DC at 42 ma, with a standard 2.1 mm
coaxial connector. $12

Kenwood Rubber duck antenna for the TH-21 HT
Shorter "Stubby Duck" from Kenwood. $20

Operator's Manual for Kenwood (Trio) TS-440 S:

This is a quality reproduction with a "comb" binding
that has been done by one of the professional reproduction
houses. W7FG I think.

This one has a plastic protector on the front, and is
in very nice condition. It includes schematic diagrams.
$18

Original Manuals for Kenwood equipment:
New ones have been added.

All manuals are in very nice condition, for Kenwood equipment.
All are original manuals only.

Operating manual for TM-2570/2550/2530 2 m xcvr $15
Operating manual for TW-4000 dual bander $15
Service manual for TW-4000 dual bander $20
Operating manual for TW-4100 dual bander $15

Operating manual for TH-21 HT for 2 m $8
Operating manual for TH-225, 2 m HT $12
Operating manual for TM-221/421 mobile $15
Operating manual for TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz. $12
Operating manual for TR-2400, 2 m HT $12
Service manual for TR-2600, 2 m HT $12
Operating manual for TR-7400, 2 m xcvr $8

Kenwood TM G-707 operating manual in Spanish:
Spanish version of the Operating Manual
for the TM G-707 dual band transceiver. New $10
All other manuals are English.

LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PS-6 power supply $6
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

I also have many other accessories available such as many
different types of microphones, HTs, HF, VHF and UHF rigs, HF
and VHF/UHF antennas, and many miscellaneous accessories.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1220. Kenwood HF rig and other items FS

Yahoo group: kenwoodradio
Date: 2012-03-08 16:11:47 UTC
From: Ken Simpson, W8EK
Topic: 1220 Message: 1220

Kenwood Items For Sale:

Kenwood TS-130 S HF SSB / CW transceiver and YK-88 C CW Filter:

The Kenwood TS-130S solid state HF transceiver is designed for SSB and CW modes in the 80 through 10 meter ham bands, including the WARC bands. It is rated at 200 PEP input on SSB, 160W DC on CW. It features a 100 Hz digital display with analog subdial. Of course it has a speech processor, noise blanker, IF shift, and other features. It requires 13.8 V DC at about 20 amps.

This particular radio works 100%, and looks great.
With paper work for $300.

Kenwood YK-88 C, 500 Hz CW filter
This filter is used with the TS-130 (above), plus many other Kenwood transceivers. It works fine. $70

Buy both the TS-130 and YK-88 C filter for $360.

Pyramid PS-25 Power Supply (25 amps at 13 V DC):

The Pyramid PS-25 is a 13 Volt DC power supply with both a voltmeter and an ammeter built in. The output voltage is adjustable over a range from about 11.5 to 15.5 volts DC. There is also an adjustment to set the current limiting, up to 25 amps. This means it can be set so that it will protect the finals of a solid state rig. In addition, a buzzer is activated if it goes into over current limiting. This power supply has the features you want!

This particular unit works fine, and looks extremely nice.

With paper work for $80.

This supply is ideal for the TS-130 S above.
Buy the Kenwood TS-130 S and the Pyramid PS-25 for $370.
Add the CW filter for a total of $430.

Kenwood HS-4 Communications Headphones:

The Kenwood HS-4 is a set of headphones that completely cover the ear to block out extraneous noise. They are designed for communications effectiveness, and have an 8 ohm impedance to match most any rig. Of course these are mono headphones and not stereo.

They have a standard 1/4 inch plug.

These work fine and look very good as well. No rips or tears in the headphone covers. $30

Kenwood SP-520 Speaker:

This speaker matches the TS-520, TS-530, and other Kenwood rigs, although it certainly can be used with almost any radio one would want.

This particular one works fine, and looks very good. It has a couple of very light scratches on the sides that are barely visible.

Paper work is included for $55.

Kenwood MC-43 S hand microphone:

This is the "standard" microphone that came with many of the Kenwood rigs that take the round 8 pin mic connector, which is what this one has on it.
It has "up" and "down" switches, as well as the normal PTT switch.

This particular MC-43 is in extremely nice condition. It looks close to new, with no scratches on it.

Paperwork is included for $40.

Deluxe Desk Microphone w/ Kenwood 8 pin connector:

This is a great looking and great performing low impedance desk mic. It has a quality Shure 600 ohm cartridge in it (the cartridge alone is over $40 new), with a very nice black die case base and neck, with a chrome grill. It looks somewhat like a Shure 444, but no plastic on this one -- all metal!

This one looks like new, and works the same. It has a long (approx 6 foot) cord, with a round 8 pin connector for Kenwood. $75

Kenwood Hand Microphone with round 8 pin plug:

This hand mic works great on most Kenwood rigs with the round 8 pin connector, such as the TS-430, TS-440, TS-570, TM-241, TM-2530, TW-4000, and others.
It only says "Electret Condenser Mic" on it, with no model number.

Basically, this mic is like an MC-43, only with a couple more features. Of course it has the mic and PTT switch; it also has up/down switches on the top. There are four "extra" buttons labeled Call, VFO, MR, and PF. What these

four buttons do depends on the rig that it is attached to.
They will function on some rigs, and are completely useless
on others. There is also a "Lock" switch on the back.

Regardless if you use the four extra buttons or not, you
still have a mic that works like an MC-43.

This mic works fine, and looks like new. I am guessing it
came with a rig, and was immediately put in the drawer. $30

Operator's Manual for Kenwood (Trio) TS-440 S:

This is a quality reproduction with a "comb" binding
that has been done by one of the professional reproduction
houses. W7FG I think.

This one has a plastic protector on the front, and is
in very nice condition. It includes schematic diagrams.
$18

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are original manuals only.

Operating manual for TM-2570/2550/2530 2 m xcvr $15
Operating manual for TW-4000 dual bander $15
Service manual for TW-4000 dual bander $20
Operating manual for TW-4100 dual bander $15
Operating manual for TH-21 HT for 2 m $8
Operating manual for TH-225, 2 m HT $12
Operating manual for TM-221/421 mobile $15
Operating manual for TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz. $12
Operating manual for TR-2400, 2 m HT $12
Service manual for TR-2600, 2 m HT $12
Operating manual for TR-7400, 2 m xcvr $8

Kenwood TM G-707 operating manual in Spanish:
Spanish version of the Operating Manual
for the TM G-707 dual band transceiver. New $10
All other manuals are English.

LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PS-6 power supply $6
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

I also have many other accessories available such as many different types of microphones, HTs, HF, VHF and UHF rigs, HF and VHF/UHF antennas, and many miscellaneous accessories. Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1221. Kenwood tk-860 none g model

Yahoo group: kenwoodradio
Date: 2012-04-04 22:23:33 UTC
From: ke3jp
Topic: 1221 Message: 1221

I have 2 Kenwood tk-860 none g model both radios will do narrow band so the software said i have been all throw the manual tiring to find a good place to get raw audio that is not filtered out does any one have any ideas i think i got the rx ok but seems i can't get the tx
thanks mike

1222. Kenwood Items FS

Yahoo group: kenwoodradio
Date: 2012-04-28 14:49:24 UTC
From: Ken Simpson, W8EK
Topic: 1188 Message: 1222

Kenwood Items For Sale:

Kenwood TH-235 Two Meter FM HT:

The Kenwood TH-235A Two meter HT has a large easy-to-read LCD, 60 channel memories with scanning and ten DTMF memories. Extended receive is 136-174 MHz so it includes the weather frequencies. When used on external DC power you will get a full 5 watts output. With the included PB36 battery pack, it produces 1.5 watts. The low power setting is 0.5 watts.

Features
Backlit LCD Display
60 Memories
Scanning
Battery Saver
Built-In CTCSS Encode
Extended Receive

This particular unit works 100% and looks like it just came out of the box new. It came from a silent key who I don't think ever used it. This one includes the desk charger, rubber duck antenna, belt clip, and paper work for $115. I added a new PB-36 battery, as the old one had been in the drawer long enough that it is not in good condition.

Cigarette lighter power cord for TH-235 above. $12

Kenwood MS-1 charger / DC power supply:

The MS-1 is designed to be used with the Kenwood TR-2500 and TR-2600 HTs. The HT slips into the unit, and will charge the battery, or power the unit, or both. The HTs use 9.6 volts DC to operate. This unit converts 13 V DC down to the required 9.6 V DC. It also functions as a holder for the HT in the car, and as a light to illuminate the LCD display on the HT.

This one works fine, and looks OK. With paper work for $20.

Accessories for Kenwood TH-205, TH-215, TH-225, TH-415, and other HTs in this series:

MFJ 287 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits the

TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as
others. It works fine, and looks close to new. $15

Kenwood Wrist Strap for TH-215, plus many other HTs. $4

Original Kenwood Rubber Duck antenna from TH-215. $10

Kenwood BC-2 Charger for PB-2 batteries.
In Original box for $12.

BNC to PL-259 antenna adapter
Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached.
This adapter can be used on any HT with a BNC connector. $5

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Original Operating manual for TH-21 HT for 2 meters $8

Kenwood BH-3 belt clip and hardware for Kenwood
TH-21/31/41series HTs. $6

MFJ 287 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits the
TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as
others. It has a 3 conductor 3.5 mm plug and a 2 conductor
2.5 mm plug. It works fine. $15

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries
for the TH-21 series, and also on other Kenwood radios.
It has a standard 2.1 mm coaxial connector. $12

Kenwood Rubber duck antenna for the TH-21 HT
Shorter "Stubby Duck" from Kenwood. $20

Deluxe Desk Microphone w/ Kenwood 8 pin connector:

This is a great looking and great performing low impedance
desk mic. It has a quality Shure 600 ohm cartridge in it
(the cartridge alone is over $40 new), with a very nice
black die case base and neck, with a chrome grill. It
looks somewhat like a Shure 444, but no plastic on this
one -- all metal!

This one looks like new, and works the same. It has a
long (approx 6 foot) cord, with a round 8 pin connector
for Kenwood. $75

Kenwood Hand Microphone with round 8 pin plug:

This hand mic works great on most Kenwood rigs with the
round 8 pin connector, such as the TS-430, TS-440, TS-570,
TM-241, TM-2530, TW-4000, and others.

It only says "Electret Condenser Mic" on it, with no model number.

Basically, this mic is like an MC-43, only with a couple more features. Of course it has the mic and PTT switch; it also has up/down switches on the top. There are four "extra" buttons labeled Call, VFO, MR, and PF. What these four buttons do depends on the rig that it is attached to. They will function on some rigs, and are completely useless on others. There is also a "Lock" switch on the back.

Regardless if you use the four extra buttons or not, you still have a mic that works like an MC-43.

This mic works fine, and looks like new. I am guessing it came with a rig, and was immediately put in the drawer. $30

Hand Microphone with 8 pin modular plug for Kenwood:

This hand mic says "Electret Condenser Mic" on it, with no model number.

This mic has the mic and PTT switch; it also has up/down switches on the top. There are four "extra" buttons labeled Call, VFO, MR, and PF. What these four buttons do depends on the rig. They will function on some rigs, and are completely useless on others. There is also a "Lock" switch on the back.

This mic has the 8 pin modular plug (like a computer LAN) on it, as used by the Kenwood TM-261, TM-271 and others. It has been tested on a TM-261, but probably works on many others.

This mic works fine, and looks like new. I am guessing it came with a rig, and was immediately put in the drawer. $30

Operator's Manual for Kenwood (Trio) TS-440 S:

This is a quality reproduction with a "comb" binding that has been done by one of the professional reproduction houses. W7FG I think.

This one has a plastic protector on the front, and is in very nice condition. It includes schematic diagrams. $18

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment. All are original manuals only.

Operating manual for TS-130 S/V HF xcvr $20
Operating manual for TM-2570/2550/2530 2 m xcvr $15

Operating manual for TW-4000 dual bander $15
Service manual for TW-4000 dual bander $20
Operating manual for TW-4100 dual bander $15
Operating manual for TH-21 HT for 2 m $8
Operating manual for TH-225, 2 m HT $12
Operating manual for TH-235, 2 m HT $15
Operating manual for TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz. $12
Operating manual for TM-221/421 mobile $15
Operating manual for TR-2400, 2 m HT $12
Service manual for TR-2600, 2 m HT $12
Operating manual for TR-7400, 2 m xcvr $8

Kenwood TM G-707 operating manual in Spanish:
Spanish version of the Operating Manual
for the TM G-707 dual band transceiver. New $10
All other manuals are English.

LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PS-6 power supply $6
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

I also have many other accessories available such as many
different types of microphones, HTs, HF, VHF and UHF rigs, HF
and VHF/UHF antennas, and many miscellaneous accessories.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1223. Kenwood items FS

Yahoo group: kenwoodradio
Date: 2012-05-20 22:41:58 UTC
From: Ken Simpson, W8EK
Topic: 933 Message: 1223

Kenwood Items For Sale
Two meter FM mobile, 2 m FM HT, chargers and other HT accessories, 8 pin modular hand mic, original Kenwood manuals, etc.:

Kenwood TR-7730, 2 meter FM Transceiver:

The Kenwood TR-7730 is 2 meter mobile transceiver that has CTCSS subaudible tone capability (tone board not installed). It has 25W or 5W output, with 5 memories and scan functions (band & memory).
This is an easy to operate radio! It is a great radio for APRS or packet.

This one works 100% and looks OK, but certainly not mint. It does have some scratches. Paper work is included.

I will sell it one of two ways.
With the MC-46 DTMF touch tone mic (which works fine and looks really great), it is $80.
With a generic, non DTMF touch tone, regular mic, it is $50.

Kenwood TH-235 Two Meter FM HT:

The Kenwood TH-235A Two meter HT has a large easy-to-read LCD, 60 channel memories with scanning and ten DTMF memories. Extended receive is 136-174 MHz so it includes the weather frequencies. When used on external DC power you will get a full 5 watts output. With the included PB36 battery pack, it produces 1.5 watts. The low power setting is 0.5 watts.

Features
Backlit LCD Display
60 Memories
Scanning
Battery Saver
Built-In CTCSS Encode
Extended Receive

This particular unit works 100% and looks like it just came out of the box new. It came from a silent key who I don't think ever used it. This one includes the desk charger, rubber duck antenna, belt clip, and paper work for $115.
I added a new PB-36 battery, as the old one had been in the drawer long enough that it is not in good condition.

Cigarette lighter power cord for TH-235 above. $12

Kenwood MS-1 charger / DC power supply:

The MS-1 is designed to be used with the Kenwood TR-2500
and TR-2600 HTs. The HT slips into the unit, and will
charge the battery, or power the unit, or both. The HTs
use 9.6 volts DC to operate. This unit converts 13 V DC
down to the required 9.6 V DC. It also functions as a
holder for the HT in the car, and as a light to illuminate
the LCD display on the HT.

This one works fine, and looks OK. With paper work for
$20.

Accessories for Kenwood TH-205, TH-215, TH-225, TH-415,
and other HTs in this series:

MFJ 287 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits the
TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as
others. It works fine, and looks close to new. $15

Kenwood Wrist Strap for TH-215, plus many other HTs. $4

Original Kenwood Rubber Duck antenna from TH-215. $10

Kenwood BC-2 Charger for PB-2 batteries.
In Original box for $12.

BNC to PL-259 antenna adapter
Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached.
This adapter can be used on any HT with a BNC connector. $5

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Special Antenna adapter that fits the TH-21 series HTs,
and has a BNC on the other end. $10

Kenwood Rubber duck antenna for the TH-21 HT
Shorter "Stubby Duck" from Kenwood. $20

Original Operating manual for TH-21 HT for 2 meters $8

Kenwood BH-3 belt clip and hardware for Kenwood
TH-21/31/41series HTs. $6

MFJ 287 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits the
TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as
others. It has a 3 conductor 3.5 mm plug and a 2 conductor
2.5 mm plug. It works fine. $15

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries for the TH-21 series, and also on other Kenwood radios. It has a standard 2.1 mm coaxial connector. $12

Deluxe Desk Microphone w/ Kenwood 8 pin connector:

This is a great looking and great performing low impedance desk mic. It has a quality Shure 600 ohm cartridge in it (the cartridge alone is over $40 new), with a very nice black die case base and neck, with a chrome grill. It looks somewhat like a Shure 444, but no plastic on this one -- all metal!

This one looks like new, and works the same. It has a long (approx 6 foot) cord, with a round 8 pin connector for Kenwood. $75

Hand Microphone with 8 pin modular plug for Kenwood:

This hand mic says "Electret Condenser Mic" on it, with no model number.

This mic has the mic and PTT switch; it also has up/down switches on the top. There are four "extra" buttons labeled Call, VFO, MR, and PF. What these four buttons do depends on the rig. They will function on some rigs, and are completely useless on others. There is also a "Lock" switch on the back.

This mic has the 8 pin modular plug (like a computer LAN) on it, as used by the Kenwood TM-261, TM-271 and others. It has been tested on a TM-261, but probably works on many others.

This mic works fine, and looks like new. I am guessing it came with a rig, and was immediately put in the drawer. $30

Operator's Manual for Kenwood (Trio) TS-440 S:

This is a quality reproduction with a "comb" binding that has been done by one of the professional reproduction houses. W7FG I think.

This one has a plastic protector on the front, and is in very nice condition. It includes schematic diagrams. $18

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment. All are original manuals only.

Operating manual for TS-130 S/V HF xcvr $20
Operating manual for TM-2570/2550/2530 2 m xcvr $15

Operating manual for TW-4000 dual bander $15
Service manual for TW-4000 dual bander $20
Operating manual for TW-4100 dual bander $15
Operating manual for TH-21 HT for 2 m $8
Operating manual for TH-225, 2 m HT $12
Operating manual for TH-235, 2 m HT $15
Operating manual for TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz. $12
Operating manual for TM-221/421 mobile $15
Operating manual for TR-2400, 2 m HT $12
Service manual for TR-2600, 2 m HT $12
Operating manual for TR-7400, 2 m xcvr $8

Kenwood TM G-707 operating manual in Spanish:
Spanish version of the Operating Manual
for the TM G-707 dual band transceiver. New $10
All other manuals are English.

LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PS-6 power supply $6
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

I also have many other accessories available such as many
different types of microphones, HTs, HF, VHF and UHF rigs, HF
and VHF/UHF antennas, and many miscellaneous accessories.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1224. 2 m HT, speakers, mics, cables, manuals and more FS

Yahoo group: kenwoodradio
Date: 2012-06-22 20:19:10 UTC
From: Ken Simpson, W8EK
Topic: 1224 Message: 1224

Kenwood Items For Sale
Two meter FM HT, speakers, chargers and other HT
accessories, desk and hand microphones, cable for
switching linear amp, coaxial cable, original
Kenwood manuals, etc.:

Kenwood TH-235 Two Meter FM HT:

The Kenwood TH-235A Two meter HT has a large easy-to-read
LCD, 60 channel memories with scanning and ten DTMF
memories. Extended receive is 136-174 MHz so it includes
the weather frequencies. When used on external DC power
you will get a full 5 watts output. With the included
PB36 battery pack, it produces 1.5 watts. The low power
setting is 0.5 watts.

Features
Backlit LCD Display
60 Memories
Scanning
Battery Saver
Built-In CTCSS Encode
Extended Receive

This particular unit works 100% and looks like it just came
out of the box new. It came from a silent key who I don't
think ever used it. This one includes the desk charger,
rubber duck antenna, belt clip, and paper work for $110.
I added a new PB-36 battery, as the old one had been in
the drawer long enough that it is not in good condition.

Cigarette lighter power cord for TH-235 above. $12

Communications Speakers:

All have 3.5 mm (1/8 inch) mono plugs.

Realistic 40-1280
About 4 inch cube, this wood grain speaker is rated for up
to 7 watts, and has a 8 ohm impedance. It works fine,
sounds good, and looks nice. $18

Realistic 21-549 A
This one is about 4 inches square but only about 2 inches
deep. It is rated for 5 watts, has an 8 ohm impedance, and
is listed as a 300 to 3000 Hz frequency response, making it
ideal for communications. It is black in color, looks great,

and sounds great. $18

General Electric
This speaker is about 6 by 4 inches, and about 3 inches deep.
It is black with a gimbal mount. 4 ohm impedance. $15

Poly Planar MB-41
This cream colored 4 inch square speaker is about 2 inches
thick and is rated at 10 watts. It has a mobile mounting
bracket. $15

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Special Antenna adapter that fits the TH-21 series HTs,
and has a BNC on the other end. $10

Kenwood SC-8 T "Soft Case" for any of the TH-21 series HTs
great condition $12

Original Operating manual for TH-21 HT for 2 meters $8

MFJ 287 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits the
TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as
others. It has a 3 conductor 3.5 mm plug and a 2 conductor
2.5 mm plug. It works fine. $15

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries
for the TH-21 series, and also on other Kenwood radios.
It has a standard 2.1 mm coaxial connector. $12

Accessories for Kenwood TH-205, TH-215, TH-225, TH-415,
and other HTs in this series:

MFJ 287 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits the
TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as
others. It works fine, and looks close to new. $15

Kenwood Wrist Strap for TH-215, plus many other HTs. $4

Original Kenwood Rubber Duck antenna from TH-215. $10

Kenwood BC-2 Charger for PB-2 batteries.
In Original box for $12.

BNC to PL-259 antenna adapter
Antenna adapter to fit the BNC connector on the HT and provide
an SO-239 connector that will permit a PL-259 to be attached.
This adapter can be used on any HT with a BNC connector. $5

Deluxe Desk Microphone w/ Kenwood 8 pin connector:

This is a great looking and great performing low impedance desk mic. It has a quality Shure 600 ohm cartridge in it (the cartridge alone is over $40 new), with a very nice black die case base and neck, with a chrome grill. It looks somewhat like a Shure 444, but no plastic on this one -- all metal!

This one looks like new, and works the same. It has a long (approx 6 foot) cord, with a round 8 pin connector for Kenwood. $75

Kenwood Hand Microphone with round 8 pin plug:

This hand mic works great on most Kenwood rigs with the round 8 pin connector, such as the TS-430, TS-440, TS-570, TM-241, TM-2530, TW-4000, and others.
It only says "Electret Condenser Mic" on it, with no model number.

Basically, this mic is like an MC-43, only with a couple more features. Of course it has the mic and PTT switch; it also has up/down switches on the top. There are four "extra" buttons labeled Call, VFO, MR, and PF. What these four buttons do depends on the rig that it is attached to. They will function on some rigs, and are completely useless on others. There is also a "Lock" switch on the back.

Regardless if you use the four extra buttons or not, you still have a mic that works like an MC-43.

This mic works fine, and looks like new. I am guessing it came with a rig, and was immediately put in the drawer. $30

Hand Microphone with 8 pin modular plug for Kenwood:

This hand mic says "Electret Condenser Mic" on it, with no model number.

This mic has the mic and PTT switch; it also has up/down switches on the top. There are four "extra" buttons labeled Call, VFO, MR, and PF. What these four buttons do depends on the rig. They will function on some rigs, and are completely useless on others. There is also a "Lock" switch on the back.

This mic has the 8 pin modular plug (like a computer LAN) on it, as used by the Kenwood TM-261, TM-271 and others. It has been tested on a TM-261, but probably works on many others.

This mic works fine, and looks like new. I am guessing it came with a rig, and was immediately put in the drawer. $30

Coaxial Cable "Jumpers" for your shack:

I have a good quantity of coaxial cable "jumpers" available. These are short lengths of RG-8 coax, with a PL-259 connector on both ends. I have a variety of lengths from under a foot to about 5 feet long. Send me the lengths that you would like, and I will see how close I can come.

Although most are RG-8 (the larger, approximately 0.4 inch coax that takes full legal power), I also have some that are RG-8 X (the medium coax approximately 1/4 inch in diameter). Please ask for RG-8 X, if that is what you would like.

All jumpers are $6 each.

Coaxial Lightning Arrestors:

These lightning arrestors are made to be inserted in to your coaxial feedline, to help reduce lightning damage.

Cushcraft LAC-2
Still in the original blister pack, unused.
This one has an SO-239 (female UHF) connector on each end, so that a PL-259 can be screwed into it. $15

Cushcraft LAC-1
No markings on this to confirm the model number, but it looks like the Cushcraft "Blitz Bug".
It has an SO-239 on one end and a PL-259 on the other end (female UHF on one end and male on the other). $10

High Power HF 1 to 1 Balun:

This is Palomar's very high power 1 to 1 HF balun. I am not sure if it is rated at 3000 watts or 5000 watts, but it is the big one. It is 4 inches in diameter and about 3 1/2 inches high. It has an SO-239 connector on the bottom, that has a gold plated center pin, and silver plated outer. It has "pigtails" coming out of the top to connect to your balanced antenna.

It is designed so that it can easily be used with a beam. It has a bracket from each side, and then a U bolt that can attach to up to a 2 1/2 inch diameter mast or boom. All hardware is stainless steel. This is a quality balun!

This one works fine and looks fine. $60

Linear Amp Switching Cable for Kenwood Rigs:

This cable goes from a Kenwood transceiver to a linear amplifier to switch the amp from transmit to receive.

One end has a DIN connector, as is used with most
Kenwood rigs. The other end has an RCA phono plug,
as used by most linear amplifiers.

Before using this cable, please check the switching
capabilities of your transceiver.

This cable has one coax for switching the relay. $15

Operator's Manual for Kenwood (Trio) TS-440 S:

This is a quality reproduction with a "comb" binding
that has been done by one of the professional reproduction
houses. W7FG I think.

This one has a plastic protector on the front, and is
in very nice condition. It includes schematic diagrams.
$18

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are original manuals only.

Operating manual for TS-130 S/V HF xcvr $20
Operating manual for TM-2570/2550/2530 2 m xcvr $15
Operating manual for TW-4000 dual bander $15
Service manual for TW-4000 dual bander $20
Operating manual for TW-4100 dual bander $15
Operating manual for TH-21 HT for 2 m $8
Operating manual for TH-225, 2 m HT $12
Operating manual for TH-235, 2 m HT $15
Operating manual for TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz. $12
Operating manual for TM-221/421 mobile $15
Operating manual for TR-2400, 2 m HT $12
Service manual for TR-2600, 2 m HT $12
Operating manual for TR-7400, 2 m xcvr $8

Kenwood TM G-707 operating manual in Spanish:
Spanish version of the Operating Manual
for the TM G-707 dual band transceiver. New $10
All other manuals are English.

LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PS-6 power supply $6
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

I also have many other accessories available such as many different types of microphones, HTs, HF, VHF and UHF rigs, HF and VHF/UHF antennas, and many miscellaneous accessories. Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1225. Kenwood Items FS

Yahoo group: kenwoodradio
Date: 2012-07-08 20:50:51 UTC
From: Ken Simpson, W8EK
Topic: 1188 Message: 1225

Kenwood Items For Sale
Two meter FM HT, speakers, chargers and other HT
accessories, desk and hand microphones, cable for
switching linear amp, coaxial cable, original
Kenwood manuals, etc.:

Kenwood TH-235 Two Meter FM HT:

The Kenwood TH-235A Two meter HT has a large easy-to-read
LCD, 60 channel memories with scanning and ten DTMF
memories. Extended receive is 136-174 MHz so it includes
the weather frequencies. When used on external DC power
you will get a full 5 watts output. With the included
PB36 battery pack, it produces 1.5 watts. The low power
setting is 0.5 watts.

Features
Backlit LCD Display
60 Memories
Scanning
Battery Saver
Built-In CTCSS Encode
Extended Receive

This particular unit works 100% and looks like it just came
out of the box new. It came from a silent key who I don't
think ever used it. This one includes the desk charger,
rubber duck antenna, belt clip, and paper work for $110.
I added a new PB-36 battery, as the old one had been in
the drawer long enough that it is not in good condition.

Cigarette lighter power cord for TH-235 above. $12

Communications Speakers:

All have 3.5 mm (1/8 inch) mono plugs.

Realistic 40-1280
About 4 inch cube, this wood grain speaker is rated for up
to 7 watts, and has a 8 ohm impedance. It works fine,
sounds good, and looks nice. $18

Realistic 21-549 A
This one is about 4 inches square but only about 2 inches
deep. It is rated for 5 watts, has an 8 ohm impedance, and
is listed as a 300 to 3000 Hz frequency response, making it
ideal for communications. It is black in color, looks great,

and sounds great. $18

General Electric
This speaker is about 6 by 4 inches, and about 3 inches deep.
It is black with a gimbal mount. 4 ohm impedance. $15

Linear Amp Switching Cable for Kenwood Rigs:

This cable goes from a Kenwood transceiver to a
linear amplifier to switch the amp from transmit
to receive.

One end has a DIN connector, as is used with most
Kenwood rigs. The other end has an RCA phono plug,
as used by most linear amplifiers.

Before using this cable, please check the switching
capabilities of your transceiver.

This cable has one coax for switching the relay. $15

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Special Antenna adapter that fits the TH-21 series HTs,
and has a BNC on the other end. $10

Kenwood SC-8 T "Soft Case" for any of the TH-21 series HTs
great condition $12

Original Operating manual for TH-21 HT for 2 meters $8

MFJ 287 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits the
TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as
others. It has a 3 conductor 3.5 mm plug and a 2 conductor
2.5 mm plug. It works fine. $15

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries
for the TH-21 series, and also on other Kenwood radios.
It has a standard 2.1 mm coaxial connector. $12

Accessories for Kenwood TH-205, TH-215, TH-225, TH-415,
and other HTs in this series:

Original Kenwood Rubber Duck antenna from TH-215. $10

MFJ 287 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits the
TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as
others. It works fine, and looks close to new. $15

Kenwood Wrist Strap for TH-215, plus many other HTs. $4

BNC to PL-259 antenna adapter
Antenna adapter to fit the BNC connector on the HT and provide an SO-239 connector that will permit a PL-259 to be attached. This adapter can be used on any HT with a BNC connector. $5

Deluxe Desk Microphone w/ Kenwood 8 pin connector:

This is a great looking and great performing low impedance desk mic. It has a quality Shure 600 ohm cartridge in it (the cartridge alone is over $40 new), with a very nice black die case base and neck, with a chrome grill. It looks somewhat like a Shure 444, but no plastic on this one -- all metal!

This one looks like new, and works the same. It has a long (approx 6 foot) cord, with a round 8 pin connector for Kenwood. $75

Kenwood Hand Microphone with round 8 pin plug:

This hand mic works great on most Kenwood rigs with the round 8 pin connector, such as the TS-430, TS-440, TS-570, TM-241, TM-2530, TW-4000, and others.
It only says "Electret Condenser Mic" on it, with no model number.

Basically, this mic is like an MC-43, only with a couple more features. Of course it has the mic and PTT switch; it also has up/down switches on the top. There are four "extra" buttons labeled Call, VFO, MR, and PF. What these four buttons do depends on the rig that it is attached to. They will function on some rigs, and are completely useless on others. There is also a "Lock" switch on the back.

Regardless if you use the four extra buttons or not, you still have a mic that works like an MC-43.

This mic works fine, and looks like new. I am guessing it came with a rig, and was immediately put in the drawer. $30

Hand Microphone with 8 pin modular plug for Kenwood:

This hand mic says "Electret Condenser Mic" on it, with no model number.

This mic has the mic and PTT switch; it also has up/down switches on the top. There are four "extra" buttons labeled Call, VFO, MR, and PF. What these four buttons do depends on the rig. They will function on some rigs, and are completely useless on others. There is also a "Lock" switch on the back.

This mic has the 8 pin modular plug (like a computer LAN) on it, as used by the Kenwood TM-261, TM-271 and others.

It has been tested on a TM-261, but probably works on
many others.

This mic works fine, and looks like new. I am guessing it
came with a rig, and was immediately put in the drawer. $30

Coaxial Cable "Jumpers" for your shack:

I have a good quantity of coaxial cable "jumpers" available.
These are short lengths of RG-8 coax, with a PL-259 connector
on both ends. I have a variety of lengths from under a foot
to about 3 feet long. Send me the lengths that you would
like, and I will see how close I can come.

All jumpers are $6 each.

Coaxial Lightning Arrestors:

These lightning arrestors are made to be inserted in to
your coaxial feedline, to help reduce lightning damage.

Cushcraft LAC-1
No markings on this to confirm the model number, but it
looks like the Cushcraft "Blitz Bug".
It has an SO-239 on one end and a PL-259 on the other end
(female UHF on one end and male on the other). $10

Operator's Manual for Kenwood (Trio) TS-440 S:

This is a quality reproduction with a "comb" binding
that has been done by one of the professional reproduction
houses. W7FG I think.

This one has a plastic protector on the front, and is
in very nice condition. It includes schematic diagrams.
$18

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are original manuals only.

Operating manual for TS-130 S/V HF xcvr $20
Operating manual for TM-2570/2550/2530 2 m xcvr $15
Operating manual for TW-4000 dual bander $15
Service manual for TW-4000 dual bander $20
Operating manual for TW-4100 dual bander $15
Operating manual for TH-21 HT for 2 m $8
Operating manual for TH-225, 2 m HT $12
Operating manual for TH-235, 2 m HT $15
Operating manual for TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz. $12
Operating manual for TM-221/421 mobile $15

Operating manual for TR-2400, 2 m HT $12
Service manual for TR-2600, 2 m HT $12
Operating manual for TR-7400, 2 m xcvr $8

Kenwood TM G-707 operating manual in Spanish:
Spanish version of the Operating Manual
for the TM G-707 dual band transceiver. New $10
All other manuals are English.

LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PS-6 power supply $6
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

I also have many other accessories available such as many
different types of microphones, HTs, HF, VHF and UHF rigs, HF
and VHF/UHF antennas, and many miscellaneous accessories.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1226. (no subject)

Yahoo group: kenwoodradio
Date: 2012-11-14 10:02:52 UTC
From: Ruben Echevarria
Topic: 1226 Message: 1226

http://blacktopprices.com/wp-content/plugins/akismet/google2423235.html

[Non-text portions of this message have been removed]

1227. 2, HT, Speaker, Mics, HT access and more FS

Yahoo group: kenwoodradio
Date: 2013-01-03 03:12:37 UTC
From: Ken Simpson, W8EK
Topic: 1227 Message: 1227

Kenwood Items For Sale

Two meter FM HT, speaker, chargers and other HT
accessories, desk and hand microphones, original
Kenwood manuals, etc.:

Kenwood TH-235 Two Meter FM HT:

The Kenwood TH-235A Two meter HT has a large easy-to-read
LCD, 60 channel memories with scanning and ten DTMF
memories. Extended receive is 136-174 MHz so it includes
the weather frequencies. When used on external DC power
you will get a full 5 watts output. With the included
PB36 battery pack, it produces 1.5 watts. The low power
setting is 0.5 watts.

Features
Backlit LCD Display
60 Memories
Scanning
Battery Saver
Built-In CTCSS Encode
Extended Receive

This particular unit works 100% and looks like it just came
out of the box new. It came from a silent key who I don't
think ever used it. This one includes the desk charger,
rubber duck antenna, belt clip, and paper work for $100.
I added a new PB-36 battery, as the old one had been in
the drawer long enough that it is not in good condition.

Cigarette lighter power cord for TH-235 above. $12

Communications Speaker:

Realistic 21-549 A
This one is about 4 inches square but only about 2 inches
deep. It is rated for 5 watts, has an 8 ohm impedance, and
is listed as a 300 to 3000 Hz frequency response, making it
ideal for communications. It is black in color, looks great,
and sounds great. 3.5 mm (1/8 inch) mono plugs. $18

Kenwood MC-48 B, DTMF Touch Tone Microphone:

This is a DTMF Touch Tone microphone with a 16 digit pad.
It works with most Kenwood rigs with the round, 8 pin
connector, such as TM-201, TM-211, TM-221, TM-231, TM-241,

TM-2530, TS-50, TS-430, TS-440, TS-570, TS-850, TS-870, TS-930, TS-940, TS-950, TW-4000, etc. It will also work with most Alinco and many Radio Shack rigs with the round 8 pin plug.

It has UP and DOWN switches and PTT, along with 16 digit touch tone pad.

This one works 100%, looks great, and includes paper work for $50.

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Special Antenna adapter that fits the TH-21 series HTs, and has a BNC on the other end. $10

Kenwood SC-8 T "Soft Case" for any of the TH-21 series HTs great condition $12

Original Operating manual for TH-21 HT for 2 meters $8

MFJ 287 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits the TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as others. It has a 3 conductor 3.5 mm plug and a 2 conductor 2.5 mm plug. It works fine. $15

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries for the TH-21 series, and also on other Kenwood radios. It has a standard 2.1 mm coaxial connector. $12

Accessories for Kenwood TH-205, TH-215, TH-225, TH-415, and other HTs in this series:

MFJ 287 Speaker Microphone
This was used on a Kenwood TH-225 HT, but it also fits the TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as others. It works fine, and looks close to new. $15

Kenwood Wrist Strap for TH-215, plus many other HTs. $4

Original Kenwood Rubber Duck antenna from TH-215. $10

BNC to PL-259 antenna adapter
Antenna adapter to fit the BNC connector on the HT and provide an SO-239 connector that will permit a PL-259 to be attached. This adapter can be used on any HT with a BNC connector. $5

Deluxe Desk Microphone w/ Kenwood 8 pin connector:

This is a great looking and great performing low impedance desk mic. It has a quality Shure 600 ohm cartridge in it (the cartridge alone is over $40 new), with a very nice

black die case base and neck, with a chrome grill. It
looks somewhat like a Shure 444, but no plastic on this
one -- all metal!

This one looks like new, and works the same. It has a
long (approx 6 foot) cord, with a round 8 pin connector
for Kenwood. $75

Kenwood Hand Microphone with round 8 pin plug:

This hand mic works great on most Kenwood rigs with the
round 8 pin connector, such as the TS-430, TS-440, TS-570,
TM-241, TM-2530, TW-4000, and others.
It only says "Electret Condenser Mic" on it, with no
model number.

Basically, this mic is like an MC-43, only with a couple
more features. Of course it has the mic and PTT switch;
it also has up/down switches on the top. There are four
"extra" buttons labeled Call, VFO, MR, and PF. What these
four buttons do depends on the rig that it is attached to.
They will function on some rigs, and are completely useless
on others. There is also a "Lock" switch on the back.

Regardless if you use the four extra buttons or not, you
still have a mic that works like an MC-43.

This mic works fine, and looks like new. I am guessing it
came with a rig, and was immediately put in the drawer. $30

DTMF Touch Tone Microphones:

CES 610 L DTMF Touch Tone Mic
Can manually dial a number, or automatically store it in
the mic, and "speed dial". 12 digit touch tone pad on the
front. 8 pin modular plug (like computer LAN).
Looks to be new. $38

Johnson 250-0761-010 / CES 655 L DTMF Mic
It has a 12 digit pad on the front, and is a rugged mic.
Presently with 4 pin plug.
Looks to be unused. $38

Coaxial Lightning Arrestors:

These lightning arrestors are made to be inserted in to
your coaxial feedline, to help reduce lightning damage.

Cushcraft LAC-1
No markings on this to confirm the model number, but it
looks like the Cushcraft "Blitz Bug".
It has an SO-239 on one end and a PL-259 on the other end
(female UHF on one end and male on the other). $10

Small Power Supplies:

Radio Shack 22-124 Regulated Power Supply

This supply is regulated and will furnish 13 V DC at up
to 2.5 amps. It is ideal for the lower powered 2 meter
rigs, or to get rid of that huge collection of wall warts.

This one works fine and looks extremely nice.
I do not find a scratch on it. $20

Micronta 22-120 A Regulated power supply:

This supply is rated at 2.5 amps at 13 V DC. It is
well regulated. It has a switch and LED power light
on the front, with a circuit breaker and output terminals
on the back. The case (left and right side and top) is
basically all a heat sink, so it should cool the
regulator well.

This one works fine and looks like new. No scratches. $30

Keithley Model 179 A True RMS DMM:

The 179A is a 4 1/2 digit True RMS reading DMM that
runs off of 115 V AC. It has DC voltage ranges
up to 1200 volts, with AC voltage ranges to 1000
volts. Ohms readings go up to 20 Meg, with both
DC and AC current ranges up to 2000 ma. This is
a true precision DMM, designed for bench/lab use.

This particular unit works 100% and looks extremely
nice. Probes are included, as is the paper work for
$95.

Operator's Manual for Kenwood (Trio) TS-440 S:

This is a quality reproduction with a "comb" binding
that has been done by one of the professional reproduction
houses. W7FG I think.

This one has a plastic protector on the front, and is
in very nice condition. It includes schematic diagrams.
$18

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are original manuals only.

Operating manual for TS-130 S/V HF xcvr $20
Operating manual for TM-2570/2550/2530 2 m xcvr $15
Operating manual for TW-4000 dual bander $15
Service manual for TW-4000 dual bander $20
Operating manual for TW-4100 dual bander $15

Operating manual for TH-21 HT for 2 m $8
Operating manual for TH-225, 2 m HT $12
Operating manual for TH-235, 2 m HT $15
Operating manual for TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz. $12
Operating manual for TM-221/421 mobile $15
Operating manual for TR-2400, 2 m HT $12
Service manual for TR-2600, 2 m HT $12
Operating manual for TR-7400, 2 m xcvr $8

Kenwood TM G-707 operating manual in Spanish:
Spanish version of the Operating Manual
for the TM G-707 dual band transceiver. New $10
All other manuals are English.

LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PS-6 power supply $6
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

I also have many other accessories available such as many
different types of microphones, HTs, HF, VHF and UHF rigs, HF
and VHF/UHF antennas, and many miscellaneous accessories.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1228. Disable Power Button on TK-7160

Yahoo group: kenwoodradio
Date: 2013-01-29 12:49:59 UTC
From: gsp205
Topic: 1228 Message: 1228

Is there a resistor or another way to disable the power button on a TK-7160 radio? These are used for mobile data and sometimes the users "accidentally" press the power button. Thanks in advance!

1229. 3/7/2013 3:48:07 AM

Yahoo group: kenwoodradio
Date: 2013-03-07 02:48:07 UTC
From: paul ainscow
Topic: 1229 Message: 1229

http://www.emintextil.com/jwmxsox/mzpygehfylhmmg/ychwnsazahs/rcqeyyh/nhjzeflw

paul ainscow

3/7/2013 3:48:07 AM

[Non-text portions of this message have been removed]

1230. Looking for anyone near Pleasant Prairie, WI 53158

Yahoo group: kenwoodradio
Date: 2013-05-07 13:32:45 UTC
From: Budd T
Topic: 1230 Message: 1230

I am looking for anyone living in or near Pleasant Prairie, WI that can visit KA9KHZ to reclaim two TM742 of mine he has had for over 16 months claiming to work on them, but will not respond to attempts to communicate.

KA9KHZ USA
Wayne A Spencer
12733 Timber Ridge Dr
Pleasant Prairie, WI 53158
USA

1231. Kenwood and related items FS

Yahoo group: kenwoodradio
Date: 2013-06-08 12:53:32 UTC
From: Ken Simpson, W8EK
Topic: 1231 Message: 1231

Kenwood and related Items For Sale:

Microphones, big linear amplifier, speakers, chargers
and other HT accessories, power supply, original Kenwood
manuals, Coax connectors, etc.:

Kenwood Hand Microphone with round 8 pin plug:

This hand mic works great on most Kenwood rigs with the
round 8 pin connector, such as the TS-430, TS-440, TS-570,
TM-241, TM-2530, TW-4000, and others. It only says
"Electret Condenser Mic" on it, with no model number.

Basically, this mic is like an MC-43, only with a couple
more features. Of course it has the mic and PTT switch;
it also has up/down switches on the top. There are four
"extra" buttons labeled Call, VFO, MR, and PF. What
these four buttons do depends on the rig that it is
attached to. They will function on some rigs, and are
completely useless on others. There is also a "Lock"
switch on the back.

Regardless if you use the four extra buttons or not,
you still have a mic that works like an MC-43.

This mic works fine, and looks like new. I am guessing
it came with a rig, and was immediately put in the
drawer. $30

Amp Supply LK-550 Z A, HF Amplifier:

The LK-500 is an HF amp that runs a pair of 3-500 tubes,
on the 160 thru 10 meter bands, producing close to the
legal limit. On this amp, 30 watts of drive produces
about 400 watts out of the amp; 50 watts gives about 6
50 Watts out; etc.

For all practical purposes, this is a copy of the Heath
SB-220. The difference is that this amp has a MUCH heavier
duty Peter Dahl power transformer, and covers 160 meters.
It has a better tuned input matching circuit. It is a
much superior amplifier.

This particular amp works very well. It has a manual step
start circuit added, and the electrolytic capacitors have
been replaced. Cosmetically it looks very, very nice. I
can not find a scratch on it. It looks like new.

Since this is heavy, I would much prefer pickup in the Ocala, FL area.

With paper work for $900, plus shipping if needed.

Astron RS-20A Power Supply:

The RS-20A is a DC Power Supply producing 13.8 V DC (internally adjustable from 11 to 15 V DC) at up to 16 amps continuous and 20 amps ICS. The RS-20 features crowbar over voltage protection and fold-back current limiting to protect your equipment.

This particular supply works fine, and looks very close to new. There is one very small scratch that can be seen if the light is just right, but is not normally visible.

With paper work for $60.

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Special Antenna adapter that fits the TH-21 series HTs, and has a BNC on the other end. $10

Kenwood SC-8 T "Soft Case" for any of the TH-21 series HTs great condition $12

Original Operating manual for TH-21 HT for 2 meters $8

Kenwood W09-0315 charger This charger is used to charge the larger PB-21 H batteries for the TH-21 series, and also on other Kenwood radios. It has a standard 2.1 mm coaxial connector. $12

Accessories for Kenwood TH-205, TH-215, TH-225, TH-415, and other HTs in this series:

Kenwood Wrist Strap for TH-215, plus many other HTs. $4

Original Kenwood Rubber Duck antenna from TH-215. $10

BNC to PL-259 antenna adapter Antenna adapter to fit the BNC connector on the HT and provide an SO-239 connector that will permit a PL-259 to be attached. This adapter can be used on any HT with a BNC connector. $5

Antennas for your HT:

All rubber ducks are for 2 meters, are in good condition, and are $10 each, unless stated otherwise.

BNC - Original from Kenwood TH-215, about 5 inches long

BNC Connector about 7 inches long

5/16 inch threaded, as used by Motorola and others
Stubby - 4 inches long

Type F connector - 6.5 inches long

PL-259 connector - 6.5 inches long
HyGain 275, still in original packaging

PL-259 connector - Stubby - 4.6 inches long
Centurion, still in original package

BNC Stubby for 440 MHz, 3 inches long

ANLI AL-800 dual band HT antenna This is a telescoping antenna that pulls out to about a 3 foot length. If covers both 2 meters and 440 MHz, and has a BNC connector on it. It is rated to have 3.2 dbi gain on 2 meters and 5.6 dbi gain on 440 MHz. It appears close to new. These are $39 on Amazon. Get this one for only $25.

Radio Shack 20-006 A This antenna is just over 2 feet in length when fully extended. Radio Shack does not give it any gain rating, and I don't know if I would trust those ratings anyhow. It is safe to say it performs better than a rubber duck antenna. This one will cover 6 m, 2 m , 220 MHz and 440 MHz. BNC connector. It is actually in its original bag with original paper work. $15

DTMF Touch Tone Microphones:

CES 610 L DTMF Touch Tone Mic Can manually dial a number, or automatically store it in the mic, and "speed dial". 12 digit touch tone pad on the front. 8 pin modular plug (like computer LAN). Looks to be new. $38

Johnson 250-0761-010 / CES 655 L DTMF Mic It has a 12 digit pad on the front, and is a rugged mic. Presently with 4 pin plug. Looks to be unused. $38

Communications Speakers:

Realistic 21-549 A This one is about 4 inches square but only about 2 inches deep. It is rated for 5 watts, has an 8 ohm impedance, and is listed as a 300 to 3000 Hz frequency response, making it ideal for communications. It is black in color, looks great, and sounds great. 3.5 mm (1/8 inch) mono plugs. $18

Vanco SPB-5 Appears to be the same at above, but with a Vanco label. Also includes gimbal mount. $15

Operator's Manual for Kenwood (Trio) TS-440 S:

This is a quality reproduction with a "comb" binding that has been done by one of the professional reproduction houses.

W7FG I think.

This one has a plastic protector on the front, and is in
very nice condition. It includes schematic diagrams. $18

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are original manuals only.

Operating manual for TS-130 S/V HF xcvr $20
Operating manual for TM-2570/2550/2530 2 m xcvr $15
Operating manual for TW-4000 dual bander $15
Service manual for TW-4000 dual bander $20
Operating manual for TW-4100 dual bander $15
Operating manual for TH-21 HT for 2 m $8
Operating manual for TH-225, 2 m HT $12
Operating manual for TH-235, 2 m HT $15
Operating manual for TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz,& 1200 MHz. $12
Operating manual for TM-221/421 mobile $15
Operating manual for TR-2400,
2 m HT $12 Service manual for TR-2600, 2 m HT $12
Operating manual for TR-7400, 2 m xcvr $8

Kenwood TM G-707 operating manual in Spanish: Spanish
version of the Operating Manual for the TM G-707 dual
band transceiver. New $10 All other manuals are English.

LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $5
MC-85 desk microphone $4
PB-1, PB-2, PB-3,& PB-4 battery packs $3
PS-6 power supply $6
SMC-24 speaker mic $4
SMC-25 speaker mic $4
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

Coax connectors and adapters:

Prices are per connector. Several of each are available.
Most are unused.

SPECIAL: Buy 5 and take 10% off. Buy 10 or more and
take 20% off.

UHF Right angle 90 degree elbow connector $3

UHF double female "Barrel connector" $3

UHF "Bulkhead Connector" - Double female, as above,
but for mounting thru a window, siding, etc. about
3 inches long $6

UHF double male connector $3

UHF "T" connector with two female (SO-239) and one male
(PL-259) connection $5

Antenna adapter to fit the BNC connector on the HT and
provide an SO-239 connector that will permit a PL-259
to be attached. (BNC male to UHF female) $5

UHF Male to BNC female $5

BNC male for coax cables standard type $2 crimp on type $3

Chassis mount BNC
female square mount (uses 4 screws) $3
screw in type $3

BNC "T", two female and one male $3

I also have many other accessories available such as many
different types of microphones, HTs, HF, VHF and UHF rigs,
HF and VHF/UHF antennas, and many miscellaneous accessories.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1232. (no subject)

Yahoo group: kenwoodradio
Date: 2013-10-18 03:34:22 UTC
From: Jack R
Topic: 1232 Message: 1232

Hi man whats up1222 http://daveskeels.com/private.messages.yfriend3.php?lecedabedjwoxagi

1233. Kenwood and related items FS

Yahoo group: kenwoodradio
Date: 2013-11-09 01:59:07 UTC
From: Ken Simpson, W8EK
Topic: 1231 Message: 1233

Kenwood and related items For Sale:

HF Linear Amplifier, Hand Microphone, HT Accessories,
Manuals, and more

Amp Supply LK-500 Z A, HF Amplifier:

The LK-500 is an HF amp that runs a pair of 3-500 tubes, on
the 160 thru 10 meter bands, producing close to the legal
limit. On this amp, 30 watts of drive produces about 400
watts out of the amp; 50 watts gives about 650 Watts out;
etc.

This amp has a MUCH heavier duty Peter Dahl power transformer,
and covers 160 meters. It has a excellent tuned input matching
circuit. It is a superior amplifier.

This particular amp works very well. It has a manual step
start circuit added, and the electrolytic capacitors have
been replaced. Cosmetically it looks very, very nice. I
can not find a scratch on it. It looks like new.

Since this is heavy, I would much prefer pickup in the
Ocala, FL area.

With paper work for $900.

Hand Microphone with round 8 pin plug for Kenwood, Alinco, etc.

This hand mic works great on most Kenwood rigs with the
round 8 pin connector, such as the TS-430, TS-440, TM-241,
TM-2530, TW-4000, and others, including Alinco and ADI.
It says "Electret Condenser Mic" on the back, and
"Kenwood" on the front, with no model number.

Basically, this mic functions like an MC-43, with a couple
more features. It has the mic and PTT switch; it also has
up/down switches on the top. There are four "extra" buttons
labeled Call, VFO, MR, and PF. What these four buttons do
depends on the rig. There is also a "Lock" switch on the back.

Regardless if you use the four extra buttons or not, you
still have a mic that works like an MC-43.

This mic works fine, and looks like new. I am guessing it
came with a rig, and was immediately put in the drawer,
and never used. $30

Antennas for your HT:

All rubber ducks are for 2 meters, are in good
condition, and are $10 each, unless stated otherwise.

BNC - Original Alinco EA0024, about 4 inches long

BNC - Original from Kenwood TH-215, about 5 inches long

BNC - "Stubby" about 4 1/2 inches long

BNC Connector - Standard, about 7 inches long

Type F connector - 6.5 inches long

BNC Stubby for 440 MHz, 3 inches long

Not a Rubber Duck, but can be used on your HT:
Telescoping Antenna w/ BNC about 19 inches long
can be used as a quarter wave antenna on
2 m, or on 220, or 450 MHz if telescoped shorter.
$12

Accessories for the Kenwood TH-21 / 31 / 41 series HTs::

Antenna adapter that fits the TH-21 series HTs, and has
an SO-239 on the other end, to accept a PL-259. $5

Antenna adapter that fits the TH-21 series HTs, and has
a BNC on the other end. $8

Kenwood SC-8 T "Soft Case" for any of the TH-21 series HTs
great condition $12

Original Operating manual for TH-21 HT for 2 meters $8

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries
for the TH-21 series, and also on other Kenwood radios.
It has a standard 2.1 mm coaxial connector. $12

HT Belt Clips and Wrist Straps:

Belt Clips:
All include the hardware with the belt clip and are $6 each.
Icom IC-2 AT
Motorola
Yaesu FT-207
Yaesu FT-209

Wrist Straps for various HTs - $4 each
Kenwood TH-215 / 225 / 415, TR-2500, etc.
Kenwood TR-2400
Yaesu FT-209

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are Operating manuals unless otherwise specified.
All are original manuals only.

SPECIAL:
Buy two, three, or four of my books/manuals, and take 10% off.
Buy five or more and take 20% off.

TH-21 HT for 2 m, $8
TH-215/315/415 HT for 2 m, 220 MHz, or 440 MHz, $10
TH-225, 2 m HT, $12
TH-235, 2 m HT, $15
TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz, $12
TM-221/421 2 m or 440 MHz mobile, $12
TM-261/461 2m or 440 MHz mobile, $12
TM-2570/2550/2530 2 m mobile, $15
TR-2400, 2 m HT, $12
Service manual for TR-2600, 2 m HT, $12
TR-9000, 2 m multimode, $12
TS-120 S/V, HF xcvr, $20
TW-4000 dual bander mobile, $15
Service manual for TW-4000 dual bander $20
TW-4100 dual band mobile, $15

These are original manuals only.

Original Manuals for Kenwood Accessories:

All manuals are in very nice condition, for Kenwood
accessories.
All are original Kenwood manuals only.

SPECIAL:
Buy two, three, or four books/manuals, and take 10% off.
Buy five or more and take 20% off.

BC-5 DC to DC quick charger $2
LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $4
MC-85 desk microphone $4
MS-1 mobile stand $3
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PB-24 battery pack for TR-2400 $2
PB-25 H battery pack for TR-2500 $2
PS-6 power supply $5
PS-30 power supply $4
SMC-24 speaker mic $3
SMC-25 speaker mic $3
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

Operator's Manual for Kenwood (Trio) TS-440 S:

This is a quality reproduction with a "comb" binding
that has been done by W7FG, one of the professional
reproduction houses.

This one has a plastic protector on the front, and is
in extremely nice condition, with very readable pages. It
includes schematic diagrams, that are also very readable.
$12

Versi?n en espa?ol de Kenwood TM G-707 manual de Venta:

Versi?n en espa?ol del Manual de Operaci?n
para el Kenwood TM G-707 transmisor-receptor de banda dual

Este es el manual de instrucciones original, en espa?ol.
Parece que es bastante extensa y detallada.
Es b?sicamente nuevo, s?lo se abre para observar que
es s?lo en espa?ol. Es original de Kenwood.

$ 8 m?s gastos de env?o de la Florida.

Spanish Version of Kenwood TM G-707 manual For Sale:

Spanish version of the Operating Manual
for the Kenwood TM G-707 dual band transceiver

This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood. $8

I also have many other accessories available such as many
different types of microphones, HTs, HF, VHF and UHF rigs, HF
and VHF/UHF antennas, etc.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1234. Kenwood and related items FS

Yahoo group: kenwoodradio
Date: 2013-12-24 20:09:07 UTC
From: Ken Simpson, W8EK
Topic: 1231 Message: 1234

Kenwood and related items For Sale:

Original Boxes, HF Linear Amplifier, Hand Microphone,
HT Accessories, Original Manuals, Coax Connectors and more

Original Boxes for Kenwood VHF / UHF Rigs:

The following original boxes for Kenwood equipment
are available. They are all in very nice condition,
and include the molded styrofoam inserts to protect
the rig, plus the box itself.

Kenwood TW-4000 dual band transceiver $7

Kenwood TM-221 two meter transceiver $5

Kenwood TM-701 dual band transceiver $7

Amp Supply LK-500 Z A, HF Amplifier:

The LK-500 is an HF amp that runs a pair of 3-500 tubes, on
the 160 thru 10 meter bands, producing close to the legal
limit. On this amp, 30 watts of drive produces about 400
watts out of the amp; 50 watts gives about 650 Watts out;
etc.

This amp has a MUCH heavier duty Peter Dahl power transformer,
and covers 160 meters. It has a excellent tuned input matching
circuit. It is a superior amplifier.

This particular amp works very well. It has a manual step
start circuit added, and the electrolytic capacitors have
been replaced. Cosmetically it looks very, very nice. I
can not find a scratch on it. It looks like new.

Since this is heavy, I would much prefer pickup in the
Ocala, FL area.

With paper work for $900.

Hand Microphone with round 8 pin plug for Kenwood, Alinco, etc.

This hand mic works great on most Kenwood rigs with the
round 8 pin connector, such as the TS-430, TS-440, TM-241,
TM-2530, TW-4000, and others, including Alinco and ADI.
It says "Electret Condenser Mic" on the back, and
"Kenwood" on the front, with no model number.

Basically, this mic functions like an MC-43, with a couple more features. It has the mic and PTT switch; it also has up/down switches on the top. There are four "extra" buttons labeled Call, VFO, MR, and PF. What these four buttons do depends on the rig. There is also a "Lock" switch on the back.

Regardless if you use the four extra buttons or not, you still have a mic that works like an MC-43.

This mic works fine, and looks like new. I am guessing it came with a rig, and was immediately put in the drawer, and never used. $30

Antennas for your HT:

All rubber ducks are for 2 meters, are in good condition, and are $10 each, unless stated otherwise.

BNC - Original Alinco EA0024, about 4 inches long

BNC - Original from Kenwood TH-215, about 5 inches long

BNC - "Stubby" about 4 1/2 inches long

BNC Connector - Standard, about 7 inches long

Type F connector - 6.5 inches long

BNC Stubby for 440 MHz, 3 inches long

Not a Rubber Duck, but can be used on your HT:
Telescoping Antenna w/ BNC about 19 inches long
can be used as a quarter wave antenna on
2 m, or on 220, or 450 MHz if telescoped shorter.
$12

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Antenna adapter that fits the TH-21 series HTs, and has an SO-239 on the other end, to accept a PL-259. $5

Antenna adapter that fits the TH-21 series HTs, and has a BNC on the other end. $8

Kenwood SC-8 T "Soft Case" for any of the TH-21 series HTs great condition $12

Original Operating manual for TH-21 HT for 2 meters $8

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries for the TH-21 series, and also on other Kenwood radios. It has a standard 2.1 mm coaxial connector. $12

HT Belt Clips and Wrist Straps:

Belt Clips:
All include the hardware with the belt clip and are $6 each.
Icom IC-2 AT
Motorola
Yaesu FT-207
Yaesu FT-209

Wrist Straps for various HTs - $4 each
Kenwood TH-215 / 225 / 415, TR-2500, etc.
Kenwood TR-2400
Yaesu FT-209

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are Operating manuals unless otherwise specified.
All are original manuals only.

SPECIAL:
Buy two, three, or four of my books/manuals, and take 10% off.
Buy five or more and take 20% off.

TH-21 HT for 2 m, $8
TH-215/315/415 HT for 2 m, 220 MHz, or 440 MHz, $10
TH-225, 2 m HT, $12
TH-235, 2 m HT, $15
TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz, $12
TM-221/421 2 m or 440 MHz mobile, $12
TM-261/461 2m or 440 MHz mobile, $12
TM-2570/2550/2530 2 m mobile, $15
TR-2400, 2 m HT, $12
Service manual for TR-2600, 2 m HT, $12
TR-9000, 2 m multimode, $12
TS-120 S/V, HF xcvr, $20
TW-4000 dual bander mobile, $15
Service manual for TW-4000 dual bander $20
TW-4100 dual band mobile, $15

BC-5 DC to DC quick charger $2
LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $4
MC-85 desk microphone $4
MS-1 mobile stand $3
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PB-24 battery pack for TR-2400 $2
PB-25 H battery pack for TR-2500 $2
PS-6 power supply $5
PS-30 power supply $4
SMC-24 speaker mic $3
SMC-25 speaker mic $3
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

Operator's Manual for Kenwood (Trio) TS-440 S:

This is a quality reproduction with a "comb" binding
that has been done by W7FG, one of the professional
reproduction houses.

This one has a plastic protector on the front, and is
in extremely nice condition, with very readable pages. It
includes schematic diagrams, that are also very readable.
$12

Versi?n en espa?ol de Kenwood TM G-707 manual de Venta:

Versi?n en espa?ol del Manual de Operaci?n
para el Kenwood TM G-707 transmisor-receptor de banda dual

Este es el manual de instrucciones original, en espa?ol.
Parece que es bastante extensa y detallada.
Es b?sicamente nuevo, s?lo se abre para observar que
es s?lo en espa?ol. Es original de Kenwood.

$ 8 m?s gastos de env?o de la Florida.

Spanish Version of Kenwood TM G-707 manual:

Spanish version of the Operating Manual
for the Kenwood TM G-707 dual band transceiver

This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood. $8

Coax connectors and adapters:

Prices are per connector. Several of each are available.
Most are unused.

SPECIAL: Buy 5 and take 10% off. Buy 10 or more and take 20% off.

Amphenol UG-176 reducing adapters for PL-259 connectors to
use with RG-8 X or RG-59.
Still sealed in the package. $1
No longer in package, 50 cents.

UHF double female "Barrel connector" $3

UHF "Bulkhead Connector" - Double female, as above, but for
mounting thru a window, siding, etc. about 2 inches long $6

UHF "T" connector with two female (SO-239) and one male
(PL-259) connection $5

BNC male to UHF female $5

UHF Male to BNC female $5

BNC male for coax cables
standard type $2
crimp on type $3

Chassis mount BNC female $3

BNC "T", two female and one male $3

I also have many other accessories available such as many
different types of microphones, HTs, HF, VHF and UHF rigs, HF
and VHF/UHF antennas, etc.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1235. need alignment on trio/kenwood jr-500s

Yahoo group: kenwoodradio
Date: 2014-01-16 02:17:41 UTC
From: <wt4t@...>
Topic: 1235 Message: 1235

Have a allied A-2516same as the above. I need info on alignment of the receiver. The manual leaves you hanging ,anyone out there know this receiver.
Thanks for any help.
dale wt4t

1236. LOOKING FOR A SET OF 599 TWINS

Yahoo group: kenwoodradio
Date: 2014-01-17 19:04:17 UTC
From: <wt4t@...>
Topic: 1236 Message: 1236

Anybody have a pair that they would consider selling? please get back off line thanks
dale wt4t

1237. HF rigs, VFO, Filters, Mics, and more FS

Yahoo group: kenwoodradio
Date: 2014-03-04 14:00:47 UTC
From: Ken Simpson, W8EK
Topic: 1237 Message: 1237

Kenwood Items For Sale:

HF Transceivers, Crystal Filer, VFO, Microphones, Original Boxes, HT Accessories, Original Manuals, and more

Kenwood TS-450 S AT, HF Transceiver:

The Kenwood TS-450S AT covers 160 through 10 meters including the WARC bands with 100 watts output (40W AM). It supports many advanced features such as keypad entry, VOX, 100 memories, XIT, RIT, Notch, IF Shift, Squelch and digital meter. It includes the AT-450 antenna tuner factory installed. It requires 13.8 VDC at 20.5 amps.

Features:
160-10 meters
AF Notch
CW Reverse
100 Memories
Dual Mode NB
XIT/RIT
IF Shift
Keypad Entry
All Mode Squelch
RF Speech Processor

This is a modern sophisticated HF rig, with just about every feature you would want.

This particular unit works 100% and looks very close to new. I do not find a scratch on it.

Paper work is included for $550.

Kenwood YK-88 SN-1, 1800 Hz narrow SSB / wide CW filter $85

Buy both the TS-450 and YK-88 filter (above) for $625.

Kenwood TS-120 S, 80 thru 10 meter HF Transceiver:

The Kenwood TS-120S is designed for SSB and CW modes in the 80 through 10 meter ham bands plus WWV 15 MHz receive. All solid-state with 200 PEP input on SSB, 160W DC on CW (160 and 140W on 10 m). The TS-120S features a 100 Hz digital display with analog subdial.

Requires 13.8 VDC at 18 amps. 9.6 x 3.8 x 11.7 inches 12.3 lbs

Features:
80-10 meters
25 kHz Marker Calibrator
NB
RIT
IF Shift
RF Attenuator

This one works fine, and looks good, but not mint. With a 30 year old radio, you can not expect much more!

Paper work included for $235.

VFO-120 remote VFO for TS-120/TS-130

The Kenwood VFO-120 allows the operator to operate split frequencies when chasing DX, net monitoring and finding a clear frequency while holding the original frequency. The VFO-120 features a T.F. SET switch which prevents transmitting on the frequency during split-frequency operation and allows quick setting of the transmit frequency. LED indicators show VFO functions at a glance. Power is derived from the TS-120S.

This one works fine. It has a few minor scratches, but the face plate looks very nice.

With the connecting cable and paper work for $100.

Buy both the TS-120 and VFO-120 together for $325.

Kenwood MC-60 A Deluxe Desk Microphone:

The Kenwood MC-60A has been a popular desk mic among Kenwood owners for many years. It has a communication type dynamic unidirectional moving coil type mic element and features UP-DOWN tuning (on compatible Kenwood transceivers) plus a built-in pre-amp. There is a switch for PTT (push to talk) and also a lock feature. The mic impedance may be set for 50K ohms or 500 ohms. The frequency response is 150 Hz to 10 kHz (-6dB) with the Preamp off and 200 Hz to 7 kHz (-6 dB) with the Preamp on.

The heavy zinc die-cast base provides extra stability. The mic terminates to a standard 8 pin mic plug. The preamp requires two AA cells which are mounted through the bottom of the base. Please note that the earlier MC-60 (non-"A") version featured a 4 pin mic plug and did not have UP-DOWN tuning.

This one works 100% and looks very close to new.

With paper work for $100.

Kenwood MC-50 dual impedance desk Microphone:

The Kenwood MC-50 is a dynamic desk microphone. It features a push-to-talk and lock button. This mic has connector

switched, dual impedance ratings of 50k ohm and 600k ohm.
Frequency response is from 150 Hz to 10 kHz (-6 dB).

The MC-50 is the perfect match for many of classic Kenwood
transceivers such as TS-120S, TS-520S, TS-530S, TS-830S,
but can be used on almost any rig.

This one works 100% and looks close to new.
With paper work for $60.

Hand Microphone with round 8 pin plug for Kenwood, Alinco, etc.

This hand mic works great on most Kenwood rigs with the
round 8 pin connector, such as the TS-430, TS-440, TM-241,
TM-2530, TW-4000, and others, including Alinco and ADI.
It says "Electret Condenser Mic" on the back, and
"Kenwood" on the front, with no model number.

Basically, this mic functions like an MC-43, with a couple
more features. It has the mic and PTT switch; it also has
up/down switches on the top. There are four "extra" buttons
labeled Call, VFO, MR, and PF. What these four buttons do
depends on the rig. There is also a "Lock" switch on the back.

Regardless if you use the four extra buttons or not, you
still have a mic that works like an MC-43.

This mic works fine, and looks like new. I am guessing it
came with a rig, and was immediately put in the drawer,
and never used. $30

Original Boxes for Kenwood VHF / UHF Rigs:

The following original boxes for Kenwood equipment
are available. They are all in very nice condition,
and include the molded styrofoam inserts to protect
the rig, plus the box itself.

Kenwood TW-4000 dual band transceiver $7

Kenwood TM-221 two meter transceiver $5

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Antenna adapter that fits the TH-21 series HTs, and has
an SO-239 on the other end, to accept a PL-259. $5

Antenna adapter that fits the TH-21 series HTs, and has
a BNC on the other end. $8

Kenwood SC-8 T "Soft Case" for any of the TH-21 series HTs
great condition $12

Original Operating manual for TH-21 HT for 2 meters $8

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries
for the TH-21 series, and also on other Kenwood radios.
It has a standard 2.1 mm coaxial connector. $12

HT Belt Clips and Wrist Straps:

Belt Clips:
All include the hardware with the belt clip and are $6 each.
Icom IC-2 AT
Motorola
Yaesu FT-207
Yaesu FT-209

Wrist Straps for various HTs - $4 each
Kenwood TH-215 / 225 / 415, TR-2500, etc.
Kenwood TR-2400
Yaesu FT-209

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are Operating manuals unless otherwise specified.
All are original manuals only.

SPECIAL:
Buy two, three, or four of my books/manuals, and take 10% off.
Buy five or more and take 20% off.

TH-21 HT for 2 m, $8
TH-215/315/415 HT for 2 m, 220 MHz, or 440 MHz, $10
TH-225, 2 m HT, $12
TH-235, 2 m HT, $15
TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz, $12
TM-221/421 2 m or 440 MHz mobile, $12
TM-261/461 2m or 440 MHz mobile, $12
TM-2570/2550/2530 2 m mobile, $15
TR-2400, 2 m HT, $12
Service manual for TR-2600, 2 m HT, $12
TR-9000, 2 m multimode, $12
TS-120 S/V, HF xcvr, $20
TW-4000 dual bander mobile, $15
Service manual for TW-4000 dual bander $20
TW-4100 dual band mobile, $15

BC-5 DC to DC quick charger $2
LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $4
MC-85 desk microphone $4
MS-1 mobile stand $3
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PB-24 battery pack for TR-2400 $2

PB-25 H battery pack for TR-2500 $2
PS-6 power supply $5
PS-30 power supply $4
SMC-24 speaker mic $3
SMC-25 speaker mic $3
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

Versi?n en espa?ol de Kenwood TM G-707 manual de Venta:

Versi?n en espa?ol del Manual de Operaci?n
para el Kenwood TM G-707 transmisor-receptor de banda dual

Este es el manual de instrucciones original, en espa?ol.
Parece que es bastante extensa y detallada.
Es b?sicamente nuevo, s?lo se abre para observar que
es s?lo en espa?ol. Es original de Kenwood.

$ 8 m?s gastos de env?o de la Florida.

Spanish Version of Kenwood TM G-707 manual:

Spanish version of the Operating Manual
for the Kenwood TM G-707 dual band transceiver

This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood. $8

I also have many other accessories available such as many
different types of microphones, HTs, HF, VHF and UHF rigs, HF
and VHF/UHF antennas, etc.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1238. Wanted Kenwood Z-Kit TKR-820 TKR-720 12.5 kHz Narrowband Conversion Kit

Yahoo group: kenwoodradio
Date: 2014-04-06 16:53:11 UTC
From: <ke3jp@...>
Topic: 1238 Message: 1238

I am looking to buy Kenwood Z-Kit TKR-820 TKR-720 12.5 kHz Narrowband Conversion Kit does anyone have any for sale please email me ke3jp at zoominternet dot net thanks mike

1239. LOOKING FOR A TS-850 SAT

Yahoo group: kenwoodradio
Date: 2014-05-01 15:07:09 UTC
From: <wt4t@...>
Topic: 1239 Message: 1239

Would like to set up a second station. Looking for a late sn# ts-850,hopefully with the later board and chips. the rig need to be no smoke and decent cosmetics. SSB filters would be a plus. do not need mic. Factory shipping box a +.Just a solid working rig is what Iam after. Would like to do Pay Pal I will cover the fees from this end.
thanks
dale wt4t

wt4t@reagan.com

1240. Kenwood items FS

Yahoo group: kenwoodradio
Date: 2014-06-05 00:07:22 UTC
From: Ken Simpson, W8EK
Topic: 933 Message: 1240

Kenwood Items For Sale:

Crystal Filer, Microphone, Original Boxes,
HT Accessories, Original Manuals, and more

Kenwood YK-88 C-1, 500 Hz CW Filter:

The Kenwood YK-88 C-1 is the "plug in" filter, as
opposed to the filter with out the "-1" that solders in.

This filter is a 500 Hz filter which can be used for
both CW and for digital modes. It will work in the
Kenwood TS-450, TS-690, TS-850, TS-870, TS-930, TS-940,
TS-950, and probably others.

This filter functions just like new, and looks the same. $80

Kenwood MC-60 A Deluxe Desk Microphone:

The Kenwood MC-60A has been a popular desk mic among
Kenwood owners for many years. It has a communication
type dynamic unidirectional moving coil type mic element
and features UP-DOWN tuning (on compatible Kenwood
transceivers) plus a built-in pre-amp. There is a
switch for PTT (push to talk) and also a lock feature.
The mic impedance may be set for 50K ohms or 500 ohms.
The frequency response is 150 Hz to 10 kHz (-6dB) with
the Preamp off and 200 Hz to 7 kHz (-6 dB) with the Preamp
on.

The heavy zinc die-cast base provides extra stability. The
mic terminates to a standard 8 pin mic plug. The preamp
requires two AA cells which are mounted through the bottom
of the base. Please note that the earlier MC-60 (non-"A")
version featured a 4 pin mic plug and did not have UP-DOWN
tuning.

This one works 100% and looks very close to new.

With paper work for $100.

Original Boxes for Kenwood VHF / UHF Rigs:

The following original boxes for Kenwood equipment
are available. They are all in very nice condition,
and include the molded styrofoam inserts to protect
the rig, plus the box itself.

Kenwood TM-221 two meter transceiver $5

Antennas for your HT:

All rubber ducks are for 2 meters, are in good
condition, and are $10 each, unless stated otherwise.

BNC - Dual Band (2 m and 440 MHz) Telescoping antenna
provides significant gain when extended, $18

BNC - As used on most HTs, 7 inches long

BNC - Original Alinco EA0024, about 4 inches long

BNC - Original from Kenwood TH-215, about 5 inches long

BNC - "Stubby" about 4 1/2 inches long

Type F connector - 6.5 inches long

BNC Stubby for 440 MHz, 3 inches long

Threaded (as used by Motorola, etc.) stubby for 440 MHz

Not a Rubber Duck, but can be used on your HT:
Telescoping Antenna w/ BNC about 19 inches long
can be used as a quarter wave antenna on 2 m,
or on 220, or 450 MHz if telescoped shorter. $12

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Antenna adapter that fits the TH-21 series HTs, and has
an SO-239 on the other end, to accept a PL-259. $5

Antenna adapter that fits the TH-21 series HTs, and has
a BNC on the other end. $8

Kenwood SC-8 T "Soft Case" for any of the TH-21 series HTs
great condition $12

Original Operating manual for TH-21 HT for 2 meters $8

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries
for the TH-21 series, and also on other Kenwood radios.
It has a standard 2.1 mm coaxial connector. $12

HT Belt Clips and Wrist Straps:

Belt Clips:
All include the hardware with the belt clip and are $6 each.
Icom IC-2 AT
Kenwood BH-6
Motorola
Yaesu FT-207
Yaesu FT-209

Wrist Straps for various HTs - $4 each
Kenwood TH-215 / 225 / 415, TR-2500, etc.
Kenwood TR-2400
Yaesu FT-209

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are Operating manuals unless otherwise specified.
All are original manuals only.

SPECIAL:
Buy two, three, or four of my books/manuals, and take 10% off.
Buy five or more and take 20% off.

TH-21 HT for 2 m, $8
TH-215/315/415 HT for 2 m, 220 MHz, or 440 MHz, $10
TH-225, 2 m HT, $12
TH-235, 2 m HT, $15
TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz, $12
TM-221/421 2 m or 440 MHz mobile, $12
TM-261/461 2m or 440 MHz mobile, $12
TM-2570/2550/2530 2 m mobile, $15
TR-2400, 2 m HT, $12
Service manual for TR-2600, 2 m HT, $12
TR-9000, 2 m multimode, $12
TS-120 S/V, HF xcvr, $20
TW-4000 dual bander mobile, $15
Service manual for TW-4000 dual bander $20
TW-4100 dual band mobile, $15

BC-5 DC to DC quick charger $2
LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $4
MS-1 mobile stand $3
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PB-24 battery pack for TR-2400 $2
PB-25 H battery pack for TR-2500 $2
PS-6 power supply $5
PS-30 power supply $4
SMC-24 speaker mic $3
SMC-25 speaker mic $3
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

Versi?n en espa?ol de Kenwood TM G-707 manual de Venta:

Versi?n en espa?ol del Manual de Operaci?n
para el Kenwood TM G-707 transmisor-receptor de banda dual

Este es el manual de instrucciones original, en espa?ol.
Parece que es bastante extensa y detallada.
Es b?sicamente nuevo, s?lo se abre para observar que
es s?lo en espa?ol. Es original de Kenwood.

$ 8 m?s gastos de env?o de la Florida.

Spanish Version of Kenwood TM G-707 manual:

Spanish version of the Operating Manual
for the Kenwood TM G-707 dual band transceiver

This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood. $8

I also have many other accessories available such as many
different types of microphones, HTs, HF, VHF and UHF rigs, HF
and VHF/UHF antennas, etc.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1241. Kenwood and related items For Sale

Yahoo group: kenwoodradio
Date: 2014-07-01 15:40:21 UTC
From: Ken Simpson, W8EK
Topic: 1241 Message: 1241

Kenwood and related Items For Sale:

Crystal Filter, Microphone, Digital Rotor Control Box,
Power Supplies, Original Boxes, Low Pass TVI Filters,
Coaxial Antenna Switches and Connectors, HT Accessories,
Noise Filter, Original Manuals, and more

Kenwood YK-88 C-1, 500 Hz CW Filter:

The Kenwood YK-88 C-1 is the "plug in" filter, as
opposed to the filter with out the "-1" that solders in.

This filter is a 500 Hz filter which can be used for
both CW and for digital modes. It will work in the
Kenwood TS-450, TS-690, TS-850, TS-870, TS-930, TS-940,
TS-950, and probably others.

This filter functions just like new, and looks the same. $80

Kenwood MC-60 A Deluxe Desk Microphone:

The Kenwood MC-60A has been a popular desk mic among
Kenwood owners for many years. It has a communication
type dynamic unidirectional moving coil type mic element
and features UP-DOWN tuning (on compatible Kenwood
transceivers) plus a built-in pre-amp. There is a
switch for PTT (push to talk) and also a lock feature.
The mic impedance may be set for 50K ohms or 500 ohms.
The frequency response is 150 Hz to 10 kHz (-6dB) with
the Preamp off and 200 Hz to 7 kHz (-6 dB) with the Preamp
on.

The heavy zinc die-cast base provides extra stability. The
mic terminates to a standard 8 pin mic plug. The preamp
requires two AA cells which are mounted through the bottom
of the base. Please note that the earlier MC-60 (non-"A")
version featured a 4 pin mic plug and did not have UP-DOWN
tuning.

This one works 100% and looks very close to new.

With paper work for $100.

HyGain DCU-1 Deluxe Digital Rotor Control Box:

The innovative DCU-1 Pathfinder Digital Rotor control unit
gives you automatic operation of your brake and rotor. It
has computer control with RS-232 pass through and is compatible

with many logging and contest programs as well. It has 6 presets
for your favorite beam settings, 1 degree heading accuracy,
automatic 8-second brake delay, and 360 degree choice for
center of rotation. It operates at 110V.

The DCU-1 digital rotor control unit is compatible with the
T-2X, HAM-IV, and HAM-V families of rotators.

This unit works fine and looks fine as well.
Paper work is included for $450.

13.8 Volt Power Supplies:

Clegg/Astron RS-20A
This supply has an Astron name on it, but also has a Clegg
name added. It is rated 20 amps ICAS, and 16 amps continuous.
It works 100%. Cosmetically, it looks nice, but has a very
few droplets of overspray where a previous owner had it
too close to where he was spraying bronze colored paint.
With paper work for $65.

GSC 20R, 20 amp supply
Although this supply is rated at 20 amps, it is not quite
as heavy duty as the Astron/Clegg 20 amp supply. A more
realistic rating would be 15 or 16 amps. This one works
fine, and looks fine, except for scratches on the bottom. $50

Original Boxes for Kenwood VHF / UHF Rigs:

The following original boxes for Kenwood equipment
are available. They are all in very nice condition,
and include the molded styrofoam inserts to protect
the rig, plus the box itself.

Kenwood TM-221 two meter transceiver $5

Large 150 Volt 3.5 inch Analog Meters:

Triplett 330 G, 150 Volt AC meter
This meter is a nice large analog 3.5 inch modern meter,
ideal for monitoring the incoming line voltage in your
shack.
It is in the proverbial "black box" 4.5 x 4 x 3 inches
in size. It appears that the SK owner painted a cardboard
box black to house the meter. You may or may not want to
use the box, but the meter itself is great.
With line cord for $30.

Weston Model 1931, 150 Volt DC Meter
This meter is similar to the one above, except it is for
DC instead of AC, and is the meter only.
It is new, in its original box, with hardware.
$20

Low Pass TVI Filters:

A low pass TVI filter is added to the transmitter to reduce harmonic interference. All have SO-239 connectors and are 50 ohm filters.

Johnson 250-20
This cylindrical low pass filter has a cut off frequency of 45 MHz and 75 db of attenuation, and is adjustable.
Rated at 1000 Watts AM, or 5000 Watts PEP SSB.
The fact that it is adjustable, means you can get rid of more TVI, and it is rated to handle higher power than most.
A real win-win situation. $30 or with mounting bracket, $35.

B & W 425 (same as FL-10/1500)
Cuts off just above 10 meters, and handles 1500 Watts.
Newer case style, $30.
Older, heavier copper style case, painted gray. $35

Para Dynamics PDC 1089
This filter is rated at a full Kilowatt, up to 30 MHz.
5 x 6 x 2 inch black box, instead of the long enclosure.
$25

Antennas for your HT:

All rubber ducks are for 2 meters, are in good condition, and are $10 each, unless stated otherwise.

BNC - Dual Band (2 m and 440 MHz) Telescoping antenna provides significant gain when extended, $18

BNC - As used on most HTs, 7 inches long

BNC - Original Alinco EA0024, about 4 inches long

BNC - Original from Kenwood TH-215, about 5 inches long

BNC - "Stubby" about 4 1/2 inches long

Type F connector - 6.5 inches long

BNC Stubby for 440 MHz, 3 inches long

Threaded (as used by Motorola, etc.) stubby for 440 MHz

Not a Rubber Duck, but can be used on your HT:
Telescoping Antenna w/ BNC about 19 inches long
can be used as a quarter wave antenna on 2 m,
or on 220, or 450 MHz if telescoped shorter. $12

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Antenna adapter that fits the TH-21 series HTs, and has an SO-239 on the other end, to accept a PL-259. $5

Antenna adapter that fits the TH-21 series HTs, and has
a BNC on the other end. $8

Kenwood SC-8 T "Soft Case" for any of the TH-21 series HTs
great condition $12

Original Operating manual for TH-21 HT for 2 meters $8

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries
for the TH-21 series, and also on other Kenwood radios.
It has a standard 2.1 mm coaxial connector. $12

HT Belt Clips and Wrist Straps:

Belt Clips:
All include the hardware with the belt clip and are $6 each.
Icom IC-2 AT
Kenwood BH-6
Motorola
Yaesu FT-207
Yaesu FT-209

Wrist Straps for various HTs - $4 each
Kenwood TH-215 / 225 / 415, TR-2500, etc.
Kenwood TR-2400
Yaesu FT-209

Coaxial Antenna Switches:

All work fine, look fine, and use SO-239 connectors.

B & W Model 550 A Coax Switch
This model will switch up to 5 antennas, and does NOT
ground unused antennas. Coax comes out the side, like
spokes of a wheel.
It will handle the full legal limit. $35

SCP Comm Switch SC-40-AS Coax Switch
Three position antenna switch in rectangular box.
Connectors on the back. In original box. May be new. $25

Two position "Strip Line" Coax Switches:

These switches utilize metal cavity construction for max efficiency
and high isolation. Isolation is better than 50 dB at 300 MHz
with low insertion loss less.
All are two position and are typically rated for 2500 W PEP,
and good to 600 MHz.

Diawa CS-201 - $22
Opek CX-201 - $22
MFJ 1702 C - With center position that grounds both antennas,
and added lightning protection. $25

Coax connectors and adapters:

Prices are per connector. Several of each are available.
Most are unused.

SPECIAL: Buy 5 and take 10% off.
Buy 10 or more and take 20% off.

UG-175 reducing adapters for PL-259 connectors to
use with RG-58 $.50

UG-176 reducing adapters for PL-259 connectors to
use with RG-8 X or RG-59.
Amphenol, still sealed in the package $1

Amphenol crimp type PL-259, sealed in package $3

UHF double female "Barrel connector" $3

UHF "Bulkhead Connector" with mounting hardware
Double female, about 2 inches long $6

UHF "T" connector with two female (SO-239) and one male
(PL-259) connection $5

BNC HT to PL-259 adapter.(BNC male to UHF female) $5

BNC male for coax cables
standard type $2
crimp on type $3

Chassis mount BNC female
square mount (uses 4 screws) $3
Amphenol screw in type, sealed in package $4

BNC "T", two female and one male $3

APC "Pro 7" Noise Filter and Surge Suppressor:

This unit has 7 outlets, with a 6 foot cord, and provides
surge suppressor for your equipment. It also provides
noise filtering / EMI / RFI suppression of 60 db. There
is $75,000 worth of insurance included. It comes with a
lifetime warranty, and I think this is APC's "Top of the
line" unit.

Detailed specs can be found at
http://www.apc.com/products/resource/include/techspec_index.cfm?base_sku=PRO7

This one appears to be new, unused, in its original box. $18

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are Operating manuals unless otherwise specified.

All are original manuals only.

SPECIAL:
Buy two, three, or four of my books/manuals, and take 10% off.
Buy five or more and take 20% off.

TH-21 HT for 2 m, $8
TH-215/315/415 HT for 2 m, 220 MHz, or 440 MHz, $10
TH-225, 2 m HT, $12
TH-235, 2 m HT, $15
TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz, $12
TM-221/421 2 m or 440 MHz mobile, $12
TM-261/461 2m or 440 MHz mobile, $12
TM-2570/2550/2530 2 m mobile, $15
TR-2400, 2 m HT, $12
Service manual for TR-2600, 2 m HT, $12
TR-9000, 2 m multimode, $12
TS-120 S/V, HF xcvr, $20
TW-4000 dual bander mobile, $15
Service manual for TW-4000 dual bander $20
TW-4100 dual band mobile, $15

BC-5 DC to DC quick charger $2
LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $4
MS-1 mobile stand $3
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PB-24 battery pack for TR-2400 $2
PB-25 H battery pack for TR-2500 $2
PS-6 power supply $5
PS-30 power supply $4
SMC-24 speaker mic $3
SMC-25 speaker mic $3
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

Versi?n en espa?ol de Kenwood TM G-707 manual de Venta:

Versi?n en espa?ol del Manual de Operaci?n
para el Kenwood TM G-707 transmisor-receptor de banda dual

Este es el manual de instrucciones original, en espa?ol.
Parece que es bastante extensa y detallada.
Es b?sicamente nuevo, s?lo se abre para observar que
es s?lo en espa?ol. Es original de Kenwood.

$ 8 m?s gastos de env?o de la Florida.

Spanish Version of Kenwood TM G-707 manual:

Spanish version of the Operating Manual
for the Kenwood TM G-707 dual band transceiver

This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood. $8

I also have many other accessories available such as many
different types of microphones, HTs, HF, VHF and UHF rigs, HF
and VHF/UHF antennas, etc.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1242. 2 m Multi-mode, Dual Band HT, Ant Tuner, and more FS

Yahoo group: kenwoodradio
Date: 2014-07-29 11:21:20 UTC
From: Ken Simpson, W8EK
Topic: 1242 Message: 1242

Kenwood and related Items For Sale:

Two meter muti-mode transceiver, Dual Band HT, Microphone, Digital Rotor Control Box, High Power Antenna Tuner, Original Boxes, Coaxial Antenna Switches, HT Accessories, Noise Filter, Original Manuals, and more

Kenwood TS-711, multimode 2 meter transceiver:

This unit is an FM, SSB, and CW transceiver for 2 meters. It has 40 memory channels, and up to 25 Watts of output power, which is continuously variable (no Hi or Low switch, but a front panel control to continuously vary power). Of course it will scan, and do the things one expects in a 2 meter rig. It has a GASFET in the front end for one of the best receivers I have ever used. The 120 V AC power supply as well as 13 V DC, is built in. The case looks very similar to a TS-440 or TS-450 HF rig.

This particular unit is very nice. I do not find any scratches, but it does show slight use. It has the optional TU-5 subaudible tone PL encoder in it, so it can be used with modern repeaters. Power cord and mic are included, with paper work, including original multicolor sales brochure, for $425.

Kenwood TH-78 A Dual Band HT:

The Kenwood TH-78A is a sophisticated dual-band HT. It has built in tone and paging functions, alphanumeric memory and message paging. Additionally it has dual-frequency receive capability (including VHF+VHF and UHF+UHF). There are 50 memory channels. The operator can choose from 8 different scan types. DTSS allows DTMF access to the transceiver.

The receive range is 118-173.995 and 438-449.995 MHz.
It has three RF output levels of about 5.0/0.5/0.02 watts.

Features include:
Two Line LCD Display
50 Memories
Alphanumeric Memory
Message Paging
Cross Band Operation
Backlit Keypad
Multi Scan Function

This one works fine, and looks fine. It includes the HT, rubber duck antenna, wall charger, and paper work.
A PB-13 standard battery is included, that holds its charge fine. Also included are two PB-17 heavy duty packs that are in bad condition. $135

Kenwood MC-60 A Deluxe Desk Microphone:

The Kenwood MC-60A has been a popular desk mic among Kenwood owners for many years. It has a communication type dynamic unidirectional moving coil type mic element and features UP-DOWN tuning (on compatible Kenwood transceivers) plus a built-in pre-amp. There is a switch for PTT (push to talk) and also a lock feature. The mic impedance may be set for 50K ohms or 500 ohms. The frequency response is 150 Hz to 10 kHz (-6dB) with the Preamp off and 200 Hz to 7 kHz (-6 dB) with the Preamp on.

The heavy zinc die-cast base provides extra stability. The mic terminates to a standard 8 pin mic plug. The preamp requires two AA cells which are mounted through the bottom of the base. Please note that the earlier MC-60 (non-"A") version featured a 4 pin mic plug and did not have UP-DOWN tuning.

This one works 100% and looks very close to new.

With paper work for $100.

HyGain DCU-1 Deluxe Digital Rotor Control Box:

The innovative DCU-1 Pathfinder Digital Rotor control unit gives you automatic operation of your brake and rotor. It has computer control with RS-232 pass through and is compatible with many logging and contest programs as well. It has 6 presets for your favorite beam settings, 1 degree heading accuracy, automatic 8-second brake delay, and 360 degree choice for center of rotation. It operates at 110V.

The DCU-1 digital rotor control unit is compatible with the T-2X, HAM-IV, and HAM-V families of rotators.

This unit works fine and looks fine as well.
Paper work is included for $450.

Dentron Super Super Tuner High Power Antenna Tuner:

Dentron made a very heavy duty antenna tuner. It covers from 160 meters thru 10 meters continuously, including the WARC bands, and includes a balun that is also very heavy duty. This is one of the most rugged tuners available.

The super super tuner is rated at 3000 Watts and a real brute.
I don't think there is a heavier one made! Unless you are
running far more than legal power, you do not need to worry
about this one!

This one works fine and looks extremely nice. There are a couple
of very light scratches that can be seen if the light is just
right.
With paper work for $225.

Original Boxes for Kenwood VHF / UHF Rigs:

The following original boxes for Kenwood equipment
are available. They are all in very nice condition,
and include the molded styrofoam inserts to protect
the rig, plus the box itself.

Kenwood TM-221 two meter transceiver $5

Antennas for your HT:

All rubber ducks are for 2 meters, are in good
condition, and are $10 each, unless stated otherwise.

BNC - Dual Band (2 m and 440 MHz) Telescoping antenna
provides significant gain when extended, $18

BNC - As used on most HTs, 7 inches long

BNC - Original Alinco EA0024, about 4 inches long

BNC - Original from Kenwood TH-215, about 5 inches long

BNC - "Stubby" about 4 1/2 inches long

Type F connector - 6.5 inches long

BNC Stubby for 440 MHz, 3 inches long

Threaded (as used by Motorola, etc.) stubby for 440 MHz

Not a Rubber Duck, but can be used on your HT:
Telescoping Antenna w/ BNC about 19 inches long
can be used as a quarter wave antenna on 2 m,
or on 220, or 450 MHz if telescoped shorter. $12

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Antenna adapter that fits the TH-21 series HTs, and has
an SO-239 on the other end, to accept a PL-259. $5

Antenna adapter that fits the TH-21 series HTs, and has
a BNC on the other end. $8

Kenwood SC-8 T "Soft Case" for any of the TH-21 series HTs
great condition $12

Original Operating manual for TH-21 HT for 2 meters $8

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries
for the TH-21 series, and also on other Kenwood radios.
It has a standard 2.1 mm coaxial connector. $12

HT Belt Clips and Wrist Straps:

Belt Clips:
All include the hardware with the belt clip and are $6 each.
Icom IC-2 AT
Kenwood BH-6
Motorola
Yaesu FT-207
Yaesu FT-209

Wrist Straps for various HTs - $4 each
Kenwood TH-215 / 225 / 415, TR-2500, etc.
Kenwood TR-2400
Yaesu FT-209

Two position "Strip Line" Coax Switches:

These switches utilize metal cavity construction for max efficiency
and high isolation. Isolation is better than 50 dB at 300 MHz
with low insertion loss less.
All are two position and are typically rated for 2500 W PEP,
and good to 600 MHz.

Diawa CS-201 - $22
Opek CX-201 - $22
MFJ 1702 C - With center position that grounds both antennas,
and added lightning protection. $25

APC "Pro 7" Noise Filter and Surge Suppressor:

This unit has 7 outlets, with a 6 foot cord, and provides
surge suppressor for your equipment. It also provides
noise filtering / EMI / RFI suppression of 60 db. There
is $75,000 worth of insurance included. It comes with a
lifetime warranty, and I think this is APC's "Top of the
line" unit.

Detailed specs can be found at
http://www.apc.com/products/resource/include/techspec_index.cfm?base_sku=PRO7

This one appears to be new, unused, in its original box. $18

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are Operating manuals unless otherwise specified.
All are original manuals only.

SPECIAL:
Buy two, three, or four of my books/manuals, and take 10% off.
Buy five or more and take 20% off.

TH-21 HT for 2 m, $8
TH-215/315/415 HT for 2 m, 220 MHz, or 440 MHz, $10
TH-225, 2 m HT, $12
TH-235, 2 m HT, $15
TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz, $12
TM-221/421 2 m or 440 MHz mobile, $12
TM-261/461 2m or 440 MHz mobile, $12
TM-2570/2550/2530 2 m mobile, $15
TR-2400, 2 m HT, $12
Service manual for TR-2600, 2 m HT, $12
TR-9000, 2 m multimode, $12
TS-120 S/V, HF xcvr, $20
TW-4000 dual bander mobile, $15
Service manual for TW-4000 dual bander $20
TW-4100 dual band mobile, $15

BC-5 DC to DC quick charger $2
LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $4
MS-1 mobile stand $3
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PB-24 battery pack for TR-2400 $2
PB-25 H battery pack for TR-2500 $2
PS-6 power supply $5
PS-30 power supply $4
SMC-24 speaker mic $3
SMC-25 speaker mic $3
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

Versi?n en espa?ol de Kenwood TM G-707 manual de Venta:

Versi?n en espa?ol del Manual de Operaci?n
para el Kenwood TM G-707 transmisor-receptor de banda dual

Este es el manual de instrucciones original, en espa?ol.
Parece que es bastante extensa y detallada.
Es b?sicamente nuevo, s?lo se abre para observar que
es s?lo en espa?ol. Es original de Kenwood.

$ 8 m?s gastos de env?o de la Florida.

Spanish Version of Kenwood TM G-707 manual:

Spanish version of the Operating Manual
for the Kenwood TM G-707 dual band transceiver

This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood. $8

I also have many other accessories available such as many
different types of microphones, HTs, HF, VHF and UHF rigs, HF
and VHF/UHF antennas, etc.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1243. Dual Bander, 2 m multi mode, dual band HT and more FS

Yahoo group: kenwoodradio
Date: 2014-08-20 02:04:17 UTC
From: Ken Simpson, W8EK
Topic: 1243 Message: 1243

Kenwood and related Items For Sale:

Dual Band FM Tranceiver, Extension Cable, Two meter muti-mode transceiver, Dual Band HT, Microphone, Digital Rotor Control Box, Original Boxes, Coaxial Antenna Switches, HT Accessories, Noise Filter, Original Manuals, and more

Kenwood TM G-707 A Dual Band Transceiver

The TM-G 707 has an extra-large control panel with the welcoming glow of its amber-colored LCD. The TM-G 707 is extraordinarily user-friendly, which is an important consideration for a mobile rig. This mobile transceiver provides 50 (50/10/5W) watts on 2 meters and 35 (35/10/5W) watts on 440 MHz. The TM-G707A offers features such as memory name function (7 character), S-meter squelch, time-out timer, tone encode/decode, dimmer, and auto power-off. Non-simultaneous cross-band repeater access is supported. A 6 pin mini DIN connector for 1200/9600 bps packet and other digital modes is provided.

Receive coverage is 118-174 and 410-524 MHz F3E (FM).
Transmit range is 144-148 and 430-450 MHz F3E (FM).
Size is 5.5 x 1.7 x 7.4 inches. It requires 13.8 VDC at 11 amps.

Features include:
180 Alpha Memories
Big Display
DTMF Hand Mic.
Auto Repeater Offset
Guide Function
Dimmer
Time Out Timer
Visual Scan
Priority Scan
Auto Simplex Checker
DTSS Selective Call
PL Decode/Encode
Packet 1200/9600 DIN plug
Hi/Med/Lo RF Out

This particular unit is still in its original box. It functions 100%, and looks the same. As best I can tell, all of the little packages of screws, fuses, etc. are included. $250

Kenwood DFK-3 C, separation kit for the TM-G 707 above.
I think it also works with the Kenwood TM-V 7 A.
The separation cable is about 10 feet long. The kit includes a

mounting bracket and hardware for the control head, plus a ferrite bead for RF elimination. This one is new, still in its box. $60

Kenwood TS-711, multimode 2 meter transceiver:

This unit is an FM, SSB, and CW transceiver for 2 meters. It has 40 memory channels, and up to 25 Watts of output power, which is continuously variable (no Hi or Low switch, but a front panel control to continuously vary power). Of course it will scan, and do the things one expects in a 2 meter rig. It has a GASFET in the front end for one of the best receivers I have ever used. The 120 V AC power supply as well as 13 V DC, is built in. The case looks very similar to a TS-440 or TS-450 HF rig.

This particular unit is very nice. I do not find any scratches, but it does show slight use. It has the optional TU-5 subaudible tone PL encoder in it, so it can be used with modern repeaters. Power cord and mic are included, with paper work, for $425.

Kenwood TH-78 A Dual Band HT:

The Kenwood TH-78A is a sophisticated dual-band HT. It has built in tone and paging functions, alphanumeric memory and message paging. Additionally it has dual-frequency receive capability (including VHF+VHF and UHF+UHF). There are 50 memory channels. The operator can choose from 8 different scan types. DTSS allows DTMF access to the transceiver.

The receive range is 118-173.995 and 438-449.995 MHz.
It has three RF output levels of about 5.0/0.5/0.02 watts.

Features include:
Two Line LCD Display
50 Memories
Alphanumeric Memory
Message Paging
Cross Band Operation
Backlit Keypad
Multi Scan Function

This one works fine, and looks fine. It includes the HT, rubber duck antenna, wall charger, and paper work.
A PB-13 standard battery is included, that holds its charge fine. Also included are two PB-17 heavy duty packs that are in bad condition. $135

Kenwood MC-60 A Deluxe Desk Microphone:

The Kenwood MC-60A has been a popular desk mic among Kenwood owners for many years. It has a communication type dynamic unidirectional moving coil type mic element and features UP-DOWN tuning (on compatible Kenwood

transceivers) plus a built-in pre-amp. There is a switch for PTT (push to talk) and also a lock feature. The mic impedance may be set for 50K ohms or 500 ohms. The frequency response is 150 Hz to 10 kHz (-6dB) with the Preamp off and 200 Hz to 7 kHz (-6 dB) with the Preamp on.

The heavy zinc die-cast base provides extra stability. The mic terminates to a standard 8 pin mic plug. The preamp requires two AA cells which are mounted through the bottom of the base. Please note that the earlier MC-60 (non-"A") version featured a 4 pin mic plug and did not have UP-DOWN tuning.

This one works 100% and looks very close to new.

With paper work for $100.

Original Boxes for Kenwood VHF / UHF Rigs:

The following original boxes for Kenwood equipment are available. They are all in very nice condition, and include the molded styrofoam inserts to protect the rig, plus the box itself.

Kenwood TM-221 two meter transceiver $5

Antennas for your HT:

All rubber ducks are for 2 meters, are in good condition, and are $10 each, unless stated otherwise.

BNC - Dual Band (2 m and 440 MHz) Telescoping antenna provides significant gain when extended, $18

BNC - As used on most HTs, 7 inches long

BNC - Original Alinco EA0024, about 4 inches long

BNC - Original from Kenwood TH-215, about 5 inches long

BNC - "Stubby" about 4 1/2 inches long

Type F connector - 6.5 inches long

BNC Stubby for 440 MHz, 3 inches long

Threaded (as used by Motorola, etc.) stubby for 440 MHz

Not a Rubber Duck, but can be used on your HT:
Telescoping Antenna w/ BNC about 19 inches long can be used as a quarter wave antenna on 2 m, or on 220, or 450 MHz if telescoped shorter. $12

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Antenna adapter that fits the TH-21 series HTs, and has
an SO-239 on the other end, to accept a PL-259. $5

Antenna adapter that fits the TH-21 series HTs, and has
a BNC on the other end. $8

Kenwood SC-8 T "Soft Case" for any of the TH-21 series HTs
great condition $12

Original Operating manual for TH-21 HT for 2 meters $8

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries
for the TH-21 series, and also on other Kenwood radios.
It has a standard 2.1 mm coaxial connector. $12

HT Belt Clips and Wrist Straps:

Belt Clips:
All include the hardware with the belt clip and are $6 each.
Icom IC-2 AT
Kenwood BH-6
Motorola
Yaesu FT-207
Yaesu FT-209

Wrist Straps for various HTs - $4 each
Kenwood TH-215 / 225 / 415, TR-2500, etc.
Kenwood TR-2400
Yaesu FT-209

Two position "Strip Line" Coax Switches:

These switches utilize metal cavity construction for max efficiency
and high isolation. Isolation is better than 50 dB at 300 MHz
with low insertion loss less.
All are two position and are typically rated for 2500 W PEP,
and good to 600 MHz.

Diawa CS-201 - $22
Opek CX-201 - $22
MFJ 1702 C - With center position that grounds both antennas,
and added lightning protection. $25

APC "Pro 7" Noise Filter and Surge Suppressor:

This unit has 7 outlets, with a 6 foot cord, and provides
surge suppressor for your equipment. It also provides
noise filtering / EMI / RFI suppression of 60 db. There
is $75,000 worth of insurance included. It comes with a
lifetime warranty, and I think this is APC's "Top of the
line" unit.

Detailed specs can be found at
http://www.apc.com/products/resource/include/techspec_index.cfm?base_sku=PRO7

This one appears to be new, unused, in its original box. $18

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are Operating manuals unless otherwise specified.
All are original manuals only.

SPECIAL:
Buy two, three, or four of my books/manuals, and take 10% off.
Buy five or more and take 20% off.

TH-21 HT for 2 m, $8
TH-215/315/415 HT for 2 m, 220 MHz, or 440 MHz, $10
TH-225, 2 m HT, $12
TH-235, 2 m HT, $15
TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz, $12
TM-221/421 2 m or 440 MHz mobile, $12
TM-261/461 2m or 440 MHz mobile, $12
TM-2570/2550/2530 2 m mobile, $15
TR-2400, 2 m HT, $12
Service manual for TR-2600, 2 m HT, $12
TR-9000, 2 m multimode, $12
TS-120 S/V, HF xcvr, $20
TW-4000 dual bander mobile, $15
Service manual for TW-4000 dual bander $20
TW-4100 dual band mobile, $15

BC-5 DC to DC quick charger $2
LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $4
MS-1 mobile stand $3
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PB-24 battery pack for TR-2400 $2
PB-25 H battery pack for TR-2500 $2
PS-6 power supply $5
PS-30 power supply $4
SMC-24 speaker mic $3
SMC-25 speaker mic $3
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

Versión en español de Kenwood TM G-707 manual de Venta:

Versión en español del Manual de Operación
para el Kenwood TM G-707 transmisor-receptor de banda dual

Este es el manual de instrucciones original, en español.
Parece que es bastante extensa y detallada.
Es básicamente nuevo, sólo se abre para observar que
es sólo en español. Es original de Kenwood.

$ 8 más gastos de envío de la Florida.

Spanish Version of Kenwood TM G-707 manual:

Spanish version of the Operating Manual
for the Kenwood TM G-707 dual band transceiver

This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood. $8

I also have many other accessories available such as many
different types of microphones, HTs, HF, VHF and UHF rigs, HF
and VHF/UHF antennas, etc.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1244. ESTATE SALE: Kenwood TS-520 XCVRS, Rohn tower/GME HAZER tram, Astatic mics, Textronic scopes,

Yahoo group: kenwoodradio
Date: 2014-09-03 14:33:22 UTC
From: Dennis Griffin
Topic: 1244 Message: 1244

FOR SALE

These items are from the Estate of Ken, W9UN/W8KEX (SK) 9-01-2014 (62 yrs. licensed) and nearly all items were used until he became sick.

KENWOOD

(2) TS-520 Kenwood 100w HF XCVR @ $200 each.

Both units in perfect mechanical & good physical condition with operating manuals & (1) Tech Manual. There is also a Kenwood TS-520 that has a VFO mechanical problem (otherwise works as should. It is NOT a parts rig. Ken just did not get to fix. $100.

ROHN/GME HAZER TRAM TOWER SYSTEM

ROHN - GME H/D HAZER Tram system Model 25G sections - GME H/D Aluminum Hazer Title 53' ROHN Tower/H/D HAZER (SS cable) Mast/Rotor Asking Price $400.00

This is a package deal! 53' of ROHN 25G tower with a GME Hazer installed. SS cable and 2 winch crank handles. Included in this deal are a 10' (0.2" wall) H/D mast and Alliance automatic rotor, several hundred feet of 8214 coax (50ohm) and 8213 (75ohm) coax.

The GME Hazer tram system alone now costs over $450!

THE TOWER WILL BE ON THE GROUND where each10’sections hardware can be easily removed and the sections taken apart with a hammer and block of wood. Rotor, mast and hazer can be removed when on the ground. (Located in Beverly Hills [Citrus County] and MUST be picked up at that site.

Astatic Microphones

2ea. Model 77L @ $75. & 1 ea. 10-D $50 (in boxes), screw stands available @ $10.

These microphones are some of the best mics ever produced by the "OLD" Astatic! The 77L mics (look like the EV Elvis 55) are now a rare and sought after item. $75.00 each. (I have use one for over 50 years with great audio reports)!

The 10-D was designed specifically for SSB operation ($50.00).

2ea. chrome screw type mic stands that are optional at $10 each.

VBC-3000 Baseband Transceiver

2 ea. VBC, Inc. Model VBC-3000 Title NBVM Baseband Transceiver (dist. by Henry Radio) $100 each.

Narrow band voice modulator (NBVM) speech compandor. Works with SSB, FM & AM XMTRS(VOX/PTT) and provides full audio compression and expansion. Fox RX, it features sharp voice, CW

filtering and amplitude expansion to improve reception. Reduces adjacent channel interference, increases S/N ratio, high quality narrow band speech, self-contained transmit/receive adapter, 5 active filters with a total of 52 poles, all hybrid IC technology. Front panel switch selectable settings for transmit & receive bandwidths. Includes complete operating manual. (Very rare items). It provides inverted digitized audio that when another unit is used, it is decoded back to normal audio.

TEXTRONIC Model 453

TEXTRONIC 453 Scope (2 ea.) Asking Price $125.00 & $75.00

Theses scope has two channels and many features which makes it quite versatile. These older scopes are in demand because you can actually work on them yourself! One scope work per specs, the other has HV on the CRT but no horizontal trace. Manuals & spare parts are available. $125.00 for working scope & $75.00, for the other. Check the following website: http://www.diyguitarist.com/TestEquipment/Tektronix453.htm for more information.

Ken was a retired EE and carefully cared for all his gear. Ken was a smoker but I found “Tough Stuff” was able to easily remove it.

I am selling off all his equipment for his XYL and can answer any questions regarding these items. You be dealing with me with the sale of all equipment.

I will arrange for pickup or shipping of all but the tower system (local pickup only).

These are CASH only prices. If pay-pay is used a 3% additional charge will be added. All prices quoted are less shipping/packing charges via the UPS Store (any items shipped will be taken there was packing & shipping; those charges will be added to the total cost of the item.

Pictures that are representative of all the above items are available from me upon request.

PLEASE, SERIOUS BUYERS ONLY REPLY!

73, Dennis – W4DG

Hudson, Fl.

727/863-0102

1245. Kenwood HT and other Kenwood items FS

Yahoo group: kenwoodradio
Date: 2014-12-16 21:19:39 UTC
From: Ken Simpson, W8EK
Topic: 1245 Message: 1245

Kenwood and related Items For Sale:

Dual Band HT, Microphones, Original Boxes, HT Accessories,
Noise Filter, Original Manuals, and more

Kenwood TH-78 A "Cross Band" 2 m / 440 MHz HT:

The Kenwood TH-78A is a sophisticated dual-band HT. It has
built in tone and paging functions, alphanumeric memory and
message paging. Additionally it has dual-frequency receive
capability (including VHF+VHF and UHF+UHF). There are 50
memory channels. The operator can choose from 8 different
scan types. DTSS allows DTMF access to the transceiver.

The receive range is 118-173.995 and 438-449.995 MHz.
It has three RF output levels of about 5.0/0.5/0.02 watts.

Features include:
Two Line LCD Display
50 Memories
Alphanumeric Memory
Message Paging
Cross Band Operation
Backlit Keypad
Multi Scan Function

This one works fine, and looks fine. It includes the HT,
rubber duck antenna, wall charger, and paper work.
A PB-13 standard battery is included, that holds its charge
fine. Also included are two PB-17 heavy duty packs that are
in bad condition. $135

Kenwood MC-48 DTMF Touch Tone Microphone
Used on most Kenwood rigs with round 8 pin mic plug.
Includes up/down switches. Excellent condition. $40

Hand Microphone with round 8 pin plug for Kenwood, Alinco, etc.

This hand mic works great on most Kenwood rigs with the
round 8 pin connector, such as the TS-430, TS-440, TM-241,
TM-2530, TW-4000, and others, including Alinco and ADI.
It says "Electret Condenser Mic" on the back, and
"Kenwood" on the front, with no model number.

Basically, this mic functions like an MC-43, with a couple
more features. It has the mic and PTT switch; it also has
up/down switches on the top. There are four "extra" buttons

labeled Call, VFO, MR, and PF. What these four buttons do
depends on the rig. There is also a "Lock" switch on the back.

Regardless if you use the four extra buttons or not, you
still have a mic that works like an MC-43.

This mic works fine, and looks like new. I am guessing it
came with a rig, and was immediately put in the drawer,
and never used. $30

Original Boxes for Kenwood VHF / UHF Rigs:

The following original boxes for Kenwood equipment
are available. They are all in very nice condition,
and include the molded styrofoam inserts to protect
the rig, plus the box itself.

Original Box for Kenwood TM-221 two meter transceiver
It is in very nice condition, and includes the molded styrofoam
inserts to protect the rig, plus the box itself. $6

Original Box for TH-41, 440 MHz HT
Complete with insert. Looks like new. $8

Original box for Kenwood TR-2600, Two meter HT
Complete with insert. Looks like new. $8

Original box for TenTec 2591, Two meter HT
Complete with insert. Looks like new. $8

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Antenna adapter that fits the TH-21 series HTs, and has
an SO-239 on the other end, to accept a PL-259. $5

Antenna adapter that fits the TH-21 series HTs, and has
a BNC on the other end. $8

Kenwood SC-8 T "Soft Case" for any of the TH-21 series HTs
In bag, with original paper work. May be new. $12

Original Operating manual for TH-21 HT for 2 meters $8

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries
for the TH-21 series, and also on other Kenwood radios.
It has a standard 2.1 mm coaxial connector. $12

APC Noise Filters and Surge Suppressors:

All of these are still in their original boxes, unused. All provide
noise filtering / EMI / RFI suppression in addition to surge protection,
and have 6 foot cords. They have a lifetime warranty
and $50K to $75K insurance.

PRO 8 T 2
8 outlets. 1120 Joule with two phone line protection.
Detailed specs at
http://www.apc.com/products/resource/include/techspec_index.cfm?base_sku=PRO8T2
$75,000 insurance. Only $17.

PRO 7
7 outlets. 1680 Joules. APC's "Top of the line" unit.
Detailed specs at
http://www.apc.com/products/resource/include/techspec_index.cfm?base_sku=PRO7
$75,000 insurance. 60 db noise rejection. Only $18.

P 7 T
7 outlets. 840 Joules with a single phone line protector.
Detailed specs at
http://www.apc.com/resource/include/techspec_index.cfm?base_sku=P7T
$50,000 insurance. Only $12.

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are Operating manuals unless otherwise specified.
All are original manuals only.

SPECIAL:
Buy two, three, or four of my books/manuals, and take 10% off.
Buy five or more and take 20% off.

TH-21 HT for 2 m, $8
TH-215/315/415 HT for 2 m, 220 MHz, or 440 MHz, $10
TH-225, 2 m HT, $12
TH-235, 2 m HT, $15
TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz, $12
TM-221/421 2 m or 440 MHz mobile, $12
TM-261/461 2m or 440 MHz mobile, $12
TM-2570/2550/2530 2 m mobile, $15
TR-2400, 2 m HT, $12
Service manual for TR-2600, 2 m HT, $12
TR-9000, 2 m multimode, $12
TS-120 S/V, HF xcvr, $20
TW-4000 dual bander mobile, $15
Service manual for TW-4000 dual bander $20
TW-4100 dual band mobile, $15

BC-5 DC to DC quick charger $2
LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $4
MS-1 mobile stand $3
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PB-24 battery pack for TR-2400 $2
PB-25 H battery pack for TR-2500 $2
PS-6 power supply $5

PS-30 power supply $4
SMC-24 speaker mic $3
SMC-25 speaker mic $3
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

Versión en español de Kenwood TM G-707 manual de Venta:

Versión en español del Manual de Operación
para el Kenwood TM G-707 transmisor-receptor de banda dual

Este es el manual de instrucciones original, en español.
Parece que es bastante extensa y detallada.
Es básicamente nuevo, sólo se abre para observar que
es sólo en español. Es original de Kenwood.

$ 8 más gastos de envío de la Florida.

Spanish Version of Kenwood TM G-707 manual:

Spanish version of the Operating Manual
for the Kenwood TM G-707 dual band transceiver

This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood. $8

I also have many other accessories available such as many
different types of microphones, HTs, HF, VHF and UHF rigs, HF
and VHF/UHF antennas, etc.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1246. looking for a ts-480 sat or HX.

Yahoo group: kenwoodradio
Date: 2015-02-04 00:44:12 UTC
From: wt4t@...
Topic: 1246 Message: 1246

Looking for either radio above,will consider all. Can do no charge pay pal.
thanks
dale wt4t

1247. Kenwood Microphones and other Kenwood items FS

Yahoo group: kenwoodradio
Date: 2015-02-18 18:49:55 UTC
From: Ken Simpson, W8EK
Topic: 1247 Message: 1247

Kenwood and related Items For Sale:

Microphones, Original Boxes, HT Accessories,
Noise Filters, Original Manuals, and more

Kenwood MC-48 DTMF Touch Tone Microphone
Used on most Kenwood rigs with round 8 pin mic plug.
Includes up/down switches as well as the 16 digit tone
pad. Excellent, close to new, condition. $40

Hand Microphone with round 8 pin plug for Kenwood, Alinco, etc.

This hand mic works great on most Kenwood rigs with the
round 8 pin connector, such as the TS-430, TS-440, TM-241,
TM-2530, TW-4000, and others, including Alinco and ADI.
It says "Electret Condenser Mic" on the back, and
"Kenwood" on the front, with no model number.

Basically, this mic functions like an MC-43, with a couple
more features. It has the mic and PTT switch; it also has
up/down switches on the top. There are four "extra" buttons
labeled Call, VFO, MR, and PF. What these four buttons do
depends on the rig. There is also a "Lock" switch on the back.

Regardless if you use the four extra buttons or not, you
still have a mic that works like an MC-43.

This mic works fine, and looks like new. I am guessing it
came with a rig, and was immediately put in the drawer,
and never used. $30

Kenwood "Soft Case" for HTs:

SC-35 soft case
For Kenwood TH-78 dual band HT. Looks like new.
Only $12.

SC-8 T soft case
For Kenwood TH-21, TH-31, TH-41 series HTs.
Like new condition. $10

Original Boxes for Kenwood VHF / UHF Rigs:

The following original boxes for Kenwood equipment
are available. They are all in very nice condition,
and include the molded styrofoam inserts to protect
the rig, plus the box itself.

Original Box for Kenwood TM-221 two meter transceiver
It is in very nice condition, and includes the molded styrofoam
inserts to protect the rig, plus the box itself. $6

Original Box for TH-41, 440 MHz HT
Complete with insert. Looks like new. $8

Original box for Kenwood TR-2600, Two meter HT
Complete with insert. Looks like new. $8

Original box for TenTec 2591, Two meter HT
Complete with insert. Looks like new. $8

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Antenna adapter that fits the TH-21 series HTs, and has
an SO-239 on the other end, to accept a PL-259. $5

Antenna adapter that fits the TH-21 series HTs, and has
a BNC on the other end. $8

Kenwood SC-8 T "Soft Case" for any of the TH-21 series HTs
In bag, with original paper work. May be new. $12

Original Operating manual for TH-21 HT for 2 meters $8

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries
for the TH-21 series, and also on other Kenwood radios.
It has a standard 2.1 mm coaxial connector. $12

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are Operating manuals unless otherwise specified.
All are original manuals only.

SPECIAL:
Buy two, three, or four of my books/manuals, and take 10% off.
Buy five or more and take 20% off.

TH-21 HT for 2 m, $8
TH-215/315/415 HT for 2 m, 220 MHz, or 440 MHz, $10
TH-225, 2 m HT, $12
TH-235, 2 m HT, $15
TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz, $12
TM-221/421 2 m or 440 MHz mobile, $12
TM-261/461 2m or 440 MHz mobile, $12
TM-2570/2550/2530 2 m mobile, $15
TR-2400, 2 m HT, $12
Service manual for TR-2600, 2 m HT, $12
TR-9000, 2 m multimode, $12
TS-120 S/V, HF xcvr, $20

TW-4000 dual band mobile, $15
Service manual for TW-4000 dual bander $20
TW-4100 dual band mobile, $15

BC-5 DC to DC quick charger $2
LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $4
MS-1 mobile stand $3
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PB-24 battery pack for TR-2400 $2
PB-25 H battery pack for TR-2500 $2
PS-6 power supply $5
PS-30 power supply $4
SMC-24 speaker mic $3
SMC-25 speaker mic $3
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

Versión en español de Kenwood TM G-707 manual de Venta:

Versión en español del Manual de Operación
para el Kenwood TM G-707 transmisor-receptor de banda dual

Este es el manual de instrucciones original, en español.
Parece que es bastante extensa y detallada.
Es básicamente nuevo, sólo se abre para observar que
es sólo en español. Es original de Kenwood.

$ 8 más gastos de envío de la Florida.

Spanish Version of Kenwood TM G-707 manual:

Spanish version of the Operating Manual
for the Kenwood TM G-707 dual band transceiver

This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood. $8

I also have many other accessories available such as many
different types of microphones, HTs, HF, VHF and UHF rigs, HF
and VHF/UHF antennas, etc.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1248. power loss on ts-480 sat

Yahoo group: kenwoodradio
Date: 2015-02-19 20:48:17 UTC
From: wt4t@...
Topic: 1248 Message: 1248

Normally use the 480 as the driver for my amp, went on the air today,the 480 went from 100 to apex 15 watts full out. did all the usual checks, power output adjustment, mic drive ,changed from #1 to #2 output,drove the 480 onto a dummy load ,all with the same result max 15 0ut on keydown.
My guess is, I have lost the finals or driver on the rig. The low output is on all bands and modes.If anyone has anything to add to the problem,please get back with any Ideas as to the problem
73
dale wt4t

1249. Monitor Scope, Microphones and more Kenwood items FS

Yahoo group: kenwoodradio
Date: 2015-02-28 21:52:23 UTC
From: Ken Simpson, W8EK
Topic: 1249 Message: 1249

Kenwood Items For Sale:

Monitor Scope, Microphones, Original Boxes, HT Accessories,
Original Manuals, and more

Kenwood SM-220 Monitor Scope, with BS-8 Pan Adapter

The Kenwood SM-220 Station Monitor is a multi-function monitor
scope which functions as a band-scope since it includes the BS-8
pan display option, monitor and tone generator. It is the ideal
product for supporting, monitoring and calibrating equipment.
It can be used to observe SSB distortion, CW key clicks, and
test linearity of linear amplifiers. It has four sweep ranges
and also can serve as a RTTY tuning scope. Frequency range:
1.8-150 MHz. Maximum Power: 2000W 1.8-54 MHz and 100W 150 MHz.

Features:
Bandscope ± 100 kHz (with optional BS-8)
10 MHz Oscilloscope
Matches many Kenwood Transceivers
Wideband Transmission Monitor
RTTY X-Y Tuning Meter
Built-in 1000/1575 Hz Two-Tone Generator

Cosmetically, this one looks like new. I can not find a scratch
on it, and all lettering is nice and crisp. Electrically, it works
fine. The intensity varies as it should, the focus does as it
should, and when I connect a signal generator to it, the sine wave
looks like a sine wave. I have no TS-820 or TS-830 to confirm
that the BS-8 works, but I am fairly certain it is fine, since
other parts of it are fine. $350

Kenwood MC-48 DTMF Touch Tone Microphone
Used on most Kenwood rigs with round 8 pin mic plug.
Includes up/down switches as well as the 16 digit tone
pad. Excellent, close to new, condition. $40

Hand Microphone with round 8 pin plug for Kenwood, Alinco, etc.

This hand mic works great on most Kenwood rigs with the
round 8 pin connector, such as the TS-430, TS-440, TM-241,
TM-2530, TW-4000, and others, including Alinco and ADI.
It says "Electret Condenser Mic" on the back, and
"Kenwood" on the front, with no model number.

Basically, this mic functions like an MC-43, with a couple
more features. It has the mic and PTT switch; it also has

up/down switches on the top. There are four "extra" buttons
labeled Call, VFO, MR, and PF. What these four buttons do
depends on the rig. There is also a "Lock" switch on the back.

Regardless if you use the four extra buttons or not, you
still have a mic that works like an MC-43.

This mic works fine, and looks like new. I am guessing it
came with a rig, and was immediately put in the drawer,
and never used. $30

Kenwood "Soft Case" for HTs:

SC-35 soft case
For Kenwood TH-78 dual band HT. Looks like new.
Only $12.

SC-8 T soft case
For Kenwood TH-21, TH-31, TH-41 series HTs.
Like new condition. $10

Original Boxes for Kenwood VHF / UHF Rigs:

The following original boxes for Kenwood equipment
are available. They are all in very nice condition,
and include the molded styrofoam inserts to protect
the rig, plus the box itself.

Original Box for Kenwood TM-221 two meter transceiver
It is in very nice condition, and includes the molded styrofoam
inserts to protect the rig, plus the box itself. $6

Original Box for TH-41, 440 MHz HT
Complete with insert. Looks like new. $8

Original box for Kenwood TR-2600, Two meter HT
Complete with insert. Looks like new. $8

Original box for TenTec 2591, Two meter HT
Complete with insert. Looks like new. $8

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Antenna adapter that fits the TH-21 series HTs, and has
an SO-239 on the other end, to accept a PL-259. $5

Antenna adapter that fits the TH-21 series HTs, and has
a BNC on the other end. $8

Kenwood SC-8 T "Soft Case" for any of the TH-21 series HTs
In bag, with original paper work. May be new. $10

Original Operating manual for TH-21 HT for 2 meters $8

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries
for the TH-21 series, and also on other Kenwood radios.
It has a standard 2.1 mm coaxial connector. $12

Antennas for your HT:

All rubber ducks are for 2 meters, are in good
condition, and are $10 each, unless stated otherwise.

BNC - As used on most HTs, 7 inches long

BNC - Original Alinco EA0024, about 4 inches long

BNC - Original from Kenwood TH-215, about 5 inches long

BNC - "Stubby" about 4 1/2 inches long

Type F connector - 6.5 inches long

Threaded (as used by Motorola, etc.) - about 7 inches long

BNC Stubby for 440 MHz, 3 inches long

Threaded (as used by Motorola, etc.) stubby for 440 MHz

Not a Rubber Duck, but can be used on your HT:
Telescoping Antenna w/ BNC about 19 inches long
can be used as a quarter wave antenna on 2 m,
or on 220, or 450 MHz if telescoped shorter. $12

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are Operating manuals unless otherwise specified.
All are original manuals only.

SPECIAL:
Buy two, three, or four of my books/manuals, and take 10% off.
Buy five or more and take 20% off.

TH-21 HT for 2 m, $8
TH-215/315/415 HT for 2 m, 220 MHz, or 440 MHz, $10
TH-225, 2 m HT, $12
TH-235, 2 m HT, $15
TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz, $12
TM-221/421 2 m or 440 MHz mobile, $12
TM-261/461 2m or 440 MHz mobile, $12
TM-2570/2550/2530 2 m mobile, $15
TR-2400, 2 m HT, $12
Service manual for TR-2600, 2 m HT, $12
TR-9000, 2 m multimode, $12
TS-120 S/V, HF xcvr, $20
TW-4000 dual band mobile, $15

Service manual for TW-4000 dual bander $20
TW-4100 dual band mobile, $15

BC-5 DC to DC quick charger $2
LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $4
MS-1 mobile stand $3
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PB-24 battery pack for TR-2400 $2
PB-25 H battery pack for TR-2500 $2
PS-6 power supply $5
PS-30 power supply $4
SMC-24 speaker mic $3
SMC-25 speaker mic $3
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

Versión en español de Kenwood TM G-707 manual de Venta:

Versión en español del Manual de Operación
para el Kenwood TM G-707 transmisor-receptor de banda dual

Este es el manual de instrucciones original, en español.
Parece que es bastante extensa y detallada.
Es básicamente nuevo, sólo se abre para observar que
es sólo en español. Es original de Kenwood.

$ 8 más gastos de envío de la Florida.

Spanish Version of Kenwood TM G-707 manual:

Spanish version of the Operating Manual
for the Kenwood TM G-707 dual band transceiver

This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood. $8

I also have many other accessories available such as many
different types of microphones, HTs, HF, VHF and UHF rigs, HF
and VHF/UHF antennas, etc.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1250. Kenwood TK-290 (lmr) firmware

Yahoo group: kenwoodradio
Date: 2015-03-23 00:07:08 UTC
From: kec-comm@...
Topic: 1250 Message: 1250

I presently have a Kenwood TK-290 s/n: 008 00540 am looking for a copy of the firmware version: 1EB9, I would appreciate if anyone can help me out.

Thanks

Craig Kielhofer

1251. Kenwood 2 m multimode, PS, cables, mics, and more FS

Yahoo group: kenwoodradio
Date: 2015-04-05 17:16:53 UTC
From: Ken Simpson, W8EK
Topic: 1251 Message: 1251

Kenwood Items For Sale:

2 meter multimode transceiver, heavy duty power supply,
Cables, Microphones, HT accessories, original boxes and
manuals, and more

Kenwood TS-711, multimode 2 meter transceiver:

This unit is an FM, SSB, and CW transceiver for 2 meters. It
has 40 memory channels, and up to 25 Watts of output power,
which is continuously variable (no Hi or Low switch, but a
front panel control to continuously vary power). Of course
it will scan, and do the things one expects in a 2 meter rig.
It has a GASFET in the front end for one of the best receivers
I have ever used. The 120 V AC power supply as well as 13 V DC,
is built in. The case looks very similar to a TS-440 or TS-450
HF rig.

This particular unit is extremely nice. I do not find any
scratches. It has the optional TU-5 subaudible tone PL encoder
in it, so it can be used with modern repeaters.

Original box, power cord and mic are included, with paper work in
a very nice binder, for $495.

Kenwood PS-30 power supply

This 20 amp 13 V DC supply was originally made to go with the
Kenwood TS-120/130 series of transceivers, but it also matches
the TS-430/440, and is actually a much more rugged power supply
than the PS-430 often used with the TS-430 or TS-440. It features
large heat sinks and automatic overload reset. Ripple voltage is
less than 20 mW at 13.8VDC 20 A.

The PS-30 has a heavy duty power cord with the standard 6 pin
molex connector as used by many Kenwood, Icom and some Yaesu rigs.
It also has terminals on the back for lower current output, such
as for a 2 meter or dual band rig.

This one works fine and looks good as well. It includes paper
work for $125.

Linear Amp Switching Cable for Kenwood Rigs:

This cable goes from a Kenwood transceiver to a linear
amplifier to switch the amp from transmit to receive.

One end has a DIN connector, as is used with most Kenwood rigs. The other end has an RCA phono plug, as used by most linear amplifiers.

Before using this cable, please check the switching capabilities of your transceiver, and the requirements of your amplifier.

This cable is for switching the relay. $15

Cable as above, but also includes a connection for ALC (not needed for most amplifiers). $20

Kenwood MC-59 "Potato Head" DTMF Touch Tone Mic
This DTMF mic has a 16 digit DTMF pad, and a modular "LAN" connector. Info at
http://www.universal-radio.com/catalog/fm_txvrs/21270071.html
This one appears new, still in its plastic bag. $40

Kenwood MC-44 DM, DTMF Touch Tone Mic
Used on many Kenwood rigs with round 8 pin mic plug. Includes up/down switches, and lock switch, along with the 16 digit DTMF pad. Excellent condition. $40

Kenwood "Soft Case" for HTs:

SC-35 soft case
For Kenwood TH-78 dual band HT. Looks like new.
Only $12.

SC-8 T soft case
For Kenwood TH-21, TH-31, TH-41 series HTs.
Like new condition. $10

Original Boxes for Kenwood VHF / UHF Rigs:

The following original boxes for Kenwood equipment are available. They are all in very nice condition, and include the molded styrofoam inserts to protect the rig, plus the box itself.

Original Box for Kenwood TM-221 two meter transceiver
It is in very nice condition, and includes the molded styrofoam inserts to protect the rig, plus the box itself. $6

Original Box for TH-41, 440 MHz HT
Complete with insert. Looks like new. $8

Original box for Kenwood TR-2600, Two meter HT
Complete with insert. Looks like new. $8

Original box for TenTec 2591, Two meter HT
Complete with insert. Looks like new. $8

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Antenna adapter that fits the TH-21 series HTs, and has
an SO-239 on the other end, to accept a PL-259. $5

Antenna adapter that fits the TH-21 series HTs, and has
a BNC on the other end. $8

Kenwood SC-8 T "Soft Case" for any of the TH-21 series HTs
In bag, with original paper work. May be new. $10

Original Operating manual for TH-21 HT for 2 meters $8

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries
for the TH-21 series, and also on other Kenwood radios.
It has a standard 2.1 mm coaxial connector. $12

Antennas for your HT:

All rubber ducks are for 2 meters, are in good
condition, and are $10 each, unless stated otherwise.

BNC - As used on most HTs, 7 inches long

BNC - Original Alinco EA0024, about 4 inches long

BNC - Original from Kenwood TH-215, about 5 inches long

BNC - "Stubby" about 4 1/2 inches long

Type F connector - 6.5 inches long

Threaded (as used by Motorola, etc.) - about 7 inches long

BNC Stubby for 440 MHz, 3 inches long

Threaded (as used by Motorola, etc.) stubby for 440 MHz

Not a Rubber Duck, but can be used on your HT:
Telescoping Antenna w/ BNC about 19 inches long
can be used as a quarter wave antenna on 2 m,
or on 220, or 450 MHz if telescoped shorter. $12

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are Operating manuals unless otherwise specified.
All are original manuals only.

SPECIAL:
Buy two, three, or four of my books/manuals, and take 10% off.
Buy five or more and take 20% off.

TH-21 HT for 2 m, $8
TH-215/315/415 HT for 2 m, 220 MHz, or 440 MHz, $10
TH-225, 2 m HT, $12
TH-235, 2 m HT, $15

TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz, $12
TM-221/421 2 m or 440 MHz mobile, $12
TM-261/461 2m or 440 MHz mobile, $12
TM-2570/2550/2530 2 m mobile, $15
TR-2400, 2 m HT, $12
Service manual for TR-2600, 2 m HT, $12
TR-9000, 2 m multimode, $12
TS-120 S/V, HF xcvr, $20
TW-4000 dual band mobile, $15
Service manual for TW-4000 dual bander $20
TW-4100 dual band mobile, $15

BC-5 DC to DC quick charger $2
LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $4
MS-1 mobile stand $3
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PB-24 battery pack for TR-2400 $2
PB-25 H battery pack for TR-2500 $2
PS-6 power supply $5
PS-30 power supply $4
SMC-24 speaker mic $3
SMC-25 speaker mic $3
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

Versión en español de Kenwood TM G-707 manual de Venta:

Versión en español del Manual de Operación
para el Kenwood TM G-707 transmisor-receptor de banda dual

Este es el manual de instrucciones original, en español.
Parece que es bastante extensa y detallada.
Es básicamente nuevo, sólo se abre para observar que
es sólo en español. Es original de Kenwood.

$ 8 más gastos de envío de la Florida.

Spanish Version of Kenwood TM G-707 manual:

Spanish version of the Operating Manual
for the Kenwood TM G-707 dual band transceiver

This is the original operating manual only, in Spanish.
It looks like it is quite extensive and detailed.
It is basically new, only being opened to observe that
it is in Spanish only. It is original from Kenwood. $8

I also have many other accessories available such as many
different types of microphones, HTs, HF, VHF and UHF rigs, HF

and VHF/UHF antennas, etc.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1252. Kenwood power supply, cables, mics, manuals, etc. FS

Yahoo group: kenwoodradio
Date: 2015-05-30 17:00:43 UTC
From: Ken Simpson, W8EK
Topic: 1252 Message: 1252

Kenwood Items For Sale:

Heavy duty power supply, Cables, manuals, and more

Kenwood PS-30 power supply

This 20 amp 13 V DC supply was originally made to go with the Kenwood TS-120/130 series of transceivers, but it also matches the TS-430/440, and is actually a much more rugged power supply than the PS-430 often used with the TS-430 or TS-440. It features large heat sinks and automatic overload reset. Ripple voltage is less than 20 mW at 13.8VDC 20 A.

The PS-30 has a heavy duty power cord with the standard 6 pin molex connector as used by many Kenwood, Icom and some Yaesu rigs. It also has terminals on the back for lower current output, such as for a 2 meter or dual band rig.

This one works fine and looks good as well. It includes paper work for $125.

Linear Amp Switching Cable for Kenwood Rigs:

This cable goes from a Kenwood transceiver to a linear amplifier to switch the amp from transmit to receive.

One end has a DIN connector, as is used with most Kenwood rigs. The other end has an RCA phono plug, as used by most linear amplifiers.

Before using this cable, please check the switching capabilities of your transceiver, and the requirements of your amplifier.

This cable is for switching the relay. $15

DTMF Touch Tone Microphones:

Kenwood MC-44 DM, DTMF Touch Tone Mic
Used on many Kenwood rigs with round 8 pin mic plug. Includes up/down switches, and lock switch, along with the 16 digit DTMF pad. Excellent condition. $40

Kenwood MC-59 "Potato Head" DTMF Touch Tone Mic
This DTMF mic has a 16 digit DTMF pad, and a modular "LAN" connector. Info at
http://www.universal-radio.com/catalog/fm_txvrs/21270071.html
This one appears new, still in its plastic bag. $40

Kenwood "Soft Cases"

SC-35 soft case
For Kenwood TH-78 dual band HT. Looks like new.
Only $12.

SC-8 T soft case
For Kenwood TH-21, TH-31, TH-41 series HTs.
Like new condition. $10

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Kenwood SC-8 T "Soft Case" for any of the TH-21 series HTs
Appears to be unused, $12

Antenna adapter that fits the TH-21 series HTs, and has an SO-239
on the other end, to accept a PL-259. $5

Antenna adapter that fits the TH-21 series HTs, and has a BNC on
the other end. $8

Original Operating manual for TH-21 HT for 2 meters $8

Original Box, with inserts, for Kenwood TH-41, 440 MHz HT. $8

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries for
the TH-21 series, and also on other Kenwood radios.
It has a standard 2.1 mm coaxial connector. $12

Original Boxes for Icom IC-V8 HT, Icom IC-27 mobile,
Kenwood TM-221 mobile, Kenwood TH-41 HT, Kenwood TR-2600 HT,
Radio Shack HTX-242, TenTec 2591 HT, and ADI AT-200 HT, complete
with inserts. All of these boxes include all of the inserts they
came with originally, and are in close to new condition.

Original Box for Icom IC-V8 HT. $8

Original Box for the IC-27 two meter mobile transceiver.
Also includes the cardboard box for accessories that acts as
a spacer. $9

Original Box for Kenwood TM-221 two meter mobile transceiver. $6

Original Box for Kenwood TH-41, 440 MHz HT. $8

Original box for Kenwood TR-2600, Two meter HT. $8

Original Box for Radio Shack HTX-242, Two meter mobile. $8

Original box for TenTec 2591, Two meter HT. $8

Original Box for ADI AT-200, Two meter HT. $8

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are Operating manuals unless otherwise specified.
All are original manuals only.

SPECIAL:
Buy two, three, or four of my books/manuals, and take 10% off.
Buy five or more and take 20% off.

TH-21 HT for 2 m, $8
TH-215/315/415 HT for 2 m, 220 MHz, or 440 MHz, $10
TH-225, 2 m HT, $12
TH-235, 2 m HT, $15
TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz, $12
TM-221/421 2 m or 440 MHz mobile, $12
TM-261/461 2m or 440 MHz mobile, $12
TM-2570/2550/2530 2 m mobile, $15
TR-2400, 2 m HT, $12
Service manual for TR-2600, 2 m HT, $12
TR-9000, 2 m multimode, $12
TS-120 S/V, HF xcvr, $20
TW-4000 dual band mobile, $15
Service manual for TW-4000 dual bander $20
TW-4100 dual band mobile, $15

BC-5 DC to DC quick charger $2
LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $4
MS-1 mobile stand $3
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PB-24 battery pack for TR-2400 $2
PB-25 H battery pack for TR-2500 $2
PS-6 power supply $5
PS-30 power supply $4
SMC-24 speaker mic $3
SMC-25 speaker mic $3
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

I also have many other accessories available such as many
different types of microphones, HTs, HF, VHF and UHF rigs, HF
and VHF/UHF antennas, etc.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1253. TMV71 Heads

Yahoo group: kenwoodradio
Date: 2015-06-20 23:07:09 UTC
From: w2emcnj@...
Topic: 1253 Message: 1253

I have two TMV71 rigs - one in car and one in my home. I wanted to program the car rig via my PC's RT Systems software. I wanted to avoid taking the entire unit of the car. Does anyone know if the frequencies are stored in the head or the back of the unit? I was hoping to be able to program the car rig by just taking the head off and putting it on my home rig and then programing via PC.

73,

Brian
W2EMC

1254. WTB: KENWOOD TWINS R/T-599D SERIES

Yahoo group: kenwoodradio
Date: 2015-07-03 11:32:36 UTC
From: wt4t@...
Topic: 1254 Message: 1254

Looking for a pair of Kenwood Twins, r-599/t-599. Would like to find the D ,latter series but will consider the early 599. Not really looking for perfect collector quality radios ,but also not bench jobs. The twins need to be operational and with the transceive cable. Will consider all,depending on what problems they have. Can do pay pal or USPS MO.
73
dale wt4t

1255. Kenwood Items FS

Yahoo group: kenwoodradio
Date: 2015-07-10 00:38:14 UTC
From: K
Topic: 1188 Message: 1255

Kenwood Items For Sale:

Heavy duty power supply, Cables, Mics, manuals, and more

Kenwood PS-30 power supply

This 20 amp 13 V DC supply was originally made to go with the Kenwood TS-120/130 series of transceivers, but it also matches the TS-430/440, and is actually a much more rugged power supply than the PS-430 often used with the TS-430 or TS-440. It features large heat sinks and automatic overload reset. Ripple voltage is less than 20 mW at 13.8VDC 20 A.

The PS-30 has a heavy duty power cord with the standard 6 pin molex connector as used by many Kenwood, Icom and some Yaesu rigs. It also has terminals on the back for lower current output, such as for a 2 meter or dual band rig.

This one works fine and looks good as well. It includes paper work for $125.

Linear Amp Switching Cable for Kenwood Rigs:

This cable goes from a Kenwood transceiver to a linear amplifier to switch the amp from transmit to receive.

One end has a DIN connector, as is used with most Kenwood rigs. The other end has an RCA phono plug, as used by most linear amplifiers.

Before using this cable, please check the switching capabilities of your transceiver, and the requirements of your amplifier.

This cable is for switching the relay. $15

DTMF Touch Tone Microphones:

Kenwood MC-44 DM, DTMF Touch Tone Mic
Used on many Kenwood rigs with round 8 pin mic plug.
Includes up/down switches, and lock switch, along with the 16 digit DTMF pad. Excellent condition. $40

Kenwood "Soft Cases"

SC-35 soft case
For Kenwood TH-78 dual band HT. Looks like new.
Only $12.

SC-8 T soft case
For Kenwood TH-21, TH-31, TH-41 series HTs.
Like new condition. $10

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Kenwood SC-8 T "Soft Case" for any of the TH-21 series HTs
Appears to be unused, $12

Antenna adapter that fits the TH-21 series HTs, and has an SO-239
on the other end, to accept a PL-259. $5

Antenna adapter that fits the TH-21 series HTs, and has a BNC on
the other end. $8

Original Operating manual for TH-21 HT for 2 meters $8

Original Box, with inserts, for Kenwood TH-41, 440 MHz HT. $8

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries for
the TH-21 series, and also on other Kenwood radios.
It has a standard 2.1 mm coaxial connector. $12

Original Boxes for Icom IC-V8 HT, Icom IC-27 mobile,
Kenwood TM-221 mobile, Kenwood TH-41 HT, Kenwood TR-2600 HT,
Radio Shack HTX-242, TenTec 2591 HT, and ADI AT-200 HT, complete
with inserts. All of these boxes include all of the inserts they
came with originally, and are in close to new condition.

Original Box for Icom IC-V8 HT. $8

Original Box for the IC-27 two meter mobile transceiver.
Also includes the cardboard box for accessories that acts as
a spacer. $9

Original Box for Kenwood TM-221 two meter mobile transceiver. $6

Original Box for Kenwood TH-41, 440 MHz HT. $8

Original box for Kenwood TR-2600, Two meter HT. $8

Original Box for Radio Shack HTX-242, Two meter mobile. $8

Original box for TenTec 2591, Two meter HT. $8

Original Box for ADI AT-200, Two meter HT. $8

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are Operating manuals unless otherwise specified.
All are original manuals only.

SPECIAL:
Buy two, three, or four of my books/manuals, and take 10% off.

Buy five or more and take 20% off.

TH-21 HT for 2 m, $8
TH-215/315/415 HT for 2 m, 220 MHz, or 440 MHz, $10
TH-225, 2 m HT, $12
TH-235, 2 m HT, $15
TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz, $12
TM-221/421 2 m or 440 MHz mobile, $12
TM-261/461 2m or 440 MHz mobile, $12
TM-2570/2550/2530 2 m mobile, $15
TR-2400, 2 m HT, $12
Service manual for TR-2600, 2 m HT, $12
TR-9000, 2 m multimode, $12
TS-120 S/V, HF xcvr, $20
TW-4000 dual band mobile, $15
Service manual for TW-4000 dual bander $20
TW-4100 dual band mobile, $15

BC-5 DC to DC quick charger $2
LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $4
MS-1 mobile stand $3
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PB-24 battery pack for TR-2400 $2
PB-25 H battery pack for TR-2500 $2
PS-6 power supply $5
PS-30 power supply $4
SMC-24 speaker mic $3
SMC-25 speaker mic $3
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

I also have many other accessories available such as many different types of microphones, HTs, HF, VHF and UHF rigs, HF and VHF/UHF antennas, etc.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1256. Kenwood Items FS

Yahoo group: kenwoodradio
Date: 2015-08-11 21:59:17 UTC
From: Ken, W8EK
Topic: 1188 Message: 1256

Kenwood Items For Sale:

Heavy duty power supply, Cables, manuals, and more

Kenwood PS-30 power supply

This 20 amp 13 V DC supply was originally made to go with the Kenwood TS-120/130 series of transceivers, but it also matches the TS-430/440, and is actually a much more rugged power supply than the PS-430 often used with the TS-430 or TS-440. It features large heat sinks and automatic overload reset. Ripple voltage is less than 20 mW at 13.8VDC 20 A.

The PS-30 has a heavy duty power cord with the standard 6 pin molex connector as used by many Kenwood, Icom and some Yaesu rigs. It also has terminals on the back for lower current output, such as for a 2 meter or dual band rig.

This one works fine and looks good as well. It includes paper work for $125.

Linear Amp Switching Cable for Kenwood Rigs:

This cable goes from a Kenwood transceiver to a linear amplifier to switch the amp from transmit to receive.

One end has a DIN connector, as is used with most Kenwood rigs. The other end has an RCA phono plug, as used by most linear amplifiers.

Before using this cable, please check the switching capabilities of your transceiver, and the requirements of your amplifier.

This cable is for switching the relay. $15

DC Power Cable

This is the heavy duty power cable as used on most of the Kenwood HF rigs, plus also many Icom, Alinco, and others. It has the 6 pin molex connector, with four pins used - two for plus and two for ground. The cable may not have ever been used. It looks good, and of course works fine. $22

DTMF Touch Tone Microphone:

Kenwood MC-44 DM, DTMF Touch Tone Mic
Used on many Kenwood rigs with round 8 pin mic plug.

Includes up/down switches, and lock switch, along with
the 16 digit DTMF pad. Excellent condition. $40

Kenwood "Soft Cases"

SC-35 soft case
For Kenwood TH-78 dual band HT. Looks like new.
Only $12.

SC-8 T soft case
For Kenwood TH-21, TH-31, TH-41 series HTs.
Like new condition. $10

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Kenwood SC-8 T "Soft Case" for any of the TH-21 series HTs
Appears to be unused, $12

Antenna adapter that fits the TH-21 series HTs, and has an SO-239
on the other end, to accept a PL-259. $5

Antenna adapter that fits the TH-21 series HTs, and has a BNC on
the other end. $8

Original Operating manual for TH-21 HT for 2 meters $8

Original Box, with inserts, for Kenwood TH-41, 440 MHz HT. $8

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries for
the TH-21 series, and also on other Kenwood radios.
It has a standard 2.1 mm coaxial connector. $12

Original Box for Kenwood TM-221 two meter mobile transceiver. $6

Original Box for Kenwood TH-41, 440 MHz HT. $8

Original box for Kenwood TR-2600, Two meter HT. $8

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are Operating manuals unless otherwise specified.
All are original manuals only.

SPECIAL:
Buy two, three, or four of my books/manuals, and take 10% off.
Buy five or more and take 20% off.

TH-21 HT for 2 m, $8
TH-215/315/415 HT for 2 m, 220 MHz, or 440 MHz, $10
TH-225, 2 m HT, $12
TH-235, 2 m HT, $15
TH-241/441/541 mobile FM transceivers

...For 2 m, 440 MHz, & 1200 MHz, $12
TM-221/421 2 m or 440 MHz mobile, $12
TM-261/461 2m or 440 MHz mobile, $12
TM-2570/2550/2530 2 m mobile, $15
TR-2400, 2 m HT, $12
Service manual for TR-2600, 2 m HT, $12
TR-9000, 2 m multimode, $12
TS-120 S/V, HF xcvr, $20
TW-4000 dual band mobile, $15
Service manual for TW-4000 dual bander $20
TW-4100 dual band mobile, $15

BC-5 DC to DC quick charger $2
LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $4
MS-1 mobile stand $3
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PB-24 battery pack for TR-2400 $2
PB-25 H battery pack for TR-2500 $2
PS-6 power supply $5
PS-30 power supply $4
SMC-24 speaker mic $3
SMC-25 speaker mic $3
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

I also have many other accessories available such as many different types of microphones, HTs, HF, VHF and UHF rigs, HF and VHF/UHF antennas, etc.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1257. Kenwood TL-922 A HF Linear Amp FS

Yahoo group: kenwoodradio
Date: 2015-09-29 22:22:42 UTC
From: Ken, W8EK
Topic: 1257 Message: 1257

Heavy duty HF Linear Amplifier For Sale:

Kenwood TL-922 A, HF Linear Amplifier:

The Kenwood TL-922A HF linear amp is designed to provide close to maximum legal power, utilizing two 3-500Z high performance transmitting tubes. The amp features two meters for maximum operating convenience. Power is 2000W PEP SSB, 1000W DC CW/ RTTY input. Drive power is 80 or more watts.

For all practical purposes, the TL-922 A is similar to the SB-220/ 221, but with improvements added, since it was designed after the Heath amps. It also includes 160 meters. It has larger transformers, and heavier duty tank circuit.

This one has had the filter capacitors replaced, the Harbach "Soft Key" added, along with a glitch resistor, and various protective diodes. All bulbs have been replaced.

The Eimac 3-500's produce from 1300 watts to over 1500 watts into a dummy load, depending on band. Power output was measured with an LP-100 A wattmeter, calibrated traceable to NBS.

Electrically, this amp is a 10, and cosmetically it is a 9.9. It is an exceptionally nice amp, both electrically and cosmetically.

Power requirement is 120V AC at 28A or 240V AC at 14A.

Paper work is included for $1250. Pickup near Ocala, FL, is definitely best.

Linear Amp Switching Cable for Kenwood Rigs:

This cable goes from a Kenwood transceiver to a linear amplifier to switch the amp from transmit to receive.

One end has a DIN connector, as is used with most Kenwood rigs. The other end has an RCA phono plug, as used by most linear amplifiers.

Before using this cable, please check the switching capabilities of your transceiver, and the requirements of your amplifier.

This cable is for switching the relay. $15

I also have many other accessories available such as many different types of microphones, HTs, HF, VHF and UHF rigs, HF

and VHF/UHF antennas, etc.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1258. HF Linear Amp, Speaker, Wattmeter, Xtal Filter, and more FS

Yahoo group: kenwoodradio
Date: 2015-10-28 20:33:42 UTC
From: Ken, W8EK
Topic: 1258 Message: 1258

Kenwood HF Linear Amplifier, Filtered Speaker, HF Wattmeter, Crystal Filter, and other miscellaneous items For Sale:

Kenwood TL-922 A, HF Linear Amplifier:

The Kenwood TL-922A HF linear amp is designed to provide close to maximum legal power, utilizing two 3-500Z high performance transmitting tubes. The amp features two meters for maximum operating convenience. Power is 2000W PEP SSB, 1000W DC CW/ RTTY input. Drive power is 80 or more watts.

For all practical purposes, the TL-922 A is similar to the SB-220/ 221, but with improvements added, since it was designed after the Heath amps. It also includes 160 meters. It has larger transformers, and heavier duty tank circuit.

This one has had the filter capacitors replaced, the Harbach "Soft Key" added, along with a glitch resistor, and various protective diodes. All bulbs have been replaced.

The Eimac 3-500's produce from 1300 watts to over 1500 watts into a dummy load, depending on band. Power output was measured with an LP-100 A wattmeter, calibrated traceable to NBS.

Electrically, this amp is a 10, and cosmetically it is a 9.9. It is an exceptionally nice amp, both electrically and cosmetically.

Power requirement is 120V AC at 28A or 240V AC at 14A.

Paper work is included for $1250. Pickup near Ocala, FL, is definitely best.

Linear Amp Switching Cable for Kenwood Rigs:

This cable goes from a Kenwood transceiver to a linear amplifier to switch the amp from transmit to receive.

One end has a DIN connector, as is used with most Kenwood rigs. The other end has an RCA phono plug, as used by most linear amplifiers.

Before using this cable, please check the switching capabilities of your transceiver, and the requirements of your amplifier.

This cable is for switching the relay. $15

Cable as above, but also includes the connection for ALC in addition to the amplifier relay keying. $20

Kenwood SP-31 Speaker with Filters:

The Kenwood SP-31 speaker is much more than just a speaker. It has provision to switch between two separate radios. It also includes three degrees of filtering built into the speaker. With no filtering, the freq response is about 200 Hz to 3400 Hz. Using the low switch, the low end is changed to 400 Hz. High 1 drops the high end to 3000 Hz, while high 2 drops it to 1200 Hz. The interesting part is using combinations. High 1 and 2 together drop the high end to 900 Hz. Used with the low switch, one ends up with a 400 to 900 Hz bandwidth, which would be great for CW. All this in a speaker, without adding any filters to your rig!

The SP-31 appears to be the same as the SP-230, except for the location of the "A-B" switch.

This one works 100%, and looks fine. It includes cords for two rigs, and paperwork for $90.

Kenwood SW-2100 Wattmeter / SWR Bridge:

The Kenwood SW-2100 is both an accurate HF wattmeter and also an SWR meter. It will handle up to 2000 Watts of power, but only requires about 30 watts (depending on band) to get an accurate reading. It has 2000 W and 200 W scales. It features two meters -- one reads power and one reads SWR. The meters are fairly large 3 inch meters.

This meter works 100%. Paper work is included for $75.

DC Power Cable

This is the heavy duty power cable as used on most of the Kenwood HF rigs, plus also many Icom, Alinco, and others. It has the 6 pin molex connector, with four pins used - two for plus and two for ground. The cable may not have ever been used. It looks good, and of course works fine. $22

Kenwood YK-88 S 1 Crystal Filter:
This filter is 2400 Hz wide, and is the type that plugs in (as opposed to the solder in type), and is used on rigs such as the TS-450, TS-850, TS-940, TS-950, and others. This one works fine, and looks like new. Paperwork and hardware included for $85.

Kenwood "Soft Cases"

SC-35 soft case
For Kenwood TH-78 dual band HT. Looks like new.
Only $12.

SC-8 T soft case
For Kenwood TH-21, TH-31, TH-41 series HTs.
Like new condition. $10

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Kenwood SC-8 T "Soft Case" for any of the TH-21 series HTs
Appears to be unused, $12

Antenna adapter that fits the TH-21 series HTs, and has an SO-239
on the other end, to accept a PL-259. $5

Antenna adapter that fits the TH-21 series HTs, and has a BNC on
the other end. $8

Original Operating manual for TH-21 HT for 2 meters $8

Original Box, with inserts, for Kenwood TH-41, 440 MHz HT. $8

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries for
the TH-21 series, and also on other Kenwood radios.
It has a standard 2.1 mm coaxial connector. $12

Rubber Duck Antenna:
BNC - Original from Kenwood TH-215, about 5 inches long - $10

Original Box for Kenwood TM-221 two meter mobile transceiver. $6

Original Box for Kenwood TH-41, 440 MHz HT. $8

Original box for Kenwood TR-2600, Two meter HT. $8

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are Operating manuals unless otherwise specified.
All are original manuals only.

SPECIAL:
Buy two, three, or four of my books/manuals, and take 10% off.
Buy five or more and take 20% off.

TH-21 HT for 2 m, $8
TH-215/315/415 HT for 2 m, 220 MHz, or 440 MHz, $10
TH-225, 2 m HT, $12
TH-235, 2 m HT, $15
TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz, $12
TM-221/421 2 m or 440 MHz mobile, $12
TM-261/461 2m or 440 MHz mobile, $12
TM-2570/2550/2530 2 m mobile, $15
TR-2400, 2 m HT, $12
Service manual for TR-2600, 2 m HT, $12
TR-9000, 2 m multimode, $12

TS-120 S/V, HF xcvr, $20
TW-4000 dual band mobile, $15
Service manual for TW-4000 dual bander $20
TW-4100 dual band mobile, $15

BC-5 DC to DC quick charger $2
LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $4
MS-1 mobile stand $3
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PB-24 battery pack for TR-2400 $2
PB-25 H battery pack for TR-2500 $2
PS-6 power supply $5
PS-30 power supply $4
SMC-24 speaker mic $3
SMC-25 speaker mic $3
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

I also have many other accessories available such as many different types of microphones, HTs, HF, VHF and UHF rigs, HF and VHF/UHF antennas, etc.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1259. Wattmeter, Crystal Filter, Mic, and misc Kenwood FS

Yahoo group: kenwoodradio
Date: 2015-11-21 16:46:54 UTC
From: Ken, W8EK
Topic: 1259 Message: 1259

HF Wattmeter, Crystal Filter, various cables, manuals,
HT cases, and other miscellaneous items For Sale:

Kenwood SW-2100 Wattmeter / SWR Bridge:

The Kenwood SW-2100 is both an accurate HF wattmeter and
also an SWR meter. It will handle up to 2000 Watts of power,
but only requires about 30 watts (depending on band) to
get an accurate reading. It has 2000 W and 200 W scales.
It features two meters -- one reads power and one reads SWR.
The meters are fairly large 3 inch meters.

This meter works 100%. Paper work is included for $75.

Linear Amp Switching Cable for Kenwood Rigs:

This cable goes from a Kenwood transceiver to a linear
amplifier to switch the amp from transmit to receive.

One end has a DIN connector, as is used with most Kenwood
rigs. The other end has an RCA phono plug, as used by most
linear amplifiers.

Before using this cable, please check the switching
capabilities of your transceiver, and the requirements
of your amplifier.

This cable is for switching the relay. $15

DC Power Cable

This is the heavy duty power cable as used on most of
the Kenwood HF rigs, plus also many Icom, Alinco, and others.
It has the 6 pin molex connector, with four pins used - two
for plus and two for ground. The cable may not have ever
been used. It looks good, and of course works fine. $22

Kenwood YK-88 S 1 Crystal Filter:
This filter is 2400 Hz wide, and is the type that plugs in
(as opposed to the solder in type), and is used on rigs such
as the TS-450, TS-850, TS-940, TS-950, and others. This one
works fine, and looks like new. Paperwork and hardware
included for $85.

Kenwood MC-43 Hand Microphone
This mic has up/down switches on top, in addition to the
PTT switch on the side. It is the hand mic that sometimes
comes with a rig. It has a round 8 pin connector.

This one looks fine and works 100%. $40

Kenwood "Soft Cases"

SC-35 soft case
For Kenwood TH-78 dual band HT. Looks like new.
Only $12.

SC-8 T soft case
For Kenwood TH-21, TH-31, TH-41 series HTs.
Like new condition. $10

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Kenwood SC-8 T "Soft Case" for any of the TH-21 series HTs
Appears to be unused, $12

Antenna adapter that fits the TH-21 series HTs, and has an SO-239
on the other end, to accept a PL-259. $5

Antenna adapter that fits the TH-21 series HTs, and has a BNC on
the other end. $8

Original Operating manual for TH-21 HT for 2 meters $8

Original Box, with inserts, for Kenwood TH-41, 440 MHz HT. $8

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries for
the TH-21 series, and also on other Kenwood radios.
It has a standard 2.1 mm coaxial connector. $12

Rubber Duck Antenna:
BNC - Original from Kenwood TH-215, about 5 inches long - $10

Original Box for Kenwood TM-221 two meter mobile transceiver. $6

Original Box for Kenwood TH-41, 440 MHz HT. $8

Original box for Kenwood TR-2600, Two meter HT. $8

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are Operating manuals unless otherwise specified.
All are original manuals only.

SPECIAL:
Buy two, three, or four of my books/manuals, and take 10% off.
Buy five or more and take 20% off.

TH-21 HT for 2 m, $8
TH-215/315/415 HT for 2 m, 220 MHz, or 440 MHz, $10
TH-225, 2 m HT, $12

TH-235, 2 m HT, $15
TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz, $12
TM-221/421 2 m or 440 MHz mobile, $12
TM-261/461 2m or 440 MHz mobile, $12
TM-2570/2550/2530 2 m mobile, $15
TR-2400, 2 m HT, $12
Service manual for TR-2600, 2 m HT, $12
TR-9000, 2 m multimode, $12
TS-120 S/V, HF xcvr, $20
TS-450 S / TS-690 S Xcvr Operating Manual $18
TS-450 "External Control" (not operating manual) $7
TW-4000 dual band mobile, $15
Service manual for TW-4000 dual bander $20
TW-4100 dual band mobile, $15

BC-5 DC to DC quick charger $2
LF-30A Low Pass Filter $5
MC-30 & MC-35 hand microphones $4
MS-1 mobile stand $3
PB-1, PB-2, PB-3, & PB-4 battery packs $3
PB-24 battery pack for TR-2400 $2
PB-25 H battery pack for TR-2500 $2
PS-6 power supply $5
PS-30 power supply $4
SMC-24 speaker mic $3
SMC-25 speaker mic $3
SP-430 speaker $2
SP-820 Speaker $2

These are original Kenwood manuals only.

I also have many other accessories of many different brands
available.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1260. Kenwood HF Xcvrs, Filters, Cables, Manuals and more FS

Yahoo group: kenwoodradio
Date: 2015-12-12 18:12:48 UTC
From: Ken, W8EK
Topic: 1260 Message: 1260

Kenwood HF Transceivers, Crystal Filters, various cables, manuals, HT cases, and other miscellaneous items For Sale:

Pristine Kenwood TS-850 HF Transceiver:

The Kenwood TS-850S is a competition class transceiver designed for the serious radio operator. Coverage is 160-10 meters with 100 watts (40W AM) output. Superior dynamic range of 108 dB. It has one Hz step dual VFO's, superior interference reduction, keyer circuit, dual-noise blanker and 100 memory channels. Other features include multifunction LCD display, keypad entry, all mode squelch and memory keyer.
13.8 V DC at 20.5 amps is needed.

Features:
160-10 meters transmit
General coverage receiver
IF Notch
CW Reverse
Full and semi QSK
Memory Keyer
100 Memories
Dual Mode NB
XIT/RIT
SSB/CW Slope Tuning
All Mode Squelch
RF Speech Processor

This particular rig is immaculate. It works fine and looks just like new. No scratches or defects.

It is in its original box, complete with mic, power cord, and paper work for $600.

Kenwood TS-450 S AT, HF Transceiver:

The Kenwood TS-450 is a formidable transceiver covering 160 through 10 meters including the WARC bands with 100 watts (40W AM). An internal automatic antenna tuner is included. The TS-450 supports many advanced features such as keypad entry, VOX, 100 memories, XIT, RIT, Notch, IF Shift, Squelch and digital meter. It requires 13.8 V DC at 20.5 amps.

Features:
160-10 meters
AF Notch
CW Reverse

100 Memories
Dual Mode NB
XIT/RIT
IF Shift
Keypad Entry
All Mode Squelch
RF Speech Processor

This particular rig works 100% as best I can tell, but cosmetically it is not the 9+ that I normally sell. I would rate this one about a 7 on cosmetics.

With mic, power cord, and paper work for $450.

Kenwood Crystal Filters:

All of these are "plug in filters" as opposed to the older type that must be soldered in. They are used in rigs such as the TS-450, TS-570, TS-690, TS-850, TS-930, TS-940, TS-950, and others. These are for the 8.83 MHz IF. All work fine and look like new. Paperwork and hardware are included with all.

They are $75 each, or buy all three for $210.

Kenwood YK-88 S 1 Crystal Filter:
This filter is 2400 Hz wide

Kenwood YK-88 SN-1
1800 HZ Narrow SSB Filter
It can also be used for digital modes.

Kenwood YK-88 C-1
500 Hz CW Filter (can also be used for narrow digital modes)

Linear Amp Switching Cable for Kenwood Rigs:

This cable goes from a Kenwood transceiver to a linear amplifier to switch the amp from transmit to receive.

One end has a DIN connector, as is used with most Kenwood rigs. The other end has an RCA phono plug, as used by most linear amplifiers.

Before using this cable, please check the switching capabilities of your transceiver, and the requirements of your amplifier.

This cable is for switching the relay. $15

DC Power Cable

This is the heavy duty power cable as used on most of the Kenwood HF rigs, plus also many Icom, Alinco, and others.

It has the 6 pin molex connector, with four pins used - two
for plus and two for ground. The cable may not have ever
been used. It looks good, and of course works fine. $22

Kenwood MC-43 Hand Microphone:

The Kenwood MC-43 is probably the most popular hand mic
for Kenwood equipment. In addition to the PTT switch, it also
has up and down buttons on the top to change the frequency.
It has a round 8 pin plug, so it fits most any Kenwood rig
with the round 8 pin connector. This includes the TS-430,
TS-440, TS-450, TS-690, TS-530, TS-570, TS-850, TS-930,
TS-940, TS-950 and other HF rigs. It also works with VHF,
UHF, and dual band rigs including the TM-201, TM-211,
TM-221, TM-231, TM-241, TM-721, TM-731, TW-4000,
TM-2530, TM-2550, TM-2570, TR-751, TR-851 and others.

AES sells the MC-43 for $65.

This one is new. It was still in its original plastic until
I removed it for testing. Of course it looks and works
perfectly. $43

Kenwood "Soft Cases"

SC-35 soft case
For Kenwood TH-78 dual band HT. Looks like new.
Only $12.

SC-8 T soft case
For Kenwood TH-21, TH-31, TH-41 series HTs.
Like new condition. $10

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Kenwood SC-8 T "Soft Case" for any of the TH-21 series HTs
Appears to be unused, $12

Antenna adapter that fits the TH-21 series HTs, and has an SO-239
on the other end, to accept a PL-259. $5

Antenna adapter that fits the TH-21 series HTs, and has a BNC on
the other end. $8

Original Operating manual for TH-21 HT for 2 meters $8

Original Box, with inserts, for Kenwood TH-41, 440 MHz HT. $8

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries for
the TH-21 series, and also on other Kenwood radios.
It has a standard 2.1 mm coaxial connector. $12

Rubber Duck Antenna:
BNC - Original from Kenwood TH-215, about 5 inches long - $10

Original Box for Kenwood TM-221 two meter mobile transceiver. $6

Original Box for Kenwood TH-41, 440 MHz HT. $8

Original box for Kenwood TR-2600, Two meter HT. $8

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are Operating manuals unless otherwise specified.
All are original manuals only.

SPECIAL:
Buy two, three, or four of my books/manuals, and take 10% off.
Buy five or more and take 20% off.

TH-21 HT for 2 m, $8
TH-215/315/415 HT for 2 m, 220 MHz, or 440 MHz, $10
TH-225, 2 m HT, $12
TH-235, 2 m HT, $15
TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz, $12
TM-221/421 2 m or 440 MHz mobile, $12
TM-261/461 2m or 440 MHz mobile, $12
TM-2570/2550/2530 2 m mobile, $15
TR-2400, 2 m HT, $12
Service manual for TR-2600, 2 m HT, $12
TR-9000, 2 m multimode, $12
TS-120 S/V, HF xcvr, $20
TS-450 S / TS-690 S Xcvr Operating Manual $18
TS-450 "External Control" (not operating manual) $7
TW-4000 dual band mobile, $15
Service manual for TW-4000 dual bander $20
TW-4100 dual band mobile, $15

BC-2 Wall Charger $2
BC-5 DC to DC quick charger $2
DC-21 Dc-DC Converter $2
LF-30A Low Pass Filter $4
MC-30 & MC-35 hand microphones $4
MS-1 mobile stand $3
PB-1, PB-2, PB-3, & PB-4 battery packs $2
PB-21 Battery Pack $2
PB-24 battery pack for TR-2400 $2
PB-25 H battery pack for TR-2500 $2
PS-6 power supply $5
PS-30 power supply $4
SC-8 / 8T Soft Case $2
SMC-24 speaker mic $2
SMC-25 speaker mic $2

SP-820 Speaker $2

These are original Kenwood manuals only.

I also have many other accessories of many different brands available.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1261. Kenwood HF Rigs, Filters, Cables, and more FS

Yahoo group: kenwoodradio
Date: 2015-12-17 23:55:50 UTC
From: Ken, W8EK
Topic: 1261 Message: 1261

Kenwood HF Transceivers, Crystal Filters, various cables, manuals, HT cases, and other miscellaneous items For Sale:

Pristine Kenwood TS-850 HF Transceiver:

The Kenwood TS-850S is a competition class transceiver designed for the serious radio operator. Coverage is 160-10 meters with 100 watts (40W AM) output. Superior dynamic range of 108 dB. It has one Hz step dual VFO's, superior interference reduction, keyer circuit, dual-noise blanker and 100 memory channels. Other features include multifunction LCD display, keypad entry, all mode squelch and memory keyer.
13.8 V DC at 20.5 amps is needed.

Features:
160-10 meters transmit
General coverage receiver
IF Notch
CW Reverse
Full and semi QSK
Memory Keyer
100 Memories
Dual Mode NB
XIT/RIT
SSB/CW Slope Tuning
All Mode Squelch
RF Speech Processor

This particular rig is immaculate. It works fine and looks just like new. No scratches or defects.

It is in its original box, complete with mic, power cord, and paper work for $600.

Kenwood TS-450 S AT, HF Transceiver:

The Kenwood TS-450 is a formidable transceiver covering 160 through 10 meters including the WARC bands with 100 watts (40W AM). An internal automatic antenna tuner is included. The TS-450 supports many advanced features such as keypad entry, VOX, 100 memories, XIT, RIT, Notch, IF Shift, Squelch and digital meter. It requires 13.8 V DC at 20.5 amps.

Features:
160-10 meters
AF Notch
CW Reverse

100 Memories
Dual Mode NB
XIT/RIT
IF Shift
Keypad Entry
All Mode Squelch
RF Speech Processor

This particular rig works 100% as best I can tell, but cosmetically it is not the 9+ that I normally sell. I would rate this one about a 7 on cosmetics.

With mic, power cord, and paper work for $450.

Kenwood Crystal Filters:

All of these are "plug in filters" as opposed to the older type that must be soldered in. They are used in rigs such as the TS-450, TS-570, TS-690, TS-850, TS-930, TS-940, TS-950, and others. These are for the 8.83 MHz IF. All work fine and look like new. Paperwork and hardware are included with all.

They are $75 each, or buy all three for $210.

Kenwood YK-88 S 1 Crystal Filter:
This filter is 2400 Hz wide

Kenwood YK-88 SN-1
1800 HZ Narrow SSB Filter
It can also be used for digital modes.

Kenwood YK-88 C-1
500 Hz CW Filter (can also be used for narrow digital modes)

Linear Amp Switching Cable for Kenwood Rigs:

This cable goes from a Kenwood transceiver to a linear amplifier to switch the amp from transmit to receive.

One end has a DIN connector, as is used with most Kenwood rigs. The other end has an RCA phono plug, as used by most linear amplifiers.

Before using this cable, please check the switching capabilities of your transceiver, and the requirements of your amplifier.

This cable is for switching the relay. $15

DC Power Cable

This is the heavy duty power cable as used on most of the Kenwood HF rigs, plus also many Icom, Alinco, and others.

It has the 6 pin molex connector, with four pins used - two
for plus and two for ground. The cable may not have ever
been used. It looks good, and of course works fine. $22

Kenwood MC-43 Hand Microphone:

The Kenwood MC-43 is probably the most popular hand mic
for Kenwood equipment. In addition to the PTT switch, it also
has up and down buttons on the top to change the frequency.
It has a round 8 pin plug, so it fits most any Kenwood rig
with the round 8 pin connector. This includes the TS-430,
TS-440, TS-450, TS-690, TS-530, TS-570, TS-850, TS-930,
TS-940, TS-950 and other HF rigs. It also works with VHF,
UHF, and dual band rigs including the TM-201, TM-211,
TM-221, TM-231, TM-241, TM-721, TM-731, TW-4000,
TM-2530, TM-2550, TM-2570, TR-751, TR-851 and others.

AES sells the MC-43 for $65.

This one is new. It was still in its original plastic until
I removed it for testing. Of course it looks and works
perfectly. $43

Kenwood "Soft Cases"

SC-35 soft case
For Kenwood TH-78 dual band HT. Looks like new.
Only $12.

SC-8 T soft case
For Kenwood TH-21, TH-31, TH-41 series HTs.
Like new condition. $10

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Kenwood SC-8 T "Soft Case" for any of the TH-21 series HTs
Appears to be unused, $12

Antenna adapter that fits the TH-21 series HTs, and has an SO-239
on the other end, to accept a PL-259. $5

Antenna adapter that fits the TH-21 series HTs, and has a BNC on
the other end. $8

Original Operating manual for TH-21 HT for 2 meters $8

Original Box, with inserts, for Kenwood TH-41, 440 MHz HT. $8

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries for
the TH-21 series, and also on other Kenwood radios.
It has a standard 2.1 mm coaxial connector. $12

Rubber Duck Antenna:
BNC - Original from Kenwood TH-215, about 5 inches long - $10

Original Box for Kenwood TM-221 two meter mobile transceiver. $6

Original Box for Kenwood TH-41, 440 MHz HT. $8

Original box for Kenwood TR-2600, Two meter HT. $8

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are Operating manuals unless otherwise specified.
All are original manuals only.

SPECIAL:
Buy two, three, or four of my books/manuals, and take 10% off.
Buy five or more and take 20% off.

TH-21 HT for 2 m, $8
TH-215/315/415 HT for 2 m, 220 MHz, or 440 MHz, $10
TH-225, 2 m HT, $12
TH-235, 2 m HT, $15
TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz, $12
TM-221/421 2 m or 440 MHz mobile, $12
TM-261/461 2m or 440 MHz mobile, $12
TM-2570/2550/2530 2 m mobile, $15
TR-2400, 2 m HT, $12
Service manual for TR-2600, 2 m HT, $12
TR-9000, 2 m multimode, $12
TS-120 S/V, HF xcvr, $20
TS-450 S / TS-690 S Xcvr Operating Manual $18
TS-450 "External Control" (not operating manual) $7
TW-4000 dual band mobile, $15
Service manual for TW-4000 dual bander $20
TW-4100 dual band mobile, $15

BC-2 Wall Charger $2
BC-5 DC to DC quick charger $2
DC-21 Dc-DC Converter $2
LF-30A Low Pass Filter $4
MC-30 & MC-35 hand microphones $4
MS-1 mobile stand $3
PB-1, PB-2, PB-3, & PB-4 battery packs $2
PB-21 Battery Pack $2
PB-24 battery pack for TR-2400 $2
PB-25 H battery pack for TR-2500 $2
PS-6 power supply $5
PS-30 power supply $4
SC-8 / 8T Soft Case $2
SMC-24 speaker mic $2
SMC-25 speaker mic $2

SP-820 Speaker $2

These are original Kenwood manuals only.

I also have many other accessories of many different brands available.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1262. NOS Kenwood TL-922 A, HF Amp FS

Yahoo group: kenwoodradio
Date: 2015-12-23 01:46:44 UTC
From: Ken, W8EK
Topic: 1262 Message: 1262

For Sale:

NOS Kenwood TL-922 A, HF Amplifier

I know that NOS (New, but old stock) is usually used
for tubes, but in this case it applies to this amplifier.
To the best of my knowledge it has never been used.
I was told that it has been in the bedroom closet of a
climate controlled house, in its original box, for the
last seven years or so. Prior to that, no one can remember
seeing it in use. It does not even have any dust, which
is something that would happen even with a little use.

Although it is apparently new, unused, it is still on the
order of 20 years old. Obviously it still has its original
filter capacitors which need to be replaced before use.
The outer box looks like it probably was moved a few
times, which corresponds to what I was told, as the
previous owner changed QTHs.

I can sell this unit in one of three ways:

1) As it presently is, in its original box, but needing new
filter capacitors, for $1000. If you are handy and/or
would like to do your own work, this is the best option.
Obviously this is the easiest option for me.

2) I replace the filter capacitors and verify it works.
Cost would then be $1200. This is the option that I
least prefer.

3) I replace not only the filter capacitors, but add a
glitch resistor in the B+, protective diodes where needed
(primarily in metering circuit and across relay coils),
change biasing of the tubes, and add a soft key circuit.
Cost would then be $1300.

Obviously, I would prefer pickup in the Ocala FL area,
very close to I-75. Being that it has its original boxes, I
could ship, although it would be costly, which is obviously
not included in the above prices.

If you have been looking for a really terrific, pristine,
mint, TL-922 A, this is it. Due to the many options, it
would be best to talk on the phone. (352) 732-8400

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1263. TS-450, TS-850 and more FS

Yahoo group: kenwoodradio
Date: 2016-01-28 14:27:58 UTC
From: Ken, W8EK
Topic: 1263 Message: 1263

Kenwood HF Transceivers, various cables, manuals,
and other miscellaneous items For Sale:

Both of these transceivers were sold, but no $$ received,
so they are available again.

Pristine Kenwood TS-850 HF Transceiver:

The Kenwood TS-850S is a competition class transceiver designed
for the serious radio operator. Coverage is 160-10 meters with
100 watts (40W AM) output. Superior dynamic range of 108 dB.
It has one Hz step dual VFO's, superior interference reduction,
keyer circuit, dual-noise blanker and 100 memory channels.
Other features include multifunction LCD display, keypad entry,
all mode squelch and memory keyer.
13.8 V DC at 20.5 amps is needed.

Features:
160-10 meters transmit
General coverage receiver
IF Notch
CW Reverse
Full and semi QSK
Memory Keyer
100 Memories
Dual Mode NB
XIT/RIT
SSB/CW Slope Tuning
All Mode Squelch
RF Speech Processor

This particular rig is immaculate. It works fine and looks
just like new. No scratches or defects.

It is in its original box, complete with mic, power cord,
and paper work for $600.

Kenwood TS-450 S AT, HF Transceiver:

The Kenwood TS-450 is a formidable transceiver covering 160
through 10 meters including the WARC bands with 100 watts
(40W AM). An internal automatic antenna tuner is included.
The TS-450 supports many advanced features such as keypad
entry, VOX, 100 memories, XIT, RIT, Notch, IF Shift, Squelch
and digital meter. It requires 13.8 V DC at 20.5 amps.

Features:
160-10 meters
AF Notch
CW Reverse
100 Memories
Dual Mode NB
XIT/RIT
IF Shift
Keypad Entry
All Mode Squelch
RF Speech Processor

This particular rig works 100% as best I can tell, but cosmetically it is not the 9+ that I normally sell. I would rate this one about a 7 on cosmetics.

With mic, power cord, and paper work for $450.

Kenwood Crystal Filters:

All of these are "plug in filters" as opposed to the older type that must be soldered in. They are used in rigs such as the TS-450, TS-570, TS-690, TS-850, TS-930, TS-940, TS-950, and others. These are for the 8.83 MHz IF. All work fine and look like new. Paperwork and hardware are included with all.

They are $75 each, or buy both for $140.

Kenwood YK-88 S 1 Crystal Filter:
This filter is 2400 Hz wide

Kenwood YK-88 SN-1
1800 HZ Narrow SSB Filter
It can also be used for digital modes.

DC Power Cable

This is the heavy duty power cable as used on most of the Kenwood HF rigs, plus also many Icom, Alinco, and others. It has the 6 pin molex connector, with four pins used - two for plus and two for ground. The cable may not have ever been used. It looks good, and of course works fine. $22

Original Box for Kenwood TM-221 two meter mobile transceiver. $6

Original Box for Kenwood TH-41, 440 MHz HT. $8

Original box for Kenwood TR-2600, Two meter HT. $8

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are Operating manuals unless otherwise specified.
All are original manuals only.

SPECIAL:
Buy two, three, or four of my books/manuals, and take 10% off.
Buy five or more and take 20% off.

TH-21 HT for 2 m, $8
TH-215/315/415 HT for 2 m, 220 MHz, or 440 MHz, $10
TH-225, 2 m HT, $12
TH-235, 2 m HT, $15
TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz, $12
TM-221/421 2 m or 440 MHz mobile, $12
TM-261/461 2m or 440 MHz mobile, $12
TM-2570/2550/2530 2 m mobile, $15
TR-2400, 2 m HT, $12
Service manual for TR-2600, 2 m HT, $12
TR-9000, 2 m multimode, $12
TS-120 S/V, HF xcvr, $20
TS-450 "External Control" (not operating manual) $7
TW-4000 dual band mobile, $15
Service manual for TW-4000 dual bander $20
TW-4100 dual band mobile, $15

BC-2 Wall Charger $2
BC-5 DC to DC quick charger $2
DC-21 Dc-DC Converter $2
LF-30A Low Pass Filter $4
MC-30 & MC-35 hand microphones $4
MS-1 mobile stand $3
PB-1, PB-2, PB-3, & PB-4 battery packs $2
PB-21 Battery Pack $2
PB-24 battery pack for TR-2400 $2
PB-25 H battery pack for TR-2500 $2
PS-6 power supply $5
PS-30 power supply $4
SC-8 / 8T Soft Case $2
SMC-24 speaker mic $2
SMC-25 speaker mic $2
SP-820 Speaker $2

These are original Kenwood manuals only.

I also have many other accessories of many different brands
available.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1264. Kenwood Speakers FS

Yahoo group: kenwoodradio
Date: 2016-02-16 02:06:36 UTC
From: Ken, W8EK
Topic: 1264 Message: 1264

Kenwood and other communications speakers For Sale:

Kenwood SP-820

The Kenwood SP-820 matches the R-820 and TS-820S, and others.
It is the color of most of the TS-520, 530, 820, 830, and other rigs
of that era.

The SP-820 has selectable tone filters to attenuate high and/or
low frequencies. You can select between two audio input sources.
The ¼ inch headphone jack on the front panel is post-filtration.

The SP-820 features a 4.75 inch 8 ohm speaker. Frequency response
is 100 to 5000 Hz. The rear panel has three RCA phono jacks for
Inputs A and B and Line Output. It is 6.25 x 6 x 13.4 inches.

This particular speaker works fine, and looks extremely nice -
very close to new. It includes the "riser feet" on the front.

Paper work is included for $85.

Kenwood SP-430

The Kenwood SP-430 external 8 ohm speaker provides low-distortion,
clear sound and high intelligibility in any mode. It is made in an all
metal cabinet, and matches the TS-430S, TS-440S, TS-450, TS-711A,
and others. The rear panel has a two screw terminal strip.
There is a snap-out riser bar that will raise the front to match
the slant of the rig. It is 5 x 4 x 9.5 inches.

This one works fine and looks good, but there is a smudge on the
top, not visible from the front.

With paper work for $60.

Other communications speakers:

Radio Shack 21-541 Powered Communications Speaker:

This speaker is a bit unique. It is a communications speaker,
but it is also powered, much like computer speakers.

Specs say the frequency response is 300 to 3000 Hz, which is
ideal for communications. It is rated to have 8 watts output,
which means you could hear it in over most any noisy environment,
such as high noise mobile installations. It needs 13 V DC at up
to 1.5 amps, although current is very low if the volume is low.

This unit has a nice gimble mounting bracket, making it great for mobile use.

This unit works fine and looks close to new. It even includes a single page of paper work, as if that is needed. Only $22

Motorola Typ NR GSN 6010 A:

I think the NR in the model means "Noise Reduction".
This black speaker is about 5 inches square and 3 inches deep, designed for communications frequencies. It has a long cord terminated in a 3.5 mm (1/8 inch) mono plug. $20

Realistic 21-549 A:
This speaker is about 4 inches square and about 2 inches deep. It is rated for 5 watts, has an 8 ohm impedance, and is listed as a 300 to 3000 Hz frequency response, making it ideal for communications. It has a 3.5 mm (1/8 inch) mono plug, as used by most modern rigs. It is black in color, looks great, and sounds great. $12

Vanco SPB-6:
Similar to Realistic 21-549 above, but is considered a noise cancelling speaker.
10 Watt rating. Still in original box, new. $18

Prices do not include shipping from Florida.

I also have many other accessories available such as many different types of microphones, HTs, HF, VHF and UHF rigs, HF and VHF/UHF antennas, etc.
Just too many to list here. Please e-mail your requests.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1265. Kenwood HF Transceivers FS

Yahoo group: kenwoodradio
Date: 2016-02-21 18:15:45 UTC
From: Ken, W8EK
Topic: 1265 Message: 1265

Kenwood HF Transceivers For Sale:

Pristine Kenwood TS-850 HF Transceiver:

The Kenwood TS-850S is a competition class transceiver designed for the serious radio operator. Coverage is 160-10 meters with 100 watts (40W AM) output. Superior dynamic range of 108 dB. It has one Hz step dual VFO's, superior interference reduction, keyer circuit, dual-noise blanker and 100 memory channels. Other features include multifunction LCD display, keypad entry, all mode squelch and memory keyer.
13.8 V DC at 20.5 amps is needed.

Features:
160-10 meters transmit
General coverage receiver
IF Notch
CW Reverse
Full and semi QSK
Memory Keyer
100 Memories
Dual Mode NB
XIT/RIT
SSB/CW Slope Tuning
All Mode Squelch
RF Speech Processor

This particular rig is immaculate. It works fine and looks just like new. No scratches or defects.

It is in its original box, complete with mic, power cord, and paper work for $600.

Kenwood TS-450 S AT, HF Transceiver:

The Kenwood TS-450 is a formidable transceiver covering 160 through 10 meters including the WARC bands with 100 watts (40W AM). An internal automatic antenna tuner is included. The TS-450 supports many advanced features such as keypad entry, VOX, 100 memories, XIT, RIT, Notch, IF Shift, Squelch and digital meter. It requires 13.8 V DC at 20.5 amps.

Features:
160-10 meters
AF Notch
CW Reverse
100 Memories

Dual Mode NB
XIT/RIT
IF Shift
Keypad Entry
All Mode Squelch
RF Speech Processor

This particular rig works 100% as best I can tell.
Cosmetically, it is good, but not as nice as the TS-850
or TS-440.

With mic, power cord, and paper work for $450.

Kenwood TS-440 S AT HF Transceiver:

The Kenwood TS-440S was designed for superior performance in
the SSB, CW, AM, FM and AFSK modes. Coverage is 160 through
10 meters including the WARC bands with 100 watts final amplifier
stage (40W AM). It requires 13.8 VDC at 20.5 Amps. The AT-440
antenna tuner is built-in.

Features
160-10 meters
IF Notch
CW Reverse
100 Memories
Dual Mode NB
XIT/RIT
SSB/CW Slope Tuning
Memory Keyer
Keypad Entry
RF Speech Processor

This TS-440 S AT is different than most, in a very good way.
It is "unmolested", with everything as original from the factory.
Usually a couple diodes are clipped to give it an extra digit on
the frequency readout, and to give it general coverage transmit.
This one has not had that done! It does not have the dot problem.
Everything functions as it should. Cosmetically, it is extremely
nice, but does have one minor scratch.

Power cord, microphone, and paper work are included in the
original box for $450.

I also have many other accessories of many different brands
available.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1266. HF Xcvr, Filters, Mics, Cables, and more FS

Yahoo group: kenwoodradio
Date: 2016-03-14 13:22:52 UTC
From: Ken, W8EK
Topic: 1266 Message: 1266

Kenwood HF Transceiver, Crystal Filters, Power Cord,
Linear T/R switching cable, Desk and Hand Microphones,
HT accessories, original boxes, original manuals, and more

Kenwood TS-450 S AT, HF Transceiver:

The Kenwood TS-450 is a formidable transceiver covering 160
through 10 meters including the WARC bands with 100 watts
(40W AM). An internal automatic antenna tuner is included.
The TS-450 supports many advanced features such as keypad
entry, VOX, 100 memories, XIT, RIT, Notch, IF Shift, Squelch
and digital meter. It requires 13.8 V DC at 20.5 amps.

Features:
160-10 meters
AF Notch
CW Reverse
100 Memories
Dual Mode NB
XIT/RIT
IF Shift
Keypad Entry
All Mode Squelch
RF Speech Processor

This particular rig works 100% as best I can tell.
Cosmetically, it is good.

With mic, power cord, and paper work for $450.

Kenwood Crystal Filters:

Kenwood YK-88 S 1 Crystal Filter:
This filter is 2400 Hz wide.
This is a "plug in filter" as opposed to the type that must
be soldered in. It is used in rigs such as the TS-450, TS-570,
TS-690, TS-850, TS-930, TS-940, TS-950, and others.
It is for the 8.83 MHz IF.
It works fine and looks like new.
Paperwork is included for $75.

Kenwood YK-88 SN
This is the "solder in" type filter that is used in the TS-130,
TS-430, TS-440, TS-530, TS-830, R-5000, and many others.
It is 1800 Hz wide making it ideal for narrow SSB, but also
for digital modes. It works fine and looks like new. $70

DC Power Cable:
This is the heavy duty power cable as used on most of the Kenwood HF rigs, plus also many Icom, Alinco, and others. It has the 6 pin molex connector, with four pins used - two for plus and two for ground. It looks good, and of course works fine. $22

Cable for T/R switching if linear amplifiers:

This cable goes from a Kenwood transceiver to a linear amplifier to switch the amp from transmit to receive.

One end has a DIN connector, as is used with most Kenwood rigs. The other end has an RCA phono plug, as used by most linear amplifiers.

Before using this cable, please check the switching capabilities of your transceiver, and the requirements of your amplifier.

Cable for switching the T/R relay. Only $15.

Cable as above, but with ALC line in addition to T/R switching. $22

Kenwood MC-85 Deluxe Desk Microphone:

The Kenwood MC-85 is a deluxe unidirectional electret condenser desk mic. In addition to it being a microphone, it features UP-DOWN tuning for compatible Kenwood transceivers. It also has built-in audio level compensation, preamp and a level meter.

It can be used with up to three different rigs. This one has one 8 pin mic cable.

This mic requires power that is derived from most Kenwood rigs that use the round 8 pin connector. For other models, you will need to install four AA cells (not supplied).

This 700 ohm mic has a 300 to 7000 Hz response.

This particular mic works fine and looks like it just came out of its box new. No defects.

Paper work is included for $100.

Extra Cables for MC-85 Microphones:

With 4 pin plug, such as used on TS-130 and others. $20

With round 8 pin plug, as used on TS-430 and others. $20

MC-85 desk mic as above, but "Tech Special"
It looks like the silent key was working on repair of this when

he passed. All parts appear to be present, plus the addition
of a couple extra up/down switches. $45

Hand Microphone with round 8 pin plug for Kenwood, Alinco, etc.

This hand mic works great on most Kenwood rigs with the
round 8 pin connector, such as the TS-430, TS-440, TM-241,
TM-2530, TW-4000, and others, including Alinco and ADI.
It says "Electret Condenser Mic" on the back, and
"Kenwood" on the front, with no model number.

Basically, this mic functions like an MC-43, with a couple
more features. It has the mic and PTT switch; it also has
up/down switches on the top. There are four "extra" buttons
labeled Call, VFO, MR, and PF. What these four buttons do
depends on the rig. There is also a "Lock" switch on the back.

Regardless if you use the four extra buttons or not, you
still have a mic that works like an MC-43.

This mic works fine, and looks like new. I am guessing it
came with a rig, and was immediately put in the drawer,
and never used. $30

Accessories for the Kenwood TH-21 / 31 / 41 series HTs:

Kenwood SC-8 T "Soft Case" for any of the TH-21 series HTs
Appears to be unused, $12

Antenna adapter that fits the TH-21 series HTs, and has an SO-239
on the other end, to accept a PL-259. $5

Antenna adapter that fits the TH-21 series HTs, and has a BNC on
the other end. $8

Original Operating manual for TH-21 HT for 2 meters $8

Original Box, with inserts, for Kenwood TH-41, 440 MHz HT. $8

Kenwood W09-0315 charger
This charger is used to charge the larger PB-21 H batteries for
the TH-21 series, and also on other Kenwood radios.
It has a standard 2.1 mm coaxial connector. $12

Kenwood "Soft Cases"

SC-35 soft case
For Kenwood TH-78 dual band HT. Looks like new.
Only $12.

SC-8 T soft case
For Kenwood TH-21, TH-31, TH-41 series HTs.
Like new condition. $10

Original Boxes for Icom IC-V8 HT, Icom IC-27 mobile,
Kenwood TM-221 mobile, Kenwood TH-41 HT, Kenwood TR-2600 HT,
and ADI AT-200 HT, complete with inserts. All of these boxes
include all of the inserts they came with originally, and are
in close to new condition.

Original Box for Icom IC-V8 HT. $8

Original Box for the IC-27 two meter mobile transceiver.
Also includes the cardboard box for accessories that acts as
a spacer. $9

Original Box for Kenwood TM-221 two meter mobile transceiver. $6

Original Box for Kenwood TH-41, 440 MHz HT. $8

Original box for Kenwood TR-2600, Two meter HT. $8

Original Box for ADI AT-200, Two meter HT. $8

Original Manuals for Kenwood equipment:

All manuals are in very nice condition, for Kenwood equipment.
All are Operating manuals unless otherwise specified.
All are original manuals only.

SPECIAL:
Buy two, three, or four of my books/manuals, and take 10% off.
Buy five or more and take 20% off.

TH-21 HT for 2 m, $8
TH-215/315/415 HT for 2 m, 220 MHz, or 440 MHz, $10
TH-225, 2 m HT, $12
TH-241/441/541 mobile FM transceivers
...For 2 m, 440 MHz, & 1200 MHz, $12
TM-221/421 2 m or 440 MHz mobile, $12
TM-261/461 2m or 440 MHz mobile, $12
TR-2400, 2 m HT, $12
Service manual for TR-2600, 2 m HT, $12
TS-120 S/V, HF xcvr, $18
TS-450 "External Control" (not operating manual) $7
TW-4000 dual bander mobile, $15
Service manual for TW-4000 dual bander $20
TW-4100 dual band mobile, $15

BC-2 Wall Charger $2
BC-5 DC to DC quick charger $2
DC-21 Dc-DC Converter $2
LF-30A Low Pass Filter $4
MC-30 & MC-35 hand microphones $4
MS-1 mobile stand $3
PB-1, PB-2, PB-3, & PB-4 battery packs $2
PB-21 Battery Pack $2
PB-24 battery pack for TR-2400 $2

PB-25 H battery pack for TR-2500 $2
PS-6 power supply $5
PS-30 power supply $4
SC-8 / 8T Soft Case $2
SMC-24 speaker mic $2
SMC-25 speaker mic $2
SP-820 Speaker $2

These are original Kenwood manuals only.

Kenwood Operating Manuals in "Non English" Languages:

All of the following manuals are not in the English language.
They are the original Kenwood operating manual only.
They look quite extensive and detailed, and are basically new,
only being opened to observe that it is something I can not read.
They are all original from Kenwood and are all $8 each.

Kenwood TH-22 A Two Meter HT
Spanish Version for the TH-22 A / 22 AT / 22E and
TH-42 A / 42 AT / 42 E

Kenwood TH-22 A Two Meter HT
French Version for the TH-22 A / 22 AT / 22E and
TH-42 A / 42 AT / 42 E

Kenwood TM G-707 dual band transceiver
Spanish version of the TM G-707 Operating Manual

I also have many other accessories of many different
brands available.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1267. Two meter multimode transceivers FS

Yahoo group: kenwoodradio
Date: 2016-04-05 21:41:43 UTC
From: Ken, W8EK
Topic: 1267 Message: 1267

I have two Kenwood TS-700 A, 2 meter Multimode
transceivers for sale.

The Kenwood TS-700A multimode transceiver provides 2 meter
operation in FM, LSB, USB, AM and CW modes. Power output is
rated at 10 watts. It covers the entire 2 meter band.
Enhancements include RF gain, RIT, squelch, noise blanker and
44 fixed channels (11 per MHz band). Operation is from 120/220
VAC, or 13.8 VDC at 4 amps.

Features:
Multi-Mode
RIT
Noise Blanker
On-Air Indicator
Squelch
AC/DC Operation

I have two units available.

The first looks very nice. The front is really great.
All bulbs light, and the VFO is smooth. It produces from 11 to
12 W out. However, it only transmits in FM and USB. There is no
power out in LSB or AM. Of course FM and USB is about all that
is normally used on 2 meters, so it may not matter.

The second unit looks good, but not quite as nice as the first
one. It transmits in all modes, but I am 90% sure someone took a
"golden screwdriver" to it. The power output is in the 18 to
20 watt range instead of 11 to 12 as it should be. This
indicates some one has "tweaked" it. The frequency that it
transmits and receives on is not the same as indicated.
Basically, I think it needs a complete, accurate alignment,
and then it would be great.

Buy either one with paper work and 110 V AC power cord for
$150 each. The DC power cord is not included.
Buy both of them for $275.

I also have many other accessories available such as many
different types of microphones, HTs, VHF and UHF rigs, HF
and VHF/UHF antennas, connectors, miscellaneous accessories,
etc.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

1268. HF Xcvrs, Speaker, Dual Band Xcvrs, Mics, PS, etc. FS

Yahoo group: kenwoodradio
Date: 2016-06-03 16:13:11 UTC
From: Ken, W8EK
Topic: 1268 Message: 1268

Kenwood Items For Sale:

HF Transceivers, Filters, External Speaker, Desk Mic,
Power Supply, Dual Band Cross Band FM Transceivers,
Cables, Extension Feet, Etc.

Kenwood TS-570SG, HF + 6 meters:

The Kenwood TS-570SG provides DSP technology for superb audio,
noise reduction, equalization and slope tuning. In SSB/AM/FM modes
you can select a Hi/Low cut DSP slope tune using 441 possible
combinations. In CW and FSK the DSP alters the passband width
for rejection of nearby signals.

It covers the amateur bands from 160-6 meters, plus a general
coverage receiver. Power output is from 5 to 100 watts. A preset
auto antenna tuner and electronic keyer are built in. The menu
system offers 46 types of functions. Full and semi break-in,
dedicated packet port, 57600 bps PC control, Keypad entry, 100
memories, IF shift, Scanning and CW Auto Tune are included.

This is the S G model with 6 meters and all of the latest
DSP features.

This rig works 100% and looks like new. In its original box,
with hand mic, power cord, and manual (still sealed) for
$700.

Kenwood TS-440 S AT HF Transceiver:

The Kenwood TS-440S was designed for superior performance in
SSB, CW, AM, FM and AFSK modes. Coverage is 160 through
10 meters including the WARC bands with 100 watts final amplifier
stage (40W AM). 13.8 V DC required. The AT-440 antenna tuner is
built-in.

Features:
IF Notch
CW Reverse
100 Memories
XIT/RIT
SSB/CW Slope Tuning
RF Speech Processor

This TS-440 S AT is different than most, in a very good way.
It is "unmolested", with everything as original from the factory.
Usually a couple diodes are clipped to give it an extra digit on

the frequency readout, and to give it general coverage transmit. This one has not had that done! It does not have the dot problem. Everything functions as it should. Cosmetically, it is extremely nice, but does have one minor scratch.

Power cord, microphone, and paper work are included in the original box for $450.

Kenwood Crystal Filters:

Kenwood YK-88 SN 1 Crystal Filter:
This filter is 1800 Hz wide, for narrow SSB or wide CW/digital. This is a "plug in filter" as opposed to the type that must be soldered in. It is used in rigs such as the TS-450, TS-570, TS-690, TS-850, TS-930, TS-940, TS-950, and others.
It is for the 8.83 MHz IF.
It works fine and looks like new.
Paperwork is included for $79.

Kenwood YK-88 S 1 Crystal Filter
This filter is 2400 Hz wide and is used in the same rigs as listed above.
It works fine and looks like new.
Paperwork is included for $75.

Kenwood YK-88 SN
This is the "solder in" type filter that is used in the TS-130, TS-430, TS-440, TS-530, TS-830, R-5000, and many others.
It is 1800 Hz wide making it ideal for narrow SSB, but also for digital modes. It works fine and looks like new. $70

Kenwood SP-23 External Speaker:

The Kenwood SP-23 base speaker matches many Kenwood transceivers including the TS-450S, TS-570S/D and TS-690. This versatile 8 ohm speaker features a metal cabinet with flip-out tilt bar. It has a 3 inch (77 mm) speaker element rated to 1 watt, with a 300 to 5000 Hz response. The rear panel features two screw connections, and includes a 3 foot audio cable.

It is 4.8 x 3.75 x 9.25 inches, and weighs 2.8 lbs.

This particular speaker works fine, and looks like new. It is in its original box, with cable and paper work for only $75.

Kenwood MC-60 A, Deluxe Desk Microphone:

The Kenwood MC-60A is a communication type dynamic unidirectional mic. It features UP-DOWN tuning. The mic impedance may be set for 50K ohms or 500 ohms. The frequency response is 150 Hz to 10 kHz (-6dB) with the Preamp off and 200 Hz to 7 kHz (-6 dB) with the

Preamp on. The heavy zinc die-cast base provides extra stability. The mic terminates to a standard round 8 pin mic plug. It can be used on virtually any of the Kenwood rigs that use a round 8 pin connector. Please note that the earlier MC-60 (non-"A") version has a 4 pin mic plug and no UP-DOWN tuning.

This particular mic appears to be new, unused. It came from a SK, so I can not verify for sure, but it certainly looks new, and of course works like new.

This is a current model and sells for about $160. Buy this one for only $100.

Kenwood MC-85 Deluxe Desk Microphone Parts:

The Kenwood MC-85 will take up to three mic cords,
i.e. it is capable of being used on three rigs.

MC-85 desk mic "Tech Special"
It looks like the silent key was working on repair of this when he passed. All parts appear to be present, plus the addition of a couple extra up/down switches. $45

Kenwood PS-30 Power Supply:

The Kenwood PS-30 power supply provides 13.8 VDC at
20 Amps intermittent or 15 Amps continuous. It features
large heat sinks and automatic overload reset. Ripple
voltage is less than 20 mv at 13.8 V DC 20 Amps.
Input is 120 or 220 V AC.
7.2 x 5.3 x 11.5 inches

The PS-30 has two output connections. It has a 6 pin molex connector as used on many, many Kenwood rigs, and also on many Icom, Yaesu and Alinco rigs. In addition there are screw terminals for lower current output, normally used for a 2 meter or dual band rig.

This one works fine and looks great.

Paper work is included for $100.

Kenwood TM-732 Dual Band FM Cross Band Repeat Transceiver:

The Kenwood TM-732A dual band 2 meter, 440 MHz transceiver provides high performance communications with operating ease. It features dual receive including V+V and U+U, built-in CTCSS, DTSS and page functions, 50 memory channels and multi-scan functions. The high visibility front panel is detachable. Extended receive range is 118-174 MHz and 438-450 MHz. Power output is 50/10/5 watts on 2 meters and 35/10/5 watts on 440 MHz. Requires 13.8 VDC at 11.5 amps. MC-45DM multifunction DTMF hand mic included.

Features:
50 Memories
Scanning
CTCSS Encode
S Meter Squelch
Auto Power Off
Cross Band Repeat
DTMF Memory
Triple Tone Alert
DTSS Pager Function
DTMF Hand Mic

This particular unit works 100% and looks like new. No scratches.

With paper work for $200.

Kenwood TM-V7A, Dual Band FM Transceiver:

The Kenwood TM-V7A has an easy to operate control panel
and a cool-blue reversible LCD. It has DTSS and pager
functions, 280 memory channels plus the ability to receive
two frequencies on the same band. Other features include
S-meter squelch, time-out timer, dimmer, auto power-off
and supplied MC-53DM backlit DTMF mic. There is a 6 pin
mini DIN connector to facilitate 1200/9600 bps packet hook-up.

Features:
280 Memories
Dual Display
DTMF Hand Mic
Visual Scan
Dual Receive on same band
Auto Repeater Offset
Auto Simplex Checker
DTSS Selective Call
PL Decode/Encode
Packet 1200/9600 DIN
50/10/5 Watts RF Output

This unit works fine. It has so many features it is hard
to image them all. Cosmetically, the rigs looks great, but
it does have lines on the display, like most. A "display
repair kit" is included.

In its original box for $160.

Linear Amp Switching Cables for Kenwood Rigs:

This cable goes from a Kenwood transceiver to a linear
amplifier to switch the amp from transmit to receive.

One end has a DIN connector, as is used with most Kenwood
rigs. The other end has an RCA phono plug, as used by most
linear amplifiers.

Before using this cable, please check the switching
capabilities of your transceiver, and the requirements
of your amplifier.

Cable for switching the T/R relay. Only $15.

Cable as above, but with ALC line in addition to T/R switching.
$20

Kenwood "Extension Feet":
This is a set of two feet that are often used on
various Kenwood rigs to raise the front by about
1/2 inch to give a rig, speaker, remote VFO, etc.
the tilt that makes it easier to read.
This is a complete set of two front feet, with the
needed hardware. $15

Other Kenwood Items, such as manuals, are also available.

I also have many other accessories available such as many
different types of microphones, HTs, VHF and UHF rigs, HF
and VHF/UHF antennas, connectors, miscellaneous accessories,
etc.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400